

DAFTAR PUSTAKA

- Aakre, I., Lilleengen, A.M., Lerseth Aarsand, M. et al. (2017). Infant feeding practices in the Saharawi refugee camps Algeria, a cross-sectional study among children from birth to six months of age. *Int Breastfeed J* 12, 8. <https://doi.org/10.1186/s13006-016-0098-1>
- Abebe, Z., Zelalem Anlay, D., Biadgo, B., Kebede, A., Melku, T., Enawgaw, B. et al. (2017). High Prevalence of Undernutrition among Children in Gondar Town, Northwest Ethiopia: A Community-Based Cross-Sectional Study. *International journal of pediatrics*, 2017, 5367070. <https://doi.org/10.1155/2017/5367070>
- Abebe, H., Gashu, M., Kebede, A., Abata, H., Yeshaneh, A., Workye, H. et al (2021). Minimum acceptable diet and associated factors among children aged 6-23 months in Ethiopia. *Italian journal of pediatrics*, 47(1), 215. <https://doi.org/10.1186/s13052-021-01169-3>
- Aboagye, R. G., Seidu, A. A., Ahinkorah, B. O., Arthur-Holmes, F., Cadri, A., Dadzie, L. K. et al. (2021). Dietary Diversity and Undernutrition in Children Aged 6-23 Months in Sub-Saharan Africa. *Nutrients*, 13(10), 3431. <https://doi.org/10.3390/nu13103431>
- Abie, B. M., & Goshu, Y. A. (2019). Early initiation of breastfeeding and colostrum feeding among mothers of children aged less than 24 months in Debre Tabor, northwest Ethiopia: a cross-sectional study. *BMC research notes*, 12(1), 65. <https://doi.org/10.1186/s13104-019-4094-6>
- Adem, A., Assefa, N., Deresa, M., Yuya, M., Ayana, G. M., Negash, B., Beshir, T., & Merga, B. T. (2021). Prolactal Feeding Practices and Its Associated Factors among Mother of Children Less Than 2 Years of Age in Kersa District, Eastern Ethiopia. *Global pediatric health*, 8, 2333794X211018321. <https://doi.org/10.1177/2333794X211018321>
- Acharya K, Upadhyia DP, Pathak S, Pokharel S, Pradhan PMS. (2021). Infant and young child feeding practices and its associated factors among mothers of under two years children in a western hilly region of Nepal. *PLoS One*. 2021 Dec 16;16(12):e0261301. doi: 10.1371/journal.pone.0261301. PMID: 34914802; PMCID: PMC8675745. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8675745/>
- Aguayo, V. M., Nair, R., Badgaiyan, N., & Krishna, V. (2016). Determinants of

stunting and poor linear growth in children under 2 years of age in India: an in-depth analysis of Maharashtra's comprehensive nutrition survey. *Maternal & child nutrition*, 12 Suppl 1(Suppl 1), 121–140. <https://doi.org/10.1111/mcn.12259>

Adhikari, N., Acharya, K., Upadhyaya, D. P., Pathak, S., Pokharel, S., & Pradhan, P. M. S. (2021). Infant and young child feeding practices and its associated factors among mothers of under two years children in a western hilly region of Nepal. *PloS one*, 16(12), e0261301. <https://doi.org/10.1371/journal.pone.0261301>

Aktar, K. (2021). The association between exclusive breastfeeding and nutritional status among infants under six months of age in Bangladesh: A secondary analysis of Bangladesh Demographic and Health Survey, 2017-18.

Ahmad, A., Madaniyah, S., Dwiriani, C. M., & Kolopaking, R. (2018). Complementary feeding practices and nutritional status of children 6-23 months old: formative study in Aceh, Indonesia. *Nutrition research and practice*, 12(6), 512–520. <https://doi.org/10.4162/nrp.2018.12.6.512>

Ahmad, I., Khalique, N., Khalil, S., Urfi, & Maroof, M. (2018). Dietary Diversity and Stunting among Infants and Young Children: A Cross-sectional Study in Aligarh. *Indian journal of community medicine : official publication of Indian Association of Preventive & Social Medicine*, 43(1), 34–36. https://doi.org/10.4103/ijcm.IJCM_382_16

Al Sabbah, H., Assaf, E. A., Taha, Z., Qasrawi, R., & Radwan, H. (2022). Determinants of Exclusive Breastfeeding and Mixed Feeding Among Mothers of Infants in Dubai and Sharjah, United Arab Emirates. *Frontiers in nutrition*, 9, 872217. <https://doi.org/10.3389/fnut.2022.872217>

Ali, F., Mgongo, M., Mamseri, R., George, J. M., Mboya, I. B., & Msuya, S. E. (2020). Prevalence of and factors associated with early initiation of breastfeeding among women with children aged < 24 months in Kilimanjaro region, northern Tanzania: a community-based cross-sectional study. *International breastfeeding journal*, 15(1), 80. <https://doi.org/10.1186/s13006-020-00322-8>

Allen, C. K., Assaf, S., Namaste, S., & Benedict, R. K. (2023). Estimates and trends of zero vegetable or fruit consumption among children aged 6-23 months in 64 countries. *PLOS global public health*, 3(6), e0001662. <https://doi.org/10.1371/journal.pgph.0001662>

Alkarimi, H. A., Watt, R. G., Pikhart, H., Jawadi, A. H., Sheiham, A., & Tsakos, G. (2012). Impact of treating dental caries on schoolchildren's anthropometric, dental, satisfaction and appetite outcomes: a randomized controlled trial. *BMC public health*, 12(1), 1-8.

- Alebel A, Dejenu G, Mullu G, Abebe N, Gualu T, Eshetie S. (2017). Timely initiation of breastfeeding and its association with birth place in Ethiopia: a systematic review and meta-analysis. *Int Breastfeed J.* 2017 Oct 3;12:44. doi: 10.1186/s13006-017-0133-x. PMID: 29026432; PMCID: PMC5627416. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5627416/>
- Al-Taiar A, Alqaoud N, Hammoud MS, Alanezi F, Aldalmani N, Subhakaran M. (2020). WHO infant and young child feeding indicators in relation to anthropometric measurements. *Public Health Nutr.* 2020 Jul;23(10):1665-1676. doi: 10.1017/S1368980019004634. Epub 2020 Apr 14. PMID: 32285763. <https://pubmed.ncbi.nlm.nih.gov/32285763/>
- Amiot-Carlin M. J. (2019). Consommation des fruits et légumes : quels avantages, quels risques ? [Fruit and vegetable consumption: what benefits, what risks?]. *La Revue du praticien*, 69(2), 139–142.
- Andina, E., & Achadi, E. L. (2021). Fulfilment of minimum acceptable diet (MAD), short birth length and family income level are associated with stunting in children aged 6-23 months in Central Jakarta. *Malaysian Journal of Nutrition*, 27(2).
- Andrew Banda., Elizabeth T. Nyirenda., Chabila C., Mapoma, Bwalya B. Bwalya., Nkuye Moyo. (2022). Influence of Infant and Young Child Feeding Practices on Stunting in Children aged 6 – 23 months in Zambia. *Adv Nutr Food Sci*, 7(1), 117-127. <https://www.opastpublishers.com/citation/influence-of-infant-and-young-child-feeding-practices-on-stunting-in-children-aged623-months-in-zambia-730.html>
- Ardiansyah, R. I., Panghiyangani, R., & Husaini, M. S. N. (2018). Risk Factors for Stunting among Children Aged 0–23 Months in Kalimantan Selatan Province. *EXECUTIVE EDITOR*, 9(5), 314.
- Asare, H., Rosi, A., Faber, M., Smuts, C., & Ricci, C. (2022). Animal-source foods as a suitable complementary food for improved physical growth in 6 to 24-month-old children in low- and middle-income countries: A systematic review and meta-analysis of randomised controlled trials. *British Journal of Nutrition*, 128(12), 2453-2463. doi:10.1017/S0007114522000290
- Australian Breastfeeding Association. (2022). Mix Feeding. Tersedia pada <https://www.breastfeeding.asn.au/resources/mixed-feeding> [diakses pada tanggal 16 Oktober 2023]
- Badan Penelitian dan Pengembangan Kesehatan Republik Indonesia. Studi diet total : survei konsumsi makanan individu. Jakarta; 2014. Tersedia pada

<https://repository.badankebijakan.kemkes.go.id/id/eprint/4741/> [diakses pada tanggal 30 Oktober 2023]

- Bansal SC, Odedra R, Talati K, Morgaonkar VA, Shinde M, Nimbalkar SM. (2021). Infant and young child feeding (IYCF) practices and their determinants in two Urban districts of India. *J Family Med Prim Care*. 2021 Aug;10(8):3137-3143. doi: 10.4103/jfmpc.jfmpc_184_21. Epub 2021 Aug 27. PMID: 34660459; PMCID: PMC8483104.
- Bazzano AN, Kaji A, Felker-Kantor E, Bazzano LA, Potts KS. (2017). Qualitative Studies of Infant and Young Child Feeding in Lower-Income Countries: A Systematic Review and Synthesis of Dietary Patterns. *Nutrients*. 2017 Oct 18;9(10):1140. doi: 10.3390/nu9101140. PMID: 29057842; PMCID: PMC5691756. <https://pubmed.ncbi.nlm.nih.gov/29057842/>
- Bapenas. (2018). Strategi nasional percepatan pencegahan stunting periode 2018-2024. Jakarta: Wakil Presiden Republik Indonesia: 2018
- Balehegn, M., Mekuriaw, Z., Miller, L., Mckune, S., & Adesogan, A. T. (2019). Animal-sourced foods for improved cognitive development. *Animal frontiers : the review magazine of animal agriculture*, 9(4), 50–57. <https://doi.org/10.1093/af/vfz039>
- Baum, J. I., Miller, J. D., & Gaines, B. L. (2017). The effect of egg supplementation on growth parameters in children participating in a school feeding program in rural Uganda: a pilot study. *Food & nutrition research*, 61(1), 1330097. <https://doi.org/10.1080/16546628.2017.1330097>
- Beal T, Tumilowicz A, Sutrisna A, Izwardy D, Neufeld LM. (2018). A review of child stunting determinants in Indonesia. *Matern Child Nutr*. 2018 Oct;14(4):e12617. doi: 10.1111/mcn.12617. Epub 2018 May 17. PMID: 29770565; PMCID: PMC6175423. <https://pubmed.ncbi.nlm.nih.gov/29770565/>
- Berti, C., & Socha, P. (2023). Infant and Young Child Feeding Practices and Health. *Nutrients*, 15(5), 1184. <https://doi.org/10.3390/nu15051184>
- Birie, B., Kassa, A., Kebede, E., & Terefe, B. (2021). Minimum acceptable diet practice and its associated factors among children aged 6-23 months in rural communities of Goncha district, north West Ethiopia. *BMC nutrition*, 7(1), 40. <https://doi.org/10.1186/s40795-021-00444-0>
- Belew, A. K., Ali, B. M., Abebe, Z., & Dachew, B. A. (2017). Dietary diversity and meal frequency among infant and young children: a community based study. *Italian journal of pediatrics*, 43(1), 73. <https://doi.org/10.1186/s13052-017->

- Brown, A. L. (2017). Consumption of packaged foods and sugar-sweetened beverages and the associations with undernutrition among 24-month old Cambodian children.
- Campbell RK, Aguayo VM, Kang Y, Dzed L, Joshi V, Waid J. *et al.* (2017). Infant and young child feeding practices and nutritional status in Bhutan. *Matern Child Nutr.* 2018 Jul;14(3):e12580. doi: 10.1111/mcn.12580. Epub 2017 Dec 21. PMID: 29266829; PMCID: PMC6866121.
- Campos AP, Vilar-Compte M, Hawkins SS. (2020). Association Between Breastfeeding and Child Stunting in Mexico. *Ann Glob Health.* 2020 Nov 17;86(1):145. doi: 10.5334/aogh.2836. PMID: 33262934; PMCID: PMC7678557.
- Cetthakrikul, N., Topothai, C., Suphanchaimat, R., Tisayaticom, K., Limwattananon, S., & Tangcharoensathien, V. (2018). Childhood stunting in Thailand: when prolonged breastfeeding interacts with household poverty. *BMC pediatrics*, 18(1), 395. <https://doi.org/10.1186/s12887-018-1375-5>
- Chea, N., & Asefa, A. (2018). Prelacteal feeding and associated factors among newborns in rural Sidama, south Ethiopia: a community based cross-sectional survey. *International breastfeeding journal*, 13, 7. <https://doi.org/10.1186/s13006-018-0149-x>
- Cherop, E. C., ETTYANG, G. A., & Mbagaya, G. M. (2010). Mixed feeding among infants aged 0-6 months in an urban setting of Eldoret, Kenya. *Journal of Food, Agriculture & Environment*, 8(1), 59-62.
- Christian, A. K., Afful-Dadzie, E., & Marquis, G. S. (2023). Infant and young child feeding practices are associated with childhood anaemia and stunting in sub-Saharan Africa. *BMC nutrition*, 9(1), 1-13.
- Centers for Disease Control and Prevention/ CDC. (2023). Breastfeeding: Why it matters. Tersedia pada : <https://www.cdc.gov/breastfeeding/about-breastfeeding/index.html#:~:text=Breastfeeding%20is%20the%20best%20source,for%20both%20infants%20and%20mothers>. [diakses pada tanggal 17 Oktober 2023]
- CDC. (2022). Breastfeeding : Breastfeeding Report Card. Tersedia pada : <https://www.cdc.gov/breastfeeding/data/reportcard.htm> [diakses pada tanggal 7 November 2023]
- Dadzie, L. K., Amo-Adjei, J., & Esia-Donkoh, K. (2021). Women empowerment and

minimum daily meal frequency among infants and young children in Ghana: analysis of Ghana demographic and health survey. *BMC public health*, 21(1), 1700. <https://doi.org/10.1186/s12889-021-11753-1>

Daeli, W. A. C., & Nurwahyuni, A. (2019). Determinan sosial ekonomi konsumsi minuman berpemanis di Indonesia: analisis data susenas 2017. *Jurnal Ekonomi Kesehatan Indonesia*, 4(1).

Dahlan, M. Sopiudin. (2016). *Satistik Untuk Kedokteran dan Kesehatan; Deskriptif, Bivariat, dan Multivariat, Dilengkapi aplikasi Menggunakan SPSS (Edisi 6)*. Jakarta: Epidemiologi Indonesia

Dahlan, M. Sopiudin. (2018). *Langkah-Langkah Membuat Tesis Bidang Kedokteran dan Kesehatan*. Jakarta: Epidemiologi Indonesia

Dahliansyah, Dahliansyah. (2020). History Of Early Breastfeeding Initiation And Food Intake With The Even Stunting Of Children Aged 6-59 Months. *JURNAL TEKNOLOGI KESEHATAN BORNEO*. 1. 48-55. 10.30602/jtkb.v1i1.13.

Danaei, G., Andrews, K. G., Sudfeld, C. R., Fink, G., McCoy, D. C., Peet, E. *et al.* (2016). Risk factors for childhood stunting in 137 developing countries: a comparative risk assessment analysis at global, regional, and country levels. *PLoS medicine*, 13(11), e1002164.

Dasi, T., Selvaraj, K., Pullakhandam, R., & Kulkarni, B. (2019). Animal source foods for the alleviation of double burden of malnutrition in countries undergoing nutrition transition. *Animal frontiers : the review magazine of animal agriculture*, 9(4), 32–38. <https://doi.org/10.1093/af/vfz031>

de Onis M, Branca F. (2016). Childhood stunting: a global perspective. *Matern Child Nutr*. 2016 May;12 Suppl 1(Suppl 1):12-26. doi: 10.1111/mcn.12231. PMID: 27187907; PMCID: PMC5084763. <https://pubmed.ncbi.nlm.nih.gov/27187907/>

DeBoer MD, Lima AA, Oría RB, Scharf RJ, Moore SR, Luna MA. *et al.* (2012). Early childhood growth failure and the developmental origins of adult disease: do enteric infections and malnutrition increase risk for the metabolic syndrome? *Nutr Rev*. 2012 Nov;70(11):642-53. doi: 10.1111/j.1753-4887.2012.00543.x. PMID: 23110643; PMCID: PMC3493112. <https://pubmed.ncbi.nlm.nih.gov/23110643/>

Delima, D., & Ahmad, R. (2023). Analisis Faktor Sosial Budaya Mempengaruhi Kejadian Stunting: Studi Literatur Review. *Jurnal Endurance*, 8(1), 79-85.

Development Initiatives. (2017). *Global Nutrition Report 2017: Nourishing the SDGs*.

Bristol, UK: Development Initiatives

- Dewey KG, Begum K.(2011). Long-term consequences of stunting in early life. *Matern Child Nutr.* 2011 Oct;7 Suppl 3(Suppl 3):5-18. doi: 10.1111/j.1740-8709.2011.00349.x. PMID: 21929633; PMCID: PMC6860846.
- Dinas Kesehatan Kota Padang. (2022). *Laporan Tahunan Tahun 2021 Edisi 2022*. Padang: Dinas Kesehatan Kota Padang
- Dinas Kesehatan Kota Padang. (2023). *Laporan Tahunan Tahun 2022 Edisi 2023*. Padang: Dinas Kesehatan Kota Padang
- Division of Nutrition, Physical Activity, and Obesity, National Center for Chronic Disease Prevention and Health Promotion, Centers for Disease Control and Prevention.(2014) Results: breastfeeding and infant feeding practices. 2014. Available at: <https://www.cdc.gov/breastfeeding/data/ifps/results.htm>. Accessed February, 11, 2019
- Doma, H., Tran, T.D., Tran, T. et al. (2021). Continuing breastfeeding for at least two years after birth in rural Vietnam: prevalence and psychosocial characteristics. *Int Breastfeed J* 16, 78. <https://doi.org/10.1186/s13006-021-00427-8>
- Eaton, J. C., Rothpletz-Puglia, P., Dreker, M. R., Iannotti, L., Lutter, C., Kaganda, J., & Rayco-Solon, P. (2019). Effectiveness of provision of animal-source foods for supporting optimal growth and development in children 6 to 59 months of age. *The Cochrane database of systematic reviews*, 2(2), CD012818. <https://doi.org/10.1002/14651858.CD012818.pub2>
- Ehrlich, J. M., Catania, J., Zaman, M., Smith, E. T., Smith, A., Tsistinas, O. *et al.* (2022). The Effect of Consumption of Animal Milk Compared to Infant Formula for Non-Breastfed/Mixed-Fed Infants 6-11 Months of Age: A Systematic Review and Meta-Analysis. *Nutrients*, 14(3), 488. <https://doi.org/10.3390/nu14030488>
- Eshete Tadesse S, Chane Mekonnen T, Adane M (2020) Priorities for intervention of childhood stunting in northeastern Ethiopia: A matched case-control study. *PLoS ONE* 15(9): e0239255. <https://doi.org/10.1371/journal.pone.0239255>.
- Fekadu, Y., Mesfin, A., Haile, D., & Stoecker, B. J. (2015). Factors associated with nutritional status of infants and young children in Somali Region, Ethiopia: a cross-sectional study. *BMC public health*, 15, 846. <https://doi.org/10.1186/s12889-015-2190-7>
- Fikawati, Sandra., Adhi, E.K., Syafiq, Ahmad., dan Bakara, Stella. (2019). Age of Milk Introduction is a Dominant Factor of Stunting Among Toddlers Aged 24

Months in Bogor District: A Cross-Sectional Study. *Pakistan Journal of Nutrition*. 18. 969-976. 10.3923/pjn.2019.969.976. https://www.researchgate.net/publication/335844573_Age_of_Milk_Introduction_is_a_Dominant_Factor_of_Stunting_Among_Toddlers_Aged_24_Months_in_Bogor_District_A_Cross-Sectional_Study

Febriana, W. R., & Nurhaeni, N. (2019). Is There Any Relationship between Feeding Practices for Children Under Two Years of Age (6-23 Months) and Stunting?. *Comprehensive child and adolescent nursing*, 42(sup1), 65–72. <https://doi.org/10.1080/24694193.2019.1577927>

Feldman-Winter L, Kellams A, Peter-Wohl S, et al.(2020). Evidence-Based Updates on the First Week of Exclusive Breastfeeding Among Infants 35 Weeks. *Pediatrics*. 2020;145(4):e20183696

Flores, M. E., Rivera-Pasquel, M., Macías, N., Sánchez-Zamorano, L. M., Rodríguez-Ramírez, S., Contreras-Manzano, A., & Denova-Gutiérrez, E. (2021). Dietary patterns in Mexican preschool children are associated with stunting and overweight. *Revista de saude publica*, 55, 53. <https://doi.org/10.11606/s1518-8787.2021055002350>

Ferreira, S. S., Marchioni, D. M. L., Wall, C. R., Gerritsen, S., Teixeira, J. A., Grant, C. C., Morton, S. M. B., & Gontijo de Castro, T. (2023). Prevalence and maternal determinants of early and late introduction of complementary foods: results from the Growing Up in New Zealand cohort study. *The British journal of nutrition*, 129(3), 491–502. <https://doi.org/10.1017/S000711452200112X>

Gautam, K. P., Adhikari, M., Khatri, R. B., & Devkota, M. D. (2016). Determinants of infant and young child feeding practices in Rupandehi, Nepal. *BMC research notes*, 9, 135. <https://doi.org/10.1186/s13104-016-1956-z>

Gebretsadik, G. G., Tadesse, Z., Ambese, T. Y., & Mulugeta, A. (2023). Trends in and predictors of animal source food consumption among 6-23 months age children in Tigray, Northern Ethiopia: evidence from three consecutive ethiopian demographic and health surveys, EDHS 2005-2016. *BMC nutrition*, 9(1), 43. <https://doi.org/10.1186/s40795-023-00699-9>

Ghrayeb, H., Elias, M., Nashashibi, J., Youssef, A., Manal, M., Mahagna, L., Refaat, M., Schwartz, N., & Elias, A. (2020). Appetite and ghrelin levels in iron deficiency anemia and the effect of parenteral iron therapy: A longitudinal study. *PloS one*, 15(6), e0234209. <https://doi.org/10.1371/journal.pone.0234209>

Guevarra, Ernest & Tessema, Masresha. (2014). IYCF assessment with small-sample surveys -A proposal for a simplified and structured approach. *Network*. 1743-

5080. 60.

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6866121/>

Hadi, H., Fatimatasari, F., Irwanti, W., Kusuma, C., Alfiana, R. D., Asshiddiqi, M. I. N. et al. (2021). Exclusive Breastfeeding Protects Young Children from Stunting in a Low-Income Population: A Study from Eastern Indonesia. *Nutrients*, 13(12), 4264. <https://doi.org/10.3390/nu13124264>

Halim, K., Sartika, R. A. D., Sudiarti, T., Putri, P. N., & Rahmawati, N. D. (2020). Associations of dietary diversity and other factors with prevalence of stunting among children aged 6-35 months. *Indonesian Journal of Public Health Nutrition*, 1(1).

Health Direct Australia. (2022). Pregnancy birth and baby : Mixed feeding. Australian Government. Departement of Health and Good Care. Tersedia pada : <https://www.pregnancybirthbaby.org.au/mixed-feeding> [diakses pada tanggal 16 Oktober 2023]

Hijra, H., Fatimah-Muis, S., & Kartasurya, M. I. (2016). Inappropriate complementary feeding practice increases risk of stunting in children aged 12-24 months. *Universa Medicina*, 35(3), 146-155.

Hojsak, I., et al. (2018). Young Child Formula: A Position Paper by the ESPGHAN Committee on Nutrition. *Journal of pediatric gastroenterology and nutrition*, 66(1), 177–185. <https://doi.org/10.1097/MPG.0000000000001821>

Huffman, S. L., Piwoz, E. G., Vosti, S. A., & Dewey, K. G. (2014). Babies, soft drinks and snacks: a concern in low- and middle-income countries?. *Maternal & child nutrition*, 10(4), 562–574. <https://doi.org/10.1111/mcn.12126>

Howard, C. R., Howard, F. M., Lanphear, B., Eberly, S., deBlicck, E. A., Oakes, D. et al. (2003). Randomized clinical trial of pacifier use and bottle-feeding or cupfeeding and their effect on breastfeeding. *Pediatrics*, 111(3), 511–518. <https://doi.org/10.1542/peds.111.3.511>

Hafifah, Cut Nurul. (2016). Pengasuhan Anak : Amankah Anak Anda Mengonsumsi Teh?. *Ikatan Dokter Anak Indonesia (IDAI)*. [Tersedia pada: <https://www.idai.or.id/artikel/klinik/pengasuhan-anak/amankah-anak-anda-mengonsumsi-teh> diakses tanggal 15 Januari 2014]

Iannotti, L. L., Lutter, C. K., Bunn, D. A., & Stewart, C. P. (2014). Eggs: the uncracked potential for improving maternal and young child nutrition among the world's poor. *Nutrition reviews*, 72(6), 355–368. <https://doi.org/10.1111/nure.12107>

Jakaitė, V., Peštenytė, A., Zakarevičienė, J., Sniečkuvienė, V., Žitkutė, V.,

Ramašauskaitė, D. et al. (2021). Predictors of exclusive breastfeeding in the first six months: four consecutive surveys in a tertiary hospital in Lithuania. *International breastfeeding journal*, 16(1), 22. <https://doi.org/10.1186/s13006-021-00364-6>

Jama, A., Gebreyesus, H., Wubayehu, T. et al. (2020). Exclusive breastfeeding for the first six months of life and its associated factors among children age 6-24 months in Burao district, Somaliland. *Int Breastfeed J* 15, 5 (2020). <https://doi.org/10.1186/s13006-020-0252-7>

Jeyakumar, A., Babar, P., Menon, P., Nair, R., Jungari, S., Tamboli, A., Dhamdhare, D. et al. (2022). Is Infant and Young Child-feeding (IYCF) a potential double-duty strategy to prevent the double burden of malnutrition among children at the critical age? Evidence of association from urban slums in Pune, Maharashtra, India. *PloS one*, 17(12), e0278152. <https://doi.org/10.1371/journal.pone.0278152>

Jemere, D. F., Alemayehu, M. S., & Belew, A. K. (2023). Unhealthy food consumption and its associated factors among infants and young children in Gondar city, northwest Ethiopia: a community based cross sectional study. *BMC nutrition*, 9(1), 65. <https://doi.org/10.1186/s40795-023-00722-z>

Kebebe, T., & Assaye, H. (2017). Intention, magnitude and factors associated with bottle feeding among mothers of 0-23 months old children in Holeta town, Central Ethiopia: a cross sectional study. *BMC nutrition*, 3, 53. <https://doi.org/10.1186/s40795-017-0174-y>

Kemenkes RI. (2015). *Modul pelatihan konseling menyusui*. Jakarta: Kementerian Kesehatan Indonesia

Kementerian Kesehatan Republik Indonesia. (2023). *Laporan Studi Status Gizi Indonesia Tahun 2022*. Jakarta: Kemenkes RI

Kementerian Kesehatan Republik Indonesia. (2020). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 2 Tahun 2020 Tentang Standar Antropometri Anak*. Jakarta. Kemenkes RI

Kera, A. M., Zewdie, A., Akafu, W., Kidane, R., & Tamirat, M. (2023). Formula feeding and associated factors among mothers with infants 0-6 months old in Mettu Town, Southwest Ethiopia. *Food science & nutrition*, 11(7), 4136–4145. <https://doi.org/10.1002/fsn3.3403>

Kuchenbecker, J., Reinbott, A., Mtimuni, B., Krawinkel, M. B., & Jordan, I. (2017). Nutrition education improves dietary diversity of children 6-23 months at community-level: Results from a cluster randomized controlled trial in

- Kusumawardani, D. A., & Luthfiyana, N. U. (2020). Child Feeding Practices and Stunting: A Case-Control Study in Jember Regency of Indonesia. *Indian Journal of Public Health Research & Development*, 11(6), 229-234.
- Khan, G. N., Ariff, S., Khan, U., Habib, A., Umer, M., Suhag, Z., Hussain, I. *et al.* (2017). Determinants of infant and young child feeding practices by mothers in two rural districts of Sindh, Pakistan: a cross-sectional survey. *International breastfeeding journal*, 12, 40. <https://doi.org/10.1186/s13006-017-0131-z>
- Lyellu, Hadija & Hashim, Tamara & Wandel, Margareta & Stray-Pedersen, Babill & Mgongo, Melina & Msuya. *et al.* (2020). Prevalence and factors associated with early initiation of breastfeeding among women in Moshi municipal, northern Tanzania. *BMC Pregnancy and Childbirth*, 20. 10.1186/s12884-020-02966-0.
- Li, R., Zhao, Z., Mokdad, A., Barker, L., & Grummer-Strawn, L. (2003). Prevalence of breastfeeding in the United States: the 2001 National Immunization Survey. *Pediatrics*, 111(5 Pt 2), 1198–1201.
- Liu, Y. H., & Stein, M. T. (2013). Feeding behaviour of infants and young children and its impact on child psychosocial and emotional development. *Encyclopedia Early Childhood Development*, 2, 1-6.
- Liu R. H. (2013). Health-promoting components of fruits and vegetables in the diet. *Advances in nutrition (Bethesda, Md.)*, 4(3), 384S–92S. <https://doi.org/10.3945/an.112.003517>
- Liu, J., Huo, J., Sun, J., Huang, J., Gong, W., & Wang, O. (2021). Prevalence of Complementary Feeding Indicators and Associated Factors Among 6- to 23-Month Breastfed Infants and Young Children in Poor Rural Areas of China. *Frontiers in public health*, 9, 691894. <https://doi.org/10.3389/fpubh.2021.691894>
- Lassi, Z. S., Irfan, O., Hadi, R., Das, J. K., & Bhutta, Z. A. (2018). PROTOCOL: Effects of interventions for infant and young child feeding (IYCF) promotion on optimal IYCF practices, nutrition, growth and health in low-and middle-income countries: a systematic review. *Campbell Systematic Reviews*, 14(1), 1.
- Limardi, S., Hasanah, D. M., Utami, N. M. D., & Sidiartha, I. G. L. (2020). Investigating Minimum Acceptable Diet and Infant and Child Feeding Index as indicators of stunting in children aged 6-23 months. *Paediatrica Indonesiana*, 60(5), 259-68.

- Louis, S. L., Mirania, A. N., & Yuniarti, E. (2022). Hubungan Pemberian ASI Eksklusif dengan Kejadian Stunting pada Anak Balita. *Maternal & Neonatal Health Journal*, 3(1), 7-11.
- Mahari, H. T., Kahsay, Z. A., Abraha, G. G., Abraha, A. Z., Henry, C. J., Nickerson, M. T. *et al.* (2023). Contribution of home garden vegetables on reducing stunting among 6- to 23-month-old children in South Tigray, northern Ethiopia. *Food science & nutrition*, 11(8), 4713–4721. <https://doi.org/10.1002/fsn3.3435>
- Marriott, B. P., White, A., Hadden, L., Davies, J. C., & Wallingford, J. C. (2012). World Health Organization (WHO) infant and young child feeding indicators: associations with growth measures in 14 low-income countries. *Maternal & child nutrition*, 8(3), 354-370.
- Marianna, S., & Utami, Y. (2022). Tingkat Pengetahuan Ibu Dalam Penyajian Susu Formula Berpengaruh Terhadap Kejadian Diare pada Anak Usia 6-24 Bulan. *Profesi (Profesional Islam): Media Publikasi Penelitian*, 20(1), 96-108.
- Mary JJF, Sindhuri R, Kumaran AA, Dongre AR.(2022). Early initiation of breastfeeding and factors associated with its delay among mothers at discharge from a single hospital. *Clin Exp Pediatr*. 2022 Apr;65(4):201-208. doi: 10.3345/cep.2021.00129. Epub 2021 Oct 18. PMID: 34665960; PMCID: PMC8990951.
- Marshall, T. A. (2013). Preventing dental caries associated with sugar-sweetened beverages. *The Journal of the American Dental Association*, 144(10), 1148-1152.
- Makori, N., Kassim, N., Kinabo, J., & Matemu, A. (2018). Factors associated with stunting in Dodoma Region, Tanzania. *African Journal of Food, Agriculture, Nutrition and Development*, 18(3), 13842–13861. <https://doi.org/10.18697/AJFAND.83.17000>
- Mediana, S., & Pratiwi, R. (2016). Hubungan Jumlah Konsumsi Susu Formula Standar Terhadap Kejadian Stunting pada Anak Usia 2-5 Tahun (Doctoral dissertation, Diponegoro University).
- Meek, J. Y., Noble, L., & Section on Breastfeeding (2022). Policy Statement: Breastfeeding and the Use of Human Milk. *Pediatrics*, 150(1), e2022057988. <https://doi.org/10.1542/peds.2022-057988>
- Mekonnen, M., Kinati, T., Bekele, K., Tesfa, B., Hailu, D., & Jemal, K. (2021). Infant

and young child feeding practice among mothers of children age 6 to 23 months in Debrelibanos district, North Showa zone, Oromia region, Ethiopia. *PLoS one*, 16(9), e0257758. <https://doi.org/10.1371/journal.pone.0257758>

Masuke, R., Msuya, S. E., Mahande, J. M., Diarz, E. J., Stray-Pedersen, B., Jahanpour, O. *et al.* (2021). Effect of inappropriate complementary feeding practices on the nutritional status of children aged 6-24 months in urban Moshi, Northern Tanzania: Cohort study. *PLoS ONE*, 16(5), e0250562. <https://doi.org/10.1371/journal.pone.0250562>

Miller, V., Webb, P., Cudhea, F., Zhang, J., Reedy, J., Shi, P. *et al.* (2023). Children's and adolescents' rising animal-source food intakes in 1990-2018 were impacted by age, region, parental education and urbanicity. *Nature food*, 4(4), 305–319. <https://doi.org/10.1038/s43016-023-00731-y>

Mohammed, S., Getinet, T., Solomon, S., & Jones, A. D. (2018). Prevalence of initiation of complementary feeding at 6 months of age and associated factors among mothers of children aged 6 to 24 months in Addis Ababa, Ethiopia. *BMC nutrition*, 4, 54. <https://doi.org/10.1186/s40795-018-0264-5>

Moga Lencha, F., Jebero Zaza, Z., Ena Digesa, L., & Mulatu Ayana, T. (2022). Minimum dietary diversity and associated factors among children under the age of five attending public health facilities in Wolaita Soddo town, Southern Ethiopia, 2021: a cross-sectional study. *BMC public health*, 22(1), 2368. <https://doi.org/10.1186/s12889-022-14861-8>

Monge-Montero, C., van der Merwe, L. F., Papadimitropoulou, K., Agostoni, C., & Vitaglione, P. (2020). Mixed milk feeding: a systematic review and meta-analysis of its prevalence and drivers. *Nutrition reviews*, 78(11), 914–927. <https://doi.org/10.1093/nutrit/nuaa016>

Moore, E. R., Bergman, N., Anderson, G. C., & Medley, N. (2016). Early skin-to-skin contact for mothers and their healthy newborn infants. *The Cochrane database of systematic reviews*, 11(11), CD003519. <https://doi.org/10.1002/14651858.CD003519.pub4>

Muldiasman M, Kusharisupeni K, Laksmningsih E, Besral B.(2018). Can early initiation to breastfeeding prevent stunting in 6–59 months old children? *J Heal Res.* 2018 Nov;32(5):334–41

Mya KS, Kyaw AT, Tun T. (2019). Feeding practices and nutritional status of children age 6-23 months in Myanmar: A secondary analysis of the 2015-16 Demographic and Health Survey. *PLoS One*. 2019 Jan 2;14(1):e0209044. doi: 10.1371/journal.pone.0209044. PMID: 30601848; PMCID: PMC6314612

- Nai, H. M. E., & Renyoet, B. S. (2020). Poor Dietary Diversity Is Associated with Stunting among Children 6-23 Months in Area of Mergansan Public Health Center, Yogyakarta. *Journal of nutritional science and vitaminology*, 66(Supplement), S398–S405. <https://doi.org/10.3177/jnsv.66.S398>
- Nachvak, S. M., Sadeghi, O., Moradi, S., Esmailzadeh, A., & Mostafai, R. (2020). Food groups intake in relation to stunting among exceptional children. *BMC pediatrics*, 20(1), 394. <https://doi.org/10.1186/s12887-020-02291-7>
- National Academies of Sciences, Engineering, and Medicine. (2020). Health and Medicine Division; Food and Nutrition Board; Committee on Scoping Existing Guidelines for Feeding Recommendations for Infants and Young Children Under Age 2; Harrison M, Dewey K, editors. *Feeding Infants and Children from Birth to 24 Months: Summarizing Existing Guidance*. Washington (DC): National Academies Press (US); 2020 Jul 8. 4, Existing Recommendations on What to Feed. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK561312/>
- Nsereko E, Mukabutera A, Iyakaremye D, Umwungerimwiza YD, Mbarushimana V, Nzayirambaho M.(2018). Early feeding practices and stunting in Rwandan children: a cross-sectional study from the 2010 Rwanda demographic and health survey. *Pan Afr Med J*. 2018 Mar;29.
- Nedra, W., Suciati, Y., Arsyad, M., Kemalasar, S., Moiindie, K. H., Ariyanto, *et al.* (2023). Urinary tract infection with stunting and non-stunting in rural area Pandeglang, Banten, Indonesia 2021. *Medical Journal of Nusantara*, 2(1), 17-25.
- Newfoundland and Labrador. (2020). *Healthy Eating for Babies Age 6-12 Months: A Guide for Parents and Caregivers*. Canada. Tersedia pada https://www.gov.nl.ca/healthyeating/baby/wp-content/uploads/sites/2/2021/05/HEFB_Guide.pdf [diakses pada tanggal 1 November 2023]
- Notoatmodjo, Soekidjo. (2014). *Ilmu Prilaku Kesehatan*. Jakarta : Rineka Cipta
- North, K., Gao, M., Allen, G., & Lee, A. C. (2022). Breastfeeding in a Global Context: Epidemiology, Impact, and Future Directions. *Clinical therapeutics*, 44(2), 228–244. <https://doi.org/10.1016/j.clinthera.2021.11.017>
- Nurul, A., Irwan, I., Sosiologi, P., & Antropologi, D. A. N. (2021). Sosio Antropologi Gizi dan Kesehatan. *Public Health Nutrition Journal*, 16–26.
- Oo, A. T. (2023). The Association between Minimum Dietary Diversity and Stunting among 6-23 months children in Myanmar: A cross-sectional analysis of

Myanmar Demographic and Health Survey (2015-16).

- Pan American Health Organization (PAHO). (2022). Infant exclusive breastfeeding in the Region of the Americas: results from national population-based surveys. ENLACE data portal. Department of Noncommunicable Diseases and Mental Health, Pan American Health Organization. Tersedia pada : <https://www.paho.org/en/enlace/exclusive-breastfeeding-infant-under-six-months-age> [diakses pada tanggal 4 November 2023]
- Pan American Health Organization (PAHO). (2003). Guiding principles for complementary feeding of the breastfed child. Washington, D.C.: Pan American Health Organization.
- Penugonda, A. J., Rajan, R. J., Lionel, A. P., Kompithra, R. Z., Jeyaseelan, L., & Mathew, L. G. (2022). Impact of exclusive breast feeding until six months of age on common illnesses: A prospective observational study. *Journal of family medicine and primary care*, 11(4), 1482–1488. <https://doi.org/10.4103/jfmpe.jfmpe.1423.21>
- Padhani, Z. A., Das, J. K., Siddiqui, F. A., Salam, R. A., Lassi, Z. S., Khan, D. S. A. *et al.* (2023). Optimal timing of introduction of complementary feeding: a systematic review and meta-analysis. *Nutrition reviews*, nuad019. Advance online publication. <https://doi.org/10.1093/nutrit/nuad019>
- Pakpahan, Martina., dkk. (2021). *Promosi Kesehatan dan Perilaku Kesehatan*. Yayasan Kita Menulis.
- Paramashanti, B. A., & Benita, S. (2020). Early introduction of complementary food and childhood stunting were linked among children aged 6-23 months. *Jurnal Gizi Klinik Indonesia*, 17(1), 1. <https://doi.org/10.22146/ijcn.53788>
- Pratama, M. R., & Irwandi, S. (2021). Hubungan Pemberian ASI Eksklusif Dengan Stunting Di Puskesmas Hinai Kiri, Kecamatan Secanggang, Kabupaten Langkat. *Jurnal Kedokteran STM (Sains Dan Teknologi Medik)*, 4(1), 17-25. <https://doi.org/10.30743/stm.v4i1.65>
- Raj E, Calvo-Urbano B, Heffernan C, Halder J, Webster JP. (2022). Systematic review to evaluate a potential association between helminth infection and physical stunting in children. *Parasit Vectors*. 2022 Apr 20;15(1):135. doi: 10.1186/s13071-022-05235-5. PMID: 35443698; PMCID: PMC9022337.
- Rakotomanana, H., Gates, G. E., Hildebrand, D., & Stoecker, B. J. (2017). Situation and determinants of the infant and young child feeding (IYCF) indicators in Madagascar: analysis of the 2009 Demographic and Health Survey. *BMC*

public health, 17(1), 1-9.

- Rasmussen KM, Felice JP, O'Sullivan EJ, Garner CD, Geraghty SR. (2017). The Meaning of "Breastfeeding" Is Changing and So Must Our Language About It. *Breastfeed Med*. 2017 Nov;12(9):510-514. doi: 10.1089/bfm.2017.0073. Epub 2017 Jul 7. PMID: 28686471; PMCID: PMC5802247.
- Roba, K. T., O'Connor, T. P., Belachew, T., & O'Brien, N. M. (2016). Infant and young child feeding (IYCF) practices among mothers of children aged 6–23 months in two agro-ecological zones of rural Ethiopia. *Int J Nutr Food Sci*, 5(3), 185-94.
- Roche, M. L., Gyorkos, T. W., Blouin, B., Marquis, G. S., Sarsoza, J., & Kuhnlein, H. V. (2017). Infant and young child feeding practices and stunting in two highland provinces in Ecuador. *Maternal & child nutrition*, 13(2), e12324. <https://doi.org/10.1111/mcn.12324>.
- Rosidi, A., & Margawati, A. (2019). The potency of socio-economic family and cultural factor in affecting stunting of Muna ethnic in Batalaiworu, Southeast Sulawesi. In *IOP Conference Series: Earth and Environmental Science* (Vol. 292, No. 1, p. 012015). IOP Publishing.
- Salem, M. K., Pitchik, H. O., Sultana, J., Rahman, M., Jannat, K. K., Luby, S. P., Mridha, M. K. *et al.* (2022). Prevalence of Sugar-Sweetened Food Consumption in Rural Bangladeshi Children Aged 6-24 Months. *The Journal of nutrition*, 152(9), 2155–2164. <https://doi.org/10.1093/jn/nxac119>
- S. Muslimatun and L. A. Ari Wiradnyani. (2016). “Dietary diversity, animal source food consumption and linear growth among children aged 1–5 years in Bandung, Indonesia: A longitudinal observational study,” *Br. J. Nutr.*, vol. 116, no. S1, hal. S27–S35
- Sapkota, S., Thapa, B., Gyawali, A., & Hu, Y. (2022). Predictors of Minimum Acceptable Diet among Children Aged 6-23 Months in Nepal: A Multilevel Analysis of Nepal Multiple Indicator Cluster Survey 2019. *Nutrients*, 14(17), 3669. <https://doi.org/10.3390/nu14173669>
- Saaka, M., Wemakor, A., Abizari, A. R., & Aryee, P. (2015). How well do WHO complementary feeding indicators relate to nutritional status of children aged 6-23 months in rural Northern Ghana?. *BMC public health*, 15, 1157. <https://doi.org/10.1186/s12889-015-2494-7>
- Sanchez, J. J., Alam, M. A., Stride, C. B., Haque, M. A., Das, S., Mahfuz, M., . *et al.* (2020). *Campylobacter* infection and household factors are associated with childhood growth in urban Bangladesh: An analysis of the MAL-ED study.

PLoS Neglected Tropical Diseases, 14(5), e0008328.

- Sartika, R. A. D., Atmarita, A., Duki, M. Z., Bardosono, S., Wibowo, L., & Lukito, W. (2022). Consumption of Sugar-Sweetened Beverages and Its Potential Health Implications in Indonesia. *Kesmas: Jurnal Kesehatan Masyarakat Nasional (National Public Health Journal)*, 17(1).
- Sasie, S. D., Oljira, L., & Demena, M. (2017). Infant and young child feeding practice and associated factors among mothers/caretakers of children aged 0–23 months in Asella Town, South East Ethiopia. *Journal of Family Medicine*, 4(5), 11-22.
- Sastroasmoro, Sudigdo dan Sofyan Ismael. (2014). *Dasar-Dasar Metodologi Penelitian Klinis*. Jakarta:CV. Saging Seto
- Satapathy, D. M., Karmee, N., Sahoo, S. K., Patro, S. K., & Pandit, D. (2021). Effect of feeding practices on nutritional status of infant and young children residing in urban slums of berhampur: A decision tree approach. *Indian journal of public health*, 65(2), 147–151. https://doi.org/10.4103/ijph.IJPH_1272_20
- Sawadogo, P. S., Martin-Prével, Y., Savy, M., Kameli, Y., Traissac, P., Traoré, A. S., & Delpeuch, F. (2006). An infant and child feeding index is associated with the nutritional status of 6- to 23-month-old children in rural Burkina Faso. *The Journal of nutrition*, 136(3), 656–663. <https://doi.org/10.1093/jn/136.3.656>
- Saxena, Vartikal; Verma, Neha2,; Mishra, Ashutosh1; Jain, Bhavna3. (2022). Assessment of Infant and Young Child Feeding (IYCF) practices in rural areas of Dehradun, Uttarakhand. *Journal of Family Medicine and Primary Care* 11(7):p 3740-3745, July 2022. | DOI: 10.4103/jfmpe.jfmpe_2502_21
- Semagn, B. E., & Abubakari, A. (2023). Zero fruits/vegetables consumption and associated factors among Children aged 6–23 months in Ethiopia: Mixed effect logistic regression analysis. *PloS one*, 18(7), e0288732. <https://doi.org/10.1371/journal.pone.0288732>
- Simanjuntak, Betty Y., et al.(2018). "Early Initiation of Breastfeeding and Vitamin a Supplementation with Nutritional Status of Children Aged 6-59 Months." *Kesmas: Jurnal Kesehatan Masyarakat Nasional*, vol. 12, no. 3, 28 Feb. 2018, pp. 107-113, doi:10.21109/kesmas.v12i3.1747.
- Sira, Sirajuddin & Asbar, Ramlan & Salim, Nursalim & Tamrin, Abdullah. (2020). Breastfeeding practices can potential to prevent stunting for poor family. *Enfermería Clínica*. 30. 13-17. 10.1016/j.enfcli.2020.02.007.
- Solomon, D., Aderaw, Z., & Tegegne, T. K. (2017). Minimum dietary diversity and

associated factors among children aged 6-23 months in Addis Ababa, Ethiopia. *International journal for equity in health*, 16(1), 181. <https://doi.org/10.1186/s12939-017-0680-1>

Sulistiyorini, D. (2022). Systematic Review_ Relationship between Infant and Young Child Feeding Practices with Stunting in Indonesia.

Sri Astuti , Ginna Megawati, dan S. C. (2018). Gerakan Pencegahan Stunting Melalui Pemberdayaan Masyarakat di Kecamatan Jatinangor Kabupaten Sumedang. *Jurnal Aplikasi Ipteks Untuk Masyarakat*, 7(3), 185–188.

Stewart CP, Iannotti L, Dewey KG, Michaelsen KF, Onyango AW. (2013). Contextualising complementary feeding in a broader framework for stunting prevention. *Matern Child Nutr.* 2013 Sep;9 Suppl 2(Suppl 2):27-45. doi: 10.1111/mcn.12088. PMID: 24074316; PMCID: PMC6860787.

Sugiyono. (2016) *Metode Penelitian Kuantitatif, Kualitatif, Dan R&D.*. Bandung: Alfabeta

Sugiyono. (2019). *Metode Penelitian Kuantitatif.* Bandung: Alfabeta

Sujarweni, Wiratna. (2021). *Metodologi Penelitian.* Yogyakarta; Pustaka Baru

Scott, J., Ahwong, E., Devenish, G., Ha, D., & Do, L. (2019). Determinants of Continued Breastfeeding at 12 and 24 Months: Results of an Australian Cohort Study. *International journal of environmental research and public health*, 16(20), 3980. <https://doi.org/10.3390/ijerph16203980>

Syam, I., Yulianita, M. E., & Annisa, I. (2019). Factors Associated With Stunng in Toddlers in Working Area of Buntu. 1(2), 8–16.

Syeda, B., Agho, K., Wilson, L., Maheshwari, G. K., & Raza, M. Q. (2021). Relationship between breastfeeding duration and undernutrition conditions among children aged 0-3 Years in Pakistan. *International journal of pediatrics & adolescent medicine*, 8(1), 10–17. <https://doi.org/10.1016/j.ijpam.2020.01.006>

Takahashi, K., Ganchimeg, T., Ota, E., Vogel, J. P., Souza, J. P., Laopaiboon, M. *et al.* (2017). Prevalence of early initiation of breastfeeding and determinants of delayed initiation of breastfeeding: secondary analysis of the WHO Global Survey. *Scientific reports*, 7, 44868. <https://doi.org/10.1038/srep44868>

Tello, B., Rivadeneira, M.F., Moncayo, A.L. *et al.* (2022). Breastfeeding, feeding practices and stunting in indigenous Ecuadorians under 2 years of age. *Int Breastfeed J* 17, 19 (2022). <https://doi.org/10.1186/s13006-022-00461-0>

- Temesgen, H., Yeneabat, T., & Teshome, M. (2018). Dietary diversity and associated factors among children aged 6-23 months in Sinan Woreda, Northwest Ethiopia: a cross-sectional study. *BMC nutrition*, 4, 5. <https://doi.org/10.1186/s40795-018-0214-2>
- Tessema, M., Belachew, T., & Ersino, G. (2013). Feeding patterns and stunting during early childhood in rural communities of Sidama, South Ethiopia. *The Pan African medical journal*, 14, 75. <https://doi.org/10.11604/pamj.2013.14.75.1630>
- The Lancet Breastfeeding Series. (2016). Breastfeeding. Series from the lancet journals. Diakses pada tanggal 20 Februari 2023 dari <https://www.thelancet.com>
- The Food and Nutrition Technical Assistance III Project (FANTA) [2012-2018] . Why is dietary diversity important? Available online at: <https://www.fantaproject.org/node/1199> Diakses pada 12 November 2023]
- United Nations Children’s Fund (UNICEF). (2020). *Situasi Anak di Indonesia – Tren, Peluang, dan Tantangan Dalam Memenuhi Hak-Hak Anak*. Jakarta: UNICEF Indonesia
- UNICEF. (2019). Poor diets damaging children’s health worldwide, warns UNICEF: overtly, urbanization, climate change and poor eating choices driving unhealthy diets. Tersedia pada : <https://www.unicef.org/eap/press-releases/poor-diets-damaging-childrens-health-worldwide-warns-unicef> [diakses pada tanggal 2 November 2023].
- UNICEF Indonesia. (2019). Peringatan UNICEF: Diet buruk merusak kesehatan anak di seluruh dunia. Jakarta: UNICEF Indonesia Tersedia pada : <https://www.unicef.org/indonesia/id/siaran-pers/peringatan-unicef-diet-buruk-merusak-kesehatan-anak-di-seluruh-dunia> [diakses pada tanggal 16 Januari 2024].
- UNICEF, WHO, World Bank Group. (2021). *Joint Malnutrition Estimates Regional and Global Estimates*. United Nations Children’s Fund; 2021
- UNICEF. (2022). *Infant feeding area graphs interpretation guide for infant and young child feeding at 0–5 months*.
- UNICEF. (2016). *From the first hour of life: making the case for improved infant and young child feeding everywhere*.
- USDA. (2020). *Dietary Guidelines For Americans 2015-2020: Eighth Edition*. USDA

Human Nutrition Information Service, Hyattsville, MD. Available form: https://www.dietaryguidelines.gov/sites/default/files/2019-05/2015-2020_Dietary_Guidelines.pdf [diakses pada tanggal 16 Januari 2024].

- Utami, R. and Juliani, E. (2020) “Mental, Social-Psychological Stimulation and Nutritional Supplementation Affects Stunting Incidence among Children in Indonesia”, *Jurnal Kesehatan Holistic*, 4(1), pp. 34-51. doi: 10.33377/jkh.v4i1.72.
- Uwiringiyimana, V., Ocké, M. C., Amer, S., & Veldkamp, A. (2019). Predictors of stunting with particular focus on complementary feeding practices: A cross-sectional study in the northern province of Rwanda. *Nutrition*, 60, 11-18.
- Varghese, A., Agarwal, M., & Singh, V. K. (2023). Complementary feeding practices in children aged 6–23 months in rural Lucknow: A cross-sectional study. *Clinical Epidemiology and Global Health*, 101331.
- Vanderkooy, A., Ferguson, E. L., Sy, N. Y., Kane, R., Diagne, M., Mbodji, A., & Pries, A. M. (2023). High unhealthy food and beverage consumption is associated with poor diet quality among 12-35-month-olds in Guédiawaye Department, Senegal. *Frontiers in nutrition*, 10, 1125827. <https://doi.org/10.3389/fnut.2023.1125827>
- Vonaesch P, Tondeur L, Breurec S, Bata P, Nguyen LBL, Frank T, *et al.* (2017). Factors associated with stunting in healthy children aged 5 years and less living in Bangui (RCA). *PLoS One*. 2017 Aug 10;12(8):e0182363. doi: 10.1371/journal.pone.0182363. PMID: 28796794; PMCID: PMC5552116.
- Wake A. D. (2021). Prevalence of Minimum Meal Frequency Practice and Its Associated Factors among Children Aged 6 to 23 Months in Ethiopia: A Systematic Review and Meta-analysis. *Global pediatric health*, 8, 2333794X211026184. <https://doi.org/10.1177/2333794X211026184>
- Wang, L., van Grieken, A., van der Velde, L. A., Vlasblom, E., Beltman, M., L'Hoir, M. P. *et al.* (2019). Factors associated with early introduction of complementary feeding and consumption of non-recommended foods among Dutch infants: the BeeBOFT study. *BMC public health*, 19(1), 388. <https://doi.org/10.1186/s12889-019-6722-4>
- Wardani, I. M. K., Nurrochmah, S., & Mawarni, D. (2022). Determinants of Stunting in the Eastern Indonesia Region Based on Indonesian Family Life Survey 5 Data. In 3rd International Scientific Meeting on Public Health and Sports (ISMOPHS 2021) (pp. 189-194). Atlantis Press.
- Worku, M. G., Alamneh, T. S., Tesema, G. A., Alem, A. Z., Tessema, Z. T., Liyew, A.

- M. *et al.* (2022). Minimum acceptable diet feeding practice and associated factors among children aged 6-23 months in east Africa: a multilevel binary logistic regression analysis of 2008-2018 demographic health survey data. *Archives of public health = Archives belges de sante publique*, 80(1), 127. <https://doi.org/10.1186/s13690-022-00882-7>
- Wagris, M., Seid, A., Kahssay, M., & Ahmed, O. (2019). Minimum Meal Frequency Practice and Its Associated Factors among Children Aged 6-23 Months in Amibara District, North East Ethiopia. *Journal of environmental and public health*, 2019, 8240864. <https://doi.org/10.1155/2019/8240864>
- Walters CN, Rakotomanana H, Komakech JJ, Stoecker BJ. (2019). Maternal determinants of optimal breastfeeding and complementary feeding and their association with child undernutrition in Malawi (2015-2016). *BMC Public Health*. 2019 Nov 11;19(1):1503. doi: 10.1186/s12889-019-7877-8. PMID: 31711452; PMCID: PMC6849257
- World Health Organization (WHO). (2021). Indicators for assessing infant and young child feeding practices: definitions and measurement methods. 2021. Available from: <https://www.who.int/publications/i/item/9789240018389>. [diakses pada 12 Desember 2022].
- WHO. (2021). Malnutrition. Available from: <https://www.who.int/news-room/fact-sheets/detail/malnutrition> [diakses pada 1 November 2023].
- WHO. (2014). Global nutrition targets 2025: stunting policy brief (WHO/NMH/NHD/14.3). Geneva: World Health Organization
- WHO. (2011). Exclusive breastfeeding for six months best for babies everywhere. Geneva: World Health Organization. From: <https://www.who.int/news/item/15-01-2011-exclusive-breastfeeding-for-six-months-best-for-babies-everywhere> [diakses pada 12 Oktober 2023].
- WHO.(2009). Infant and young child feeding: model chapter for textbooks for medical students and allied health professionals. [Internet]. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK148965/> [diakses pada 12 Oktober 2023].
- WHO. (2017). Roger Shrimpton : Early initiation of breastfeeding. Available from: <https://www.who.int/tools/elena/commentary/early-breastfeeding> [diakses pada 4 November 2023].
- WHO. (2024). Global Strategy on Diet, Physical Activity and Health: Promoting fruit and vegetable consumption around the world. Available from: <https://www.who.int/data/gho/indicator-metadata-registry/imr-details/3417>

[diakses pada 14 Januari 2024].

WHO and UNICEF. 2003. Global Strategi of Infant and Young Child Feeding. Geneva.

WHO. (2023a). Complementary Feeding. Available from: https://www.who.int/health-topics/complementary-feeding#tab=tab_1 [diakses pada 12 Oktober 2023].

WHO. (2023b). Infant and Young Child Feeding. Available from: <https://www.who.int/data/nutrition/nlis/info/infant-and-young-child-feeding> [diakses pada 12 Oktober 2023].

WHO. (2023c). WHO Guideline for complementary feeding of infants and young children 6-23 months of age. Download from: <https://www.who.int/publications/i/item/9789240081864>

World Health Assembly (WHA). (2018). Infant and young child feeding. World Health Organization. <https://apps.who.int/iris/handle/10665/279517>

Yan, J., Liu, L., Zhu, Y., Huang, G., & Wang, P. P. (2014). The association between breastfeeding and childhood obesity: a meta-analysis. BMC public health, 14(1), 1-11.

