

DAFTAR PUSTAKA

- Abed, S. S., Kiranmayi, P., Imran, K., Lateef, S. S., & Abed Sr, S. S. (2023). Gas Chromatography-Mass Spectrometry (GC-MS) Metabolite Profiling of Citrus limon (L.) Osbeck Juice Extract Evaluated for its Antimicrobial Activity Against Streptococcus mutans. *Cureus*, *15*(1).
- Adnan, M., Umer, A., Ahmad, I., Hayat, K., & Shakeel, S. N. (2014). In vitro evaluation of biological Activities of Citrus leaf extracts. *Sains Malaysiana*, *43*(2), 185–194.
- Aliberti, L., Caputo, L., De Feo, V., De Martino, L., Nazzaro, F., & Souza, L. F. (2016). Chemical composition and in vitro antimicrobial, cytotoxic, and central nervous system activities of the essential oils of Citrus medica L. cv. 'Liscia' and C. medica cv. 'Rugosa' cultivated in Southern Italy. *Molecules*, *21*(9), 1244.
- Almas, I., Innocent, E., Machumi, F., & Kisinza, W. (2018). Effect of Geographical location on yield and chemical composition of essential oils from three Eucalyptus species growing in Tanzania. *亚洲传统医药*, *14*(1), 1–12.
- Ariyani, F., Setiawan, L. E., & Soetaredjo, F. E. (2017). Ekstraksi minyak atsiri dari tanaman sereh dengan menggunakan pelarut metanol, aseton, dan n-heksana. *Widya Teknik*, *7*(2), 124–133.
- Asthana, A., McCloud, E. S., Berenbaum, M. R., & Tuveson, R. W. (1993). Phototoxicity of Citrus jambhiri to fungi under enhanced UV-B radiation: Role of furanocoumarins. *Journal of Chemical Ecology*, *19*, 2813–2830.
- Aumeeruddy-Elalfi, Z., Ismaël, I. S., Hosenally, M., Zengin, G., & Mahomoodally, M. F. (2018). Essential oils from tropical medicinal herbs and food plants inhibit biofilm formation in vitro and are non-cytotoxic to human cells. *3 Biotech*, *8*, 1–11.
- Aziz, Z. A., Ahmad, A., Setapar, S. H. M., Karakucuk, A., Azim, M. M., Lokhat, D., Rafatullah, M., Ganash, M., Kamal, M. A., & Ashraf, G. M. (2018). Essential oils: Extraction techniques, pharmaceutical and therapeutic potential-a review. *Current Drug Metabolism*, *19*(13), 1100–1110.
- Babarinde, S. A., Kemabonta, K. A., Olatunde, O. Z., Ojutiku, E. O., & Adeniyi, A. K. (2021). Composition and toxicity of rough lemon (Citrus jambhiri Lush.) rind essential oil against red flour beetle. *Acta Ecologica Sinica*, *41*(4), 325–331.
- Babu, K. G., & Kaul, V. (2005). Variation in essential oil composition of rose-scented geranium (Pelargonium sp.) distilled by different distillation techniques. *Flavour and Fragrance Journal*, *20*(2), 222–231.
- Badan POM RI. (2013). *Pedoman Teknologi Formulasi Sediaan Berbasis Ekstrak: Vol. Volume 2*. Direktorat Obat Asli Indonesia, Deputi Bidang Pengawas Obat Tradisional, Kosmetik dan Produk Komplemen.
- Bakkali, F., Averbeck, S., Averbeck, D., & Idaomar, M. (2008). Biological effects of essential oils—a review. *Food and Chemical Toxicology*, *46*(2), 446–475.
- Baldim, I., Tonani, L., von Zeska Kress, M. R., & Oliveira, W. P. (2019). Lippia sidoides essential oil encapsulated in lipid nanosystem as an anti-Candida agent. *Industrial Crops and Products*, *127*, 73–81.

- Bawari, S., Sah, A. N., Gupta, P., Zengin, G., & Tewari, D. (2023). Himalayan Citrus jambhiri juice reduced renal crystallization in nephrolithiasis by possible inhibition of glycolate oxidase and matrix metalloproteinases. *Journal of Ethnopharmacology*, *306*, 116157.
- Bayala, B., Coulibaly, A. Y., Djigma, F. W., Nagalo, B. M., Baron, S., Figueredo, G., Lobaccaro, J.-M. A., & Simporé, J. (2020). Chemical composition, antioxidant, anti-inflammatory and antiproliferative activities of the essential oil of *Cymbopogon nardus*, a plant used in traditional medicine. *Biomolecular Concepts*, *11*(1), 86–96.
- Bernardini, S., Tiezzi, A., Laghezza Masci, V., & Ovidi, E. (2018). Natural products for human health: An historical overview of the drug discovery approaches. *Natural Product Research*, *32*(16), 1926–1950.
- Berridge, M. V., Herst, P. M., & Tan, A. S. (2005). Tetrazolium dyes as tools in cell biology: New insights into their cellular reduction. *Biotechnology Annual Review*, *11*, 127–152.
- Bhuiyan, M. N. I., Begum, J., Sardar, P., & Rahman, M. (2009). Constituents of peel and leaf essential oils of *Citrus medica* L. *Journal of Scientific Research*, *1*(2), 387–392.
- Bilia, A. R., Guccione, C., Isacchi, B., Righeschi, C., Firenzuoli, F., & Bergonzi, M. C. (2014). Essential oils loaded in nanosystems: A developing strategy for a successful therapeutic approach. *Evidence-Based Complementary and Alternative Medicine*, *2014*.
- Carballo, J. L., Hernández-Inda, Z. L., Pérez, P., & García-Grávalos, M. D. (2002). A comparison between two brine shrimp assays to detect in vitro cytotoxicity in marine natural products. *BMC Biotechnology*, *2*(1), 1–5.
- Chaliha, B., Sastry, G., & Rao, P. (1965). Chemical examination of the peel of Citrus Jambhiri lush: Isolation of a new flavone. *Tetrahedron*, *21*(6), 1441–1443.
- Delnavazi, M.-R., Saiyarsarai, P., Jafari-Nodooshan, S., Khanavi, M., Tavakoli, S., Hadavinia, H., & Yassa, N. (2018). Cytotoxic Flavonoids from the Aerial Parts of *Stachys lavandulifolia* Vahl. *Pharmaceutical Sciences*, *24*(4), 332–339. <https://doi.org/10.15171/PS.2018.47>
- Depkes RI. (2009). *Profil Kesehatan Indonesia 2008*. Departemen Kesehatan Republik Indonesia.
- Dhifi, W., Bellili, S., Jazi, S., Bahloul, N., & Mnif, W. (2016). Essential oils' chemical characterization and investigation of some biological activities: A critical review. *Medicines*, *3*(4), 25.
- Dinas Kesehatan Kota Yogyakarta. (2023). Hari Kanker Sedunia 2023 Kota Yogyakarta : 'Close The Care Gap'. <https://kesehatan.jogjakota.go.id/berita/id/427/hari-kanker-sedunia-2023-kota-yogyakarta-close-the-care-gap/>
- Dueñas-González, A., Lizano, M., Candelaria, M., Cetina, L., Arce, C., & Cervera, E. (2005). Epigenetics of cervical cancer. An overview and therapeutic perspectives. *Molecular Cancer*, *4*(1), 1–24.
- Ehiobu, J., Idamokoro, M., & Afolayan, A. (2021). Phytochemical content and antioxidant potential of leaf extracts of *Citrus limon* (L.) Osbeck collected

- in the Eastern Cape Province, South Africa. *South African Journal of Botany*, *141*, 480–486.
- Ellouze, I., Abderrabba, M., Sabaou, N., Mathieu, F., Lebrihi, A., & Bouajila, J. (2012). Season's variation impact on Citrus aurantium leaves essential oil: Chemical composition and biological activities. *Journal of Food Science*, *77*(9), T173–T180.
- El-Readi, M. Z., Eid, H. H., Ashour, M. L., Eid, S. Y., Labib, R. M., Sporer, F., & Wink, M. (2013). Variations of the chemical composition and bioactivity of essential oils from leaves and stems of Liquidambar styraciflua (Altingiaceae). *Journal of Pharmacy and Pharmacology*, *65*(11), 1653–1663.
- El-Readi, M. Z., Hamdan, D., Farrag, N., El-Shazly, A., & Wink, M. (2010). Inhibition of P-glycoprotein activity by limonin and other secondary metabolites from Citrus species in human colon and leukaemia cell lines. *European Journal of Pharmacology*, *626*(2–3), 139–145.
- Evan, G. I., & Vousden, K. H. (2001). Proliferation, cell cycle and apoptosis in cancer. *Nature*, *411*(6835), 342–348.
- Ferreira, L. G., Dos Santos, R. N., Oliva, G., & Andricopulo, A. D. (2015). Molecular docking and structure-based drug design strategies. *Molecules*, *20*(7), 13384–13421.
- Ferrer, I., & Thurman, M. E. (2013). *Advanced techniques in gas chromatography-mass spectrometry (GC-MS-MS and GC-TOF-MS) for environmental chemistry*. Newnes.
- Gargouri, B., Amor, I. B., Messaoud, E. B., Elaguel, A., Bayouhd, A., Kalle, I., & Hammadi, A. (2021). Antioxidant capacity and antitumoral activity of Citrus paradisi essential oil. *Biomedical Journal of Scientific & Technical Research*, *40*(2), 32121–32141.
- Geankoplis, C. (2003). *Transport processes and separation process principles (includes unit operations)*. Prentice Hall Press.
- Gold, M. (1985). *A Conspiracy of Cells: One woman's immortal legacy-and the medical scandal it caused*. State University of New York Press.
- Grace, M., Subramanian, A., & Samuel, T. (2020). Synergistic larvicidal action of Citrus limon (L.) Osbeck (Rutaceae) and Bacillus thuringiensis Berliner 1915 (Bacillaceae) against the dengue vector Aedes aegypti Linnaeus 1762 (Diptera: Culicidae). *GSC Biological and Pharmaceutical Sciences*, *10*(1), 025–033.
- Hadisiwi, P., & Arifin, H. S. (2022). Sosialisasi Literasi Kesehatan Tentang Pencegahan Dan Penanggulangan Kanker Serviks Bagi Remaja Di Kab. Bandung Barat. *Dharmakarya: Jurnal Aplikasi Ipteks Untuk Masyarakat*, *11*(2), 152–158.
- Hamdan, D., El-Readi, M. Z., Tahrani, A., Herrmann, F., Kaufmann, D., Farrag, N., El-Shazly, A., & Wink, M. (2011). Chemical composition and biological activity of Citrus jambhiri Lush. *Food Chemistry*, *127*(2), 394–403.
- Hamdan, D., & El-Shazly, A. (2014). The chemical constituents of egyptian citrus species. An examination of the volatile oil and light petrolum fraction of rough lemon (citrus jambhiri lush.) leaf. *European Scientific Journal*, *10*(15).

- Hamidi, M. R., Jovanova, B., & Panovska, T. K. (2014). Toxicological evaluation of the plant products using Brine Shrimp (*Artemia salina* L.) model. *Macedonian Pharmaceutical Bulletin*, 60(1).
- Hassan, S. T., Berchová-Bimová, K., Šudomová, M., Malaník, M., Šmejkal, K., & Rengasamy, K. R. (2018). In vitro study of multi-therapeutic properties of *Thymus bovei* Benth. Essential oil and its main component for promoting their use in clinical practice. *Journal of Clinical Medicine*, 7(9), 283.
- Hefni, D., & Wahyuni, F. S. (2021). The Cytotoxicity Study of *Lantana camara* Linn Essential Oil on HeLa Cancer Cells Line. *Pharmacognosy Journal*, 13(6).
- Holcapek, M., & Byrdwell, W. C. (2017). *Handbook of advanced chromatography/mass spectrometry techniques*. Elsevier.
- Hüsni Can Başer, K., & Buchbauer, G. (2015). Handbook of essential oils: Science, technology, and applications. *Handbook of Essential Oils: Science, Technology, and Applications*, Ed. 2.
- Hutomo, S., Susilowati, H., Suryanto, Y. I., & Kurniawan, C. (2017). Perubahan morfologi sel HeLa setelah paparan ekstrak etanolik *Curcuma longa*. *Majalah Kedokteran Gigi Indonesia*, 2(1), 1–5.
- Idu, M., Ahiokhai, M., Imoni, C., Akokigho, C., & Olali, N. (2021). Gas Chromatography-Mass Spectrometry (GC-MS) Analysis and Phytochemical Screening of Polyherbal Aqueous Leaves Extract (PALE). *Journal of Complementary and Alternative Medical Research*, 14(2), 10–18.
- Indriani, Y. (2015). Uji Aktivitas Antibakteri Air Perasan Buah Jeruk Lemon (*Citrus limon* (L.) Osbeck) Dan Madu Hutan Terhadap *Propionibacterium acnes*. *Prosiding Farmasi*, 354–361.
- Jayaprakasha, G., Murthy, K. C., Uckoo, R. M., & Patil, B. S. (2013). Chemical composition of volatile oil from *Citrus limettioides* and their inhibition of colon cancer cell proliferation. *Industrial Crops and Products*, 45, 200–207.
- John, M., Pintacuda, G., Park, A. Y., Dixon, N. E., & Otting, G. (2006). Structure determination of protein–ligand complexes by transferred paramagnetic shifts. *Journal of the American Chemical Society*, 128(39), 12910–12916.
- Jugreet, B. S., Suroowan, S., Rengasamy, R. K., & Mahomoodally, M. F. (2020). Chemistry, bioactivities, mode of action and industrial applications of essential oils. *Trends in Food Science & Technology*, 101, 89–105.
- Jyoti, S. Y., Kalita, I., & Tanti, B. (2023). Phytochemical screening, proximate composition and antioxidant activities of *Citrus* germplasm of Assam, India. *Vegetos*, 1–13.
- Khan, S., Sahar, A., Tariq, T., Sameen, A., & Tariq, F. (2023). Essential oils in plants: Plant physiology, the chemical composition of the oil, and natural variation of the oils (chemotaxonomy and environmental effects, etc.). In *Essential Oils* (pp. 1–36). Elsevier.
- Khatiwora, E., Adsul, V. B., Torane, R., & Gaikwad, S. (2020). Comparative Anthelmintic Activity Of *Citrus Limon* L Osbeck And *Citrus Limon* L Burmf From North Eastern India. *Journal of Advanced Scientific Research*, 11(3 Sup 7), 234–237.

- Khelfaoui, H., Harkati, D., & Saleh, B. A. (2021). Molecular docking, molecular dynamics simulations and reactivity, studies on approved drugs library targeting ACE2 and SARS-CoV-2 binding with ACE2. *Journal of Biomolecular Structure and Dynamics*, 39(18), 7246–7262.
- Kim, M.-J., Park, H. J., Hong, M. S., Park, H.-J., Kim, M.-S., Leem, K.-H., Kim, J.-B., Kim, Y. J., & Kim, H. K. (2005). Citrus Reticulata blanco induces apoptosis in human gastric cancer cells SNU-668. *Nutrition and Cancer*, 51(1), 78–82.
- Kitson, F. G., Larsen, B. S., & McEwen, C. N. (1996). *Gas chromatography and mass spectrometry: A practical guide*. Academic Press.
- Klimek-Szczykutowicz, M., Szopa, A., & Ekiert, H. (2020). Citrus limon (Lemon) phenomenon—A review of the chemistry, pharmacological properties, applications in the modern pharmaceutical, food, and cosmetics industries, and biotechnological studies. *Plants*, 9(1), 119.
- Kohzaki, K., Gomi, K., Yamasaki-Kokudo, Y., Ozawa, R., Takabayashi, J., & Akimitsu, K. (2009). Characterization of a sabinene synthase gene from rough lemon (Citrus jambhiri). *Journal of Plant Physiology*, 166(15), 1700–1704.
- Kroemer, G. (2002). Introduction: Mitochondrial control of apoptosis. *Biochimie*, 84(2–3), 103–104.
- Kumar, D., Ladaniya, M., & Gurjar, M. (2019). Underutilized Citrus sp. Pomelo (Citrus grandis) and Kachai lemon (Citrus jambhiri) exhale in phytochemicals and antioxidant potential. *Journal of Food Science and Technology*, 56(1), 217–223.
- Ledesma-Escobar, C. A., Priego-Capote, F., & Luque de Castro, M. D. (2019). Chapter 9—Relevance and Analysis of Citrus Flavonoids. In R. R. Watson (Ed.), *Polyphenols in Plants (Second Edition)* (pp. 133–150). Academic Press. <https://doi.org/10.1016/B978-0-12-813768-0.00009-8>
- Lee, Y. T., Tan, Y. J., & Oon, C. E. (2018). Molecular targeted therapy: Treating cancer with specificity. *European Journal of Pharmacology*, 834, 188–196.
- Li, X.-M., Tian, S.-L., Pang, Z.-C., Shi, J.-Y., Feng, Z.-S., & Zhang, Y.-M. (2009). Extraction of Cuminum cyminum essential oil by combination technology of organic solvent with low boiling point and steam distillation. *Food Chemistry*, 115(3), 1114–1119.
- Liu, K. H., Zhu, Q., Zhang, J. J., Xu, J. F., & Wang, X. C. (2012). Chemical composition and biological activities of the essential oil of Mentha spicata Lamiaceae. *Advanced Materials Research*, 524, 2269–2272.
- Liu, X., Yang, X., Chen, F., & Chen, D. (2017). Combined application of doxorubicin and naringin enhances the antitumor efficiency and attenuates the toxicity of doxorubicin in HeLa cervical cancer cells. *International Journal of Clinical and Experimental Pathology*, 10(7), 7303.
- Lota, M.-L., de Rocca Serra, D., Tomi, F., & Casanova, J. (2000). Chemical variability of peel and leaf essential oils of mandarins from Citrus reticulata Blanco. *Biochemical Systematics and Ecology*, 28(1), 61–78.
- Ma, H. T., & Poon, R. Y. (2011). Synchronization of HeLa cells. *Cell Cycle Synchronization: Methods and Protocols*, 151–161.

- Mabberley, D. J. (2004). Citrus (Rutaceae): A review of recent advances in etymology, systematics and medical applications. *Blumea-Biodiversity, Evolution and Biogeography of Plants*, 49(2–3), 481–498.
- Manconi, M., Manca, M. L., Caddeo, C., Sarais, G., Palmieri, A., D’Hallewin, G., & Fadda, A. M. (2018). Citrus limon extract loaded in vesicular systems for the protection of oral cavity. *Medicines*, 5(4), 108.
- Mayasari, U., & Laoli, M. T. (2018). Karakterisasi Simplisia Dan Skrining Fitokimia Daun Jeruk Lemon (*Citrus limon* (L.) Burm.f.). *KLOROFIL: Jurnal Ilmu Biologi dan Terapan*, 2(1), 7. <https://doi.org/10.30821/kfl:jibt.v2i1.1802>
- McCloud, E. S., Berenbaum, M. R., & Tuveson, R. W. (1992). Furanocoumarin content and phototoxicity of rough lemon (*Citrus jambhiri*) foliage exposed to enhanced ultraviolet-B (UVB) irradiation. *Journal of Chemical Ecology*, 18, 1125–1137.
- Mehmood, T., Afzal, A., Anwar, F., Iqbal, M., Afzal, M., & Qadir, R. (2019). Variations in the composition, antibacterial and haemolytic activities of peel essential oils from unripe and ripened Citrus limon (L.) Osbeck fruit. *Journal of Essential Oil Bearing Plants*, 22(1), 159–168.
- Meng, X.-Y., Zhang, H.-X., Mezei, M., & Cui, M. (2011). Molecular docking: A powerful approach for structure-based drug discovery. *Current Computer-Aided Drug Design*, 7(2), 146–157.
- Meyer, B., Ferrigni, N., Putnam, J., Jacobsen, L., Nichols, D., & McLaughlin, J. L. (1982). Brine shrimp: A convenient general bioassay for active plant constituents. *Planta Medica*, 45(05), 31–34.
- Mohammed, A., Ibrahim, M., Omran, A. A., Mohamed, E., & Elsheikh, S. E. (2013). Minerals content, essential oils composition and physicochemical properties of Citrus jambhiri Lush.(Rough Lemon) from the Sudan. *International Letters of Chemistry, Physics and Astronomy*, 9(1), 25–30.
- Morris, G. M., Huey, R., Lindstrom, W., Sanner, M. F., Belew, R. K., Goodsell, D. S., & Olson, A. J. (2009). AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *Journal of Computational Chemistry*, 30(16), 2785–2791.
- Mosmann, T. (1983). Rapid colorimetric assay for cellular growth and survival: Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods*, 65(1–2), 55–63.
- MUNTEANU, C., DUMITRAȘCU, M., & SC, B. (2011). *Artemia salina*.
- Murthy, K. N. C., Jayaprakasha, G. K., & Patil, B. S. (2012). D-limonene rich volatile oil from blood oranges inhibits angiogenesis, metastasis and cell death in human colon cancer cells. *Life Sciences*, 91(11–12), 429–439.
- Najar, B., Shortrede, J. E., Pistelli, L., & Buhagiar, J. (2020). Chemical composition and in vitro cytotoxic screening of sixteen commercial essential oils on five cancer cell lines. *Chemistry & Biodiversity*, 17(1), e1900478.
- Nath, S., Tamuli, K. J., Saikia, S., Narzary, B., Gogoi, B., Bordoloi, M., Neipihoi, Dutta, D., Sahoo, R. K., & Das, A. (2021). Essential oil from the leaves of *Elsholtzia communis* (Collett & Hemsl.) Diels from North East India: Studies on chemical profiling, antimicrobial, cytotoxic and ACE inhibitory activities. *Flavour and Fragrance Journal*, 36(6), 626–636.

- National Cancer Institute (Director). (2021). *What Is Cancer?* <https://www.cancer.gov/about-cancer/understanding/what-is-cancer#definition>
- Nguyen, V.-S., Li, W., Li, Y., & Wang, Q. (2017). Synthesis of citrus polymethoxyflavonoids and their antiproliferative activities on Hela cells. *Medicinal Chemistry Research*, 26, 1585–1592.
- Nicola James, M. (2010). *The immortal life of henrietta lacks*.
- Ningdyah, A. W., Alimuddin, A. H., & Jayuska, A. (2015). Uji toksisitas dengan metode BSLT (Brine Shrimp Lethality Test) terhadap hasil fraksinasi ekstrak kulit buah tampoi (*Baccaurea macrocarpa*). *Jurnal Kimia Khatulistiwa*, 4(1).
- Nsangou, M. F., Happi, E. N., Fannang, S. V., Atangana, A. F., Waffo, A. F. K., Wansi, J. D., Isyaka, S. M., Sadgrove, N., Sewald, N., & Langat, M. K. (2021). Chemical composition and synergistic antimicrobial effects of a vegetatively propagated cameroonian lemon, *Citrus x limon* (L.) osbeck. *ACS Food Science & Technology*, 1(3), 354–361.
- Ogunjinmi, O. E., Olawore, N. O., & Maharaj, V. J. (2019). Chemical examination of essential oil from stem, roots and fruit peels of Nigerian Citrus jambhiri. *Journal of Essential Oil Bearing Plants*, 22(6), 1614–1621.
- Osanloo, M., Ghanbariasad, A., & Taghinezhad, A. (2021). Antioxidant and anticancer activities of *Anethum graveolens* L., *Citrus limon* (L.) Osbeck and *Zingiber officinale* Roscoe essential oils. *Traditional and Integrative Medicine*, 333–347.
- Owolabi, M. S., Avoseh, O. N., Ogunwande, I. A., Setzer, W. N., Ogungbo, R., Ogundajo, A. L., Lawal, O. A., & Flamini, G. (2018). Chemical composition of *Citrus limon* (L.) Osbeck growing in Southwestern Nigeria: Essential oil chemotypes of both peel and leaf of lemon. *Am. J. Essent. Oils Nat. Prod*, 6, 36–40.
- Panel on Additives and Products or Substances used in Animal Feed (FEEDAP), Bampidis, V., Azimonti, G., Bastos, M. de L., Christensen, H., Kouba, M., Fašmon Durjava, M., López-Alonso, M., López Puente, S., & Marcon, F. (2021). Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from *Citrus limon* (L.) Osbeck and of lime oil from *Citrus aurantiifolia* (Christm.) Swingle for use in all animal species (FEFANA asbl). *EFSA Journal*, 19(4), e06548.
- Pant, P., Pandey, S., & Dall'Acqua, S. (2021). The influence of environmental conditions on secondary metabolites in medicinal plants: A literature review. *Chemistry & Biodiversity*, 18(11), e2100345.
- Patil, J. R., Jayaprakasha, G., Murthy, K. C., Tichy, S. E., Chetti, M. B., & Patil, B. S. (2009). Apoptosis-mediated proliferation inhibition of human colon cancer cells by volatile principles of *Citrus aurantifolia*. *Food Chemistry*, 114(4), 1351–1358.
- Plants of the World Online*. (2023). <https://powo.science.kew.org/>
- Präbst, K., Engelhardt, H., Ringgeler, S., & Hübner, H. (2017). Cell viability assays. *Methods in Molecular Biology*. Humana Press, 1–17.
- Prakash, V. (2018). Terpenoids as cytotoxic compounds: A perspective. *Pharmacognosy Reviews*, 12(24), 166–176.

- Priyadarshi, S., Kashyap, P., Gadhawe, R. K., & Jindal, N. (2021). Effect of ultrasound-assisted hydrodistillation on extraction kinetics, chemical composition, and antimicrobial activity of Citrus jambhiri peel essential oil. *Journal of Food Process Engineering*, 44(12), e13904.
- Purwitasari, N., Agil, M., & Ekasari, W. (2009). *Kandungan Kimia Dan Bioaktivitas Tanaman Binahong (Anredera Cordifolia)*.
- Putri, D. K. Y., Dewi, I. E. P., Kusuma, H. S., & Mahfud, M. (2019). Extraction of an essential oil from fresh cananga flowers (*Cananga odorata*) using solvent-free microwave method. *Journal of Chemical Technology and Metallurgy*, 54(4), 793–802.
- Raineri, M. (1981). Histochemical localization of chitin in larvae of *Artemia salina* Leach (Phyllopoda). *Italian Journal of Zoology*, 48(2), 139–141.
- Ramírez, D., & Caballero, J. (2018). Is it reliable to take the molecular docking top scoring position as the best solution without considering available structural data? *Molecules*, 23(5), 1038.
- Reda, S. Y., Leal, E. S., Batista, E. A. C., Barana, A. C., Schnitzel, E., & Carneiro, P. I. B. (2005). Characterization of rangpur lime (*Citrus limonia* Osbeck) and "sicilian" lemon (*Citrus limon*) seed oils, an agroindustrial waste. *Food Science and Technology*, 25, 672–676.
- Riaz, M., Qadir, R., Tahir Akhtar, M., Misbah Ur Rehman, M., Anwar, F., Eman, R., Fayyaz Ur Rehman, M., & Safwan Akram, M. (2023). Chemical Characterization, Antioxidant, Antimicrobial, Cytotoxicity and *in Silico* Studies of Hexane Extract and Essential Oils from *Citrus limon* Leaves. *Chemistry & Biodiversity*, 20(1). <https://doi.org/10.1002/cbdv.202200537>
- S Mann, R., & E Kaufman, P. (2012). Natural product pesticides: Their development, delivery and use against insect vectors. *Mini-Reviews in Organic Chemistry*, 9(2), 185–202.
- Sadaf, S., Shahid, M., & Iqbal, Z. (2009). Chemical composition, antioxidant and antimicrobial activities of Citrus jambhiri Lush and Citrus reticulata Blanco essential oils. *Journal of the Chemical Society of Pakistan*, 31(5), 838–844.
- Sadgrove, N. J., Padilla-González, G. F., & Phumthum, M. (2022). Fundamental chemistry of essential oils and volatile organic compounds, methods of analysis and authentication. *Plants*, 11(6), 789.
- Said, A., El Gendy, M., Raoof, G. A., Omer, E., Fouad, R., Abd EL-Kader, A., & Weinfeld, M. (2019). Cytotoxic activity and volatile components of peel oil of Citrus volkameriana. *South African Journal of Botany*, 127, 201–207.
- Said-Al Ahl, H. A., Hikal, W. M., & Mahmoud, A. A. (2017). Essential oils: Biosynthesis, chemistry and biological functions. *Journal of Chemical and Pharmaceutical Research*, 9(8), 190–200.
- Sajjadi, S. E., Ghanadian, M., Haghighi, M., & Mouhebat, L. (2015). Cytotoxic effect of Cousinia verbascifolia Bunge against OVCAR-3 and HT-29 cancer cells. *Journal of HerbMed Pharmacology*, 4(1), 15–19.
- Santoni, A., Arifin, B., Ferdinal, N., Salim, E., Amelia, A., Zein, L., Mairanti, S., & Lestari, I. P. (2022). Analysis of Chemical Content, Cytotoxic and Anti-Bacterial Activity Essential Oil of Lantana Camara Linn Leaves from Various Regions. *Molekul*, 17(2), 156–164.

- Sharifi-Rad, J., Sureda, A., Tenore, G. C., Daglia, M., Sharifi-Rad, M., Valussi, M., Tundis, R., Sharifi-Rad, M., Loizzo, M. R., & Ademiluyi, A. O. (2017). Biological activities of essential oils: From plant chemoeology to traditional healing systems. *Molecules*, 22(1), 70.
- Sharma, M., Grewal, K., Jandrotia, R., Batish, D. R., Singh, H. P., & Kohli, R. K. (2022). Essential oils as anticancer agents: Potential role in malignancies, drug delivery mechanisms, and immune system enhancement. *Biomedicine & Pharmacotherapy*, 146, 112514.
- Sharopov, F. S., Wink, M., Gulmurodov, I. S., Isupov, S., Zhang, H., & Setzer, W. (2013). Composition and bioactivity of the essential oil of *Anethum graveolens* L. from Tajikistan. *Int. J. Med. Arom. Plants*, 3(2), 125–130.
- Sicilia, A., Russo, R., Caruso, M., Arlotta, C., Di Silvestro, S., Gmitter Jr, F. G., Gentile, A., Nicolosi, E., & Lo Piero, A. R. (2022). Transcriptome analysis of *Plenodomus tracheiphilus* infecting rough lemon (*Citrus jambhiri* Lush.) indicates a multifaceted strategy during host pathogenesis. *Biology*, 11(5), 761.
- Sidana, J., Saini, V., Dahiya, S., Nain, P., & Bala, S. (2013). A review on citrus-“the boon of nature”. *Int. J. Pharm. Sci. Rev. Res*, 18(2), 20–27.
- Singh, M., Sharma, H., & Singh, N. (2007). Hydrogen peroxide induces apoptosis in HeLa cells through mitochondrial pathway. *Mitochondrion*, 7(6), 367–373.
- Smith, R., Cohen, S. M., Doull, J., Feron, V., Goodman, J., Marnett, L., Portoghese, P., Waddell, W., Wagner, B., & Hall, R. (2005). A procedure for the safety evaluation of natural flavor complexes used as ingredients in food: Essential oils. *Food and Chemical Toxicology*, 43(3), 345–363.
- Stockert, J. C., Horobin, R. W., Colombo, L. L., & Blázquez-Castro, A. (2018). Tetrazolium salts and formazan products in Cell Biology: Viability assessment, fluorescence imaging, and labeling perspectives. *Acta Histochemica*, 120(3), 159–167.
- Stoddart, M. J. (2011). Cell viability assays: Introduction. *Mammalian Cell Viability: Methods and Protocols*, 1–6.
- Sumihe, G., Runtuwene, M. R., & Rorong, J. A. (2014). Analisis fitokimia dan penentuan nilai LC50 ekstrak metanol daun liwas. *Jurnal Ilmiah Sains*, 14(2), 125–128.
- Supenah, P., Taiman, T., & Sas, O. (2019). *The effect of orange water of lemon (Citrus Limon (L.) Osbeck) as a larvasid of Aedes Aegypti in third instar*. 1360(1), 012009.
- Suryati, S., Aziz, E. D., Efdi, M., Wahyuni, F. S., & Hefni, D. (2021). Analysis of the essential oil from *Lantana camara* leaves and its cytotoxic potential against T-47D breast cancer cells. *Jurnal Riset Kimia*, 12(1), 1–9.
- Suryati, S., Salim, E., & Elizar, G. (2022). Potensi Antimikroba dan Toksisitas Minyak Atsiri yang Diisolasi dari Biji Jintan (*Carum carvi* L.). *Jurnal Riset Kimia*, 13(2), 198–207.
- Thuy, B. T. P., My, T. T. A., Hai, N. T. T., Hieu, L. T., Hoa, T. T., Thi Phuong Loan, H., Triet, N. T., Anh, T. T. V., Quy, P. T., & Tat, P. V. (2020). Investigation into SARS-CoV-2 resistance of compounds in garlic essential oil. *ACS Omega*, 5(14), 8312–8320.

- Tongnuanchan, P., & Benjakul, S. (2014). Essential oils: Extraction, bioactivities, and their uses for food preservation. *Journal of Food Science*, 79(7), R1231–R1249.
- Tripathi, A., & Misra, K. (2017). Molecular docking: A structure-based drug designing approach. *JSM Chem*, 5(2), 1042–1047.
- Ulia, R. V., & Santoni, A. (2023). Cytotoxic Potential of Essential Oil Isolated from Clibadium Surinamense L Leaves Against T47D Breast and HeLa Cervical Cancer Cells. *Molekul*, 18(2), 289–299.
- Van Meerloo, J., Kaspers, G., & Cloos, J. (2011). Cancer cell culture. *Cancer Cell Culture: Methods and Protocols, Second Edition, Methods in Molecular Biology*, 88, 237–245.
- WHO. (2020). *Global Cancer Observatory* [World Health Organization].
- Yamasaki, Y., Kunoh, H., Yamamoto, H., & Akimitsu, K. (2007). Biological roles of monoterpene volatiles derived from rough lemon (*Citrus jambhiri* Lush) in citrus defense. *Journal of General Plant Pathology*, 73, 168–179.
- Yeddes, W., Mejri, I., Grati Affes, T., Khammassi, S., Hammami, M., Aidi-Wannes, W., & Saidani Tounsi, M. (2022). Combined effect of essential oils from Clove (*Syzygium aromaticum* (L.) Merr. & LM Perry), Thyme (*Thymus vulgaris* L.) and Lemon peel (*Citrus limon* (L.) Osbeck) on antibacterial, cytotoxic and anti-inflammatory activities. *Trends in Phytochemical Research*, 6(1), 11–18.
- Zu, Y., Yu, H., Liang, L., Fu, Y., Efferth, T., Liu, X., & Wu, N. (2010). Activities of ten essential oils towards *Propionibacterium acnes* and PC-3, A-549 and MCF-7 cancer cells. *Molecules*, 15(5), 3200–3210.

