

DAFTAR PUSTAKA

- (1) Andalas, K. P. dan K. U. Peraturan Rektor Nomor 17 Tahun 2020 tentang Membangun Desa Program Merdeka Belajar-Kampus Merdeka. Padang 2020.
- (2) Aprilia, W. Adaptasi Perilaku Masyarakat di Masa Pandemi COVID-19 (Studi Kasus Kelurahan Kampuang Jua Nan XX, Kecamatan Lubuk Begalung, Kota Padang), Universitas Andalas, 2021.
- (3) Bergaya, F.; Theng, B. K. G.; Lagaly, G. *Handbook of Clay Science*, 1 ed.; Elsevier Ltd: Netherland, 2006.
- (4) Mulyaningsih, S. *Kristalografi & Minarologi*, 1 ed.; Akpind Press.: Yogyakarta, 2018.
- (5) Wu, Y.; Huang, S.; Huang, H.; Wu, X.; Liu, H. Structural Characteristics and Elasticities of Coesite and Coesite-II at High Pressure. *New J. Phys.* 2020, 22, 1–11.
- (6) Rahman, I. A.; Padavettan, V. Synthesis of Silica Nanoparticles by Sol-Gel: Size-Dependent Properties, Surface Modification, and Applications in Silica-Polymer Nanocomposites — A Review. *J. Nanomater.* 2012, 1–15.
- (7) September, L. A.; Kheswa, N.; Seroka, N. S.; Khotseng, L. Green Synthesis of Silica and Silicon from Residue Sugarcane Bagasse Ash-A Mini Review. *RSC Adv.* 2023, 13, 1370–1380.
- (8) Akhayere, E.; Kavaz, D.; Vaseashta, A. Efficacy Studies of Silica Nanoparticles Synthesized Using Agricultural Waste for Mitigating Waterborne Contaminants. *Appl Sci.* 2022, 12, 1–19.
- (9) Zulfiqar, U.; Subhani, T.; Husain, S. W. Synthesis and Characterization of Silica Nanoparticles from Clay. *J. Asian Ceramic Soc.* 2016, 4 (1), 91–96.
- (10) Tchanang, G.; Njiomou, C. D.; Fon, C. A.; Laure, D. M. M.; Trésor, G. N. D.; Marie, J. K.; Blanchart, P. Nano-silica from Kaolinitic Clay Used as Adsorbent for Anionic and Cationic Dyes Removal: Linear And Non-Linear Regression Isotherms and Kinetics Studies. *Ann. Civil Environ Eng.* 2022, 6, 8–18.
- (11) Sarkara, P.; Pandab, S.; Majia, B.; Mukhopadhyay, A. K. Plasmon Induced Quantified Agglomeration of SiO₂ Nanoparticles to Improve in Efficiency in Solar Cell. *J. Ovonic Res.* 2022, 18 (6), 723–730.
- (12) Tang, X.; Hu, X.; Jia, H.; Sun, X.; Ling, H. Fabrication of Silica Nanoparticle-Based Transparent Superhydrophobic Coatings. In *International Forum on Energy, Environment and Sustainable Development*, 2016; hal 499–502.
- (13) Zhi, D.; Wang, H.; Jiang, D.; Parkin, I. P. Reactive Silica Nanoparticles Turn Epoxy Coating from Hydrophilic to Super-Robust Superhydrophobic. *Royal Soc. Chem.* 2019, 9, 12547–12554.
- (14) Ismail, A.; Saputri, L. N. M. Z.; Dwiatmoko, A. A.; Susanto, B. H.; Nasikin, M. A Facile Approach to Synthesis of Silica Nanoparticles from Silica Sand and Their Application as Superhydrophobic Material. *J. Asian Ceramic Soc.* 2021, 9 (2), 665–672.
- (15) Van, C. H; Nguyen, D. T.; Thi, N. D. C.; Thi, T. T. P.; Thi, N. L.; Thu, T. T. H.; Ngoc, D. N.; Pham, T-D.; Huynh, M. T. T.; Thi, N. T. T.; Mechler, A.; Quan, V. Vo. Large-Scale Synthesis of Nanosilica from Silica Sand for Plant Stimulant Applications A Facile Approach to Synthesis of Silica Nanoparticles from Silica Sand and Their Application as Superhydrophobic Material. *J. American Chemical Soc Omega.* 2022, 7, 41687–41695.
- (16) Tchanang, G.; Njiomou, C. D.; Fon, C. A.; Laure, D. M. M.; Blanchart, P. Synthesis of Reactive Silica from Kaolinitic clay: Effect of Process Parameters. *Appl Clay Sci.* 2020, 207, 1–9.
- (17) Zawrah, M. F.; El-Kheshen, A. A.; Abd-El-Aal, H. M. Facile and Economic of

- Synthesis Silica Nanoparticles. 2009, 5 (5), 129–133.
- (18) Carter, C. B.; Norton, M. G. *Ceramic Materials Science and Engineering*, 2 ed.; Springer: New York, 2013.
 - (19) Raheem, A. A.; Olowu, O. A. Production of Household Paint using Clay Materials. *Int. J. Engineering Res Appl.* 2013, 3 (2), 85–93.
 - (20) Murray, H. H.; Kogel, J. E. Engineered Clay Products for The Paper Industry. *Appl Clay Sci.* 2005, 29, 199–206.
 - (21) Mousavi, S. S.; Bhojaraju, C.; Ouellet-Plamondon, C. Review: Clay as a Sustainable Binder for Concrete. *Construction Materials.* 2021, 11 (1764), 134–168.
 - (22) Mikhalev, V. V.; Vlasov, A. S. Properties of Clays for Manufacturing Sanitary Ware. *Glass and Ceram.* 2007, 64 (3), 78–81.
 - (23) Luna, F. M. T.; Cecilia, J. A.; Saboya, R. M. A.; Barrera, D.; Sapag, K.; Rodriguez-Castellon, E.; Jr., C. L. C. Natural and Modified Montmorillonite Clays as Catalysts for Synthesis of Biolubricants. *Materials (Basel).* 2018, 11 (1764), 1–18.
 - (24) Gil, A.; Santamaría, L.; Korili, S. A.; Vicente, M. A.; Barbosa, L. V.; Souza, S. D. de; Marcal, L.; Faria, E. H. de; Ciuffi, K. J. A Review of Organic-Inorganic Hybrid Clay Based Adsorbents for Contaminants Removal: Synthesis, Perspectives and Applications. *J. Environ Chemical Eng.* 2021, 9, 1–18.
 - (25) Kumari, N.; Mohan, C. Basics of Clay Minerals and Their Characteristic Properties. In *Clay and Clay Minerals*; Intechh Open, 2021.
 - (26) Andrade, F. A.; Al-Qureshi, H. A.; Hotza, D. Applied Clay Science Measuring the Plasticity of Clays : A review. *Appl Clay Sci.* 2011, 51, 1–7.
 - (27) Glinski, J.; Horabik, J.; Lipiec, J. *Encyclopedia of Agropysics*; Springer: Netherland, 2011.
 - (28) Khoury, D. El. Towards the Use of Electrostatic Force Microscopy to Study Interphases in Nanodielectric Materials, Universite De Montpellier, 2017.
 - (29) Martinez, J. R.; Vazquez-Duran, A.; Martinez-Castanon, G.; Ortega-Zarzosa, G.; Palomares-Sanchez, S. A.; Ruiz, F. Coesite Formation at Ambient Pressure and Low Temperatures. *Andances Mater. Eng.* 2008, 1–7.
 - (30) Lestari, K. R. *Sintesis, Klasifikasi, dan Sifat Bahan Nano*; LP UNAS: Jakarta, 2021.
 - (31) Khan, I.; Saeed, K.; Khan, I. Nanoparticles : Properties, Applications and Toxicities. *Arab. J. Chem.* 2019, 12, 908–931.
 - (32) Liza, Y. M.; Yasin, R. C.; Maidani, S. S.; Zainul, R. *Sol- Gel Principle and Technique*; Padang, 2018.
 - (33) Jafarzadeh, M.; Rahman, I. A.; Sipaut, C. S. Synthesis of Silica Nanoparticles by Modified Sol-Gel Process : the Effect of Mixing Modes of the Reactants and Drying Techniques. *J. Sol-Gel Sci. Technol.* 2009, 50, 328–336.
 - (34) Mujiyanti, D. R.; Nuryono, E. S. K. Sintesis dan Karakterisasi Silika Gel dari Abu Sekam Padi yang Dimobilisasi dengan 3-(Trimetoksisilil)-1-Propopantiol. *J. Sains dan Terapan Kimia.* 2010, 4 (2), 150–167.
 - (35) Bokov, D.; Jalil, A. T.; Chupradit, S.; Suksatan, W.; Ansari, M. J.; Shewael, I. H.; Valiev, G. H.; Kianfar, E. Nanomaterial by Sol-Gel Method: Synthesis and Application. *J. Adv Materials Sci Eng.* 2021, 1–21.
 - (36) Budiharti, G.; Supardi, Z. A. I. Sintesis Nanopartikel Silika Menggunakan Metode Sol-Gel. *J. Inov. Fis. Indones.* 2015, 4 (2), 22–25.
 - (37) Bansod, N. D.; Kapgate, B. P.; Das, C.; Das, A.; Basu, D.; Debnath, S. C. Compatibilization of Natural Rubber/Nitrile Rubber Blends by Sol–Gel Nano-Silica Generated by In Situ Method. *J. Sol-Gel Sci. Technol.* 2016, 1–12.
 - (38) Aguilar, G. V. A Brief Semblance of the Sol-Gel Method in in Research. In *Sol-*

- Gel Method-Design and Synthesis of New Materials with Interesting Physical, Chemical and Biological Properties*; Intechh Open, 2018; hal 3–8.
- (39) Wicaksono, D. D.; Setiawan, N. I.; Wilopo, W.; Harijoko, A. Teknik Preparasi Sampel dalam Analisis Mineralogi dengan XRD (X-Ray Diffraction) di Departemen Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada. In *Seminar Nasional Kebumihan ke-10*; Yogyakarta, 2017; hal 1864–1880.
- (40) Syukri, S.; Ferdian, F.; Rilda, Y.; Eka, Y. P.; Efdi, M.; Septiani, U. Sintesis of Graphene Oxide Enriched Natural Kaolinite Clay and Its Application for Biodiesel Production. *Int J. Renewable Energy Development*. 2021, 10 (2), 307–315.
- (41) Ningsih, L.; Deska, A.; Arief, S.; Septiani, U.; Eka, Y. P.; Efdi, M.; Syukri. Enrichment of Sawahlunto Clay with Cation Ca^{2+} and Cu^{2+} and Preliminary Test of Its Catalytic Activity in CPO Transesterification Reaction. *Aceh Int J. Science and Technology*. 2020, 9 (3), 187–196.
- (42) Setiabudi, A.; Hardian, R.; Muzakir, A. *Karakterisasi Material: Prinsip dan Aplikasinya dalam Penelitian Kimia*, Pertama.; UPI Press: Bandung, 2012.
- (43) Sani, R. A. *Book Karakterisasi Material*; Bumi Aksara: Jakarta, 2019.
- (44) Sumari; Prakasa, Y. F.; Asrori, M. R.; Baharintasari, D. R. Analisis Kandungan Mineral Pasir Pantai Bajul Mati Kabupaten Malang Menggunakan XRF dan XRD. *J. Chem*. 2020, 5 (2), 58–62.
- (45) Mohammed, A.; Abdullah, A. Scanning Electron Microscopy (SEM): A Review. In *International Conference on Hydraulics and Pneumatics*; Romania, 2018; hal 77–85.
- (46) Kusumaningtiyas, M. P. Analisis Struktur Nano Batu Apung Lombok Menggunakan Metode BET (Brunauer-Emmet-Teller), Institut Teknologi Sepuluh Nopember, 2017.
- (47) Bardestani, R.; Patience, G. S.; Kaliaguine, S. Experimental Methods In Chemical Engineering: Specific Surface Area and Pore Size Distribution Measurement —BET, BJH, and DFT. *The Canadian J. Chem Eng*. 2019, 97, 2781–2791.
- (48) Mark, U.; Anyakwo, C. N.; Onyemaobi, O. O.; Nwobodo, C. S. Conditions for Thermal Activation of Ngwo Clay as an Alternative Resource for Alumina. *Nat Resour*. 2019, 10, 1–15.
- (49) Kagonbé, B. P.; Tsozué, D.; Nzeukou, A. N.; Ngos, S. Mineralogical Geochemical and Physico-Chemical from Three Clay Deposit in Northern Cameroun. *J. Geos and Envi Prot*. 2021, 9, 86–99.
- (50) García-León, R. A.; Flórez, E. S.; Rodríguez-Castilla, M. Ternary Diagrams $\text{SiO}_2\text{-Al}_2\text{O}_3\text{-K}_2\text{O}$ as Tool for The Analysis of Ceramic Materials Behavior. *J. Phy: Conf. Series*. 2019, 1388, 1–11.
- (51) Prasetyo, B. H.; Suharta, N. Properties of Low Activity Clay Soils from South Kalimantan. *J. Tanah dan Iklim* 2004, 22, 26–39.
- (52) Dhana, R. R. Critical Minerals: Their Nature, Occurrence, Recovery and Uses. *Current Science*. 2020, 119 (6), 919–925.
- (53) Temirov, F. N.; Fayzullaev, N. I.; Sh., K. G.; Kh., K. J.; Kh., J. M. Optimization of the Process Acid Activation of Bentonite. *Ann. Rom Soc Cell Biol*. 2021, 25 (4), 809–827.
- (54) Karelius. Ekstraksi dan Karakterisasi Lempung Asal Kalimantan Tengah Sebagai Salah Satu Alternatif Bahan Tambahan Beton Geopolimer. *J. Pendidik Teknol. dan Kejuru. BALANGA* 2017, 5, 1–10.
- (55) Urip, L. W; Najah, S.; Istiqomah, C. Pembuatan Adsorben Berbahan Baku Tanah Liat dari Limbah Industri Pencucian Pasir Silika dengan Perbedaan Konsentrasi HCl dan Waktu Aktivasi. *J. Res and Tech*. 2020, 6 (1), 10–15.
- (56) Bendou, S.; Amrani, M. Effect of Hydrochloric Acid on the Structural of Sodic-

- Bentonite Clay. *J. Minerals and Mater Character and Eng.* 2014, 2, 404–413.
- (57) Martínez-Luévanos, A.; Rodríguez-Delgado, M. G.; Uribe-Salas, A.; Carrillo-Pedroza, F. R.; Osuna-Alarcón, J. G. Leaching Kinetics of Iron from Low Grade Kaolin by Oxalic Acid Solutions. *J. Appl Clay Sci.* 2011, 51, 473–477.
- (58) LEE, S.-O.; KIM, W.-T.; OH, J.-K.; SHIN, B.-S. Iron-removal of Clay Mineral with Oxalic Acid. *J. Shigen-to-Sozai* 1997, 113 (11), 847–851.
- (59) Baawuah, E.; Fosu, B.; Ofori-Sarpong, G.; Addai-Mensah, J. Influence of Alkaline Type on Quartz Pulp Particle Interactions and Interfacial Chemistry in Aqueous Media. In *Biennial UMaT International Mining and Mineral Conference*, 2014; hal 220–227.
- (60) Pagar, O. B.; Nagare, H. S.; Chine, Y. M.; Autade, R. R.; Narode, P. R.; Sanklecha, V. M. Mesoporous Silica : A Review. *Int. J. Pharm Drug Anal.* 2018, 6 (1), 1–12.
- (61) Rahayu, F. Pengaruh Jenis Fasa SiO₂ (Amorphous, Quartz, Cristobalite) terhadap Sifat Hidrofobik pada Media Kaca, Institut Teknologi Sepuluh November, 2016.

