

## DAFTAR PUSTAKA

- Adiga US, Preethika A, Swathi K, 2015, Sigma Metrics in Clinical Chemistry Laboratory – A Guide to Quality Control, *Al Ameen J Med Sci*, 8 (4): 281-287, India
- Adiga U, S Yogish, 2016, Hemolytic index a tool to measure hemolysis in vitro, *IOSR Journal of Biotechnology and Biochemistry*, Vol 2, Issue 2 (Jan. – Feb. 2016), PP 49-52
- Arneson, W and Brickell, J, 2007 b, “Laboratory Technique and Instrumentation” In Clinical Chemistry A Laboratory Perspective, E.A Davis Company, Philadelphia, 88-102
- Ashakiran S, Sumati ME, Murthy K, 2011, A Study of Pre-analytical Variables in Clinical Biochemistry Laboratory, *Elsevier Clinical Biochemistry* 44, p; 944-945
- A Englezopoulou, M Kechagia, R Chatzikiriakou, M Kanellopoulou, M Valentif masedu, 2016. Pre analytical Errors as Quality Indicators in Clinical Laboratory, *Austin Journal of Public Health and Epidemiology* 3(5);id 1048
- Barak M, Jaschek R, 2013, A New and Effective Way for Preventing Pre-Analytical Laboratory Errors, *Clin Chem Lab Med*
- Baron JM, Mermel CH, Lewandrowski KB, Dighe AS, 2012, Detection of Preanalytic Laboratory Testing Errors Using a Statistically Guided Protocol, *Am J Clin Pathol*, 138, p 406-413
- Bhuyar KB, 2017, A Study of Pre-Analytical Errors in a Hospital Based Clinical Biochemistry Laboratory, *International Journal of Biotechnology and Biochemistry*, volume 13; p 111-121
- Bir A, Ghosh A, Sinha S, Banerjee A, 2018, Quality Indicators are Effective To Monitor The Performance Level Of Preanalytical Phase - A Study In A Clinical Laboratory Of Eastern India, *J. Evid. Based Med. Healthc.* 5(13), 1140-1145
- Chhillar N, Khwana S, Agarwal R, Singh KN, 2010, Effect of Pre-Analytical Errors on Quality of Laboratory Medicine at a Neuropsychiatry Institute in North India, *Ind J Clin Biochem* 26, p:46-49
- Cooper G, 2008, Basic Lessons in Laboratory Quality Control, QC Workbook, *Biorad Laboratories*, chapter 1, 04/08 Q-1109 , p: 8
- Cornes MP, Athartan J, Pourmalram G, Barthwick H, Kyle B, West J Costelloe SJ, 2015, Monitoring and Reporting of Preanalytical Errors in Laboratory Medicine: The UK Situation, *Annals of Clinical Biochemistry*, p 1-6
- Crellin M, Cavaguero M, Arneson W, 2007, Quality Assessment in Clinical Chemistry a Laboratory Perspective; F.A davis company, p; 39-50
- Coskun A, Inal T, Unsal L, Serteser M, 2010, Quality Management and Six Sigma, *Intech*, ISBN 978-953-307-130-5
- Cuhadar S, 2013, Preanalytical Variables and Factors That Interfere with The Biochemical Parameters: a Review *OA Biotechnology* oi: 2(2):19

- Gajjar M, Patel A, Jain S, 2016, "Monitoring of Quality Indicators in Pre Analytical Phase of Testing in the Clinical Biochemistry Laboratory of A Tertiary Care Hospital Attached with Government Medical College", *IOSR Journal of Dental and Medical Sciences, Volume 15, Issue 7 Ver. V (July. 2016), P 62-68*
- Garza D, McBride KB, 2005, "Preanalytical Complications in Blood Collection" In *Phlebotomy Handbook*, Pearson Education Inc, New Jersey, p 304-20
- Greco DS, Vlad DC, Dumitrascu V, 2014, Quality Indicators in The Preanalytical Phase of Testing in a Stat Laboratory, *Lab Medicine Volume 5*, number
- Guimaraes AC, Wolfart M, B Risolaro MLL, Dani C, 2011, Causes of Rejection of Blood Samples Handled in The Clinical Laboratory of University Hospital in Porto Alegre, *Elsevier Clinical Biochemistry* 45, p 123-126
- Hawkins R, 2012, Managing The Pre and Post Analytical Phases of The Total Testing Process, *Ann Lab Med*, 2012;32, p 5-16
- Keputusan Menteri Kesehatan Republik Indonesia, 2011, "Pedoman Pemeriksaan Kimia Klinik", Kementerian Kesehatan RI Direktorat Jenderal Bina Upaya Kesehatan Direktorat Bina Pelayanan Penunjang Medik dan sarana Kesehatan, Jakarta, hal 11-54
- Kurec SA, Lifshitz SM, 2011, General Concept and Administrative Issues in *Henry's Clinical Diagnosis and Management by Laboratory Methods*. 22<sup>nd</sup> eds, p3-11
- Lipi G, Mc Bride KB, Behulova D, Bowen RA, Church S, Delanghe S, Grankvist K, Kitchen S, Nybo M, Nauck M, Mkolac N, Palicka V, Plebani M, Sandberg S, Simudic AN, 2013, Preanalytical Quality Improvement: In Quality We Trust, *Clin Chem Lab Med* 51(1):229-241
- Marin AG, Ruiz FR, Hidalgo MD, Mendoza PM, 2014, Preanalytical Errors Management in The Clinical Laboratory: A Five Years Study, *Biochemica Medica*, p 248-57
- Najat D, 2017, Prevalence of Preanalytical Error in Clinical Chemistry Diagnostic Labs in Sulaimani City of Iraqi Kurdistan, *Plosone*, doi:10.1371/journal.pone.0170211
- Nicolac Nora, 2014, "Lipemia : Causes, Interference Mechanism, Detection and Management", *Biochemia Medica* 2014 : 24 (1) : 57-67
- Plebani M, Siacovelli L, Marinova M, Mercuccitti J, Chiozza LM, 2012, Quality Indicators in Laboratory Medicine: A Fundamental Tool For Quality and Patient Safety, *Elsevier Clinical Biochemistry* 1170-1174
- Plebani M, Sciacovelli L, Aita A, Pelloso M, Chiozza ML, 2015, Performance Criteria and Quality Indicators for The Preanalytical Phase, *Clin Chem Lab Med* 2015:53(6):943-948
- Rin DG, 2009, Preanalytical Workstations: a Tool for Reducing Laboratory Errors, *Elsevier Clinica Acta* 404 (2009), 68-74
- Roche, 2007, "Serum Indices : Reduction of Clinical Errors in Laboratory Medicine, Roche Diagnostics GmbH, Jerman, p 4-16
- Salinas M, Garrigos ML, Flores E, Ceuiles AS, Gutierrez M, Lugo J, Lillo R, Salinas CL, 2014, Ten Years of Preanalytical Monitoring and Control: Synthetic

- Balanced Score Card Indicator, *Biochemica Medica*; 2015;25(1):49-56
- Sanford KW, McPherson RA, 2011, "Preanalysis" in Henry Clinical Diagnosis and Management by Laboratory Methods, 22<sup>nd</sup> ed, Saunders Elsevier, China, p 24-36
- Sciacovelli L, Kane OM, Skaik WAY, Cacigli P, Pellegrini c, Rin DG, Ivanov A, Ghys T, Plebani M, 2011, Quality Indicators in Laboratory Medicine: From Theory to Practice, *Clin Chem Lab Med*, 49(5);835-844
- Sciacovelli L, Plebani M, 2009, The IFCC Working Group on Laboratory Errors and Patient Safety, *Elsevier Clinical Chimica Acta* 404(2009) 79-85
- Singh B, Goswami B, Gupta VK, Cchawla R, Mallika V, 2011, Application of Sigma Metrics for the Assessment of Quality Assurance in Clinical Biochemistry Laboratory in India : a Pilot Study, *Ind J Clin Biochem*, 26(2): p 131-135
- Westgard S, 2016, Quantitating Quality: Best Practice For Estimating The Sigma Metric, *Abbott Diagnostic*
- West J, Atherton J, Costeloe S, Pourmahram G, Staetton A, Comes M, 2016, Preanalytical Errors in Medical Laboratories; A Review of The Available Methodologies of Data Collection and Analysis, *Annals of Clinical Biochemistry*, ACB 16-165
- WL Eky Indrayanty, Rasyid HA, Thojib A, 2015, The Influence of Nurses Knowledge, Attitude, and Behaviour Over Phlebotomy on Laboratory Specimen Quality, *Jurnal Kedokteran Brawijaya* vol 28 no 3
- Yang C, 2012, The Integration of TQM and Six-Sigma in Total Quality Management and Six-Sigma, *Intechopen, Kroasia*, p 220-243
- Zaini RG, Dahlawi HA, Siddiqi A, 2016, Identification of The Types and Frequencies of Preanalytical Errors in The Clinical Biochemistry Laboratory: 1 Year Study at Hera'a General Hospital, College of Applied Medical Sciences, *Imed pub Journals* vol 8 no4;8

