

DAFTAR PUSTAKA

- ACOG Releases Guidelines on Management of Post-term Pregnancy. *Am Fam Physician*. 2006;Dec1;70(11):2221-2225.
- Aktan, F. iNOS-mediated nitric oxide production and its regulation. *Life Sci*, 2004; 75, 639-653.
- Alexander. Forty weeks and beyond: pregnancy outcomes by week of gestation. *Obstet Gynecol* 2000;96(2):291-4
- Allport VC, Pieber D, Slater DM, Newton R, Bennett PR. Human labour is associated with nuclear factor-kB activity which mediates cyclo-oxygenase-2 expression and is involved with the 'functional progesterone withdrawal'. *Mol Hum Reprod* 2001;7:581-86
- Andersson S, Minjarez D, Yost NP, Word RA. 2008. Estrogen and progesterone metabolism in the cervix during pregnancy and parturition. *The Journal of clinical endocrinology and metabolism* 93(6):2366-74.
- Arias, fernando. *Practical Guide to high risk pregnancy and delivery*. Mosby. Westline Industrial drive. 1993
- Arruda, Joane. 2013. Assesment of Myometrial Concentration of Estrogen and Progesterone Receptors in the Lower Uterine Segment of Full-Term Pregnancies in Presence or Absence of Labour. *Journal of Pregnancy*.
- Arteaga, et. Intraalcervical application of the nitric oxide donor isosorbide dinitrate for induction of cervical ripening: a randomised controlled trial to determine clinical efficacy and safety prior to first trimester surgical evacuation of retained products of conception. *BJOG*, 2005;1615-19.
- Baacke KA, Edwards RK. Preinduction cervical assessment. *Obstet and Gynecol*, 2006;49(3):564–72.
- Bao, S, et al. Brain nitric oxide synthase expression is enhanced in the human cervix in labor. *J Soc Gynecol Investig*, 2001;8, 158-164.
- Becher N, Hein M, Danielsen CC. Matrix metalloproteinases and their inhibitors in the cervical mucus plug at term of pregnancy. *Am J Obstet Gynaecol* 2003; 191:1232-9.
- Berkowitz, Kathleen. Postdatism. *Glob. Libr. Women;s med.* 2008;3843

- Biondi, C., et al. The role and modulation of the oxidative balance in pregnancy. *Curr Pharm Des*, 2005;11, 2075-2089.
- Bonizzi G, Karin M. 2004. The two NF-kB activation pathways and their role in innate and adaptive immunity. *Cell* 25:280-8.
- Buhimschi CS, Norman JE. 2014. In Creasy & Resnik's Maternal-Fetal Medicine Principles and Practice. Creasy RK, Resnik R, Iams JD, Lockwood CJ, Moore TR e t al. Elsevier. 2014. Page 599-623.
- Bullarbo, Maria. Nitric Oxide Donors in Labor Management. Department of Obstetrics and Gynecology. Institute Of Clinical Sciences Sahlgrenska Academy Göteborg University, Sweden: 2007
- Caughey, A.B. Postterm Pregnancy. Dikutip dari <http://emedicine.medscape.com/article/261269-overview>
- Chan PD, et al. Intracervical sodium nitroprusside versus vaginal misoprostol in first trimester surgical termination of pregnancy: a randomized double-blinded controlled trial. *Hum Reprod*, 2002;20, 829-833.
- Chamberlain G, Zander L. ABC of labor care:Induction. *BMJ* 1999;318:995-8.
- Chwalisz K, Benson M, Scholz P et al. Cervical ripening with cytokine IL-8, IL-11 and TNF- \square in guinea pigs. *Human Reprod* 1994;9:2173-81.
- Chwalisz K, Garfield RE. New molecular Chalenge in the induction of cervical ripening. *Hum Reprod* 1998 ;13 (2):245-7
- Chwalisz K, Qing SS, Garfield RE, Beier HM. Cervical ripening in guinea pig after local application of nitric oxide. *Hum Reprod* 1997;12:2093-101.
- Condon JC, Hardy DB, Kovacic K, Mendelson CR. Up-regulation of the Progesterone Receptor (PR)-C Isoform in Laboring Myometrium by Activation of Nuclear Factor-kB May Contribute to the Onset of Labor through Inhibition of PR function. *Mol Endocrinol* 20(4):764-775.
- Cunningham et al. Post-term pregnancy. In: William obstetri 24th edition, New York: Mc Graw Hill. 2014
- Crane JMG. Factors predicting labor induction success: A critical analysis. In: Clinical Obstetrics and Gynecology, 2006;49(3): 573–84.

- Dahlan, M.Sopiyudin. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. Cetakan II. Salemba Medika : Jakarta. 2013.
- Darkwa. 2018. Serum nitric oxide levels in healthy pregnant women: a case-control study in a tertiary facility in Ghana. *Matern Health Neonatol Perinatol*.20;4:3.
- Darwin E, Elfi EF, Elvira D. Endotel fungsi dan disfungsi. Andalas University Press. Padang. 2017.
- David CW, Lau, Bikramjit D, Hongyun Y, Paul ES & Subodh V. 2005. Adipokines:molecular links between obesity and atherosclerosis. *Am. J. Physiol Heart Circ Physiol*. **288**:H2031-H2041
- Decherney, Allan, Marthin L. Pernoll. *Current Obstetric and Gynecologic diagnosis and treatment*. 8th edition. connecticut : Appleton & Lange. 1994
- DeFranco EA, O'Brien JM, Adair CD, Lewis DF, Hall DR, Fusey S, et al. 2007. Vaginal progesterone is associated with a decrease in risk for early preterm birth and improved neonatal outcome in women with a short cervix: a secondary analysis from a randomized, double-blind, placebo-controlled trial. *Ultrasound Obstet Gynecol* 30(5):697-705.
- Denison FC, Calder AA, Kelly RW. 1999. The action of prostaglandin E2 on the human cervix: stimulation of interleukin 8 and inhibition of secretory leukocyte protease inhibitor. *American journal of obstetrics and gynecology* 180:614-20.
- Dhyana G.S.. *Efektifitas Misoprostol Vaginal untuk Peningkatan Pematangan Serviks Pada Blighted Ovum*. Fakultas Kedokteran Universitas Sebelas Maret. Thesis.2007
- Di Renzo GC, Rosati A, Mattei A, Gojnic M, Gerli S. 2005. The changing role of progesterone in preterm labour. *BJOG* 112:57-60.
- Dood, et al. Oral Misoprostol for Induction of Labour at term : randomised controlled trial. *BMJ*. 2006:332-509
- Dodd, et al. Elective repeat caesarean section versus induction of labour for women with a previous caesarean birth. *Cochrane Database of Systematic Reviews*, 2004:8

- Drapier JC, Bouton C. Modulation by nitric oxide of matalloprotein regulatory activities. *BioEssay* 1996;18:549-56.
- Duff, et al. *Obstetrics and Gynecology Just The Fact*. 1st Edition. Boston : McGraw hill co. 2005
- Dwijayanto, H. *Perbandingan Keberhasilan antara Misoprostol dengan Oksitosin untuk Induksi Persalinan Hamil Aterm dengan Ketuban Pecah Dini*. Fakultas Kedokteran Universitas Sebelas Maret. Thesis. 2003
- Ekerhovd, et al. Vaginal administration of the nitric oxide donor isosorbide mononitrate for cervical ripening at term: a randomized controlled study. *Am J Obstet Gynecol* 2003;189:1692-7.
- Endjun, J.J. 2009. *Mempersiapkan Kehamilan Sehat*. Jakarta. Pustaka Bunda, Grup Puspa Swara, Anggota IKAPI.
- Equils O, Nambiar P, Hobel CJ, Smith R, Simmons CF, Vali S. 2010. A Computer Simulation of Progesterone and Cox2 Inhibitor Treatment for Preterm Labor. In Silico Model of Pregnancy 5: e8520.
- Facchinetti F, et al. Chemical ripening of the cervix with intracervical application of sodium nitroprusside: a randomized controlled trial. *Hum Reprod* 2000;15:2224-7.
- Fibrila, F. 2014. Hubungan Jenis Kelamin Bayi Dan Usia Ibu Bersalin Dengan Kejadian Persalinan Postterm Di RSUD Demang Sepulau Raya Lampung Tengah. *Jurnal Kesehatan Metro Sai Wawai. Poltekkes Kemenkes Tajungkarang*.
- Fraser., Diane, M., Margaret, A., Cooper. 2009. *Myles : Buku Ajar Bidan*. Jakarta. Salemba Medika.
- Galal M. 2012. Posterm Pregnancy. FVV in ObGYN 4(3): 175-187.
- Garfield RE, Merrett D, Grover AK. 1980. Gap junction formation and regulation in myometrium. *The American journal of physiology* (5):217-28.
- Gilmore TD. 2006. Introduction to NF-kB: Players, pathways, perspectives. *Oncogene* 25: 6680-4.
- Goldberg, A.B. Misoprostol in gynecology. *Curr Womens Health Rep*,2003;3, 475-483.
- Goldberg, A.B., Greenberg, M.B. and Darney, P.D. (2001) Misoprostol and pregnancy. *N Engl J Med*, 2011;344,38-47.

- Goodman, Gilman. *Dasar Farmakologi Terapi*. 2008. vol I Edisi 10. Jakarta : EGC.
- Gunawijaya. 2000. Peran Nitrogen Oksida pada Infeksi. Sari Pediatri, Vol. 2, No. 2: 113 - 119
- Harman J., Andrew Kim. *Current Trends in Cervical Ripening and Labor Induction*. 2009
- Havelock JC, Keller P, Muleba N, Mayhew BA, Casey BM, Rainey WE, et al. 2005. Human myometrial gene expression before and during parturition. *Biol Reprod* 72(3):707-19.
- Hayden MS, Ghosh S. 2004. Signaling to NF-kB. *Genes & Development* 18:2195-224.
- Heimstad, Runa. Post-Term Pregnancy. 2017. Norwegian University of Science and Technology
- Henry, et al. EPR characterization of molecular targets for NO in mammalian cells and organelles. *FASEB J*, 2003;7, 1124-1134
- Kadanali S., et al. Comparison of Labor Induction with Misoprostol Vs Oxytocin/ Prostaglandin E2 in Term Pregnancy. *Int J Gynecol Obstet*. 1996; 55: 99-104
- Kramer R.L., et al: A Randomized Trial of Misoprostol and Oxytocin for Induction of Labor : Safety and efficacy. *Obstet- Gynecol*. 1997;89:387-91
- Lappas et al. 2002. Nuclear Factor Kappa B Regulation of Proinflammatory Cytokines in Human Gestational Tissues in Vitro; *Biology of Reproduction* 67: 668-73.
- Lavin JP, Stephen RJ, Miodovnik M, et al. Vaginal delivery in Patient with prior cesarean birth. In: *American Journal of Obstetrics and Gynecology*. 1982; 59: 135-48.
- Lawrence, Toby. 2009. The Nuclear Factor NF-kB Pathway in Inflammation. *Cold Spring Harb Perspect Biol*.
- Ledingham et al. Changes in the expression of nitric oxide synthase in the human uterine cervix during pregnancy and parturition. *Mol hum reprod* 2002;6(11):1041-8.
- Leppert PC: Anatomy and physiology of cervical ripening. *Clin Obstet Gynecol* 1995 ; 38(2): 267-79

- Lindstrom TM, Bennet PR. The role of nuclear factor kappa B in human labour. Society for Reproduction and Fertility;2005.p.569-81
- Li Q, Verma IM. 2002. NF- κ B regulation n the immune system. Nature Reviews Immunology 2:725-34.
- Liu, Ting. 2017. NF- κ B signaling in inflammation. Signal Transduction and Targeted Therapy 2, e17023.
- Liu, Shen J, Jin Y, Duan M, Xu J. 2006. Recombinant Human Erythropoietin (rhEPO) Preconditioning on Nuclear Factor-Kappa B (NF- κ B) Activation & Proinflammatory Cytokines Induced by Myocardial Ischaemia-Reperfusion. Indian J Med Res 123:343-54.
- Loose *et al.* Estrogens and Progestins. 2006. In: Brunton LL, Lazo JS, Parker KL, eds. Goodman & Gilman's The Pharmacological Basis of Therapeutics. 11 ed. New York: McGraw-Hill. Page 1541–71.
- Loudon JA, Elliott CL, Hills F, Bennett PR. 2003. Progesterone represses interleukin-8 and cyclo-oxygenase-2 in human lower segment fibroblast cells and amnion epithelial cells. Biol Reprod 69(1):331-7.
- Ludmir J, Sehdev HM. Anatomy and physiology of the uterine cervix. Clin Obstet Gynecol 2000; 43:433-9.
- M.Dodd, Jodie. 2009. The role of progesterone in prevention of preterm birth. International Journal of Women's Health (1): 73–84.
- Mahendro *et al.* 1999. The parturition defect in steroid 5alpha-reductase type 1 knockout mice is due to impaired cervical ripening. Mol Endocrinol 13(6):981-92.
- Mandach U, Lauth D, Huch R. Maternal and fetal nitric oxide production in normal and abnormal pregnancy. JFM Neo Med 2003;123:22-7.
- Mandei *et al*, 2013. Hubungan Kadar Serum Metabolit Nitrit Oksida dan Gangguan Fungsi Ginjal pada Sepsis. Sari Pediatri, Vol. 15, No. 4.
- Manuaba., Ida, B G., Manuaba, I AC., Manuaba IBG. 2010. *Ilmu Kebidanan, Penyakit Kandungan, Dan KB Untuk Pendidikan Bidan Edisi 2*. Jakarta. EGC.
- Marx SG, Wentz MJ, Mackay LB, Schlembach D, Maul H, Fittkow C, et al. 2006. Effects of progesterone on iNOS, COX-2, and collagen expression in the cervix. J Histochem Cytochem 54(6):623-39.

- Maul H, Mackay C, Garfield RE. Cervical ripening: Biochemical, molecular, and clinical considerations. *Obstet and Gynecol*. 2006;49(3): 551–63.
- Mengesha, Hayelom. 2016. Preterm and Posterm births: Predictors and Implications on Neonatal Mortality in Northern Ethiopia 15:48.
- Mbele A.M., Makin J.D., Pattinson R.C.. Can the outcome of induction of labour with oral misoprostol be predicted. *SAMJ*. 2007; 97: 289
- Mercier F, Dounas M, Bouaziz H, et al. Intravenous nitroglycerin to relieve intrapartum fetal distress related to uterine hyperactivity: a prospective observational study. *Anesth Analg* 2007;84:1117– 1120.
- Mesiano S, Chan EC, Fitter JT, Kwek K, Yeo G, Smith R. Progesterone withdrawal and estrogen activation in human parturition are coordinated by progesterone receptor A expression in the myometrium. *J Clin Endocrinol Metab* 2002;87:2924-30
- Minjarez D, Miller RT, Lindqvist A, Andersson S, Word RA. 2000. Regulation of steroid hormone metabolism by 17-hydroxysteroid dehydrogenase type 2 in the human cervix. *J Soc Gynecol Invest* 7:124A.
- Minjarez D, Konda V, Word RA. 2001. Regulation of uterine 5 alpha-reductase type 1 in mice. *Biol Reprod* 65(5):1378-82.
- Mohamad S, et al. Intravaginal Administration of Isosorbide Mononitrate and Misoprostol for Cervical Ripening and Induction of Labour: A Randomized Controlled Trial. The Department of Obstetrics and Gynecology, Woman's Health Center, Assiut University. Med. J. Cairo Univ., 2010. Vol. 78, No. 2: 85-89*
- Moncada. The L-arginine-nitric oxide pathway. *N Engl J Med*, 329, 2002-2012.
- Moster. Cerebral Palsy Among Term and Posterm Births. *The Journal of The American Medical Association*. 2010 Sep 1;304:976-982.
- Moynagh PN. 2005. The NF-kB pathway. *Journal of Cell Science* 118: 4389-92.
- Nakatsuka, et al. Elevation of total nitrite and nitrate concentration in vaginal secretions as a predictor of premature delivery. *Am J Obstet Gynecol*, 2000;182, 644-645.
- Neurath MF, Becker C, Barbulescu. 1998. Role of NF-kB in Immune and Inflammatory Responses in The Gut. *Gut* 43:856-60.

- Norman JE, Cameron IT. Nitric Oxide and pregnancy-associated pathology. Reprod Bio and Endocrinol 2003; 2:66-72
- Norwitz ER, Robinson JN, Challis JRG. The control of labor current concept. N Engl J Med 2002;341: 660-6 .
- Palejawla S, Stein D, Wojtezuk A, Weiss G, Goldsmith LT : Demonstration of relaxin receptor and relaxin-stimulated tyrosine phosphorylation in human lower utrine segment fibroblast. Endocrinology 1998 : 3 : 109-112.
- Palliser HK, Hirst J, Ooi GT, Rice G, Dellios N, et al. 2004. Prostaglandin E dan F Receptor Expression and Myometrial Sensitivity at Labor Onset in the Sheep. Biol Reprod 72:937-43.
- Patel *et al.* 2015. Role of nuclear progesterone receptor isoforms in uterine patophysiology. Human Reproduction Update 21:155-73.
- Pieber D, Allport VC, Hills F, Johnson M, Bennett PR 2001 Interaction between progesterone receptor isoform in myometrial cells in human labour. Mol Hum Reprod 7:875-879
- Pinontoan, V. M., Sandra, G. J. T. 2015. Hubungan Umur Dan Paritas Ibu Dengan Kejadian Bayi Berat Lahir Rendah. *Jurnal Ilmiah Bidan*
- Polgar *et al.* 2004. Urinary progesterone-induced blocking factor concentration is related to pregnancy outcome. Biol Reprod 71(5):1699-705.
- Pollock *et al.* Purification and characterization of particulate endothelium-derived relaxing factor synthase from cultured and native bovine aortic endothelial cells. Proc Natl Acad Sci USA, 2011;88, 10480-10484.
- Prawirohardjo S. *Ilmu Kebidanan Edisi ketiga*. Jakarta : Yayasan Bina Pustaka Sarwono Prawirohardjo. 2007
- Profil Kesehatan Provinsi Lampung Tahun 2008. Dikutip dari <http://depkes.go.id/> Lampung
- Qudsiah, S. C., Herry, S.D., Siti, N. 2013. Hubungan Antara Paritas Dan Umur Ibu Dengan Anemia Pada Ibu Hamil Trimester III Tahun 2012. *Jurnal UNIMUS*.
- Rai, jodie. *e-medicine-Cervical Ripening*. <http://www. Cervical Ripening eMedicine Obstetrics and Gynecology.htm>. 2008.

- Rasyid HA. Evaluasi Upaya Persalinan Pervaginam pada Kasus Bekas Seksio Sesarea di RSUD. Dr. Pirngadi Medan. 1992.
- Rechberger T, Abramson SR, Woessner JF, Onpriston and prostaglandin E2 induction of delivery in the rat in late pregnancy: A model for the analysis of cervical softening. Am J Obstet gynecol.1996;175:719-723.
- Riskesdas. Laporan Nasional Riset Kesahatan Dasar. 2010.
- Romero R, Emamian M, Wan M, Quintero R, Hobbins JC, Mitchell MD. 1987. Prostaglandin concentrations in amniotic fluid of women with intra-amniotic infection and preterm labor. American journal of obstetrics and gynecology 157(6):1461-7.
- Rosselli M. 1997. Nitric oxide and reproduction. Mol Hum Reprod 3(8):639-41.
- Sagal S, Doyle LW. 2008. An overview of mortality and sequelae of preterm birth from infancy to adulthood. Lancet 371: 261–269.
- Sanchez-Ramos L, Olivier F, Delke I, Kaunitz AM. Labor induction versus expectant management for postterm pregnancies: A systematic review with meta-analysis. Obstet. Gynecol. 2003;101(6):1312–8.
- Sarwono, Prawirohardjo. Ilmu Kandungan. 2002. Jakarta : Yayasan Bina Pustaka.
- Sastroasmoro, Sudigdo. Dasar-Dasar Metodologi Penelitian Klinis. 2010. Jakarta : CV Sagung Seto
- Schreiber JR. Cervical Ripening. Emedicine April 26th 2003 Section 1-9.
- Sennstrom MB, Ekman G, Thorsson GW, et al. Human cervical ripening, an inflammatory process mediated by cytokines. Mol Hum Reprod 2000; 6: 375-81.
- Seyffarth G, Nelson PN, Dunmore SJ, et al. Lipopolysaccharide induce nitric oxide synthase expression and platelet-activating factor increase nitric oxide production in human fetal membranes in culture. Reprod Biol Endocrinol 2004;2:1-9.
- Shamshad. Factors Leading to Increased Cesarean Section Rate. *Gomal Journal of Medical Sciences*. 2008; 6: 1
- Shenavai, Sima et al, Investigations into the mechanisms controlling parturition in cattle: Society for Reproduction and Fertility 2010;144: 279-292.

- Shodiqoh, S. 2014. Perbedaan Tingkat Kecemasan Dalam Menghadapi Persalinan Antara Primigravida Dan Multigravida. *Jurnal Berkala Epidemiologi Universitas Airlangga*.
- Simkin, P., Janet, W. R.N., Ann Kepler, R.N. 2008. *Panduan Lengkap : Kehamilan, Melahirkan, & Bayi*. Jakarta. Arcan.
- Sloane., Benedict. 2009. *Petunjuk Lengkap Kehamilan*. Jakarta. Pustaka Mina.
- Smith GCS. Life-table analysis of the risk of perinatal death at term and post term in singleton pregnancies. *Am. J. Obstet. Gynecol.* 2001;489–96.
- Speroff L, Fritz MA. Hormone Biosynthesis, Metabolism, and Mechanism of Action. 2005. In: Speroff L, Fritz MA, eds. *Clinical Gynecologic Endocrinology and Infertility*. 7 ed. Philadelphia: Lippincott Williams & Wilkins.
- SOGC. Guidelines for the Management of Pregnancy at 41+0 to 42+0 weeks. *J Obstet Gynaecol Can*: September, 2008.
- Steer PJ, High Risk Pregnancy E-Book: Management Options-Expert Consult. UK: Elsevier Saunders.2010
- Stjernholm *et al*. Factors involved in the inflammatory events of cervical ripening in humans. *Reproductive Biology and Endocrinology Journal* 2004;2:74.
- Stjernholm *et al*. 2009. Prostaglandin Treatment in Associated With a Withdrawal of Progesterone and Androgen at The Receptor Level in the Uterine Cervix. *Reproductive Biology and Endocrinology*. Page 1-10.
- Stjernholm-Vladic Y, Stygar D, Mansson C, Masironi B, Akerberg S, Wang H, et al. 2004. Factors involved in the inflammatory events of cervical ripening in humans. *Reprod Biol Endocrinol* 22;2:74.
- Stygar, Wang H, Vladic YS, Ekman G, Eriksson H, Sahlin L. Increased level of matrix metalloproteinase 2 and 9 in the ripening process of the human cervix. *Biol reprod* 2002;67:889–94.
- Sunil K. 2016. Endocrinology of Parturition. *Indian Journal of Endocrinology and Metabolism*. Vol 17.
- Szekeres, Bartho J, Wegmann TG. 1996. A progesterone-dependent immunomodulatory protein alters the Th1/Th2 balance. *J Reprod Immunol* 31(1-2):81-95.

- Tamanini C, Basini G, Grasselli F, Tirelli M. Nitric oxide and the ovary. *J Anim Sci* 2003;81:17.
- Tamsin M Lindstrom, Phillip R Bennett. 2005. The Role of Nuclear Factor Kappa in Human Labour. *Society for Reproduction and Fertility*: 130. 569-581.
- Tan *et al.* 2012. Progesterone Receptor-A and -B Have Opposite Effects on Proinflammatory Gene Expression in Human Myometrial Cells: Implication for Progesterone Actions in Human Pregnancy and Parturition. *J Clin Endocrinol Metab* 97(5): E719-30.
- Tenore. Methods For Cervical Ripening and Induction of Labor. *AAFP*. 2003:67: 2123-26
- Thomson, et al. Randomised trial of nitric oxide donor versus prostaglandin for cervical ripening before first-trimester termination of pregnancy. *Lancet* 1998;352:1093-6.
- Thomson AJ, et al. Nitric oxide donors induce ripening of the human uterine cervix: a randomised controlled trial. *Br J Obstet Gynaecol* 1997;104:1054-7.
- Tjahjanto H. Prediksi skor Bishop dalam menentukan keberhasilan induksi persalinan kehamilan lewat bulan [Tesis]. Semarang : Program Pendidikan Dokter Spesialis I Obstetri Ginekologi Fakultas Kedokteran Universitas Diponegoro, 2000.
- Tommiska M, Nuutila M, Tlikorkala O. Cervical nitric oxide release in women postterm. *Obstet. Gynecol.* 2004;103(4):657-62.
- Tommiska M.V. *Nitric Oxide in Human Uterine Cervix: Role in Cervical Ripening*. Department of Obstetrics and Gynecology University of Helsinki, Finland. Disertasi. 2006
- Toot *et al.* Female Reproductive Physiology. 2007. In: Hacker N, Moore JG, Gambone J, eds. *Essentials of Obstetrics and Gynecology*. 4 ed: Saunders.
- Troncoso GA, Alvarado AV, Gomez AB. Intracervical application of the nitric oxide donor isosorbide dinitrate for induction of cervical ripening : a randomized controlled trial to determine clinical efficacy and safety prior to first trimester surgical evacuation of retained products of conception. *Br J Obstet Gynecol* 2005; 112:1615-9.

- Tschugguel, et al. Human cervical ripening is associated with an increase in cervical inducible nitric oxide synthase expression. *Biol Reprod* 1999;60:1367–72.
- Uldbjerg N, Ekman G, Malmstrom A et al. Ripening of the human uterine cervix related to changes in collagen, glycosaminoglycans and collagenolytic activity. *Am J Obstet Gynecol* 1983;147:662-6.
- Vadakaluru. Postterm Pregnancy and Its Maternal and Fetal Outcome. International Journal of Modern Research dan Review. 2014:304-307.
- Varney, H. 2007. *Buku Ajar Asuhan Kebidanan*. Jakarta. EGC.
- Wang, Mary. 2014. Common Question about Late Term and Postterm Pregnancy. *Am Fam Physician*; 90(3) : 160-165.
- Wannmacher, Lenita. *Misoprostol low Dose For Induction Labour*. 2005
- Widayati, R. S., Rusmiyawati, 2017. Gambaran Karakteristik Ibu Bersalin Dengan Kehamilan Serotinus Di RSDM Surakarta. *Indonesian Journal on Medical Science*.
- Winknjosastro, H. Ilmu Kandungan Edisi 3. 2000. Jakarta: Yayasan Bina Pustaka
- Watari M, Watari H, diSanto ME et al. Pro-inflammatory cytokines induce expression of matrix smooth muscle cells. *Am J Pathol* 1999;1755-62.\
- Weiss G. 2000. Endocrinology of Parturition. *The Journal of Clinical Endocrinology & Metabolism*. Ney Jersey Medical School 86(12).
- WHO. WHO Recommendations for Induction of Labour. 2012.
- Wittler FR. Prostaglandin E2 preparations for preinduction cervical ripening. *Clin Obstet Gynecol*. 2000; 43:469-74.
- Young A, Thomson AJ, Ledingham M et al. 2002. Immunolocalization of proinflammatory cytokines in myometrium, cervix, and fetal membranes during human parturition at term. *Bio Reprod*, 66: 445-449.
- Yuwono, M. Validation of Chromatographic Methods of Analysis. *Profiles Drug Subst Excip Relat Methodol*. 2005;32:243-59.