

Daftar Pustaka

- Aadil, R.M.; Zeng, X.A.; Sun, D.W.; Wang, M.S.; Liu, Z.W.; & Zhang, Z.H. 2015. Combined effects of sonication and pulsed electric field on selected quality parameters of grapefruit juice. LWT Food Science Technology 42 (2) : pp 1-6. <http://dx.doi.org/10.1111/jfpp.13507>
- Abdillah, M & Suprapto. 2022. Characterization and modification of corn starch (*Zea mays*[L.]) and HPMC with sodium tripolyphosphate as cross-linking agent. Health Science. 2 (2) : 35-46. <https://doi.org/10.53017/ujhs.170>
- Ackar, D., Babic, J., Jozinovic, A., Milicevic, B., Jokic, S., Milicevic, R., Rajic, M., & Subaric, D. 2015. Starch modification by organic acids and their derivatives: a review. Molecules, 20 (10), 19554-19570. <https://doi.org/10.3390/molecules201019554>
- Adriani, S.R. 2017. Pendugaan umur simpan tepung ubi jalar ungu (*Ipomoeabatatas*, L.) dengan model Arrhenius. Skripsi. Fakultas Teknologi Pertanian. Universitas Andalas
- Afanas'ev I.B., Dcrozhko A.I., Brodskii A.V., Kostyuk V.A., Potapovitch A.I. 1989. Chelating and free radical scavenging mechanisms of inhibitory action of rutin and quercetin in lipid peroxidation. Biochemical Pharmacol. 38:1763–1769. doi: [10.1016/0006-2952\(89\)90410-3](https://doi.org/10.1016/0006-2952(89)90410-3).
- Ageboola, S., Akingbala, J.O. & Oguntiemein, G.B. 1991. Physicochemical and functional properties of low substituted cassava starch acetates and citrates, starch/starke. 43 (1) : pp 13-15. <https://doi.org/10.1002/STAR.19910430207>
- Aguilar-Reynosa, A., Romaní, A., Rodríguez-jasso, R.M., Aguilar, C.N., Garrote, G., & Ruiz, H.A. 2017. Microwave heating processing as alternative of pretreatment in secondgeneration biorefinery: an overview. Energy Convers. Manage. 136 : 50–65. <https://doi.org/10.1016/j.enconman.2017.01.004>
- Aguirre, A.R., Cárdenas, J. D.D.F., Wong, B.R., Villa, G.A., Sandoval, S. J.J., Flores, H. E. M., & Robles, J.F.P. 2021. Effect of nixtamalization with Ca(OH)₂, CaCl₂, and CaCO₃ on the protein secondary structure, rheological, and textural properties of soft wheat flour doughs. Journal of Cereal Science. 101. 103271 : 1-28. <https://doi.org/10.1016/j.jcs.2021.103271>
- Agustin, S. 2011. Efek polisakarida non pati terhadap karakteristik gelatinisasi tepung sukun. Jurnal Teknologi Pertanian 7(1): 28-35.
- Akbari, S., Hamid, N., & Mohd, R. 2019. Optimization of saponins, phenolics, and antioxidants extracted from fenugreek seeds using microwave-assisted extraction and response surface methodology as an optimizing tool. Comptes Rendus Chimie. 22 : 714–727. <https://doi.org/10.1016/j.crci.2019.07.007>

- Al-dhabi, N.A., & Ponnurugan, K. 2020. Microwave assisted extraction and characterization of polysaccharide from waste jamun fruit seeds. International Journal Biological Macromolecules. 152 : 1157–1163. <https://doi.org/10.1016/j.ijbiomac.2019.10.204>.
- Al Defiery, M.E.J., & Merjan, A.F. 2015. Mycoflora of mold contamination in wheat flour and storage wheat flour. Mesopotamia Environmental Journal. 1 (2) : 18-25.
- Afandi, F.A. 2023. Hubungan antara panjang rantai amilopektin dan indeks glikemik pangan karbohidrat: review. Jurnal Food Scientia. 3 (2). 165-180.
- Amalia, R & Kumoro, A.C. 2015. Studi pengaruh rasio reaktan, pH, dan waktu reaksi terhadap sifat fisiko kimia tepung gadung (*Dioscorea hispida Dennst.*) teratilasi. Jurnal Metanana. 11 (2) : 33-40 <https://doi.org/10.14710/metana.v11i02.14756>
- Arfaoui, L. 2021. Dietary plant polyphenols: effect of food processing on their content and bioavailability. Molecule. 26 (10) : 2959. doi: [10.3390/molecule26102959](https://doi.org/10.3390/molecule26102959).
- Araújo, R. G., Rodríguez-Jasso, R. M., Ruiz, H. A., Govea-Salas, M., Rosas-Flores, W., Aguilar-González, M. A., ... Aguilar, C. N. 2020. Hydrothermal-microwave processing for starch extraction from mexican avocado seeds: operational conditions and characterization. Processes. 8 (7). 759. doi:10.3390/pr8070759
- Aryani, T., & Mu'awanah, I.A.U. 2019. Perbandingan aktivitas antioksidan dan antosianin daging buah naga dan sirup buah naga (*Hylocereus costaricensis*). Prosiding Symbion. Symposium on Biology Education. Universitas Ahmad Dahlan. <http://seminar.uad.ac.id/index.php/symbion/article/view/3503>
- Arif, A.B., Budiyanto, A & Hoerudin. 2013. Nilai indeks glikemik produk pangan dan faktor-faktor yang memengaruhinya. Jurnal Litbang Pertanian 32 (3) : 91-99.
- Ashogbon, A.O.,& Akintayo, E.T. 2014. Recent trend in the physical and chemical modification of starches from different botanical sources: A review. Starch/Stärke 66 (1-2) : 41-57. <https://doi.org/10.1002/star.201300106>
- Asiah, N., Cempaka, L., & David, W. 2018. Practical guidelines for estimating the age of saving food products. UB Press, Jakarta
- Asp, N. G., & Bjorck, I. 1992. Resistant starch. Trends Food Science Technology. 3 : 111–114. [https://doi.org/10.1016/0924-2244\(92\)90153-N](https://doi.org/10.1016/0924-2244(92)90153-N)
- Assosiasi Produsen Tepung Terigu Indonesia (APTINDO). 2022. Impor Gandum RI Meledak 11 juta ton, tiba-tiba kini turun. CNBC Indonesia. <https://www.cnbcindonesia.com/news/20230807121750-4-460774/>

- Association of Official Analytical Chemists (AOAC). 2005. Official methods of analysis of the association of official analytical chemists.. Washington, D.C.
- Astawan, M. 2004. Kandungan gluten protein pada tepung terigu. Gramedia Pustaka Utama. Jakarta.
- Aparicio-Sagüilán, A., Flores-Huicochea, E., Tovar, J., Gracía-suárez, F., Gutiérrez-Meraz, F., & Bello-Pérez, L.A. 2005. Resistant starch-rich powders prepared by autoclaving of native and ligninized banana starch: partial characterization. *Starch/Stärke.* 57 (9) : 405–412. <https://doi.org/10.1002/star.200400386>.
- Arepally, D., Reddy, R.S., Gosmawi, T.K., & Datta, A.K. 2020. Biscuit : A Review. *LWT .* 131. <https://doi.org/10.1016/j.lwt.2020.109726>
- Arivalagan, M., Karunakaran, G., Roy, T.K., Dinsha, M., Sindhu, B.C., Shilpashree, V.M., Satisha, G.C., & Shivashankara, K.S. 2021. Biochemical and nutritional characterization of dragon fruit (*Hylocereus* species). *Food Chemistry.* 353. <https://doi.org/10.1016/j.foodchem.2021.129426>
- Atma Y. 2018. Prinsip Analisis Komponen pangan, makro dan mikro nutrien. 38. CV. Budi Utama, Yogyakarta
- Azadmard-Damirchi, S., Habibi-Nodeh, F., Hesari, J., Nemati, M., & Achachlouei, B.F. 2010. Effect of pretreatment with microwaves on oxidative stability and nutraceuticals content. 121 (4) : 1211-1215. <https://doi.org/10.1016/j.foodchem.20103137441>
- Azmir, J., Zaidul, I., Rahman, M., Sharif, K., Mohamed, A., Sahena, F., Jahurul, M., Ghafoor, K., Norulaini, N., and Omar, A. 2013. Techniques for extraction of bioactive compounds from plant materials: A Review. *Journal of Food Engineering.* 117 (4) : 426-436. <https://doi.org/10.1016/j.jfoodeng.2013.01.014>
- Babaloo, F., & Jamei, R. (2018). Anthocyanin pigment stability of *Cornus mas–Macrocarpa* under treatment with pH and some organic acids. *Food Science and Nutrition.* 6 (1) : 168–173. <https://doi.org/10.1002/fsn3.542>
- Badan Ketahanan Pangan. 2020. Road Map Diversifikasi Pangan Lokal Sumber Karbohidrat Pengganti Beras 2020-2024. Kementerian Pertanian. Jakarta
- Badan Standarisasi Nasional. 2018. SNI Tepung terigu sebagai bahan makanan (SNI 3751:2018).
- Bae, S.H., & Suh, H.J. 2007. Antioxidant activities of five different mulberry cultivars in Korea. *Swiss Soc. Food Science Technology.* 40 : 955-962
- Bai, J.C., Ciacci, C., Corazza, G., Fried, M., Olano, C., Nejad, M.R., et al. 2016. Celiac disease. Milwaukee: World Gastroenterology Organisation Global Guidelines. p.1-35.

- Balai Besar Penelitian dan Pengembangan Teknologi Pertanian. 2007. Inovasi pertanian lahan marginal. Cetakan 1 : 125-132.
- Balai Penelitian dan Pengembangan. 2014. Umbi garut sebagai alternatif pengganti terigu untuk individual autistik. Warta Penelitian dan Pengembangan Tanaman Industri. 20 (2).
- Barroso, A.G., & del Mastro, N.L. 2019. Physicochemical characterization of irradiated arrowroot starch. Journal Radiation Physics and Chemistry. 158 : 194-198. <http://dx.doi.org/10.1016/j.radphyschem.2019.02.020>
- Bao, J.S., Cai, Y.Z., Sun, M., Wang, G.Y & Corke, H. 2005. Anthocyanins, flavonols, and free radical scavenging activity of chinese bayberry (*Myrica rubra*) extracts and their color properties and stability. Journal Agric. Food Chemical. 53 (6) : 2327–2332. <https://doi:10.1021/jf048312z>.
- Bao, L., Shi, L., Luo, H., Kong, L., Li, S., Wei, W., & Sun, Y. 2017. Mechanism of microwave-assisted pyrolysis of glucose to furfural revealed by isotopic tracer and quantum chemical calculations. ChemSusChem. 10 (15) : 3040-3043. <https://doi.org/10.1002/cssc.201700621>
- Beards, E., Tuohy, K.& Gibson, G. 2010. Bacterial, SCFA and gas profiles of a range of food ingredients following in vitro fermentation by human colonic microbiota. Anaerobe 16: 420 – 425.
- Bednar, G. E., Patil, A. R., Murray, S. M., & Grieshop, C. M. 2001. Starch and fibre fractions in selected food and feed ingredients affect their small intestinal digestibility and fermentability and their large bowel fermentability in vitro in a canine model. Journal Nutrition. 131 : 276–286. <https://doi.org/10.1093/jn/131.2.276>
- Belitz, H.D., Grosch, W. & Schieberle, P., 2009. Springer food chemistry 4th revised and extended edition. Annual Review Biochemistry. 79 : 655-681.
- Belwal, T., Rastelli, L., Bhatt, I.D., & Ezzat, S.M. 2018. A critical analysis of extraction techniques used for botanicals: Trends, Priorities, Industrial Uses and Optimization Strategies. TrAC Trends in Analytical Chemistry. 100. <http://dx.doi.org/10.1016/j.trac.2017.12.018>
- BeMiller, J.N., Huber, K. C. 2015. Physical modification of food starch functionalities. Annu Rev Food Sci Technol. 6 :19–69
- BeMiller, J.N. 2011. Pasting, paste and gel properties of starch-hydrocolloid combinations. Carbohydrate Polymers. 86 (2) : 386-423. <http://dx.doi.org/10.1016/j.carbpol.2011.05.064>
- Bendiks, Z.A., Knudsen, K.E.B., Keenan, M.J., & Marco, M.L. 2015. Conserved and variable responses of the gut microbiome to resistant starch type 2. Nutrition research. 77 : 12-28. <https://doi.org/10.1016/j.nutres.2020.02.009>

- Bojarczuk, A., Skapska, S., Khaneghah, A.M., & Marszalek, K. 2022. Health benefits of resistant starch: A review of the literature. Journal of Functional Foods. 93. <https://doi.org/10.1016/j.jff.2022.105094>
- Bolade, M.K. & Oni, O. J. 2015. Influence of acetylation on the physicochemical properties of composited starches from sweet potatoes (*Ipomoea batatas* L.) and water yam (*Dioscorea alata* L.) African Journal of Biotechnology. 1(14) : 3340-3349.
- Boz, Z., Koelsch Sand, C. 2020. Systematic analysis of the overall nutrient contribution of food loss and waste in tomatoes, spinach, and kidney beans as a function of processing. Journal of Food Process Engineering. 43 (11) doi: [10.1111/jfpe.13509](https://doi.org/10.1111/jfpe.13509)
- Brose, E., & Becker G. 2001. Chemical leavening agents. Chemische Fabrik Budenheim Rudolf A. Oetker. Budenheim. Germany.
- Brunner, T., Horst, K.V., & Siegrist, M. 2010. Convenience food products. Drivers of consumption. Appetite. 55 (3) : 498-506. <https://doi.org/10.1016/j.appet.2010.08.017>
- Budiyati, C. S., Kumoro, A.C., Ratnawati , & Retnowati, D.S. 2016. Modifikasi pati sukun (*Artocarpus altilis*) dengan teknik oksidasi menggunakan hidrogen peroksida tanpa katalis. Jurnal Teknik. 37 (10) : 32-40. <http://ejournal.undip.ac.id/index.php/teknik>
- Byrne, C.S., Chambers, E.S., Morrison, D.J., Frost, G. 2015. The role of short chain fatty acids in appetite regulation and energy homeostasis. International Journal of Obesity. 39 : 1331-1338. <https://doi.org/10.1038/ijo.2015.84>
- Cahyana, P. T., Setyowati, K., Sunarti, T. C., Haryanto, B., Agroindustri, P. T., & Barat, J. 2011. Pembuatan pati beras termodifikasi dan pengaruh kadar amilosa terhadap sifat fungsionalnya 1. 13(3) : 192–197.
- Cao, C., Shen, M., Hu, J., Qi, J., Xie, P., & Zhou, Y. 2020. Comparative study on the structure-properties relationships of native and debranched rice starch. CyTA - Journal of Food. 18 (1) : 84–93. <https://doi.org/10.1080/19476337.2019.1710261>
- Caesarina, I. & Estiasih, T. 2016. Beras Analog dari Garut (*Maranta arundinaceae*): Kajian Pustaka, Jurnal Pangan dan Agroindustri, 4 (2) : 498–504.
- Castellar, M. R., Obón, J. M., & Fernández-López, J. A. 2006. The isolation and properties of a concentrated red-purple betacyanin food colourant from *Opuntia stricta* fruits. Journal of the Science of Food and Agriculture. 86 (1) : 122–128. <https://doi.org/10.1002/jsfa.2285>
- Castro-Enríquez, D., Montañó-Leyva, B., Del Toro-Sánchez, C., Juarez-Onofre, J., Carvajal-Millan, E., Burruel-Ibarra, S., Tapia-Hernández, J., Barreras-Urbina., C, & Rodríguez-Gómez-Feijóo, F. 2020. Stabilization of betalains by

- encapsulation—a review. Journal Food Science Technology. <https://doi.org/10.1007/s13197-019-04120-x>
- Cereda, M.P., Vilpoux, O. & Demiate, I.M. 2003. Modified starch. Book technology, use and potentialities of latin american starchy tubers. CPC International, Milho, Brazil.
- Cerqueira, F.M., Photenhauer, A.L., Pollet, R.M., Brown, H.A., Koropatkin, N.M. 2020. Starch digestion by gut bacteria: Crowdsourcing for Carbs. 28 (2) : 95-108. <https://doi.org/10.1016/j.tim.2019.09.004>
- Chalimah, S. 2018. Kombinasi Pupuk Organik dan Anorganik untuk Perbaikan Produksi Tanaman Umbi Garut (*Maranta arundinaceae* L.). Departemen Agronomi dan Hortikultura Fakultas Pertanian Institut Pertanian Bogor. Bogor.
- Chan, C.H., Yeoh, H.K., Yusoff, R., & Ngoh, G.C., 2016. A first-principles model for plant cell rupture in microwave-assisted extraction of bioactive compounds. Journal of Food Engineering. 188 : 98–107. <https://doi.org/10.1016/j.jfoodeng.2016.05.017>
- Chan,C.H., Yusoff, R., Ngoh, G.C., Kung, F.W.L. 2011. Microwave-assisted extractions of active ingredients from plants. Journal Chromatography A 1218 : 6213–6225. DOI: [10.1016/j.chroma.2011.07.040](https://doi.org/10.1016/j.chroma.2011.07.040)
- Charoerein, S., Tatirat, O., & Muadklay, J., 2008. Use of centrifugation-filtration for determination of syneresis in freezethaw starch gels. Carbohydrate Polymer, 73, 143-147
- Charalampopoulos, D., Wang, R., Pandiella, S. S., & Webb, C. 2002. Application of cereals and cereal components in functional foods: A review. International. Journal Food Microbiology 79 : 131–141. [https://doi.org/10.1016/s0168-1605\(02\)00187-3](https://doi.org/10.1016/s0168-1605(02)00187-3)
- Charles, A. L., Cato, K., Huang, T. C., Chang, Y. H., Ciou, J. Y., Chang, J. S., & Lin, H. H. 2016. Functional properties of arrowroot starch in cassava and sweet potato composite starches. Food Hydrocolloids. 53 : 187-191. <https://doi.org/10.1016/j.foodhyd.2015.01.024>
- Chen, Z., Zhong, B., Barrow, C. J., Dunshea, F. R., & Suleria, H. A. R. 2021. Identification of phenolic compounds in Australian grown dragon fruits by LC-ESI-QTOF-MS/MS and determination of their antioxidant potential. Arabian Journal of Chemistry, 14 (6), 103151. <https://doi.org/10.1016/j.arabjc.2021.103151>
- Chen C., Chaudhary A., Mathys A. 2020. Nutritional and environmental losses caused by global food waste. Resources, Conservation and Recycling. 160 doi: [10.1016/j.resconrec.2020.104912](https://doi.org/10.1016/j.resconrec.2020.104912).
- Chen, Y. F., Kaur, L., & Singh, J. 2018. Chapter 7 - Chemical modification of starch. Structure, function and applications . Starch in Food (Second Edition)

- Woodhead Publishing Series in Food Science, Technology and Nutrition : 283-321. <https://doi.org/10.1016/B978-0-08-100868-3.00007-X>
- Chi, H., Xu, K., Wu, X., Chen, Q., Xue, D., Song, C., Zhang, W., & Wang, P. 2008. Effect of acetylation on the properties of corn starch. *Food Chemical.* 106 : 923–928. [doi: 10.1016/j.foodchem.2007.07.002](https://doi.org/10.1016/j.foodchem.2007.07.002)
- Chikpah, S.K., Korese, J.K., Hensel, O., Sturm, B., & Pawelzik, E. 2021. Rheological properties of dough and bread quality characteristics as influenced by the proportion of wheat flour substitution with orange-fleshed sweet potato flour and baking conditions. *LWT - Food Science and Technology* 147. <https://doi.org/10.1016/j.lwt.2021.111515>
- Chemat, F., Abert-Vian, M., Fabiano-Tixier, A. S., Strube, J., Uhlenbrock, L., Gunjevic, V., & Cravotto, G. 2019. Green extraction of natural products. Origins, current status, and future challenges. *TrAC - Trends in Analytical Chemistry.* 118 : 248–263. <https://doi.org/10.1016/j.trac.2019.05.037>
- Chemat, F., Vian, M.A., & Cravotto, G., 2012. Green extraction of natural products: concept and principles. *International Journal Molecular. Science.* 13 (7) : 8615–8627. <https://doi.org/10.3390/ijms13078615>.
- Chimsook, T., 2017. Microwave assisted extraction of avocado oil from avocado skin and encapsulation using spray drying. *Key Eng. Mater.* 737 : 341–346. <https://doi.org/10.4028/www.scientific.net/KEM.737.341>.
- Choiriyah, N.A., Benita, A.M. Sundjaja, A.P. 2020. Modifikasi pati biji nangka secara fisik dan kimia. *Agritech.* 22 (2). 88-99.
- Chowdhury, R. 2018. Flour - the integral part of balance diet-exploratory study on cereals products. *International Journal of Engineering and Management Research.* 8 (3) : 208-214.
- Chowdary, K.P.R., & Radha, G.V. 2011. Synthesis, characterization and evaluation of starch acetate as rate controlling matrix former for controlled release of nifedipine. *International Journal Chemical Science.* 9 (2) : 449–456.
- Chung, H.J., Liu, Q., & Hoover, R. 2009. Impact of annealing-heat moisture treatment on rapidly digestible, slowly digestible and resistant starch level in native and gelatinized corn, pea and lentil starches. *Carbohydr Polym.* 75. 436-447. <https://doi.org/10.1016/j.carbpol.2008.08.006>
- Collado, A.D.A.M., Dupuy, F.H., Morero, R.D., & Minahk, C. 2016. Cholesterol induces surface localization of polyphenols in model membranes thus enhancing vesicle stability against lysozyme, but reduces protection of distant double bonds from reactive-oxygen species, *Biochimica et. Biophysica Acta (BBA) Bio membranes.* 1858 (7) : 1479–1487. <https://doi.org/10.1016/j.bbamem.2016.04.002>
- Collusi, R., El halal, S.L.M., Pinto, V.Z., Bartz, J., Gutkoski, L.C., Zavareze, E.R., & Dias, A.R.G. 2015. Acetylation of rice starch in an aqueous medium for use

- in food. LWT- Food Science and Technology. 62 (2) : 1076-1082. <https://doi.org/10.1016/j.lwt.2015.01.053>
- Colussi, R., Pinto, V. Z., El Halal, S. L. M., Vanier, N. L., Villanova, F. A., Marques E Silva, R., ... & Dias, A. R. G. 2014. Structural, morphological, and physicochemical properties of acetylated high-, medium-, and low-amylase rice starches. Carbohydrate Polymers, 103 (1) : 405–413. <https://doi.org/10.1016/j.carbpol.2013.12.070>
- Coppola, S., Avagliano, C., Calignano, A., Canani, R.B. 2021. The protective role of butyrate against obesity and obesity-related diseases. MDPI. 26 (3). <https://doi.org/10.3390/molecules26030682>
- Crohgan, M. 2001. Resistant Starch as Functional Ingredients in Food Systems. National Starch
- Correia, P., Cruz-Lopes, L., & Beirão-da-Costa, L. 2012. Morphology and structure of chestnut starch isolated by alkali and enzymatic methods. Food Hydrocoll., 28 (2) : 313–319. doi: 10.1016/j.foodhyd.2011.12.013.
- Costa, R. A. S., Bonomo, R. C. F., Rodrigues, L. B., Santos, L. S., & Veloso, C.M. 2020. Improvement of texture properties and syneresis of arrowroot (*Maranta arundinacea*) starch gels by using hydrocolloids (guar gum and xanthan gum). Journal of The Science of Food and Agriculture. 100 : 3204–3211. <DOI 10.1002/jsfa.10356>.
- Csiklusnádi Kiss, G.A., Forgács, E., Cserháti., T. Mota., H. Morais, A., & Ramos. 2002. Optimisation of the microwave-assisted extraction of pigments from paprika (*Capsicum annuum* L.) powders. Journal. Of Chromatografi. A 889 (1-2) : 41–49, [https://doi.org/10.1016/s0021-9673\(00\)00440-4](https://doi.org/10.1016/s0021-9673(00)00440-4).
- Cuenca, P., Ferrero, S., Albani, O. 2020. Preparation and characterization of cassava starch acetate with high substitution degree, Food Hydrocolloids. 100, 105430. <http://dx.doi.org/10.1016/j.foodhyd.2019.105430>
- Cummins, A.G., & Thomson, I.C. 2009. Prevalence of celiac disease in the Asia-Pacific region. J Gastroenterol Hepatol. 24 (8) : 1347-1351
- D'Archivio M., Filesi C., Varì R., Scazzocchio B., Masella R. 2010. Bioavailability of the polyphenols: Status and controversies. Interantional Journal of Molecular Science. 11:1321–1342. doi: 10.3390/ijms11041321.
- Dahmoune, F., Spigno, G., Moussi, K., Remini, H., Cherbal, A., & Madani, K. 2014. Pistacia lentiscus leaves as a source of phenolic compounds: microwave-assisted extraction optimized and compared with ultrasound-assisted and conventional solvent extraction. Industrial Crops and Products 61 : 31–40.
- Damat, H., Marsono, Y., & Nurcahyanto, M. 2007. Efektivitas lama reaksi sintesis pati garut butirat. Jurnal Agritek 15: 1009-1013.

- Damat, D., Tain, A., Handjani, H., Chasanah, U., & Siskawardani, D.D. 2019. Functional cake characteristics of Modified Arrowroot Starch (MAS) with the gelatinization-retrograde method. IOP Conference Series : Material Science and Engineering. 532.
- Dasenaki, M & Thomaidis, N. 2019. Quality and authenticity control of fruit juice : A Review. *Molecules* 24 (6). 1014.
- Daryanto, M.R. 2017. Optimasi suhu dan waktu pengeringan pada serbuk pewarna alami dari kulit buah naga (*Hylocereus polyrhizus*) sebagai alternatif pewarna alami fungsional. Tesis. Universitas Brawijaya.
- Deka, D., & Sit, N. 2016. Dual modification of taro starch by microwave and other heat moisture treatments. *Int J Biol Macromol*. 92 : 416–22.
- Dembitsky, V. M., Poovarodom, S., Leontowicz, H., Leontowicz, M., Vearasilp, S., Trakhtenberg, S & Gorinstein, S. 2011. The multiple nutrition properties of some exotic fruits : Biological activity and active metabolites. *FRIN*. 44 (7) : 1671–1701. <https://doi.org/10.1016/j.foodres.2011.03.003>
- Diniyah, N., Subagio, A., Sari, R.N.L, & Yuwana, N. 2018. Sifat fisikokimia dan fungsional pati dari mocaf (Modified Cassava Flour) Varietas Kaspro dan Cimanggu. *Jurnal Penelitian Pascapanen Pertanian*. 15 (2) : 80-90
- Direktorat Kacang-kacangan dan Umbi-umbian. 2002. Pengenalan budidaya talas, garut, ganyong, gembili, ubi kelapa, iles-iles, suweg/acung. Direktorat Jenderal Bina Produksi Tanaman Pangan. Jakarta. 1-85.
- Djaafar, T. F., Sarjiman, & Pustika, A.B. 2010. Pengembangan budi daya tanaman garut dan teknologi pengolahannya untuk mendukung ketahanan pangan. *Jurnal Litbang Pertanian*. 29 (1) : 25-33.
- Dobranowski, P.A., & Stinzi, A. 2021. Resistant starch, microbiome, and precision modulation. *Gut Microbes*. 13 (1) <https://doi.org/10.1080/19490976.2021.1926842>
- Dorta, E., Lobo, M.G., & González, M., 2013. Optimization of factors affecting extraction of antioxidants from mango seed. *Food Bioprocess Technology* 6 : 1067–1081. <https://doi.org/10.1007/s11947-011-0750-0>.
- Eerlingen, R. C., Crombez, M., & Delcour, J. A^a. 1993. Enzyme resistant starch. I. Quantitative and qualitative influence of incubation time and temperature of autoclaved starch on resistant starch formation. *Cereal Chemical*, 70 : 339–344.
- Eerlingen, R. C., Deceuninck, M., & Delcour, J. A^b. 1993. Enzyme resistant starch. II. Influence of amylose chain length on resistant starch fo rmation. *Cereal Chemical*, 70 : 345–350.

- Elisabeth, D. A. A., Setijorini, L. E. 2016. Pendugaan umur simpan mi kering dari tepung komposit terigu, keladi, dan ubi jalar. Jurnal Matematika, Sains dan Teknologi. 17 (1) : 20-28.
- Ernest, M.E., & Peter, A.C. 2022. Application of selected chemical modification agents on banana fibre for enhanced composite production. 5 : 1-14. <https://doi.org/10.1016/j.clema.2022.100131>
- Esatbeyoglu, T., Wagner, A. E., Schini-Kerth, V. B., & Rimbach, G. (2015). Betanin-A food colorant with biological activity. Molecular Nutrition and Food Research, 59 (1) : 36–47. <https://doi.org/10.1002/mnfr.201400484>
- Eveline, Siregar, T.M., & Sanny. 2014. Studi aktivitas antioksidan pada tomat (*Lycopersicon esculentum*) konvensional dan organik selama penyimpanan. 1 (1) : 22-28
- Fan, M., Huang, Q., Zhong, S., Li, X., Xiong, S., Xie, J., et al. 2019. Gel properties of myofibrillar protein as affected by gelatinization and retrogradation behaviours of modified starches with different crosslinking and acetylation degree. Food Hydrocolloids. 96 : 604–616 <https://doi.org/10.1016/j.foodhyd.2019.05.045>
- Fan D, Wang L, Zhang N, Xiong L, Huang L, Zhao J, et al. 2017. Full-time response of starch subjected to microwave heating. Sci Rep. 7 (1) : 3967
- Fan, D.; Ma, S.; Wang, L.; Zhao, J.; Zhang, H.; Chen, W. 2012. Effect of microwave heating on optical and thermal properties of rice Starch. *Starch/Starke*. 1–5
- Farida, A., Ferawati & Arqomah, R. 2013. Ekstraksi zat warna dari kelopak bunga rosella (study pengaruh konsentrasi asam asetat dan asam sitrat). Jurnal Teknik Kimia. 19 (1): 26-34.
- Faridah, D.N dan Thonthowi, A. 2020. Karakterisasi fisik pati tapioca modifikasi gabungan hidroksipropilasi dengan fosfat-ikat silang. Jurnal Mutu Pangan, 7 (1) : 30-37. [Doi: 10.29244/jmp.2020.7.1.30](https://doi.org/10.29244/jmp.2020.7.1.30)
- Faridah, D.N., Fardiaz, D., Andarwulan, N. & Sunarti, T.C. 2014. Karakteristik sifat fisikokimia pati garut (*Maranta arundinaceae*), Agritech, 34 (1) : 14-21. <https://doi.org/10.22146/agritech.9517>
- Faridah, D.N., 2011. Perubahan Karakteristik Kristalin Pati Garut (*Maranta arundinaceae* L.) Dalam Pengembangan Pati Resisten Tipe III. [Disertasi] Sekolah Pasca Sarjana. IPB. Bogor
- Faridah, A., Pada, K.S., Yulastri, A., Yusuf, L. 2008. Patiseri. Direktorat Pembinaan Sekolah Menengah Kejuruan. Jakarta
- Fardiaz, S., 1992. Food microbiology I. Penerbit Gramedia Pustaka Utama. Jakarta.
- Fernandes, G.A. Velangi, and T.M.S. Wolever. 2005. Glycemic index of potatoes commonly consumed in North America. Journal of the American dietetic Association 105 : 557-562.

- Fitriani, S. 2008. Pengaruh suhu dan lama pengeringan terhadap beberapa mutu manisan belimbing wuluh (*Averrhoa bilimbi* L.) kering. Jurnal Teknologi Pangani. 7 (1) : 32-37.
- Flórez, N., Conde, E., & Domínguez, H., 2015. Microwave assisted water extraction of plant compounds. Journal Chemical Technology Biotechnology. 90 (4) : 590–607. <https://doi.org/10.1002/jctb.4519>
- Franyutti, P.A., & Fonesca, V. F. 2021. Chronic consumption of food additives lead to changes via microbiota gut-brain axis. Toxicology. <https://doi.org/10.1016/j.tox.2021.153001>
- Garcia, M.A.V.T., Garcia, C.F., & Faraco, A.A.G. 2020. Pharmaceutical and biomedical applications of native and modified starch: a review, Starch-Starke 72 : 1–49. <https://doi.org/10.1002/star.201900270>
- García-Cruz, L., Duenas, M., Santos-Buelgas, C., Valle-Guadarrama, S., & Salinas-Moreno, Y. 2017. Betalains and phenolic compounds profiling and antioxidant capacity of pitaya (*Stenocereus* spp.) fruit from two species (*S. pruinosus* and *S. stellatus*). Food Chemical. 234 : 111–118. <https://doi.org/10.1016/j.foodchem.2017.04.174>
- Garcia, R.C., Rivera, M.M.S., Montealvo, G.M., Montaya, B.G. & Perez, L.A.B. 2009. Effect of the cross-linked reagent type on some morphological, physicochemical and functional characteristics of banana starch (*Musa paradisiaca*). Carbohydrate Polymers. 76 (1) : 117-122. <https://doi.org/10.1016/j.carbpol.2008.09.029>
- Garcia-Molina F, Penalver MJ, Rodriguez-Lopez JN, Garcia-Canovas F, Tudela J. Metode enzimatik dengan polifenol oksidase untuk penentuan sistein dan *N* – asetilsistein. 2005. Jurnal Kimia Makanan Pertanian. 53 : 6183–6189. doi: [10.1021/jf050197k](https://doi.org/10.1021/jf050197k)
- Gao-Xi, A.,& Wan, R. 2004. Study in producing pitaya ice cream. China Dairy Industry. 32 (10) : 9–11.
- Gibson. G. R. dan Roberfroid. M.B. 1995. Modulation of the human colonic microbiota: introducing the concept of prebiotics. Journal of Nutrition. 125: 1401-1412.
- Gidley, M. J., Cooke, D., Drake, A. H., & Hoffman, R. A., *et al.*, 1995. Molecular order and structure in enzyme-resistant retrograded starch. Carbohydrate Polymer. 28 : 23–31
- Giovana, J., Cordoso, Sierra, D.M.K., Vitor, A.S.G., Rosemary, A., Carvalho, Fernanda, M.V. 2021. Arrowroot starch (*Maranta arundinacea*) as a bread ingredient for product development. Journal of Food Processing and Preservation. 46 (2). <https://doi.org/10.1111/jfpp.16251>
- Gharibzahedi, S. M. T., Smith, B., & Guo, Y. 2019. Pectin extraction from common fig skin by different methods: The physicochemical, rheological, functional,

- and structural evaluations. International Journal of Biological Macromolecules. 136 : 275–283.
<https://doi.org/10.1016/j.ijbiomac.2019.06.040>
- Ghosh, S., More, P., Derle, A., Patil, A.B., Markad, P., Asok, A., Kumbhar, N., Shaikh, M.L., Ramanamurthy, B., Shinde, V.S., Dhavale, D.D., & Chopade, B.A. 2014. Diosgenin from *Dioscorea bulbifera*: novel hit for treatment of type II diabetes mellitus with inhibitory activity against α -Amylase and α -Glucosidase. PLoS One 9 (9) : 1-10.
- Guilherme, D.de.O., Branco, F.P., Madeira, N.R., Brito, V.H., Oliveira, C.E, de, Jadoski, C.J., & Cereda, M.P. 2019. Starch valorization from corm, tuber, rhizome, and root crops. Starches for food application. Elsevier Inc : 167-222..
<https://doi.org/10.1016/b978-0-12-809440-2.00005-8>
- Gujral, N., Freeman, H.J., & Thomson, A.B. 2012. Celiac disease: Prevalence, diagnosis, pathogenesis and treatment. World J Gastroenterol. 18(42) : 6036-6059. <https://doi.org/10.3748/wjg.v18.i42.6036>
- Gunaratne, A., Bentota, A., Cai, Y.Z., Collado, L. & Corke, H. 2011. Functional, digestibility, and antioxidant properties of brown and polished rice flour from traditional and new-improved varieties grown in Sri Lanka. *Starch*, 63 (8) : 485–492.
- Gunaratne, A., & Corke, H. 2007. Functional properties of hydroxypropylated, cross-linked, and hydroxypropylated cross-linked tuber and root starches. *Cereal Chemistry*. 84 (1) : 30-37. <http://dx.doi.org/10.1094/CCHEM-84-1-0030>
- Guo, X., X., Hu, W., Liu, Y., Sun, S.Q., Gu, D.C., He, H., Xu, C.H., & Wang, X., C. 2016. Rapid determination and chemical change tracking of benzoyl peroxide in wheat flour by multi-step ir macro-fingerprinting. *Spectrochimica Acta Part A : Molecular and Biomolecular Spectroscopy*. 154 : 123-129. <https://doi.org/10.1016/j.saa.2015.10.017>
- Habibah, F., Yasni, S.,& Yuliani, S. 2018. Karakteristik fisikokimia dan fungsional pati hydrothermal ubi jalar ungu. *Jurnal Teknologi dan Industri Pangan* 29 (1) : 69-76. [DOI: 10.6066/jtip.2018.29.1.69](https://doi.org/10.6066/jtip.2018.29.1.69)
- Halal, E.I.S.L.M, Colussi, R, Pinto, V.Z., Bartz, J., Radunz, M., Carreno, N. L.V., Zavareze, E.R. 2015. Structure, morphology and functionality of acetylated and oxidized barley starches. *Food chemistry*. 168 : 247-256
- Hamilton, R.M., & Paschall, E.F. 1967. Production and uses of starch phosphates. 351–365. In R.L. Whistler, E.F. Paschall (Ed.), *Starch: Chemistry & Technology*. Vol. II. Academic Press, New York and London.
- Handayani, H., & Sriherfyna, F.H. 2016. Ekstraksi antioksidan daun sirsak metode ultrasonik (Kajian rasio bahan : Pelarut dan lama ekstraksi) *Jurnal Pangan dan Agroindustri*. 4 (1) : 262-272.

- Hardiatmi, J.M.S., & Sudalmi, E.S. 2014. Uji jarak tanam dan dosis pupuk kandang terhadap pertumbuhan tanaman garut (*Maranta arundinaceae* L). *Joglo* 27 (1) : 214-221.
- Harni, M. 2016. Teknologi hasil tanaman pangan. BKPM. Politeknik Pertanian Negeri Payakumbuh.
- Harivaindaran, K.V., Rebecca, O, P, S., & Chandran, S. 2008. Study of optimal temperature, pH, and stability of dragon fruit (*Hylocereus polyrhizus*) peel for use as potential natural colourant. *Pakistan Journal of Biological Sciences*. 11 (18) : 2259-2263. <https://dx.doi.org/10.3923/pjbs.2008.2259.2263>
- Harjono, Teti, E., Sunarharum, W.B., & Hartono. 2013. Hypoglycemic effect of biscuits containing watersoluble polysaccharides from wild yam (*Dioscorea hispida* Dennts) or lesser yam (*Dioscorea esculenta*) tubers and alginate. *Int Food Res J*. 20 (5): 2279-2285.
- Hasjiim, J., Dhital, S., & Li, E. 2013. Milling of rice grains: Effects of starch/flour structures on gelatinization and pasting properties. <http://dx.doi.org/10.1016/j.carbpol.2012.09.023>
- Harris, K.F. 2019. An introductory review of resistant starch type 2 from high-amyllose cereal grains and its effect on glucose and insulin homeostasis. 77 (11) : 748-764. <https://doi.org/10.1093/nutrit/nuz040>
- Haryanti, P., Setyawati, R. & Wicaksono, R. 2014. Pengaruh suhu dan lama pemanasan suspensi pati serta konsentrasi butanol terhadap karakteristik fisikokimia pati tinggi amilosa dari tapioka. *Agritech*. 34 (3) : 308-315.
- Hasan V, Astuti, S & Susilawati. 2011. Indeks glikemik oyek dan tiwul dari umbi garut (*Marantha arundinaceae* L.), suweg (*Amorphallus campanullatus* BI), dan singkong (*Manihot utilissima*). *Jurnal Teknologi Industri dan Hasil Pertanian*. 16 (1) : 34-50. <http://dx.doi.org/10.23960/jtihp.v16i1.34%20-%2050>
- Hasanah, A., Nurrahman, Suyanto, A. 2022. Penambahan ekstrak kulit buah naga terhadap derajat warna, kadar antosianin, aktivitas antioksidan dan sifat sensoris cendol. *Jurnal Pangan dan Gizi*. 12 (1) : 25-31.
- Hartika, W. 2009. Kajian sifat fisik dan kimia tepung biji nangka (*Artocarpus heterophyllus* Lamk) dan aplikasinya dalam pembuatan roti manis. Universitas Andalas. Padang
- Hayati, E.K., Budi, U. S., & Hermawan, R. 2012. Konsentrasi total senyawa antosianin ekstrak kelopak bunga rosella (*Hibiscus sabdariffa* L.): pengaruh temperature dan pH. *Jurnal Kimia*. 6 (2) : 138-147
- Heidolph, B.B. 1996. Designing chemical leavening systems. *Cereal Foods World*. 41 : 118-26.

- Helkar, P.B., Sahoo, A.K., & Patil, N.J. 2016. Review: Food industry by-products used as a functional food ingredients. International Journal of Waste Resources. 6 (3) : 1-6. [DOI: 10.4172/2252-5211.1000248](https://doi.org/10.4172/2252-5211.1000248)
- Herawati, H. 2010. Potensi pengembangan produk pati tahan cerna sebagai pangan fungsional. Jurnal Litbang Pertanian. 30 (1) : 31-39
- Herawati, E.R.N., Miftakhussolikhah, M., Pusporini, A.R., & Murdiati, A. Sensorial and chemical characterization of snack bar with variation of gembolo flour (*Dioscorea bulbifera*) and arrowroot starch (*Marantha arundinaceae* L.). Food Res 2019;3:564e9. [https://doi.org/10.26656/fr.2017.3\(5\).099](https://doi.org/10.26656/fr.2017.3(5).099).
- Herbach, K. M., Stintzing, F. C., & Carle, R. 2006. Betalain stability and degradation - Structural and chromatic aspects. Journal of Food Science, 71(4) : 41–50. <https://doi.org/10.1111/j.1750-3841.2006.00022.x>
- Hermawati, Y., Ainur, R., & Poncojari, W. 2015. Pengaruh kosentrasi asam sitrat terhadap karakteristik ekstrak antosianin daun jati serta uji stabilitasnya dalam es krim. Prosiding Seminar Nasional Pendidikan Biologi. Universitas Muhammadiyah Malang.
- Hernandez, O., Emaldi, U., & Tovar, J. 2008. In vitro digestibility of edible films from various starch sources. Carbohydrate Polymer. 71. 648–655. <http://dx.doi.org/10.1016/j.carbpol.2007.07.016>
- Herlina. 2010. Karakterisasi sifat fisik, kimia, dan fungsional bahan pati umbi gembili (*Dioscorea esculenta* L.) termodifikasi secara ikatan silang dengan natrium tripolifosfat. AGROTEK 4 (1) : 60-67.
- Hidayah, T. 2013. Uji stabilitas pigmen dan antioksidan hasil ekstraksi zat warna alami dari kulit buah naga (*Hylocereus undatus*). Oncogene, 29 (18) : 2616–2627.
- Hoover, R. 2001. Composition, molecular structure, and physicochemical properties of tuber and root starches: a review. Carbohydrate Polymers. 45 (3) : 253-267. [https://doi.org/10.1016/S0144-8617\(00\)00260-5](https://doi.org/10.1016/S0144-8617(00)00260-5)
- Huang, J., Schols, H. A., Jin, Z., Sulmann, E., & Voragen, A. G. J. 2007. Pasting properties and (chemical) fine structure of acetylated yellow pea starch is affected by acetylation reagent type and granule size. Carbohydrate Polymers, 68 (3) : 397–406. <https://doi.org/10.1016/j.carbpol.2006.12.019>
- Huber, K.C., & Be Miller, J.N. 2010. Modified starch: Chemistry and properties. In: Bertolini AC (ed) Starches: Characterization, Properties and Applications. CRC Press, Florida : 145-203.
- Huliselan, Y. M., Runtuwene, M. R. J., & Wewengkang, D. S. (2015). Aktivitas antioksidan ekstrak etanol, etil asetat, dan n-heksan dari daun sesewanua (*Clerodendron squamatum* Vahl.). Pharmacon, 4 (3) : 155–163.

- Indriati, N., Kumalasari, R., Ekafitri, R., & Darmajana, D.A. 2013. Pengaruh penggunaan pati ganyong, tapioka, dan mocaf sebagai bahan substitusi terhadap sifat fisik mie jagung instan. Agritech. 33 (4) : 391-398.
- International Diabetes Federation. 2021. Call for Data for The IDF. <https://idf.org> (Didownload tanggal 16 November 2021).
- Jading, A., Tethool, E., Payung, P., & Gultom, S. 2011. Karakteristik fisikokimia pati sagu hasil pengeringan secara fluidisasi menggunakan alat pengering *cross flow fluidized bed* bertenaga surya dan biomassa Reaktor 13 (3) : 155-164
- Jackson, D.S. 2003. STARCH : Functional properties. Encyclopedia of Food Science and Nutrition (2 nd) Academic Press. : 5572-5575.
- Jain, V., Tripti., Pandey, R., Vyas, A., and Sukhia, S. S. 2009. Microwave assisted extraction for phytoconstituents an-overview. Asian Journal Research Chemistry. 1 : 19-25
- Jamilah, B., Shu, C. E., Kharidah, M., Dzulkily, M. A., & Noranizan, A. 2011. Physico-chemical characteristics of red pitaya (*Hylocereus polyrhizus*) peel. International Food Research Journal. 18 (1).
- Jan, K.N., Panesar, P. S., Rana, J. C., & Singh, S. 2017. Structural, thermal and rheological properties of starches isolated from Indian quinoa varieties. International Journal Biologi Macromolecule. 102 : 315–322. doi: 10.1016/j.ijbiomac.2017.04.027
- Jarowenko, W. 1986. Acetylated starch and miscellaneous organic esters. In: Wurzburg OB ed. Modified starches: properties and uses. Boca Raton : CRC Press. 55 : 77.
- Jayakody, L., & Hoover, R. 2002. The effect of ligninization on cereal starch granules. Food Res. Int.. 35 : 665–680.
- Jiang, H., Horner, H.T., Pepper, T.M., Blanco, M., Campbell, M.,& Jane, J.L. 2010. Formation of elongated starch granules in high-amyllose maize. Carbohydrate Polymer. 80 : 533-538.
- Jiao, Y., Jiang, Y., Zhai, W., & Yang, Z. 2012. Studies on antioxidant capacity of anthocyanin extract from purple sweet potato (*Ipomoea batatas* L). African Journal of Biotechnology. 11 (27) : 7046–7054. <https://doi.org/10.5897/AJB11.3859>
- Jiménez-Monreal A.M., García-Díz L., Martínez-Tomé M., Mariscal M., Murcia M.A. 2009. Influence of cooking methods on antioxidant activity of vegetables. Jurnal Food Science. 74:H97–H103. [doi: 10.1111/j.1750-3841.2009.01091.x](https://doi.org/10.1111/j.1750-3841.2009.01091.x)
- Jitareerat, P., Sripong, K., Masaya, K., Aiamla-or, S & Uthairatanakij, A. 2018. Combined effects of food additives

- and heat treatment on fruit rot disease and quality of harvested dragon fruit. Agriculture and Natural Resources 52 (6) : 543–549. <http://dx.doi.org/10.1016/j.anres.2018.11.019>
- Jyothi, A.N., Sheriff, J.T., & Sajeev, M.S., 2009. Physical and functional properties of arrowroot starch extrudates. Journal Food Science. 74 (2) : 97–104. <http://dx.doi.org/10.1111/j.1750-3841.2008.01038.x>
- Jyothi, A. N., Moorthy, S. N., & Rajasekharan, K. N. 2006. Effect of cross-linking with epichlorohydrin on the properties of cassava (*Manihot esculenta* Crantz) starch. Starch/Staerke. 58 (6) : 292-299. <http://dx.doi.org/10.1002/star.200500468>.
- Indrianti, N., Afifah, N., & Sholichah. 2019. Pembuatan tepung komposit dari pati ganyong/ garut dan tepung labu kuning sebagai bahan baku flat noodle - The Production of Composite Flour from Canna/Arrowroot Starch and Pumpkin Flour as Flat Noodle Ingredient. Biopropal Industri. 10 (1) : 49-63.
- Ingrath, W., Nugroho, W. A., & Yulianingsih, R. 2015. Extraction of anthocyanin pigments from red dragon fruit peel (*Hylocereus costaricensis*) as a natural food dyes using microwave (Study heating time in the microwave and addition of solvent ratio of aquadestand citric acid). Jurnal Bioproses Komoditas Tropis, 3(3) : 1–8.
- Interpares, P., Haryadi, Cahyanto, M. N. 2015. Pengaruh retrogradasi pada pembuatan sohun pati jagung terhadap karakteristik fisikokimia produk dan aktivitas prebiotiknya. Agritech. 35 (2). 192-199.
- Kala, H.K., Mehta, R., Sen, K.K., Tandey, R., & Mandal, V., 2016. Critical analysis of research trends and issues in microwave assisted extraction of phenolics: have we really done enough. Trends Analyt. Chemical. 85 : 140–152. <https://doi.org/10.1016/j.trac.2016.09.007>.
- Kakade,V., Jinger, D., Dayal, V., Chavan, S., Nangare, D.D, Wakchaure, G.C & Dinesh D. 2020. Dragon fruit: Wholesome and remunerative fruit crop for India. Food and Scientific Reports 1 (12) : 44-48. <https://www.researchgate.net/publication/346985101>
- Kalappura, U.G., Augustine, R., & Mathew, K.T. 2009. Microwave properties of arrowroot and its medical applications. Microwave and Optical Technology Letters. 51 (5) : 1267–1270. <https://doi.org/10.1002/mop.24304>
- Karunakaran, G., Arivalagan, M., & Sriram, S. 2019. Dragon Fruit Country Report From India. In: Y2019 FFTC and VAAS-SOFRI joint workshop “Dragon Fruit Network: Marketing and the Whole Value Chain” and Steering Committee Meeting international workshop on Dragon Fruit Network (DFNet): Marketing and the Whole Value Chain, held at Vietnam during 9th - 11th September.
- Kartikasari, S.N., Sari, P., Subagjo, A. 2016. Karakterisasi sifat kimia, profil

- amilografi (RVA) dan morfologi granula (SEM) pati singkong termodifikasi secara biologi. Jurnal Agroteknologi 10 (01) : 12-24.
- Kaur, B., Ariffin, F., Bhat, R., & Karim, A.A . 2012. Progress in starch modification in the last decade Food Hydrocolloid. 26 (2) : 398-404. <http://dx.doi.org/10.1016/j.foodhyd.2011.02.016>
- Kaur, L., Singh, J., & Singh, N. 2006. Effect of cross-linking on some properties of potato (*Solanum tuberosum L.*) starches. Journal of the Science of Food and Agriculture. 86 (12) : 1945-1954. <http://dx.doi.org/10.1002/jsfa.2568>.
- Klimaviciute R, Riauka A, & Zemaitaitis A. 2007. The binding of anionic dyes by cross-linked cationic starches. Journal Polymer Research. 14 (1) : 67–73. <http://dx.doi.org/10.1007/s10965-006-9082-6>
- Kementrian Kesehatan Republik Indonesia. 2019. Data Komposisi Pangan Indonesia. <https://panganku.org/id-ID/view>
- Kelly, C.P., Bai, J.C., Liu, E., Leffler, D.A. 2015. Advances in diagnosis and management of celiac disease. Gastroenterology.48 (6) :1175–1186.
- Kim, H. R., Choi, S. J., Choi, H. D., Park, C. S., & Moon, T. W. 2020. Amylosucrase-modified waxy potato starches recrystallized with amylose: The role of amylopectin chain length in formation of low-digestible fractions. Food Chemistry, 318, 126490. <https://doi.org/10.1016/j.foodchem.2020.126490>
- Kim, Y. K., & Iwahashi, H. 2015. Properties of polysaccharides extracted from *Phellinus linteus* using high hydrostatic pressure processing and hot water treatment. Journal of Food Process Engineering. 38 (2) : 197–206. <https://doi.org/10.1111/jfpe.12153>
- Kim, H. J., Choi, H. K., Moon, J. Y., Kim, Y. S., Mosaddik, A., & Cho, S. K. (2010). Comparative antioxidant and antiproliferative activities of red and white pitayas and their correlation with flavonoid and polyphenol content. Journal of Food Science, 76 (1) : 1–8. <https://doi.org/10.1111/j.1750-3841.2010.01908.x>
- Kim, M. J., Choi, S. J., Shin, S. I., Sohn, M. R., et al. 2008. Resistant glutarate starch from adlay: Preparation and properties. Carbohydrate Polymer. 74, 787–796. <https://dx.doi.org/10.1016/j.carbpol.2008.04.043>
- Kim, C., & Fung, D.Y.C. 2004. Antibacterial effect of crude water-soluble arrowroot (*Puerariae radix*) tea extracts on food-borne pathogens in liquid medium, Lett. Appl. Microbiol. 39 (4) : 319–325. <https://doi.org/10.1111/j.1472-765X.2004.01582.x>
- Kingston, H. M., Haswell, S. J., Eds. 1997. Microwave-enhanced chemistry; American Chemical Society Washington, DC.
- Koo, S. H., Lee, K. Y., & Lee, H. G. 2010. Effect of cross-linking on the physicochemical and physiological properties of corn starch. Food

- Hydrocolloids. 24 (6) : 619-625. <http://dx.doi.org/10.1016/j.foodhyd.2010.02.009>
- Kopjar, M., Piližota, V., Šubari, D., & Babi, J. 2009. Prevention of thermal degradation of red currant juice anthocyanins by phenolic compounds addition. Journal Food Science Technology 1(1) : 24–30.
- Kralova I, & Sjoblom, J. 2010. Biofuels-renewable energy sources: a review. J Dispersion Science Technology. 31 (3) : 409-425. <https://doi.org/10.1080/01932690903119674>.
- Kratchanova, M., Pavlova, E., & Panchev, I. 2004. The effect of microwave heating of fresh orange peels on the fruit tissue and quality of extracted pectin. Carbohydrate Polymer 56 (2) : 181–185. <https://doi.org/10.1016/j.carbpol.2004.01.009>
- Kurniasari, L. 2008. Kajian ekstraksi minyak jahe menggunakan metode Microwave Assisted Extraction (MAE). Momentum, 4 (2) : 47-52
- Kurniawan, R. F. 2014. Stabilitas pigmen antosianin dari kulit ubi jalar terhadap faktor cahaya dan suhu penyimpanan. Skripsi Departemen Kimia. Institut Pertanian Bogor: Bogor
- Kurniawati, R. D. (2006). Penentuan desain proses dan formulasi optimal pembuatan mi jagung basah berbahan dasar pati jagung dan *Corn Gluten Meal* (CGM). Skripsi. Departemen Ilmu dan Teknologi Pangan, Fakultas Teknologi Pertanian, Institut Pertanian Bogor. Bogor.
- Kute, A., Mohapatra, D., Babu, B., & Sawant, B.P. 2015. Optimization of microwave assisted extraction of pectin from orange peel using response surface methodology. Journal of Food Research and Technology. 3 (2) : 62–70
- Lafarga, T., Viñas, I., Bobo, G., Simó, J., Aguiló-Aguayo, I. 2018. Effect of steam and sous vide processing on total phenolic content, vitamin C and antioxidant potential of the genus *Brassica*. Innovative Food Science & Emerging Technologies. 47 :412–420. [doi: 10.1016/j.ifset.2018.04.008](https://doi.org/10.1016/j.ifset.2018.04.008).
- Lajoie, M. S., & Thomas, M. C. 1994. Sodium bicarbonate particle size and neutralization in sponge – dough system. Cereal Foods World. 39 (9) : 684-87
- Lajoie, M. S., & Thomas, M.C. 1991. Versatility of bicarbonate leavening bases. Cereal Foods World. 36 (5) 420-423.
- Lawal, O. S. 2004. Composition, physicochemical properties and retrogradation characteristics of native, oxidised, acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. Food Chemistry, 87 (2), 205–218. <https://doi.org/10.1016/j.foodchem.2003.11.013>

- Lewicka, K., Siemion, P. dan Kurcok, P. (2015). Chemical modifications of starch: microwave effect. International Journal of Polymer Science 2015: 10. <https://doi.org/10.1155/2015/867697>
- Leviana, W., & Paramita, V. 2017. Pengaruh suhu terhadap kadar air dan aktivitas air dalam bahan pada kunyit (*Curcuma Longa*) dengan alat pengering electrical oven. Metana. 13 (2) : 37-44. <https://doi.org/10.14710/jis.%v.%i.%Y.645-654>
- Lee , C. J., Kim, Y., Choi, S. J & Moon, T. W. 2012. Slowly digestible starch from heat-moisture treated waxy potato starch : Preparation structural characteristics and glucose response in mice. Food Chemistry. 133 (4) : 1222-1229 <https://doi.org/10.1016/j.foodchem.2011.09.098>
- Lee, E., & Park, T.H. 2016. Isoflavones and biotransformed dihydrodaidzein in hairy roots of Korean wild arrowroot. Journal Plant Biotechnology. 43 (1) : 125–131. <https://doi.org/10.5010/JPB.2016.43.1.125>
- Lee, M.Y. & Chang, K.H. 2011. Effects of cheonggukjang containing arrowroot isoflavones on bone metabolism in ovariectomized rats, Food Science. Biotechnology. 20 (2) : 335–341. <http://dx.doi.org/10.1007/s10068-011-0047-0>
- Lehmann, U., Rössler, C., Schmiedl, D., & Jacobasch, G. 2003. Production and physicochemical characterization of resistant starch type III derived from pea starch. Nahrung - Food, 47 (1) : 60–63. <https://doi.org/10.1002/food.200390014>
- Lemos, P.V.F., Opretzka, L.C.F., Almeida, L.S., Cardoso, L.G., Silva, J.B.A., Souza, C. O., Villarreal, C.F. & Druzian, J.I. 2020. Preparation and characterization of C-phycocyanin coated with STMP/STPP cross-linked starches from different botanical sources, International Journal Biologi Macromolecul. 159 : 739–750. [DOI: 10.1016/j.ijbiomac.2020.05.111](https://doi.org/10.1016/j.ijbiomac.2020.05.111)
- Lidström, P.; Tierney, J.; Wathey, B.; & Westman, J. 2001. Microwave assisted organic synthesis—A review. Tetrahedron. 57 : 9225–9283. [http://dx.doi.org/10.1016/S0040-4020\(01\)00906-1](http://dx.doi.org/10.1016/S0040-4020(01)00906-1)
- Li, Y. D., Xu, T. C., Xiao, J. X., Zong, A. Z., Qiu, B., Jia, M., Liu, L. N., & Liu, W. 2018. Efficacy of potato resistant starch prepared by microwave-toughening treatment. Carbohydrate Polymers, 192 : 299–307. <https://doi.org/10.1016/j.carbpol.2018.03.076>
- Li, Y., Skouroumounis, G.K., Elsey, G.M., & Taylor, D.K., 2011. Microwave-assistance provides very rapid and efficient extraction of grape seed polyphenols. Food Chemical. 129 (2) : 570–576. <https://doi.org/10.1016/j.foodchem.2011.04.068>.
- Li, J., Chen, Z., Shi, H., Yu, J., Huang, G., & Huang, H. 2023. Ultrasound-assisted extraction and properties of polysaccharide from *Ginkgo biloba* leaves.

- Ultrasonics Sonochemistry*, 93. 106295.
<https://doi.org/10.1016/j.ulsonch.2023.106295>
- Liompert, M., Jares.C. G., Celeiro, M. 2018. Microwave Asisted Extraction. Encyclopedia of Analytical Science. 67-77. <https://doi.org/10.1016/B978-0-12-409547-2.14442-7>
- Liu, H., Zhang, M., Ma, Q., Tian, B., Nie, C., Chen, Z., & Li, J. 2020. Health beneficial effects of resistant starch on diabetes and obesity *via* regulation of gut microbiota: a review. Journal Food and Function. 7. <https://doi.org/10.1039/D0FO00855A>
- López, O. V., Zaritzky, N. E., & García, M. A. 2010. Physicochemical characterization of chemically modified corn starches related to rheological behavior, retrogradation and film forming capacity. Journal of Food Engineering. 100 (1) : 160-168. <http://dx.doi.org/10.1016/j.jfoodeng.2010.03.041>
- Lukitaningsih, E., Rumiyati, Puspitasari, I. 2012. Kajian glisemik indeks dan makronutrien dari umbi-umbian dalam upaya pencarian sumber pangan fungsional PHARMACON 13 (1) : 18-23
- Luo, H., Cai, Y., Peng, Z., Liu, T., & Yang, S., 2014. Chemical composition and in vitroevaluation of the cytotoxic and antioxidant activities of supercritical carbon dioxide extracts of pitaya (*dragon fruit*) peel. Chemical Central Journal. 8 (1) : 1-7. <https://doi.org/10.1186/1752-153x-8-1>
- Luo, Z. G., & Shi, Y.C. 2012. Preparation of acetylated waxy, normal, and high-amyllose maize starches with intermediate degrees of substitution in aqueous solution and their properties. Journal Agriculture Food Chemistry. 60 : 9468–9475. <http://dx.doi.org/10.1021/jf301178c>
- Ma, F., & Baik, B.K. 2018. Soft wheat quality characteristics required for making baking powder biscuits. Journal of Cereal Scince. 79 : 127-133. <https://doi.org/10.1016/j.jcs.2017.10.016>
- Maa'idadah, U.N., Palupi, C., & Setyawati, L.S. 2020. Uji angka lempeng total, angka kapang khamir, dan Most Probable Number (MPN) Cliform terhadap sayap lalat rumah (*Musca Domestica*). Jurnal Medfarm Vol 9 (1) : 1-7. <https://doi.org/10.48191/medfarm.v9i1.25>
- Madrigal-Aldana, D. L., Tovar-Gómez, B., De Oca, M. M. M., Sáyago-Ayerdi, S. G., Gutierrez-Meraz, F., & Bello-Pérez, L. A. 2011. Isolation and characterization of Mexican jackfruit (*Artocarpus heterophyllus* L) seeds starch in two mature stages. Starch/Staerke, 63 (6), 364–372. <https://doi.org/10.1002/star.201100008>
- Maligan, J. M. 2020. Pengujian sifat bio aktif bahan pangan secara in vivo. Jurusan Teknologi Hasil Pertanian Fakultas Teknologi Pertanian Universitas Brawijaya.

- Magalhães, DS, Mendes, D, Ramos, JD, Aparecida, L, Pio, S, Pasqual, M, Valério, E, Vilas, B, Galvão, EC & Melo, ET De. 2019. Changes in the physical and physico-chemical characteristics of red-pulp dragon fruit during its development. *Scientia Horticulturae.* 253. : 180–186. <https://doi.org/10.1016/j.scienta.2019.04.050>
- Magallanes-Cruz, P.A., Flores-Silva, P.C., Bello-Perez, L.A. 2017. Starch structure influences its digestibility:a review. *Journal of Food Science* 82 (9), 2016-23.
- Makruf, E. & Iswadi, H. 2015. Kumpulan Informasi Teknologi (KIT) Budidaya tanaman sayuran. Balai Pengkajian Teknologi Pertanian (BPTP) Bengkulu. p. 91.
- Malki, M.K.S., Wijesinghe, J.A.A.C., Ratnayake, R.H.M. K & Thilakarathna, G.C. 2023. Characterization of arrowroot (*Maranta arundinacea*) starch as a potential starch source for the food industry. *Heliyon* 9 (9) 20033. doi: 10.1016/j.heliyon.2023.e20033.
- Mandal, S.C., Mandal, V., & Das, A.K. 2015. Classification of extraction methods, essentials of botanical extraction – principles and applications, Academic Press, Cambridge, USA : 83–136, <https://doi.org/10.1016/b978-0-12-802325-9.00006-9>.
- Mandal, V., Mohan, Y., & Hemalatha, S. 2007. Microwave assisted extraction – an innovative and promising extraction tool for medicinal plant research. *Pharmacognosy Reviews.* 1 (1)
- Manullang, M., Theresia, M dan Irianto, H. E. 1995. Pengaruh konsentrasi tepung tapioka dan sodium tripolifosfat terhadap mutu dan daya awet kamaboko ikan pari kelapa (*Trygon sephen*). *Buletin Teknologi dan Industri Pangan.* 6(2):21-26.
- Mar'atirrosyidah, R., & Estiasih, T. (2015). Aktivitas Antioksidan Senyawa Bioaktif Umbi Lokal Inferior : Kajian Pustaka. *Jurnal Pangan dan Agroindustri*, 3 (2) : 594-601. <https://jpa.ub.ac.id/index.php/jpa/article/view/177>
- Mariati. 2001. Karakterisasi sifat fisikokimia pati dan tepung garut (*Maranta arundinaceae* L.) dari beberapa varietas lokal (Skripsi). Bogor: Institut Pertanian Bogor.
- Marpaung, A. M. 2017. Stability of intramolekuler copigmentation and its role on colour degradation of anthocyanins from butterffly pea (*Clitoria ternate* L.) flower exract. Bogor Agricultural University.
- Marietta, EV, Gomez, A.M., Yeoman, C., Tilahun, A.Y., & Clark, C.R., et al. 2013. Low incidence of spontaneous type 1 diabetes in non-obese diabetic mice raised on gluten-free diets is associated with changes in the intestinal

microbiome. PloS ONE. 8 (11) : 1-9.
<http://dx.doi.org/10.1371/journal.pone.0078687>

Marta, H., Rismawati, A., Soeherman, G.P., Cahyana, Y., Djali, M., Yuliana, T., & Sondari, D. 2023. The Effect of Dual-Modification by Heat-Moisture Treatment and Octenylsuccinylation on Physicochemical and Pasting Properties of Arrowroot Starch. Polymers. 15 (15).
<https://doi.org/10.3390/polym15153215>

Marta, H., Cahyana, Y., Bintang, S., Soeherman, G.P., Djali, M. 2022. Physicochemical and pasting properties of corn starch as affected by hydrothermal modification by various methods. International Journal of Food Properties. 25 (1) : 792-812.
<https://doi.org/10.1080/10942912.2022.2064490>

Marta, H., Marsetio, M., Cahyana, Y., & Pertiwi, A. G. 2016. Sifat Fungsional dan Amilografi Pati Millet Putih (*Pennisetum glaucum*) Termodifikasi secara Heat Moisture Treatment dan Annealing. Jurnal Aplikasi Teknologi Pangan. 5 (13) : 76-84.

Martino, P.D., & Cockburn, D.W. 2020. Resistant starch: impact on the gut microbiome and health. Current Opinion in Biotechnology. 61 : 66-71.
<https://doi.org/10.1016/j.copbio.2019.10.008>

Marsigit, W., Bonodikun & Sitanggang, L. 2017. Pengaruh penambahan *baking powder* dan air terhadap karakteristik sensoris dan sifat fisik biskuit mocaf (*Modified Cassava Flour*). Jurnal Agroindustri. 7 (1) : 1-0.

Marsono, Y. 2002. Indeks glikemik umbi-umbian. Agritech 22 (1) : 13-16.
<https://doi.org/10.22146/agritech.13574>

Maslahah, N.U., Alisaputra, D., & Sedyadi, E. 2021. Biodégradation bioplastique based on arrowroot starch with glycerol plasticizer and ZNO fillers. Journal of Physics. Coference Series. IOP Science. Vol. 1788.

Masrukan. 2020. Potensi modifikasi pati dengan esterifikasi sebagai prebiotik. Agrotech. 1 (1) : 1-14

Maulani, R.R., Budiasih, R., & Immaningsih, N. 2012. Karakterisasi fisik dan kimia rimpang dan pati garut (*Marantha arundinacea* l.) pada berbagai umur panen (*Physicochemical characterization of arrowroot rhizome and starch on various harvest time*). Prosiding Seminar Nasional Kedaulatan Pangan dan Energi. Fakultas Pertanian Universitas Trunojoyo Madura.

Maulani, R.H., Fardiaz, D., Kusnandar, F. & Sunarti T.C. 2012. Sifat fungsional pati garut hasil hidroksipropilasi dan taut silang. Jurnal Teknologi dan Industri Pangan 2(1): 60-67

Mao, Y., Li, Y., & Yao, N. 2007. Simultaneous determination of salidroside and tyrosol in extracts of Rhodiola L. by microwave assisted extraction and high-

- performance liquid chromatography. Journal of Pharmaceutical. And Biomedical. Analysis. 45 (3) : 510–515. <https://doi.org/10.1016/j.jpba.2007.05.031>.
- Medikasari, S. Nurdjanah, N. Yuliana, & Lintang N. 2009. Sifat amilografi pasta pati sukun termodifikasi menggunakan sodium Tripolifosfat. Jurnal Teknologi Industri Hasil Pertanian. 14 : 173-177.
- Meenu, M., & Xu, B. 2019. A critical review on anti-diabetic and anti-obesity effects of dietary resistant starch. 59. (18) <https://doi.org/10.1080/10408398.2018.1481360>
- Megawati dan Ulinuha, A.Y. 2015. Ekstraksi pektin kulit buah naga (*Dragon Fruit*) dan aplikasinya sebagai edible film. Jurnal Bahan Alam Terbarukan. DOI [10.15294/jbat.v3i1.3097](https://doi.org/10.15294/jbat.v3i1.3097)
- Minatel, I.O., Borges, C.V., Ferreira, M.I., Gomez, H.A.G., Chen, C.-Y.O., & Lima, G.P.P. 2017. Phenolic compounds: functional properties, processing impact and bioavailability. phenolic compounds - Biological Activities, 1–24. <https://doi.org/10.5772/66368>.
- Moon, K. M., Kwon, E. Bin, Lee, B., & Kim, C. Y. 2020. Recent trends in controlling the enzymatic browning of fruit and vegetable products. Molecules, 25(12). <https://doi.org/10.3390/molecules25122754>
- Muchtadi, D. 1992. Evaluasi Nilai Gizi Pangan. PAU Pangan dan Gizi IPB. Bogor : 48-49.
- Muir, J. G., & O'Dea, K. 1992. Measurement of resistant starch. Factors affecting the amount of starch escaping digestion in vitro. Am. Journal Clinic Nutrition. 56 : 123–127.
- Muljana, H., Knoop, S. V. D., Keijzer, D., Picchioni, F., Janssen, L. P. B. M., & Heeres, H.J. 2010. Synthesis of fatty acid starch esters in supercritical carbon dioxide, Carbohydrate Polymer 82 346–354. <https://doi.org/10.1016/J.CARBPOL.2010.04.067>
- Mutlu, S., Kahraman, K., & Ozturk, S. 2017. Optimization of resistant starch formation from high amylose corn starch by microwave irradiation treatments and characterization of starch preparations. International Journal of Biological Macromolecules. 95 : 635-642. <https://doi.org/10.1016/j.ijbiomac.2016.11.097>
- Moorthy, S. N. 2002. Physicochemical and functional properties of tropical tuber starches: A review. Starch/Stärke, 54 (12) : 559-592. [https://doi.org/10.1002/1521-379X\(200212\)54:12%3C559::AID-STAR2222559%3E3.0.CO;2-F](https://doi.org/10.1002/1521-379X(200212)54:12%3C559::AID-STAR2222559%3E3.0.CO;2-F)
- Nabeshima, E., & Grossmann, M. V. 2001. Functional properties of pregelatinized and cross-linked cassava starch obtained by extrusion with sodium

- trimetaphosphate. *Carbohydrate Polymers.* 45 (4) : 347–353. [http://dx.doi.org/10.1016/S0144-8617\(00\)00273-3](http://dx.doi.org/10.1016/S0144-8617(00)00273-3)
- Nadiyah, N. I., Uthumporn, U., & Syahariza, Z. A. 2015. Effect of microwave heating on potato and tapioca starches in water suspension. *International Journal on Advanced Science, Engineering and Information Technology,* 5(4) : 264–271. <https://doi.org/10.18517/ijaseit.5.4.502>
- Nagahata Y, Kobayashi I, Goto M, Nakaura Y, Inouchi Y. 2013. The formation of resistant starch during acid hydrolysis of high-amyllose corn starch. *Journal Applied Glycoscience.* 60 : 123-130. http://dx.doi.org/10.5458/jag.jag.JAG-2012_008
- Naga, B., & Nizori, A. (2020). Karakteristik ekstrak kulit buah naga merah (*Hylocereus polyrhizus*) dengan penambahan berbagai kosentrasi asam sitrat sebagai pewarna alami makanan. *Jurnal Teknologi Industri Pertanian,* 30 (2), : 228–233. <https://doi.org/10.24961/j.tek.ind.pert.2020.30.2.228>
- Navas, M. J., Jiménez-Moreno, A. M., Bueno, J. M., Sáez-Plaza, P., & Asuero, A. G. 2012. Analysis and antioxidant capacity of anthocyanin pigments. Part IV: Extraction of anthocyanins. *Critical Reviews in Analytical Chemistry,* 42 (4). N : 313–342. <https://doi.org/10.1080/10408347.2012.680343>
- Nayak B., Liu R.H., Tang J. 2015. Effect of processing on phenolic antioxidants of fruits, vegetables, and grains—A Review. *Critical Reviews Food Science Nutrition.* 55:887–918. [doi: 10.1080/10408398.2011.654142](https://doi.org/10.1080/10408398.2011.654142).
- Nishaa, S., Vishnupriya, M., Sasikumar, J.M., Christabel, H.P., & Gopalakrishnan, V.K. 2012. Antioxidant activity of ethanolic extract of *Maranta arundinacea L. Tuberous rhizomes*, *Asian Journal Pharmaceutical dan Clinical.* 5 (4) : 85–88.
- Nogueira, G.F., Fakhouri, F.M., & Oliveira, R.A.D. 2018. Extraction and characterization of arrowroot (*Maranta arundinaceae* L.) starch and its application in edible films. *Carbohydrate Polymers.* 186 : 64-72. <https://doi.org/10.1016/j.carbpol.2018.01.024>
- Nugent, A. P. 2005. Health properties of resistant starch. *British Nutrition Foundation. Nutrition Bulletin.* 30 : 27–54.
- Nurhayati. 2019. Modifikasi pati secara asetilasi dan aplikasinya dalam pembuatan film. *Jurnal Agrotek Ummat.* 6 (2). 100-109.
- Nugraheni, M., Lastariwati, B., & Purwanti, S. 2017. Proximate and chemical analysis of gluten-free enriched, resistant starch type 3 from *maranta arundinacea* flour and its potential as a functional food. *Pakistan Journal of Nutrition.* 16 (5) : 332-330. <https://doi.org/10.3923/pjn.2017.322.330>
- Nurliyana, R. D., Zahir, I. S., Suleiman, K. M., Aisyah, M. R., & Rahim, K.K. 2010. Antioxidant study of pulps and peels of dragon fruits: a comparative study. *International Food Research Journal.* 17 (2).

- Nuri, A & Faradilla, R.H.F. 2012. Pewarna alami untuk pangan. Seafast Center: Bogor
- Obenland, D., Cantwell, M., Lobo, R., Collin, S., Sievert, J. & Lu, M. 2016. Impact of storage conditions and variety on quality attributes and aroma volatiles of pitahaya (*Hylocereus* spp.'), *Scientia Horticulturae*. 199 : 15–22. <https://doi.org/10.1016/j.scienta.2015.12.021>
- Ojogbo, E., Ogunsona, E. O., & Mekonnen, T. H. 2019. Chemical and physical modifications of starch for renewable polymeric materials. *Materials Today Sustainability*. <https://doi.org/10.1016/j.mtsust.2019.100028>
- Olivera, A., Zainal., Endang, H.A., & Dimas, A. 2019. Isolasi dan karakterisasi inulin dari umbi garut (*Maranta arundinaceae*). Tesis IPB University. Bogor.
- Oyeyinka, S. A., Umaru, E., Olatunde, S. J., & Joseph, J. K. 2019. Effect of short microwave heating time in the physicochemical and functional properties of Bambara ground nut starch. *Food Bioscience*. 28 : pp 36–41. <https://doi.org/10.1016/j.fbio.2019.01.005>
- Pangesty, D. R. H. 2018. Identifikasi pigmen dan aktivitas antioksidan ekstrak buah naga. Thesis. Institut Pertanian Bogor, Bogor.
- Pambudi, A., Farid, M., & Nurdiansah, H. 2017. Analisis morfologi dan spektroskopi. *Jurnal Teknik ITS*. 6 (2) : F441-F444. <http://dx.doi.org/10.12962/23373539.v6i2.24808>
- Palma, R.H.M., Agama, A.E., Mendez, M.G., Gonzalez, S.R.A., Vernon, C.E., & Bello, P.L.A. 2012. Effect of acid treatment on the physicochemical and structural characteristics of starches from different botanical sources. *Starch/Stärke*. 64 : 115–125. . <https://doi.org/10.1002/star.201100081>.
- Pap, N., Beszédes, S., Pongrácz, E., Myllykoski, L., Gábor, M., Gyimes, E., Hodúr, C., & Keiski, R.L. 2013. Microwave-assisted extraction of anthocyanins from black currant marc. *Food Bioprocess Technology*. 6 : 2666–2674. <https://doi.org/10.1007/s11947-012-0964-9>.
- Pasquet, V., Chérouvrier, J.R., Farhat, F., Thiéry, V., Piot, J.M., Bérard, J.B., Kaas, R., Serive, B., Patrice, T., Cadoret, J. P., & Picot, L. 2010. Study on the microalgal pigments extraction process: performance of microwave assisted extraction. *Process Biochemistry*. 46 (1) : 59–67, <https://doi.org/10.1016/j.procbio.2010.07.009>.
- Patel, K., Gadewar, M., Tahilyani, V., & Patel, D.K. 2012. A review on pharmacological and analytical aspects of diosgenin: a concisereport. *Nat Prod Bioprospect*. 2 : 46-52
- Patterson, M.A., Maiya, M., & Stewart, M.L. 2020. Resistant starch content in foods commonly consumed in the united states: A Narrative Review Journal

- of the Academy of Nutrition and Dietetics. 120 (2) : 230-244, [10.1016/j.jand.2019.10.019](https://doi.org/10.1016/j.jand.2019.10.019)
- Pavlić, B., Teslić, A., Vidaković, S., Vidović, A., Veličanski, A., Versari, R., Radosavljević, Z., Zeković, & Sage. 2017. Processing from by-product to high quality powder: I. Bioactive potential, Industrial Crops and Products. 107 : 81–89. <https://doi.org/10.1016/j.indcrop.2017.05.031>.
- Perera, A., Meda, V. & Tyler, R.T. 2010. Resistant starch : A Review of Analytical protocol for determining resistant starch and of factors affecting the resistant starch content of food. Food Research. International. 43 : 1959 – 1974. <https://doi.org/10.1016/j.foodres.2010.06.003>
- Perez G, R.M., Vargas S, R., & Ortiz H, Y.D. 2005. Wound healing properties of *Hylocereus undatus* on diabetic rats. Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives. 19 (8) : 665-668. <https://doi.org/10.1002/ptr.1724>
- Pérez, E., & Lares, M. 2005. Chemical composition, mineral profile, and functional properties of Canna (*Canna edulis*) and Arrowroot (*Maranta* spp.) starches. Plant Foods for Human Nutrition, 60 (3) : 113–116. <https://doi.org/10.1007/s11130-005-6838-9>
- Perwiratami, C., Suzery, M., & Cahyono, B. 2014. Korelasi total fenolat dan total flavonoid dengan antioksidan dari beberapa sediaan ekstrak buah tanjung (*Mimusoup elengi*). 7(1) : 34-38.
- Plugis, N., & Khosla, C. 2015. Therapeutic approaches for celiac disease. Best Pract Res Clin Gastroenterol. 29 (3) : 503-521
- Polnaya, F.J., Hilda & Lopulalan. 2020. Kosentrasi asam asetat mempengaruhi karakteristik fisikokimia pati sagu ihur terasetilasi. Jurnal Teknologi dan Industri Pangan. 31 (2) : 180-187. [Doi : 10.6066/jtip.2020.31.2.180](https://doi.org/10.6066/jtip.2020.31.2.180).
- Polnaya, F.J., Haryadi, Marseno, D.W., & Cahyanto, M.N. 2012. Preparation and properties of phosphorylated sago starches. Sago Palm. 20 : 3-11.
- Purwanto, Y., & Effendi, R. (2016). The use of ascorbic acid and aloevera to inhibit browning in fresh-cut ‘Malang’ apple. Jurnal Keteknikan Pertanian, 04 (2) : 1–8. <https://doi.org/10.19028/jtep.04.2.203-210>
- Putri, W. D. R., Riyanto, E. I., Heliana, A., Wellang, A., & Zubaidah, E. 2021. Optimasi lama waktu proses microwave assisted extraction dan rasio bahan terhadap pelarut pada ekstraksi polisakarida larut air gembili (*Dioscorea esculenta*). Industria: Jurnal Teknologi dan Manajemen Agroindustri. 10 (1) : 78-89.
- Putri, W.D.R dan Zubaidah, E. 2017. Pati modifikasi dan karakteristiknya. Univeritas Brawiyaya Press.

- Puung, Victoria F. 2012. Karakterisasi sifat fisikokimia pati ubi jalar ungu (*Ipomoea batatas* L.) termodifikasi perendaman dan Heat Moisture Treatment (HMT). Fakultas Teknologi Pertanian. Universitas Brawijaya.
- Queiroz, C., Mendes Lopes, M. L., Fialho, E., & Valente-Mesquita, V. L. 2008. Polyphenol oxidase: Characteristics and mechanisms of browning control. Food Reviews International, 24 (4) : 361–375. <https://doi.org/10.1080/87559120802089332>.
- Ratnaningsih, N., Suparmo, Harmayani, E., & Marsono, Y. 2019. Physicochemical properties in vitro starch digestibility and estimated glycemic index of resistant starch from cowpea (*Vigna unguiculata*) starch by autoclaving-cooling cycle. International Journal of Biological Macromolecules. 142 : 191–200. <https://doi.org/10.1016/j.ijbiomac.2019.09.092>
- Raina, C., Singh, S., Bawa, A., and Saxena, D., 2006, Some characteristics of acetylated, cross-linked and dual modified Indian rice starches: European Food Research and
- Rahayu, W. P. & C. C. Nurwitri. 2012. Mikrobiologi pangan. IPB press.
- Rahayuningsih, S.A., Jusuf, M, & Wahyuni, T.S. 2012. Perkembangan umbi dan pembentukan pati klon-klon harapan ubi jalar kaya β-karotin dan antosianin pada berbagai umur panen. Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi : 580-589
- Rahim, A., Mahfudz, Muhardi, Kadir, S., Rostianti, Alam, N., Hutomo, G.S., Priyantono, E., Salingkat, C. A., Abdullah & Anandar, R. 2022. Effect of pH and acetic anhydride concentration on physicochemical characteristics of acetylated sago starch. IOP Conf. Series: Earth and Environmental Science 1107. 012124. doi:10.1088/1755-1315/1107/1/012124
- Retnaningtyas, D.A & Putri, W.D.R. 2014. Karakterisasi sifat fisikokimia pati ubi jalar oranye hasil modifikasi perlakuan STPP (Lama Perendaman dan Konsentrasi), Jurnal Pangan dan Agroindustri 2 (4) : 68–77
- Ridawati & Alsuhendra. 2019. Pembuatan tepung beras warna menggunakan pewarna alami dari kayu secang (*Caesalpinia sappan* L). Prosiding Seminar Nasional Edusaintek FMIPA Unimus : 410-419
- Riganakos, K.A. , & Kontominas, M.G. 1995. Effect of heat treatment on moisture sorption behavior of wheat flours using a hygrometric technique. Charalambous, G (Ed). Food Flavors : Generation Analysis and Process Influence Journal.
- Rimbawan & A. Siagian. 2004. Indeks glikemik pangan, cara mudah memilih pangan yang menyehatkan. Penebar Swadaya. Jakarta. 124 halaman
- Rochfort, S., & Panozzo, J. 2007. Phytochemicals for health, the role of pulses. Journal Agriculture Food Chemical. 55 : 7981–7994. <https://doi.org/10.1021/jf071704w>

- Rodriguez-Carpena, J.G., Morcuende, D., Andrade, M.J., Kylli, P., & Estevez, M. 2011. Avocado (*Persea americana Mill*) phenolics, in vitro antioxidant and antimicrobial activities, and inhibition of lipid and protein oxidantion in porcine patties. *Journal .Agriculture Food Chemistry* 59 (10) : 5625-5635. <https://doi.org/10.1021/jf1048832>.
- Rodriguez, S. L., Islas, J. J., Agama, E., Tovar, J., & Bello, L. A. 2008 Characterization of a fibre-rich powder prepared by liquefaction of unripe banana flour. *Food Chemical.* 107 : 1515–1521. <http://dx.doi.org/10.1016/j.foodchem.2007.10.007>
- Rojas-Graü, M. A., Tapia, M. S., & Martín-Belloso, O. 2008. Using polysaccharide-based edible coatings to maintain quality of fresh-cut Fuji apples. *LWT*. 41(1) : 139–147. <https://doi.org/10.1016/j.lwt.2007.01.009>
- Routray, W., and Orsat, V. 2012. Microwave-assisted extraction of flavonoid: A Review. *Food Bioprocess Technology* 5 : 409-424. <https://doi:10.1007/s11947-011-0573-z>.
- Rostami, H., & Gharibzahedi, S. M. T. 2017. Mathematical modeling of mucilage extraction kinetic from the waste hydrolysates of fruiting bodies of *Zizyphus jujuba* mill. *Journal of Food Processing and Preservation*. 41 (4) : 1-5 <https://doi.org/10.1111/jfpp.13064>
- Rudianto, B & Widarawati, R. 2013. Upaya peningkatan kandungan pati umbi garut dengan perlakuan bokhasi dan pengolahan tanah,” *Agros*, 15 (1): 44-51.
- Saati, E. A. 2012. Identifikasi dan uji kualitas pigmen kulit buah naga merah (*Hylocareus costaricensis*) pada beberapa umur simpan dengan perbedaan jenis pelarut. *Jurnal Gamma*. 6 (1).
- Sableviciene, D., Klimaviciute, R., Bendoraite, J., & Zemaitaitis, A. 2005. Flocculation properties of high-substituted cationic starches. *Colloids and Surfaces A Physicochemical Engineering Aspects*. 259 (1) : 23–30, <https://doi.org/10.1016/j.colsurfa.2005.02.004>.
- Sari, P., Yuwanti, S., & Sari, D.A.P. 2020. Daya cerna (in vitro) dan karakteristik pati beras biru instan dengan penambahan ekstrak bunga telang. *Berkala ilmiah pertanian* 3 (1) : 42-48.
- Shah U, Gani A, Ashwar BA, Shah A, Wani IA, Masoodi FA. 2016. Effect of infrared and microwave radiations on properties of Indian Horse Chestnut starch. *International Journal Biologi Macromolecule*. 84:166–73. [10.1016/j.ijbiomac.2015.12.020](https://doi.org/10.1016/j.ijbiomac.2015.12.020).
- Sajilata, M. G., Singhal, R. S., & Kulkarni, P.R. 2006. Resistant starch a review. *Comprehensive Reviews in Food Science and Food Safety*. 5 (1) : 1–17. <http://doi.org/fnkkfw>
- Sambasevam, K. P., Yunos, N., Mohd Rashid, H. N., Baharin, S. N. A., Suhaimi, N.

- F., Raoov, M., & Shahabuddin, S. 2020. Optimization of Natural Colour Extraction from Dragon Fruit (*Hylocereus polyrhizus*) Peel. Scientific Research Journal. 17 (2) : 33. <https://doi.org/10.24191/srj.v17i2.8989>
- Sánchez-Rivera, M. M., Flores-Ramírez, I., Zamudio-Flores, P. B., González-Soto, R., Rodríguez-Ambríz, S. L. & Bello-Pérez, L. A. 2010. Acetylation of banana (*Musa paradisiaca* L.) and maize (*Zea mays* L.) starches using a microwave heating procedure and iodine as catalyst: Partial characterization, Starch/Stärke. 62 : 55–164. <https://doi.org/10.1002/star.200900209>
- Sarastuti, Ahmad, U., Sutrisno. 2015. Analisis mutu beras dan penerapan sistem jaminan mutu dalam kegiatan pengembangan usaha pangan masyarakat. Jurnal Pasca Panen Pertanian. 15 (2) : 63-72.
- Savikin, K., Zdunic, G., Jankovic, T., Tasic, S., Menkovic, N., Stevic, T., & Dordevic, B. (2009). Phenolic content and radical scavenging capacity of berries and related jams from certificated area in serbia. *Plant Foods for Human Nutrition*, 64 (3) : 212–217. <https://doi.org/10.1007/s11130-009-0123-2>
- Sen, R., & Baruah, A.M. 2023. Phenolic profile and pigment stability of *Hylocereus* species grown in North-East India. *Journal of Food Composition and Analysis*. 116. <https://doi.org/10.1016/j.jfca.2022.105078>
- Setyaningrum, N. M. A & Adi, A. C. 2022. Kajian Literatur: Potensi umbi garut sebagai pangan alternatif untuk penderita diabetes mellitus. *Media Gizi Kesehatan Masyarakat*. 11 (2) : 595-603
- Setyowati, N. 2012. Perbanyak garut (*Maranta arundinacea* L.) dari bibit cabutan sisa panen dengan aplikasi berbagai pupuk kandang. *Jurnal Ilmiah Pangan*. 21 (2) : 389-396.
- Setyowati, W. A. E. 2014. Skrining fitokimia dan identifikasi komponen utama ekstrak metanol kulit durian varietas petruk. *Jurnal Seminar Nasional Kimia dan Pendidikan Kimia VI*, ISBN (979363175-0): 271-280.
- Setyaningsih, D., Apriyanto, A., & Sari, M.P. 2010. Analisis sensori untuk industri pangan dan agro. Penerbit IPB Press.
- Seung, D. (2020). Amylose in starch: Towards an understanding of biosynthesis, structure and function. *New Phytologist*, 228(5), 1490–1504. <https://doi.org/10.1111/nph.16858>
- Shams, K.A., Abdel-azim, N.S., Saleh, I.A., Hegazy, M.F., El-missiry, M.M., Hammouda, F.M., Bohouth, E., & Tahir, E. 2015. Review Article Green technology : Economically and environmentally innovative methods for extraction of medicinal & aromatic plants (MAP) in Egypt. *Journal of Chemical and Pharmaceutical Research*. 7 (5) : 1050–1074.
- Shelton, D., & Lee, W. 2000. Cereal Carbohydrates. In K. Kulp, & G. P. Jr., *Handbook of Cereal Science and Technology*. New York: Marcell Dekker Inc.

- Shi, M.M. & Gao, Q.Y. 2011. Physicochemical properties structure and invitro digestion of resistant starch form waxy rice starch. Carbohydrate polymer. 84 : 1151-1157. Doi : 10.1016/j.carbpol.2011.01.004.
- Shofinita, D., Bindar, Y., Harimawan, A., Jaelawijaya., A.A., & Fawwaz, M. 2020. Produksi ekstrak bioaktif untuk aditif pangan dari limbah kulit buah naga: pengaruh metode pre-treatment dan ekstraksi. Indonesian Journal of Chemical Research. 8 (1) : 43-50. <https://doi.org/10.30598/10.30598/ijcr.2020.8-dia>
- Shogren, R.L. and Biswas, A. 2010. Acetylation of starch with vinyl acetate in imidazolium ionic liquids and characterization of acetate distribution. Carbohydrate Polymer. 81 : 149 - 151. <https://doi.org/10.1016/J.CARBPOL.2010.01.045>
- Slavin, J., 2004. Whole grains and human health. Nutrition Research Review. 17 : 99–110. <https://doi.org/10.1079/nrr200374>
- Slidorf, S. M, Fredheim, S., Svensson, J., & Buschard, K. 2012. Remission without insulin therapy on gluten-free diet in a 6-year old boy with type 1 diabetes mellitus. BMJ Case reports. Bcr 0220125878. [doi:10.1136/bcr.02.2012.5878](https://doi.org/10.1136/bcr.02.2012.5878)
- Simbolon, N. P, E., Legowo, A. M., & Setiani, B. E. 2019. Estimation of shelf life pasta spice for dekke mas na niura with the Accelerated Shelf Life Test (ASLT) Method Arrhenius Equation. Journal of Applied Food Technology 6 (2): 22–27.
- Singh, T., Singh, A., Singh, B., & Sharma, S. 2017. Effect of storage conditions on product characteristics and microbiological quality of self rising flour. International Journal of Current Microbiology and Applied Sciences. 6 (5) : 561-574. <https://doi.org/10.20546/ijcmas.2017.605.065>
- Singh, J., Kaur, L., & Mc. Carthy, O. J. 2007. Factors influencing the physico-chemical, morphological, thermal and rheological properties of some chemically modified starches for food applications - a review. Food Hydrocolloids, 21 (1) : 1-22. <http://dx.doi.org/10.1016/j.foodhyd.2006.02.006>
- Singh N, Kaur L, Sandhu KS, Kaur J, Nishinari K. 2006. Relationship between physicochemical, morphological, thermal, rheological properties of rice starches. Food Hydrocolloids. 20 : 532–542. <https://doi.org/10.1016/j.foodhyd.2005.05.003>
- Singh J, Mc Carthy, O. J & Singh, H. 2006. Physicochemical and morphological characteristics of New Zealand Taewa (*Maori potato*) starches Carbohydrate Polymers. 64: 569-581
- Singh, N., Chawla, D. & Singh, J. 2004. Influence of acetic anhydride on physicochemical, morphological and thermal properties of corn and potato

- starch. Food Chemical. 86 (4) : 601-608. <http://dx.doi.org/10.1016/j.foodchem.2003.10.008>
- Singh, N., & Kaur, L. 2004. Morphological, thermal and rheological properties of potato starch fractions varying in granule size. Journal Science Food Agriculture. 84 : 1241–1252.
- Sing, J., Kaur, L., & Sing, N. 2004. Effect of acetylation on some properties of corn and potato starches. Starch-Starke, 56 (12) : 586-601. <http://dx.doi.org/10.1002/star.200400293>
- Som, A.M., Ahmat, N., Hamid, H.A.A., & Azizuddin, N. 2019. A comparative study on foliage and peels of *Hylocereus undatus* (white dragon fruit) regarding their antioxidant activity and phenolic content. Helion. 5 (2) : 1-13. <https://doi.org/10.1016/j.heliyon.2019.e01244>
- Sodhi, N. S., & Singh, N. 2005. Characteristics of acetylated starches prepared using starches separated from different rice cultivars. Journal of Food Engineering, 70(1), 117–127. doi:10.1016/j.jfoodeng.2004.09.018
- Strack, D., Vogt, T., & Schliemann, W. (2003). Recent advances in betalain research. Phytochemistry, 62 (3) : 247–269. [https://doi.org/10.1016/S0031-9422\(02\)00564-2](https://doi.org/10.1016/S0031-9422(02)00564-2)
- Stintzing, F.C., Herbach, K.M., Mosshammer, M.R., Kugler, F., & Carle R. (2008). Betalain pigments and color quality. in chaterine, culver & R.E. Wrolstad (Eds), Color Quality of Fresh and Processed Food. Oxford University Press. Washington DC : 82-101.
- Subagjo, A. 2006. Characterization of hyacinth bean (*Lablab purpureus* (L.) sweet) seeds from Indonesia and their protein isolate. Food Chemistry. 95 (1) : 65-70. <https://doi.org/10.1016/j.foodchem.2004.12.042>
- Sugiyono, Pratiwi, R., & Faridah, D. N. 2009. Modifikasi pati garut (*Maranta arundinacea*) dengan perlakuan siklus pemanasan suhu tinggi-pendinginan (Autoclaving-Cooling Cycling) untuk menghasilkan pati resisten tipe III. Jurnal Teknologi dan Industri Pangan. 20 (1) : 17-24.
- Suhartini, T & Hadiatmi. 2011. Keragaman karakter morfologis garut (*Maranta arundinacea*). Buletin Plasma Nutfah. 17 (1) : 12-18.
- Sukhija, S., Singh, S. & Riar, C. S. 2016. Effect of oxidation, cross-linking and dual modification on physicochemical, crystallinity, morphological, pasting and thermal characteristics of elephant foot yam (*Amorphophallus paeoniifolius*) starch. Food Hydrocolloids. Elsevier Ltd, 55: 56– 64. doi: [10.1016/j.foodhyd.2015.11.003](https://doi.org/10.1016/j.foodhyd.2015.11.003)
- Sulaeman, A., F. Anwar, Rimbawan, & S.A. Marllyati. 1993. Metode analisis komposisi zat gizi makanan. IPB Press. Bogor : 33

- Sujka, M. & Jamroz, J. 2012. Ultrasound-treated starch: SEM and TEM imaging, and functional behaviour. *Food Hydrocolloids.* 31 (2) : 413-419. <http://dx.doi.org/10.1016/j.foodhyd.2012.11.027>
- Sumarlin. 2011. Karakterisasi pati biji durian (*Durio zibethinus Murr,*) dengan *Heat Moisture Treatment* (HMT). Teknologi Hasil Pertanian, Fakultas Pertanian. Universitas Riau.
- Sun, Y., Liao, X., Wang, Z., Hu, X., & Chen, F. 2007. Optimization of microwave-assisted extraction of anthocyanins in red raspberries and identification of anthocyanin of extracts using high-performance liquid chromatography–mass spectrometry. *Ultrasonics Sonochemistry.* 14 (6) : 767-778, <https://doi.org/10.1007/s00217-006-0447-1>.
- Supriyatna, E, Nilamsari, D, Mukhlisatun, N, Yusuf, M, Pahlevi, R, Wulansari, S, & Yuniarwati, Y. 2007. Analisis Organoleptik. Pusat Pendidikan dan Pelatihan Industri. Departemen Perindustrian RI, Bogor.
- Sutrisno, A.D. 1987. Pembuatan dan peningkatan kualitas zat warna alami yang dihasilkan oleh *Monascus purpureus sp.* Di dalam: Risalah Seminar Bahan Tambahan Kimia. Yogyakarta: PAU Pangan dan Gizi.
- Sweedman, M.C., Tizzotti, M.J., Schäffer, C., & Gilbert, R.G., 2013. Structure and physicochemical properties of octenyl succinic anhydride modified starches: a review. *Carbohydrate Polymers* 92 (1) : 905-920. <http://doi.org/10.1016/j.carbpol.2012.09.040>
- Syarif, R. dan Halid, H. 1993. Teknologi Penyimpanan Pangan. Penerbit Arcan. Jakarta. Kerjasama dengan Pusat Antar Universitas Pangan dan Gizi IPB. Bogor.
- Syamsir, E. 2012. Mempelajari fenomena perubahan karakteristik fisikokimia tapioka karena *heat moisture treatment* dan model kinetikanya. Disertasi. Sekolah Pasca Sarjana. IPB. Bogor
- Takahata, Y., Kai, Y., Tanaka, M., Nakayama, H., & Yoshinaga, M. 2011. Enlargement of the variances in amount and composition of anthocyanin pigments in sweet potato storage roots and their effect on the differences in DPPH radical-scavenging activity. *Scientia Horticulturae*, 127 (4), 469–474. <https://doi.org/10.1016/j.scienta.2010.10.010>
- Tan, F.P.Y., Beltranena, E., Zijlstra, R.T. 2021. Resistant starch: Implications of dietary inclusion on gut health and growth in pigs: a review. *Journal of Animal Science and Biotechnology.* 124. <https://doi.org/10.1186/s40104-021-00644-5>
- Tang, X., Liu, N., Huang, W., Cheng, X., Wang, F., Zhang, B., et al. 2017. Syneresis rate, water distribution, and microstructure of wheat starch gel during freeze-thaw process: Role of a high molecular weight dextran produced by Weissella

- confusa QS813 from traditional sourdough. Cereal Chemistry. 95 : 117–129.
<https://doi.org/10.1094/CCHEM-08-17-0174-R>
- Tarique, J., Sapuan , S.M., & Khalina, A. 2021. Extraction and characterization of a novel natural lignocellulosic (bagasse and husk) fibers from arrowroot (*Maranta Arundinacea*). Journal of Natural Fiber. Taylor & Francis on line.
<https://doi.org/10.1080/15440478.2021.1993418>
- Tenjinder, S., Hanuman, B., Savita, S., & Baljit, S. 2015. Formulation and standardization of self rising flour as a convenience food article for preparation of high quality cookies. Research Journal of Agriculture and Forestry Sciences. 3 (2) : 5-9.
- Teja, W.A., Sindi, P.I., Ayucitra, A., Setiawan, L.E.K. 2008. Karakteristik pati sagu dengan metode modifikasi asetilasi dan cross-linking. Jurnal Teknik Kimia. 7 (3) : 836-844.
- Tenore, G.C., Novellino, E., & Basile, A. 2012. Nutraceutical potential and antioxidant benefits of red pitaya (*Hylocereus polyrhizus*) extracts. Journal of functional foods. 4 (1) : 129-136. <https://doi.org/10.1016/j.jff.2011.09.003>
- Tharanathan, R.N. 2005. Starch – value addition by modification. Critical on Reviews in Food Science and Nutrition. 45 (5) : 371-384
<https://doi.org/10.1080/10408390590967702>
- Trinidad, T.P., A.C. Mallillin, R.S. Sagum, & R.R. Encabo. 2010. Glycemic index of commonly consumed carbohydrate foods in the Philippines. J. Functional Foods 2 : 271-274
- Triwitono, P., Marsono, Y., Murdiati, A., & Marseno, D.W. 2017. Isolasi dan karakterisasi sifat pati kacang hijau (*Vigna radiata L*) beberapa varietas lokal Indonesia. Agritech. 37 (2) 192-198.
<http://dx.doi.org/10.22146/agritech.10659>
- Thirugnanasambandham, K., Sivakumar, V., & Maran, J. P. 2015. Microwave-assisted extraction of polysaccharides from mulberry leaves. International Journal of Biological Macromolecules. <https://doi.org/10.1016/j.ijbiomac.2014.07.031>.
- Vahist, D., Pandey, A., Hermenean, A., Gascon, M. J. Y, Sancez, H. P., & Kumar, K. J. 2017. Effect of dry heating and ionic gum on the physicochemical and release properties of starch from *Dioscorea*. International Journal of Biological Macromolecules : 557-563
<https://doi.org/10.1016/j.ijbiomac.2016.11.064>
- Valencia, G.A., Moraes, I.C.F., Lourenço, R.V., Bittante, A.M.Q.B., & Sobral, P. J. D. A. 2015. Physicochemical Properties of Maranta (*Maranta arundinacea L.*) Starch, International Journal Food Properties 18 (9) : 1990–2001. doi: 10.1080/10942912.2014.958162.

- Varavinit S, Shobsngob S, Varanyanond V, Chinachoti P, Naivikul O. 2002. Freezing and thawing conditions affect the gel stability of different varieties of rice flour. *Starch-Starke*. 54 : 31–36. DOI: [10.1002/1521-379X\(200201\)54:1<31::AID-STAR31>3.0.CO;2-E](https://doi.org/10.1002/1521-379X(200201)54:1<31::AID-STAR31>3.0.CO;2-E).
- Villas-Boas, F., & Franco, C. M. L. 2016. Effect of bacterial β -amylase and fungal α -amylase on the digestibility and structural characteristics of potato and arrowroot starches. *Food Hydrocolloids*. 52 : 795- 803. <http://dx.doi.org/10.1016/j.foodhyd.2015.08.024>
- Virot, M., Ginies, C., Visinoni, F., & Chemat, F., 2008. Microwave-integrated extraction of total 473 fats and oils. *Journal of Chromatography A*. 1196-1197 : 57–64. <https://doi.org/10.1016/j.chroma.2008.05.023>
- Wahyuni, R.2011. Pemanfaatan kulit buah naga super merah (*Hylocereus costalicensis*) sebagai sumber sntioksidan dan pewarna alami pada pembuatan jelly. *Jurnal Teknologi Pangan*. 2(1): 68-85.
- Waladi W, Johan VS, Hamzah F.2015. Pemanfaatan kulit buah naga merah (*Hylocereus polyrhizus*) sebagai bahan tambahan dalam pembuatan es krim. *Jurnal Online Mahasiswa Fakultas Pertanian Universitas Riau*. 2(1):1-11.
- Wang, Z., Mhaske, P., Farahnaky, A., Kasapis, S., & Majzoobi, M. 2022. Cassava starch: Chemical modification and its impact on functional properties and digestibility, a review. *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2022.107542>
- Wang, X., Huang, L., Zhang, C., Deng, Y., Xie, P., Liu, L., & Cheng, J. 2020. Research advances in chemical modifications of starch for hydrophobicity and its applications : A review. *Carbohydrate Polymer*. 240. <https://doi.org/10.1016/j.carbpol.2020.116292>
- Wang, M., Sun, M., Zhang, Y., Chen, Y., Wu, Y., & Ouyang, J. 2019. Effect of microwave irradiation-retrogradation treatment on the digestive and physicochemical properties of starches with different crystallinity. *Food Chemistry*, 298 : 1-7. <https://doi.org/10.1016/j.foodchem.2019.125015>
- Wepner, B., Berghofer, E.,Miesenberger, E., & Tiefenbacher, K. 1999. Citrate starch: Application as resistant starch in different food systems. *Starch/Stärke*. 51 : 354–361. [https://doi.org/10.1002/\(SICI\)1521-379X\(199910\)51:10<354::AID-STAR354>3.E3.0.CO;2-W](https://doi.org/10.1002/(SICI)1521-379X(199910)51:10<354::AID-STAR354>3.E3.0.CO;2-W)
- Wichienchot, S, Jatupornpipat, M & Rastall, RA 2010, ‘Oligosaccharides of pitaya (Dragon fruit) flesh and their prebiotic properties’, *Food Chemistry*. 120 (3) : 850–857. <https://doi.org/10.1016/j.foodchem.2009.11.026>

- Widianingsih, M. 2016. Aktivitas antioksidan ekstrak metanol buah naga merah (*Hylocereus polyrhizus* (F.A.C Weber) Britton & Rose) hasil maserasi dan dipekatkan dengan kering angin. Jurnal Wiyata 3 (2) : 146-150.
- Wijayanti, Y. R. 2007. Substitusi tepung gandum (*Triticum aestivum*) dengan tepung garut (*Maranta arundinaceae* L) pada pembuatan roti tawar. UGM. Yogyakarta
- Wijaya, L. S., Wijanarko, S.B., & Susanto, T. 2001. Ekstraksi dan karakteristik pigmen dari kulit buah rambutan (*Nephelium lappaceum*) var. binjai. Ilmu dan Teknologi Pangan. Vol. 1 (2): 42-45.
- Winarti, C., Sunarti, T.C., Mangunwidjaja, D., & Richana, N. 2014. Preparation of arrowroot starch nanoparticles by butanol-complex precipitation, and its application as bioactive encapsulation matrix. International Food Research Journal. 21 (6) : 2207–2213.
- Winarti, C., Richana, N., Mangunwidjaja, D.,& Sunarti, T.C. & 2014. Pengaruh lama hidrolisis asam terhadap karakteristik fisiko-kimia pati garut. Jurnal Teknologi Industri Pertanian. 24 (3) : 218-225.
- Winarno, F.G. 2004. Kimia pangan dan gizi. Penerbit PT. Gramedia Utama Jakarta
- Włodarczyk, M., & Slizewska, K. 2021. Efficiency of resistant starch and dextrans as prebiotics: A Review of the Existing Evidence and Clinical Trials. MDPI. 13 (11). <https://doi.org/10.3390/nu13113808>
- Wolf, B.W., Bauer, L.L., & Fahey, G.C. 1999. Effects of chemical modification on in vitro rate and extent of food starch digestion: an attempt to discover a slowly digested starch. Journal Agriculture Food Chemistry. 47 (10) : 4178-4183. <https://doi.org/10.1021/jf9813900>
- Woo, K. K., Ngou, F. H., Ngo, L. S., Soong, W. K., & Tang, P. Y. 2011. Stability of betalain pigment from red dragon fruit (*Hylocereus polyrhizus*). In American Journal of Food Technology 6 (2) : 140–148. <https://doi.org/10.3923/ajft.2011.140.148>
- Woo, K. S., & Seib, P. A. 2002. Cross-linked resistant starch: preparation and properties 1. *Cereal Chemistry*. 79 (6) : 819-825. <http://dx.doi.org/10.1094/CCHEM.2002.79.6.819>
- Wrolstad, R. E. & Giusti, M. M., 2001, Characterization and measurement of anthocyanin by uv-visible spectroscopy: Current Protocols in Food Analytical Chemistry. 00 (1). F1.2.1 - F1.2.13. <https://doi.org/10.1002/0471142913.faf0102s00>
- Wu, L-C., Hsu, H.W., Chen, Y.C., Chiu, C.C., Lin, Y.I., & Ho, J-aA. 2006. ,Food Chem 95,319-327. Wu, C & Zhou, X. 2018. The overview of functional starch. functional starch and applications in food. 95 (2) : 319-327. <http://dx.doi.org/10.1016/j.foodchem.2005.01.002>

- Wu, L., Hsu, H.-W., Chen, Y.-C., Chiu, C.-C., Lin, Y.-I., Ho, J.A., 2006. Antioxidant and antiproliferative activities of red pitaya. *Food Chem.* 95 : 319–327. doi:10.1016/j.foodchem.2005.01.0 02
- Wybraniec, S., Nowak-Wydra, B., Mitka, K., Kowalski, P., & Mizrahi, Y. 2007. *Phytochemistry*. 68 : 251-259.
- Wybraniec, S., Platzner, I., Geresh, S., Gottlieb, H.E., Haimberg, M., Mogilnitzki, M., & Mizrahi, Y. 2001. *Phytochemistry* 58 (8) : 1209-1212
- Xiao, J. 2022. Recent advances on the stability of dietary polyphenols. E Food. Willey on line Library. 3 (3). <https://doi.org/10.1002/efd2.21>.
- Xiao, X. H., Lin, Q. L., Liu, G.Q., & Yu, F.X. 2012. A comparative study of the characteristics of cross-linked, oxidized and dual-modified rice starches. MDPI. 17 (9). <https://doi.org/10.3390%2Fmolecules170910946>
- Xia, W., Zhang, K., Su, L., & Wu, J. 2021. Microbial starch debranching enzymes: Developments and applications. *Biotechnology Advances*, 50 [107786](https://doi.org/10.1016/j.biotechadv.2021.107786), [10.1016/j.biotechadv.2021.107786](https://doi.org/10.1016/j.biotechadv.2021.107786)
- Xie, Y., Yan, M., Yuan, S., Sun, S., & Huo, Q. 2013. Effect of microwave treatment on the physicochemical properties of potato starch granules. *Chemistry Central Journal*, 7 (113) : 1–7. https://doi.org/10.1186/1752-153X-7-113 Y
- Yadav, B.S., Guleria, P., & Yadav, R.B. 2013. Hydrothermal modification of Indian water chestnut starch: Influence of heat-moisture treatment and annealing on the physicochemical, gelatinization and pasting characteristics. *Food Science and Technology*, 53 (1) : 211–217. doi:10.1016/j.lwt.2013.02.007
- Yang, Q., Qi, L., Luo, Z., Kong, X., Xiao, Z., Wang, P., et al. 2017. Effect of microwave irradiation on internal molecular structure and physical properties of waxy maize starch. *Food Hydrocolloids*, 69 : 473–482. <https://doi.org/10.1016/j.foodhyd.2017.03.01>
- Yang, Z., & Zhai, W. 2010. Optimization of microwave-assisted extraction of anthocyanins from purple corn (*Zea mays* L.) cob and identification with HPLC-MS. *Innovative Food Science Emerging Technologies* 11 (3) : 470–476, <https://doi.org/10.1016/j.ifset.2010.03.003>.
- Ying, B.Z., Kamilah, H., Karim, A. A., & Utra, U. 2020. Effects of heat-moisture and alkali treatment on the enzymatic hydrolysis of porous sago (*Metroxylon sagu*) starch. *Journal of Food Processing and Preservation*. <http://dx.doi.org/10.1111/jfpp.14419>
- Ying, Z. Z. 2019. Study on red pigment from pitaya peel of microwave assisted extraction and its stability. *China condiment*. 44 (10) : 168-172
- Yousif, E.I., Gadallah, M.G.E. & Sorour, A.M. 2012. Physico-chemical and rheological properties of modified corn starches and its effect on noodle quality. 57 (1) : 19-27. <http://dx.doi.org/10.1016/j.aoas.2012.03.008>

- Yudianto, A. A., Fajriani, S. & Aini, N. 2015. Pengaruh Jarak Tanam dan Frekuensi Pembumbunan terhadap Pertumbuhan dan Hasil Tanaman Garut (*Marantha arundinaceae L.*), Jurnal Produksi Tanaman, 3 (3) : 172–181
- Yuliana. 2011. Penambahan MSP Menyebabkan kelarutan menurun sehingga penambahan asam asetat tidak akan memberikan pengaruh yang nyata bagi kelarutan pati. Skripsi. Universitas Indonesia. Depok
- Yuliasih, I., Irawadi, T. T., Sailah, I., Pranamuda, H., Setyowati, K., & Sunarti, T. C. 2007. Pengaruh proses fraksinasi pati sagu terhadap karakteristik fraksi amilosanya. Jurnal Teknologi Industri Pertanian. 17 (1) : 29-36.
- Yuste, S., Macià, A., Motilva, M.-J., Prieto-Diez, N., Romero, M.-P., Pedret A....Rubió, L. 2020. Thermal and non-thermal processing of red-fleshed apples: How (poly composition) phenol and bioavailability affected. Food & Function. 11(12) : 10436–10447. [doi: 10.1039/D0FO02631J](https://doi.org/10.1039/D0FO02631J).
- Yustiawan, Hastuti, H. P., & Yanti, S. 2019. Pengaruh modifikasi cross-link terhadap karakteristik tepung ubi jalar saat dipanaskan. Jurnal Ilmu dan Teknologi Pertanian. 5 (1). : 420-429. <https://doi.org/10.29303/profood.v5i1.91>
- Zhang, J., Wang, Z.W., Shi, X.M. 2009. Effect of microwave heat/moisture treatment on physicochemical properties of Canna edulis Ker starch. Journal Science Food Agriculture 89 : 653–664, <https://doi.org/10.1002/jsfa.3497>
- Zain, N., Nazeri, M., & Azman, N., 2019. Assessment on bioactive compounds and the effect of microwave on pitaya peel. Jurnal Teknologi 81 (2) : 11-19. <http://dx.doi.org/10.11113/jt.v81.12847>
- Zain, N. M., & Nazeri, M. A. 2016. Antioxidant and mineral content of pitaya peel extract obtained using Microwave Assisted Extraction (MAE). Australian Journal of Basic and Applied Sciences 10 : 63-6-
- Zailani, M. A., Kamilah, H., Husaini, A., Seruji, A. Z. R. A., & Sarbini, S. R. 2022. Functional and digestibility properties of sago (*Metroxylon sagu*) starch modified by microwave heat treatment. Food Hydrocolloids. 122 107042 [doi:10.1016/j.foodhyd.2021.107042](https://doi.org/10.1016/j.foodhyd.2021.107042)
- Zaragoza, E. F., Navarrete, M. J. R., Zapata E, S., & Alvarez, J. A. P. 2010. Resistant starch as functional ingredient: A review. Food Research International. 43 (4) : 931–942. <http://doi.org/fgpc2w>
- Zaragoza, E. F, Zapata, E. S, Sendra, E., Sayas, E.,& et al. 2011. Resistant starch as prebiotic: A review. Starch/Stärke 63, 406–415. <https://doi.org/10.1002/star.201000099>
- Zavareze EDR, & Dias ARG. 2011. Impact of heat-moisture treatment and annealing in starches-A review. Carbohydr Polym 83 : 317-328. DOI: 10.1016/j.carbpol.2010.08.064.

- Zeković, Z., Pintać, D., Majkić, T., Vidović, S., Mimica-Dukić, N. N., Teslić, A. Versari, B., & Pavlić. 2017. Utilization of sage by-products as raw material for antioxidants recovery –ultrasound versus microwave-assisted extraction. Industrial Crops and Products. 99 : 49–59, <https://doi.org/10.1016/j.indcrop.2017.01.028>.
- Zeng, S., Wu, X., Lin, S., Zeng, H., Lu, X., Zhang, Y., et al. 2015. Structural characteristics and physicochemical properties of lotus seed resistant starch prepared by different methods. Food Chemistry. 186 : 213–222 <https://doi.org/10.1016/j.foodchem.2015.03.143>
- Zhang, D., Cheng, X., Sun, D., Ding, S., Cai, P., Yuan, L., & .Hu, Q. N. 2019. Additive Chem: A comprehensive bioinformatics knowledge-base for food additive chemicals. Food Chemistry. Vol 308. <https://doi.org/10.1016/j.foodchem.2019.125519>
- Zhang, H.F., Yang, X.H., & Wang, Y., 2011. Microwave assisted extraction of secondary metabolites from plants: current status and future directions. Trends Food Science Technology. 22 (12). pp 672–688. <https://doi.org/10.1016/j.tifs.2011.07.003>
- Zhao B, Sun S, Lin H, Chen L, Qin S, Wu W, et al. 2019. Physicochemical properties and digestion of the lotus seed starch-green tea polyphenol complex under ultrasound-microwave synergistic interaction. *Ultrason Sonochem.* 52 : 50–61. 10.1016/j.ultsonch.2018.11.001
- Zuhra, C.F., Ginting, M, Marpongahtun, Syufiatun, A. 2016. Modifikasi pati sukun dengan metode ikat silang menggunakan trinatrium trimetafosfat. Chimica et Natura Acta. 4 (3). 142-146.