

DAFTAR PUSTAKA

- Abalos, E. Cuesta, C. Carroli, G. Qureshi, Z. Widmer, M. Vogel, J.P. Souza, J.P. 2014. WHO Multicountry Survey on Maternal and Newborn Health Research Network. Pre-eclampsia, eclampsia and adverse maternal and perinatal outcomes: a secondary analysis of the World Health Organization Multicountry Survey on Maternal and Newborn Health. *BJOG*: Mar;121 Suppl 1:14-24
- Abcam. 2018. IL-1 β (Interleukin-1 β) Human Elisa Kit [online]. Tersedia di [https://www.abcam.com/ps/products/46/ab46052/documents/ab46052%20IL-1%20beta%20\(Interleukin1%20beta\)%20Human%20ELISA%20Kit%20v6%20\(website\).pdf](https://www.abcam.com/ps/products/46/ab46052/documents/ab46052%20IL-1%20beta%20(Interleukin1%20beta)%20Human%20ELISA%20Kit%20v6%20(website).pdf) (Diakses pada 1 Januari 2022)
- Abcam. 2017. IL-6 (Interleukin-6) Human Elisa Kit [online]. Tersedia di [https://www.abcam.com/ps/products/46/ab46027/documents/ab46027%20IL-6%20\(Interleukin-6\)%20Human%20ELISAKit%20v5%20\(website\).pdf](https://www.abcam.com/ps/products/46/ab46027/documents/ab46027%20IL-6%20(Interleukin-6)%20Human%20ELISAKit%20v5%20(website).pdf) (Diakses pada 1 Januari 2022)
- Abcam. 2017. Prostaglandin E2 (PGE2) Elisa Kit [online]. Tersedia di [https://www.abcam.com/ps/products/133/ab133021/documents/ab133021%20-%20Prostaglandin%20E2%20\(PGE2\)%20ELISA%20Kit%20v6%20\(website\).pdf](https://www.abcam.com/ps/products/133/ab133021/documents/ab133021%20-%20Prostaglandin%20E2%20(PGE2)%20ELISA%20Kit%20v6%20(website).pdf)
- Aggarwal, R. Jain, A.K. Mittal, P. Kohli, M. Jawanjal, P. Rath, G. 2019. Association of pro-and anti-inflammatory cytokines in preeclampsia. *Journal of clinical laboratory analysis*, 33(4), p.e22834.
- Ahmad, M.R. and Bisri, T. 2014. Multimodal Analgesic Effect on Proinflammatory and Anti-inflammatory Cytokines Serum. *International Journal of Integrated Health Sciences*, 2(1), pp.15-22.
- Ajith, A. 2015. The role of peripheral natural killer cells in immunocompromised pre-eclamptic and normotensive pregnant black South Africans (Doctoral dissertation).
- Akdemir, MS. Kaydu, A. Yanlı, Y. Özdemir, M. Gökçek, E. Karaman, H. 2017. The Postdural Puncture Headache and Back Pain: The Comparison of 26-gauge Atraucan and 26-gauge Quincke Spinal Needles in Obstetric Patients. *Anesth Essays Res*: 11(2):458-462. [PMC free article] [PubMed] [Reference list]
- Alsaidi, M. Guanio, J. Basheer, A. Schultz, L. Abdulhak, M. Nerenz, D. et al. 2013. The incidence and risk factors for postoperative urinary retention in neurosurgical patients. *Surg Neurol Int*: 4:61–78.

- Amash, A. Holcberg, G. Sapir, O. Huleihel, M. 2012. Placental secretion of interleukin-1 and interleukin-1 receptor antagonist in preeclampsia: effect of magnesium sulfate. *J Interferon Cytokine Res*; 32(9):432-41. doi: 10.1089/jir.2012.0013.
- Amash, A. Holcberg, G. Sheiner, E. Huleihel, M. 2010. Magnesium sulfate normalizes placental interleukin-6 secretion in preeclampsia. *J Interferon Cytokine Res*; 30(9):683-90. doi: 10.1089/jir.2010.0011. PMID: 20715974.
- American College of Obstetricians and Gynecologists. 2013. Task Force on Hypertension in Pregnancy. Hypertension in pregnancy: report of the American College of Obstetricians and Gynecologists' Task Force on Hypertension in Pregnancy. *Obstet Gynecol*: 122(5):1122-31. doi:10.1097/01.AOG.0000437382.03963.88
- American College of Obstetricians and Gynecologists. 2019 Committee on Practice Bulletins Obstetrics. Chronic hypertension in pregnancy: ACOG practice bulletin, No. 203. *Obstet Gynecol*: 133(1):e26-e50.
- American College of Obstetricians and Gynecologists. 2020. Gestational hypertension and preeclampsia: ACOG practice bulletin, No. 222. *Obstet Gynecol*: 135(6):e237-e260. doi:10.1097/AOG.0000000000003891
- Amorim, JA. Gomes de, Valença, MM. 2012. Post-dural (post-lumbar) puncture headache: risk factors and clinical features. *Cephalalgia*: 32:916–923. [[PubMed](#)] [[Google Scholar](#)] [[Ref list](#)]
- Amorim, M.M. Katz, L. Barros, A.S. Almeida, T.S. Souza, A.S. Faúndes, A. 2015. Maternal outcomes according to mode of delivery in women with severe preeclampsia: a cohort study. *Journal of Maternal-Fetal & Neonatal Medicine*: Vol. 28(6):654–60
- Andriani C, Lipoeto NI, Utama BI. 2016. Hubungan Indeks Massa Tubuh dengan kejadian Preeklampsia di RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*,5(1),pg.173-178
- Ander, SE. Diamond, MS. Coyne, CB. 2019. Immune responses at the maternal-fetal interface. *Sci Immunol*: 4(31):eaat6114. doi: 10.1126/sciimmunol.aat6114
- Apte, RS. Chen, DS. Ferrara, N. 2019. VEGF in Signaling and Disease: Beyond Discovery and Development. *Cell*: 176:1248–1264. doi: 10.1016/j.cell.2019.01.021. [[PMC free article](#)] [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)] [[Ref list](#)]
- Aregawi, A. Terefe, T. Admasu, W. and Akalu, L. 2018. Comparing the effect of spinal and general anaesthesia for pre-eclamptic mothers who underwent

caesarean delivery in a tertiary, Addis Ababa, Ethiopia. *Ethiopian Journal of Health Sciences*, 28(4).

- Baha, M. Sibai, J.R.B. 2007. Expectant management of severe preeclampsia remote from term: patient selection, treatment, and delivery indications. *Am J Obstet Gynecol*: 196:514e.-.e9
- Bánhidý, F. Acs, N. Puhó, E.H. Czeizel, A.E. 2010. The efficacy of antihypertensive treatment in pregnant women with chronic and gestational hypertension: a population-based study. *Hypertens Res*: 33:460–466. [View Article](#) : [Google Scholar](#) : [PubMed/NCBI](#)
- Bartsch, E. Medcalf, K.E. Park, A.L. Ray, J.G. 2016. High Risk of Pre-eclampsia Identification Group. Clinical risk factors for pre-eclampsia determined in early pregnancy: systematic review and meta-analysis of large cohort studies. *BMJ*: 353:i1753. doi: 10.1136/bmj.i1753
- Bello, N.A. Zhou, H. Cheetham, T.C. Miller, E. Getahun, D.T. Fassett, M.J. Reynolds, K. 2021. Prevalence of Hypertension Among Pregnant Women When Using the 2017 American College of Cardiology/American Heart Association Blood Pressure Guidelines and Association With Maternal and Fetal Outcomes. *JAMA Netw Open*: 1;4(3):e213808. doi: 10.1001/jamanetworkopen.2021.3808. PMID: 33787907; PMCID: PMC8013820.
- Bezov, D. Lipton, R.B. Ashina, S. 2010. Post-dural puncture headache: part I diagnosis, epidemiology, etiology, and pathophysiology. *Headache*: 50:1144-52.
- Brosens, I. Pijnenborg, R. Vercruyse, L. Romero, R. 2011. The "Great Obstetrical Syndromes" are associated with disorders of deep placentation. *Am J Obstet Gynecol*: 204(3):193-201. doi: 10.1016/j.ajog.2010.08.009. Epub 2010 Nov 20. PMID: 21094932; PMCID: PMC3369813.
- Budianto, J. Ahmad, MR. Gaus, S. and Patellongi, I.J. 2018. Efek Kombinasi Epidural dan Obat Anti-inflamasi Nonsteroid terhadap Nyeri dan Kadar Prostaglandin. *Jurnal Anestesi Perioperatif*, 6(1), pp.34-40.
- Butterworth, J.F. Mackey, D.C. Wasnick, J.D. 2018. Spinal, Epidural, & Caudal Blocks. In: Morgan & Mikhail's Clinical Anesthesiology. sixth. McGraw-Hill Education.
- Chen, M.T., Jin, B., Du, S.D., Pei, L.J., Zhu, B., Yan, L., Chi, T.Y., Xu, H.F., Zheng, Y.C., Xu, Y.Y. and Zhao, H.T., 2017. Role of a selective cyclooxygenase-2 inhibitor on pain and enhanced recovery after open

hepatectomy: a randomized controlled trial. *Transl Cancer Res*, 6(4), pp.806-814.

- Chen, J., Cong, X., Zhan, X., Zhou, Z., Zheng, W., 2019. Effects of Parecoxib on Pain Threshold and Inflammatory Factors IL-1 β , IL-6 and TNF- α in Spinal Cord of Rats with Bone Cancer Pain. *Journal of the College of Physicians and Surgeons Pakistan*, 29(6), pp.528-531
- Choi, S. Awad, I. 2013. Maintaining micturition in the perioperative period: strategies to avoid urinary retention. *Curr Opin Anaesthesiol*: 26:361–7.
- Churchill, D.L. 2010. Interventionist versus expectant care for severe preeclampsia before term (Review). *Cochrane database*: 1-19.
- Ciorny, JT. Unal, ER. Flood, P. Rhee, KY. Praktish, A. Olson, TH. et al.2014. Maternal inflammatory markers and term labor performance. *Am J Obstet Gynecol*: 210:447.e1–6. doi: 10.1016/j.ajog.2013.11.038
- Clark, DA. Chaouat, G. 2012. Regulatory T cells and reproduction: how do they do it? *J Reprod Immunol*: 96:1–7. doi: 10.1016/j.jri.2012.07.007
- Cobb, B. Cho, Y. Hilton, G. Ting, V. Carvalho, B. 2016. Active warming utilizing combined IV fluid and forced-air warming decreases hypothermia and improves maternal comfort during cesarean delivery: A randomized control trial. *Anesth Analg*: 122:1490–7.
- Cockle, J.V. Gopichandran, N. Walker, J.J. Levene, M.I. Orsi, N.M. 2007. Matrix metalloproteinases and their tissue inhibitors in preterm perinatal complications. *Reprod Sci*: 14(7):629-45.
- Cornelius, D.C. 2018. Preeclampsia: From Inflammation to Immunoregulation. *Clin Med Insights Blood Disord*: 11:1179545X17752325. doi: 10.1177/1179545X17752325
- Dahlan, M. S. 2010. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. Jakarta: Salemba Medika, 5, 1-2.
- Dekel, N. Gnainsky, Y. Granot, I. Mor, G. 2010. Inflammation and implantation. *Am J Reprod Immunol*: 63(1):17-21
- Denney, JM. Nelson, EL. Wadhwa, PD. Waters, TP. Mathew, L. Chung, EK. et al. 2011. Longitudinal modulation of immune system cytokine profile during pregnancy. *Cytokine*: 53:170–7. doi: 10.1016/j.cyto.2010.11.005
- De Oliveira, CMB. Sakata, RK. Issy, AM. Gerola, LR. Salomao, R. Cytokines and pain. 2011. *Revista Brasileira de Anestesiologia*, Vol. 61 no.2
- Dinas Kesehatan Propinsi Jawa Tengah. 2012. Profil Kesehatan Jawa Tengah.

- Djafar, Z. 2013. Dinamika kadar C-reaktive protein pada prosedur laparatomi ginekologi dengan multimodal preventif analgesia kombinasi epidural bupivakan dan parecoxib 40 mg.
- D'Mello, R. and Dickenson, AH. 2008. Spinal cord mechanisms of pain. *British journal of anaesthesia*, 101(1), pp.8-16.
- Duley, L. Gulmezoglu, A.M. Henderson-Smart, D.J. Chou, D. 2010. Magnesium sulphate and other anticonvulsants for women with preeclampsia. *Cochrane Database Syst Rev*: 11:CD000025
- Duley, L. Henderson-Smart, D.J. Walker, G.J. Chou, D. 2010. Magnesium sulphate versus diazepam for eclampsia. *Cochrane Database Syst Rev*: 12:CD000127
- Duncan, A. and Patel, S. 2016. Neurological complications in obstetric regional anesthetic practice. *Journal of Obstetric Anaesthesia and Critical Care*, 6(1), p.3.
- Dutta, S. Sengupta, P. 2017. Yoga escalates female reproductive health during pregnancy. *J Pregnancy Reprod*: 1:1
- Engert, S. Rieger, L. Kapp, M. Becker, J.C. Dietl, J. Kämmerer, U. 2007. Profiling chemokines, cytokines and growth factors in human early pregnancy decidua by protein array. *Am J Reprod Immunol*: 58(2):129-37. doi: 10.1111/j.1600-0897.2007.00498.x. PMID: 17631006.
- Esme, H. Kesli, R. Apiliogullari, B. Duran, F.M. Yoldas, B. 2011. Effects of flurbiprofen on CRP, TNFalpha, IL-6, and postoperative pain of thoracotomy. *Int J Med Sci*: 8: 216-21
- Essex, MN., Xu, H., Parsons, B., Xie, L., Li, C., 2017. Parecoxib relieves pain and has an opioid-sparing effect following major gastrointestinal surgery. *International journal of general medicine*, 10 pp: 319-327
- Ferrarezi, WPP. Braga, ADFDA. Ferreira, VB. Mendes, SQ. Brandão, MJN. Braga, FSDS. and Carvalho, VH. 2021. Spinal anesthesia for elective cesarean section. Bupivacaine associated with different doses of fentanyl: randomized clinical trial. *Brazilian Journal of Anesthesiology*, 71, pp.642-648.
- Fettes, P.D.W., Jansson, J.R. and Wildsmith, J.A.W., 2009. Failed spinal anaesthesia: mechanisms, management, and prevention. *British journal of anaesthesia*, 102(6), pp.739-748.
- Fitriani, H. and Keni, M., 2021. Risk Factors Of Preeclampsia Among Pregnant Women In Indonesia. *KnE Life Sciences*, pp.836-841.

- François, A. Low, SA. Sypek, EI. Christensen, AJ. Sotoudeh, C. Beier, KT. Ramakrishnan, C. Ritola, KD. Sharif-Naeini, R. Deisseroth, K and Delp, SL. 2017. A brainstem-spinal cord inhibitory circuit for mechanical pain modulation by GABA and enkephalins. *Neuron*, 93(4), pp.822-839.
- Funk, C.D. FitzGerald, G.A. 2007. COX-2 inhibitors and cardiovascular risk. *J Cardiovasc Pharmacol*: 50(5):470-9. doi: 10.1097/FJC.0b013e318157f72d. PMID: 18030055.
- Gabay, E. Wolf, G. Shavit, Y. et al. 2011. Chronic blockade of interleukin-1 (IL-1) prevents and attenuates neuropathic pain behavior and spontaneous ectopic neuronal activity following nerve injury. *Eur J Pain*: 15: 242–248. [PubMed] [Google Scholar]
- Galvao, LPL. Menezes, FE. Mendonca, C. Barreto, I. Pereira, CA. Pereira, FA. Gurgel, R. 2016. Analysis of association of clinical aspects and IL1B tagSNPs with severe preeclampsia. Department of Medicine, Federal University of Sergipe, Brazil.
- Gathiram, P. Moodley, J. 2016. Pre-eclampsia: its pathogenesis and pathophysiology. *Cardiovascular Journal Of Africa*, 27(2), pp.71-78
- Gehling, M. Arndt, C. Eberhart, LHJ. Koch, T. Kruger, T. Wulf, H. 2010. Postoperative analgesia with parecoxib, asetaminophen, and the combination of both: a randomized, double blind, placebo controlled trial in patients undergoing thyroid surgery. *British journal of anaesthesia*. 104 (6): 761-7
- Geng, ZY. and Wang, DX. 2017. Laryngeal mask airway for cesarean delivery: a 5-year retrospective cohort study. *Chinese Medical Journal*, 130(04), pp.404-408.
- George, E.M. Granger, J.P. 2011. Endothelin: key mediator of hypertension in preeclampsia. *American journal of hypertension*, 24(9), pp.964-969.
- Giorgi, M. Saccomanni, G. Del Carlo, S. Manera, C. Lavy, E. 2012. Pharmacokinetics of intravenous and intramuscular parecoxib in healthy Beagles. *Vet J*: 193(1):246–250. doi:10.1016/j.tvjl.2011.11.005
- Glare, P. Aubrey, K.R. Myles, P.S. 2019. Transition from acute to chronic pain after surgery. *Lancet (London, England)*: 393:1537–46
- Gould et al. 2013. Visual Analogue Scales In The Measurement Of Clinical Phenomena. *Research In Nursing and Health*: 227-236.

- Graefe, S. and Mohiuddin, SS. 2021. Biochemistry, substance P. In StatPearls [Internet]. StatPearls Publishing.
- Haeruddin, H. and Ahmad, M.R. 2013. Pengaruh Pemberian Parecoxib Terhadap Kadar Il-6 dan Intensitas Nyeri Pascabedah Laparotomi Ginekologi. JAI (Jurnal Anestesiologi Indonesia), 5(2), pp.61-70.
- Harahap, S. 2020. Faktor-faktor yang Berhubungan Dengan Kejadian Preeklampsia Pada Ibu Bersalin di RSUD Arifin Achmad Kota Pekanbaru Tahun 2018.
- Harmon, A.C. Cornelius, D.C. Amaral, L.M. Faulkner, J.L. Cunningham Jr, M.W. Wallace, K. LaMarca, B. 2016. The role of inflammation in the pathology of preeclampsia. *Clinical science*, 130(6), pp.409-419.
- Hendrickson, R.G. McKeown, N.J. 2012. Is maternal opioid use hazardous to breast-fed infants?. *Clin Toxicol (Phila)*: 50:1-14.
- Hisyam, M. Ramli, M. dan Bahar, B. 2013. Pengaruh Preventif Multimodal Analgesia Terhadap Dinamika Kadar Il - 1 β , Intensitas Nyeri Pada Pascabedah Laparotomi Ginekologi. JAI (jurnal anestesiologi Indonesia), 5(2), pp.110-115
- Hogan, M.C. Foreman, K.J. Naghavi, M. Ahn, S.Y. Wang, M. Makela, S.M. Lopez, A.D. Lozano, R. Murray, C.J. 2010. Maternal mortality for 181 countries, 1980-2008: a systematic analysis of progress towards Millennium Development Goal 5. *Lancet*: 375:1609-1623. doi: 10.1016/S0140-6736(10)60518-1
- Horlocker, T.T. Wedel, D.J. Rowlingson, J.C. Enneking, F.K. Kopp, S.L. Benzon, H.T. Brown, D.L. Heit, J.A. Mulroy, M.F. Rosenquist, R.W. Tryba, M. Yuan, C.S. 2010. Regional anesthesia in the patient receiving antithrombotic or thrombolytic therapy: American Society of Regional Anesthesia and Pain Medicine Evidence-Based Guidelines (Third Edition). *Reg Anesth Pain Med*: 35(1):64-101. doi: 10.1097/aap.0b013e3181c15c70. PMID: 20052816. <https://doi.org/10.1186/s42077-020-00121-7>
- Hsing, C.H. and Wang, J.J., 2015. Clinical implication of perioperative inflammatory cytokine alteration. *Acta Anaesthesiologica Taiwanica*, 53(1), pp.23-28.
- Iddrisu, M. and Khan, Z.H., 2021. Anesthesia for cesarean delivery: general or regional anesthesia—a systematic review. *Ain-Shams Journal of Anesthesiology*, 13(1), pp.1-7.

- Inagi, T. Hoshina, H. Suzuki, M. Wada, M. Bito, H. Sakamoto, A. 2016. Remifentanil-induced alterations in neutrophil numbers after surgery. *JA Clin Rep*: 2:5.
- Jeon, Y.T. Hwang, J.W. Kim, M.H. Oh, A.Y. 2010. Park KH, Park HP, Lee Y, Do SH. Positional blood pressure change and the risk of hypotension during spinal anesthesia for cesarean delivery. *Anesth Analg*: 111:712-5.
- Jeffrey SF, Eleftheria MF. 2013. Biology of obesity. In *Harrisons Endocrinology*. Philadelphia
- Juang, J.J. Gabriel, R.A. Dutton, R.P. Palanisamy, A. Urman, R.D. 2017. Choice of anesthesia for cesarean delivery: An analysis of the national anesthesia clinical outcomes registry. *Anesth Analg*: 124:1914-7
- Kartapraja, RD. Fuadi, I. Redjeki, IS 2016. Perbandingan efek pemberian analgesis pre-emptif parecoxib dengan parasetamol terhadap nyeri Pascaoperasi Radikal mastektomi menggunakan numeric rating scale. *Jurnal Anestesi Perioperatif*: 4(2):111-6.
- Katz, D. Beilin, Y. 2017. Review of the Alternatives to Epidural Blood Patch for Treatment of Postdural Puncture Headache in the Parturient. *Anesth Analg*: 124(4):1219-1228. [[PubMed](#)] [[Reference list](#)]
- Keelan, J.A. Mitchell, M.D. 2007. Placental cytokines and preeclampsia. *Front Biosci*: 12: 2706 2727
- Kemenkes RI. 2017. Indonesian Health Demographic Survey. Jakarta: Kemenkes RI
- Kementerian Kesehatan Republik Indonesia. 2015. Profil Kesehatan Indonesia Tahun 2014. Jakarta: Kementerian Kesehatan RI.
- Kharfi, A. Bureau, M. Giguère, Y. Moutquin, J.M. Forest, J.C. 2007. Dissociation between increased apoptosis and expression of the tumor necrosis factor-alpha system in term placental villi with preeclampsia. *Clin Biochem*: 39(6):646-51. doi: 10.1016/j.clinbiochem.2006.01.016. Epub 2006 Feb 23. PMID: 16499896.
- Kim, W.H. Hur, M. Park, S. Yoo, S. Lim, T. Yoon, H. Kim, J. Bahk, J. 2019. Comparison between general, spinal, epidural, and combined spinal-epidural anesthesia for cesarean delivery: a network meta-analysis. *International journal of obstetric anesthesia*: 37, 5-15.
- Klimek, L. Bergmann, KC. Biedermann, T. Bousquet, J. Hellings, P. Jung, K. Merk, H. Olze, H. Schlenter, W. Stock, P. and Ring, J. 2017. Visual analogue scales (VAS): Measuring instruments for the documentation of symptoms and therapy monitoring in cases of allergic rhinitis in everyday health care. *Allergo journal international*, 26(1), pp.16-24.

- Králíčková, M. Šíma, P. Rokyta, Z. 2008. Role of the leukemia-inhibitory factor gene mutations in infertile women: The embryo-endometrial cytokine cross talk during implantation — a delicate homeostatic equilibrium. *Folia Microbiologica*: 50, 179-186.
- Lakew, Y. Reda, A.A. 2013. Tamene H, Benedict S, Deribe K. Geographical variation and factors influencing modern contraceptive use among married women in Ethiopia: evidence from a national population based survey. *Reprod Health*: 10(1):52
- Lamarca, B. 2010. The role of immune activation in contributing to vascular dysfunction and the pathophysiology of hypertension during preeclampsia. *Minerva Ginecol*: 62(2):105-20. PMID: 20502423; PMCID: PMC3740963.
- Lamarca, B.D. Ryan, M.J. Gilbert, J.S. Murphy, S.R. Granger, J.P. 2007. Inflammatory Cytokines in the Pathophysiology of Hypertension During Preeclampsia. *Curr Hypertens Rep*: 9(6):480–5. doi: 10.1007/s11906-007-0088-1
- Langesaeter, E. Dyer, R.A. 2011. Maternal haemodynamic changes during spinal anesthesia for caesarean section. *Curr Opin Anesthesiol*: 24:242-8.
- Legawati, Utama, N. R. 2017. Analisis Faktor Risiko Kejadian Preeklampsia Berat Di Rsud Rujukan Kabupaten dan Provinsi Kalimantan Tengah. *Jurnal Surya Medika*: 3(1), 1–18.
- Leibowitz, A. Schiffrin, E.L. 2011. Immune mechanisms in hypertension. *Curr Hypertens Rep*: 13:465–472.
- Liu, F. Wang, Z. Qiu, Y. et al. 2017. Suppression of MyD88-dependent signaling alleviates neuropathic pain induced by peripheral nerve injury in the rat. *J Neuroinflammation*: 14: 70
- Lin, O. Calvano, SE. Lowry, SF. 2000. Inflammatory Cytokines and cell response in surgery. *Surgery*: 127(2), 117-126
- Lockwood, C.J. Yen, C.F. Basar, M. et al. 2008. Preeclampsia-related inflammatory cytokines regulate interleukin-6 expression in human decidual cells. *Am J Pathol*: 172:1571– 1579
- Lowe, RF. Smith, JM. Felker-Kantor, E. et al. 2013. An integrative review of the side effects related to the use of magnesium sulfate for pre-eclampsia and eclampsia management. *BMC Pregnancy Childbirth*: 13:1–11. [9]

- Lyons, G. 2008. Saving mothers' lives: confidential enquiry into maternal and child health 2003-5. *International journal of obstetric anaesthesia*, 17(2), pp.103-105.
- Ma, Y. Ye, Y. Zhang, J. Ruan, C.C. Gao, P.J. 2019. Immune imbalance is associated with the development of preeclampsia. *Medicine*, 98(14).
- Madazli, R. Yuksel, M.A. Imamoglu, M. Tuten, A. Oncul, M. Aydin, B. Demirayak, G. 2014. Comparison of Clinical and Perinatal Outcomes in Early- and Late-Onset Preeclampsia. *Arch. Gynecol. Obstet*: 290, 53–57. [CrossRef]
- Mark, R. Jennifer, L. 2012. Overview of anesthetic considerations for cesarean delivery. *British Medical Bulletin*: 101: 105–125
- Maynard, S.E. Karumanchi, S.A. 2011. Angiogenic factors and preeclampsia. *Semin Nephrol*: 31(1):33–46
- McEntire, DM. Kirkpatrick, DR. Dueck, NP. Kerfeld, MJ. Smith, TA. Nelson, TJ. Reisbig, MD. and Agrawal, DK. 2016. Pain transduction: a pharmacologic perspective. *Expert review of clinical pharmacology*, 9(8), pp.1069-1080.
- Meier, A. Nizet, V. 2019. Impact of anesthetics on human neutrophil function. *Anesth Analg*: 128:569-74
- Midah, Z. Fajriansyah, F. Makmun, A. Rasfahyana, R. 2021. Hubungan obesitas dan stress oksidatif. *UMI Med J*;6(1): 62-9
- Miller, R.J. Jung, H. Bhangoo, S.K. et al. 2009. Cytokine and chemokine regulation of sensory neuron function. *Handb Exp Pharmacol*: (194):417-449.
- Mitaki, S. Nagai, A. Oguro, H. Yamaguchi, S. 2016. C-reactive protein levels are associated with cerebral small vessel-related lesions. *Acta Neurol Scand*: 133(1):68-74. doi: 10.1111/ane.12440. Epub 2015 May 14. PMID: 25974422.
- Mojtahedzadeh, M. Chelkeba, L. Ranjvar-Shahrivar, M. Najafi, A. Moini, M. Najmeddin, F. Sadeghi, K. Barkhordari, K. Gheymati, A. Ahmadi, A. 2016. Randomized Trial of the Effect of Magnesium Sulfate Continuous Infusion on IL-6 and CRP Serum Levels Following Abdominal Aortic Aneurysm Surgery. *Iran J Pharm Res*: 15(4):951-956.
- Mols, G.P.M.F. 2007. A focus on the cardiovascular consequences. In : *Anesthesiological strategies to modulate the surgical stress response*. *Universitair pers Maastricht*, 2:15-35.

- Mor, G. Cardenas, I. 2010. The immune system in pregnancy: a unique complexity. *Am J Reprod Immunol*: 63:425–33. doi: 10.1111/j.1600-0897.2010.00836.x
- Mor, G. Koga, K. 2008. Macrophages and pregnancy. *Reprod Sci*: 15(5):435-6. doi: 10.1177/1933719108317253. PMID: 18579852.
- Moshari, M., Malek, B., Ebrahimpour, A., Vosoughian, M., Dahi-Taleghani, M., Ghorbani, E. and Seyed-Alshohadaei, S.M., 2018. Epidural Anesthesia with Lidocaine and Dexmedetomidine, Versus Lidocaine Alone on Plasma Levels of IL-6 in Patients with Proximal Femoral Fracture. *Journal of Cellular and Molecular Anesthesia*, 3(3), pp.103-107.
- Natalia JR, Rodiani, Zulfadli. 2020. Pengaruh obesitas dalam kehamilan terhadap berat badan janin. *Medula Vol.10 No. 3.Pg.539-544*
- Nakimuli, A. Chazara, O. Byamugisha, J. Elliott, A.M. Kaleebu, P. Mirembe, F. et al. 2014. Pregnancy, parturition and preeclampsia in women of African ancestry. *Am J Obstet Gynecol*: 210(6):510–20 e1
- National Collaborating Centre for Women’s and Children’s Health. 2010. Hypertension in pregnancy. The management of hypertensive disorders during pregnancy. National Institute for Health and Clinical Excellence Guideline 107 [August 2010 revised reprint January 2011 ed]. London: RCOG; 2011. <http://www.nice.org.uk/nicemedia/live/13098/50418/50418.pdf>. [Accessed 5 December 2013]
- Orsi, N.M. Tribe, R.M. 2008. Cytokine networks and the regulation of uterine function in pregnancy and parturition. *J Neuroendocrinol*: 20(4):462-9. doi: 10.1111/j.1365-2826.2008.01668.x. Epub 2008 Feb 8. PMID: 18266939.
- Pan, A. Wang, Y. Yuan, J.M. Koh, W.P. 2017. High-sensitive C-reactive protein and risk of incident type 2 diabetes: A case-control study nested within the Singapore Chinese Health Study. *BMC Endocr Disord* 17: 8
- Parsons, B., Zhu, Q., Xie, L., Li, C., Cheung, R., 2016. Effects of parecoxib on postoperative pain and opioid-related symptoms following gynecologic surgery. *Journal of pain research*, 9 pp: 1101-1107
- Pavičić Šarić, J. Mikulandra, S. Guštin, D. Matasić, H. Tomulić, K. and Pavičić Dokoza, K. 2012. Spinal anesthesia at the L2–3 and L3–4 levels: comparison of analgesia and hemodynamic response. *Collegium antropologicum*, 36(1), pp.151-156.

- Pazos, M. Sperling, RS. Moran, TM. Kraus, TA. 2012. The influence of pregnancy on systemic immunity. *Immunol Res*: 54:254–61. doi: 10.1007/s12026-012-8303-9
- Peach, M.J. Salman, S. Ilett, K.F. O'Halloran, S.J. Muchatuta, N.A. 2012. Transfer of parecoxib and its primary active metabolite valdecoxib via transitional breastmilk following intravenous parecoxib use after cesarean delivery: a comparison of naive pooled data analysis and nonlinear mixed-effects modeling. *Anesth Analg*: 114(4):837-44. doi: 10.1213/ANE.0b013e3182468fa7. Epub 2012 Feb 17. PMID: 22344242.
- Perlman, J. Kjaer, K. 2016. Neonatal and maternal temperature regulation during and after delivery. *Anesth Analg*: 123:168–72. [[PubMed](#)] [[Google Scholar](#)] [[Ref list](#)]
- Plewa, MC. and McAllister, RK. 2021. Postdural Puncture Headache. *StatPearls* [Internet]. PMID: 28243294; PMCID: PMC5316276.
- Price, sylvia anderson. 2007. *Patofisiologi: konsep klinis proses-proses penyakit. vol.2* . Jakarta: EGC.
- Puradin, N. 2014. Faktor-faktor yang berhubungan dengan kejadian preeklamsi di ruang bersalin BLURSUP. Prof. Dr. R. D. Kandou Manado Tahun 2013. Manado
- Qureshi, O. and Dua, A., 2019. COX inhibitors.
- Rejeki, S., 2014. Gambaran kadar PGE2 dan kadar Interleukin-6 saat nyeri persalinan melalui metode *counter pressure* pada ibu dalam proses persalinan kala I. Prosiding konferensi nasional.
- Rettig, TC. Verwijmeren, L. Dijkstra, IM. Boerma, D. van de Garde, EM. Noordzij, PG. 2016. Postoperative Interleukin-6 Level and Early Detection of Complications After Elective Major Abdominal Surgery. *Ann Surg*: 263(6):1207-12. doi: 10.1097/SLA.0000000000001342. PMID: 26135695.
- Rezk, M. Gamal, A. Emara, M. 2015. Maternal and Fetal Outcome in de Novo Preeclampsia in Comparison to Superimposed Preeclampsia: A Two-Year Observational Study. *Hypertens. Pregnancy*: 34, 137–44.
- Ricciotti, E. and FitzGerald, G.A., 2011. Prostaglandins and inflammation. *Arteriosclerosis, thrombosis, and vascular biology*, 31(5), pp.986-1000.
- Rusterholz, C. Hahn, S. Holzgreve, W. 2007. Role of placentally produced inflammatory and regulatory cytokines in pregnancy and the etiology of preeclampsia. *Semin Immunopathol*: 29(2):151-62. doi: 10.1007/s00281-007-0071-6. PMID: 17621700.

- Safari, F., Sezari, P., Mottaghi, K., Isfahani, B.T. and Nashibi, M., 2019. A comparative study of influence of isoflurane and propofol on IL1, IL6, TNF serum levels after craniotomy for supratentorial brain tumors. *Journal of Cellular and Molecular Anesthesia*, 4(1), pp.8-14.
- Salamonsen, L.A. Hannan, N.J. Dimitriadis, E. 2007. Cytokines and chemokines during human embryo implantation: roles in implantation and early placentation. *Semin Reprod Med*: 25(6):437-44. doi: 10.1055/s-2007-991041. PMID: 17960528.
- Schug, S.A. Joshi, G.P, Camu, F. Pan, S. Cheung, R. 2009. Cardiovascular safety of the cyclooxygenase-2 selective inhibitors parecoxib and valdecoxib in the postoperative setting: an analysis of integrated data. *Anesth Analg*: 108(1):299–307. <https://doi.org/10.1213/ane.0b013e31818ca3ac>.
- Sengupta, P. 2014. The bliss yoga inculcates during the different stages of pregnancy. *International Journal of Pharmacy and Pharmaceutical Sciences*: 6:86-87.].
- Sharp, L.M. and Levy, D.M., 2009. Rapid sequence induction in obstetrics revisited. *Current Opinion in Anesthesiology*, 22(3), pp.357-361.
- Shavit, Y. Fridel, K. Beilin, B. 2007. Postoperative pain management and proinflammatory cytokines: animal and human studies. *J Neuroimmune Pharmacol*: 1:443-51.
- Sheen, J.J., Huang, Y., Andrikopoulou, M., Wright, J.D., Goffman, D., D'Alton, M.E. and Friedman, A.M., 2020. Maternal age and preeclampsia outcomes during delivery hospitalizations. *American journal of perinatology*, 37(01), pp.044-052.
- Shin, BS. Kim, CS. Sim, WS. et al. 2011. A comparison of the effects of preanesthetic administration of crystalloid versus colloid on intrathecal spread of isobaric spinal anesthetics and cerebrospinal fluid movement. *Anesth Analg*: 112:924-30.
- Sibai, B.M. 2009. Imitators of severe pre-eclampsia. *Semin Perinatol*: 33(3):196-205. doi: 10.1053/j.semperi.2009.02.004. PMID: 19464511.
- Song, J., Park, D.W., Moon, S., Cho, H.J., Park, J.H., Seok, H. and Choi, W.S., 2019. Diagnostic and prognostic value of interleukin-6, pentraxin 3, and procalcitonin levels among sepsis and septic shock patients: a prospective controlled study according to the Sepsis-3 definitions. *BMC infectious diseases*, 19(1), pp.1-11.

- Staff, AC. Johnsen, GM. Dechend, R. Redman, CW. 2014. Preeclampsia and uteroplacental acute atherosclerosis: immune and inflammatory factors. *J Reprod Immunol*: 101-102:120–126.
- Sykes, L. MacIntyre, DA. Yap, XJ. Teoh, TG. Bennett, PR. 2012. The Th1:Th2 dichotomy of pregnancy and preterm labour. *Mediators Inflamm*: 967629. doi: 10.1155/2012/967629
- Teng, P., Derong, X.U., Yang, J., Fengtong, L.I. and Jiang, C., 2014. Effects of preoperative parecoxib on interleukin 6 and postoperative analgesia for mastectomy. *The Journal of Clinical Anesthesiology*, (12), pp.1221-1222.
- The US Preventive Services Task Force. 2017. Screening for preeclampsia: U.S. Preventive Services Task Force recommendation statement external icon. *JAMA*: 317(16):1661–67.
- Treede, R.D. 2018. The International Association for the Study of Pain definition of pain: as valid in 2018 as in 1979, but in need of regularly updated footnotes. *Pain Rep*: 3(2):e643. Published 2018 Mar 5. doi:10.1097/PR9.0000000000000643
- Tsen, L. 2009. Anesthesia for cesarean delivery. In: Chestnut D, Polley L, Tsen L, Wong C, editors. *Obstetric anesthesia*. 4th ed. Philadelphia, PA: Mosby-Elsevier; 2009. p. 521–74
- Tukur, J. 2009. The use of magnesium sulphate for the treatment of severe pre-eclampsia and eclampsia. *Ann Afr Med*: 8(2):76.
- U.S. Food and Drug Administration. 2017. FDA drug safety communication: FDA restricts use of prescription codeine pain and cough medicines and tramadol pain medicines in children; recommends against use in breastfeeding women. Silver Spring (MD): FDA
- Umer, A. Ross-Richardson, C. Ellner, S. 2015. Incidence and risk factors for postoperative urinary retention: a retrospective, observational study with a literature review of preventive strategies. *Conn Med*: 79:587–92.
- Uzan, J. Carbonnel, M. Piconne, O. Asmar, R. Ayoubi, JM. 2011. Pre-eclampsia: pathophysiology, diagnosis, and management. *Vasc Health Risk Mgmt*: 7:467–474
- Vadivelu, N. Whitney, C. Sinatra, R. 2009. Pain Pathways and Acute Pain Processing. In H. McQuay (Author) & R. Sinatra, O. De Leon-Cassasola, E. Viscusi, & B. Ginsberg (Eds.), *Acute Pain Management* (pp. 3-20). Cambridge: Cambridge University Press. doi:10.1017/CBO9780511576706.003

- Van Bergen, T. Etienne, I. Cunningham, F. Moons, L. Schlingemann, RO. Feyen. JHM. Stit, AW. 2019. The role of placental growth factor (PlGF) and its receptor system in retinal vascular diseases. *Prog. Retin. Eye Res*: 69:116–136. doi: 10.1016/j.preteyeres.2018.10.006. [[PubMed](#)] [[CrossRef](#)] [[Google Scholar](#)] [[Ref list](#)]
- Veenhof, A.A., Vlug, M.S., van der Pas, M.H., Sietses, C., van der Peet, D.L., De Lange-De Klerk, E.S.M., Bonjer, H.J., Bemelman, W.A. and Cuesta, M.A., 2012. Surgical stress response and postoperative immune function after laparoscopy or open surgery with fast track or standard perioperative care: a randomized trial. *Annals of surgery*, 255(2), pp.216-221.
- Verdonk, K. Visser, W. Van Den Meiracker, AH. Danser, AH. 2014. The renin-angiotensin-aldosterone system in pre-eclampsia: the delicate balance between good and bad. *Clin Sci (Lond)*: 126(8):537–544
- Vincent, NTF. Darmayas, IM. Suardika, A. 2018. Risk factors of preeclampsia and eclampsia in Sanglah General Hospital from March 2016 to March 2017. Faculty of medicine, Udayana University.
- Vitoratos, N. Hassiakos, D. Iavazzo, C. 2012. Molecular Mechanisms of Preeclampsia. *J Pregnancy*: 145487. doi: 10.1155/2012/298343
- Vogl, S.E. Worda, C. Egarter, C. Bieglmayer, C. Szekeres, T. Huber, J. et al. 2006. Mode of delivery is associated with maternal and fetal endocrine stress response. *BJOG*: 113(4):441–5.
- Vosoughian, M., Dahi, M., Dabir, S., Moshari, M., Tabashi, S. and Mosavi, Z., 2021. Effects of General Anesthesia Versus Spinal Anesthesia on Serum Cytokine Release After Cesarean Section: A Randomized Clinical Trial. *Anesthesiology and Pain Medicine*, 11(2).
- Walsh SW. 2011. Prostaglandins In Pregnancy. Departemens of obstetrics and gynecology, and physiology and biophysics. Virginia Commonwealth University Medical Center. USA
- Wanderer, J.P. Leffert, L.R. Mhyre, J.M. Kuklina, E.V. Callaghan, W.M. Bateman, B.T. 2013. Epidemiology of obstetric-related ICU admissions in Maryland: 1999-2008*. *Crit Care Med*: 41:1844–52
- Wang, J. Huang, Y. Huang, Y. Zhou, J. Liu, X. 2010. Effect of lipoxin A(4) on IL-1beta production of monocytes and its possible mechanism in severe preeclampsia. *J Huazhong Univ Sci Technolog Med Sci* 30: 767–770.

- Williams, PJ. Searle, RF. Robson, SC 2009. Innes BA, Bulmer JN. Decidual Leucocyte Populations in Early to Late Gestation Normal Human Pregnancy. *J Reprod Immunol*: 82(1):24–31. doi: 10.1016/j.jri.2009.08.001
- Wolf, G. Livshits, D. Beilin, B. Yirmiya, R. Shavit, Y. 2008. Interleukin-1 signaling is required for induction and maintenance of postoperative incisional pain: genetic and pharmacological studies in mice. *Brain Behav Immun*: 22(7):1072-1077. doi: 10.1016/j.bbi.2008.03.005. Epub 2008 Apr 28. PMID: 18442892.
- World Health Organization Multicountry survey on maternal and newborn health. 2011. Geneva, World Health Organization
- Wood EM, Hornaday KK, Slater DM. 2021. Prostaglandins in biofluid in pregnancy and labour: A Systemic Review. *Plos One*. 16(11) pg.1-22
- Xiao, J. Yin, Y. Shen, F. Zhao, J. Chen, Q. 2012. Treatment with magnesium sulphate reduced the serum level of IL-6 in preeclamptic women. *Pregnancy Hypertens*: 2(3):177. doi: 10.1016/j.preghy.2012.04.007. Epub 2012 Jun 13. PMID: 26105220.
- Xu, L.L. Shen, J.J. Zhou, H.Y. 2010. Effects of parecoxib sodium preemptive analgesia on perioperative cytokine responses and stress responses in patients undergoing ophthalmology surgery. *Zhonghua Yi Xue Za Zhi*: 20;90(27):1893-6. Chinese. PMID: 20979906.
- Yadav, AK. Madan, T. Bernal, AL. 2011. Surfactant proteins A and D in pregnancy and parturition. *Front Biosci (Elite Ed)*: 1;3(1):291-300. doi: 10.2741/e244. PMID: 21196309.
- Yagami, T. Koma, H. Yamamoto, Y. 2016. Pathophysiological Roles of Cyclooxygenases and Prostaglandins in the Central Nervous System. *Mol Neurobiol*: 53(7):4754–71. doi: 10.1007/s12035-015-9355-3
- Yam, MF. Loh, YC. Tan, CS. Khadijah Adam, S. Abdul Manan, N. and Basir, R. 2018. General pathways of pain sensation and the major neurotransmitters involved in pain regulation. *International journal of molecular sciences*, 19(8), p.2164.
- Yokoyama, M. Itano, Y. Katayama, H. Morimatsu, H. Takeda, Y. Takahashi, T. Nagano, O. and Morita, K., 2005. The effects of continuous epidural anesthesia and analgesia on stress response and immune function in

patients undergoing radical esophagectomy. *Anesthesia & Analgesia*: 101(5), pp.1521-1527.

Zhang, J.M. An, J. 2007. Cytokines, inflammation, and pain. *Int Anesthesiol Clin*: 45(2):27-37. doi: 10.1097/AIA.0b013e318034194e. PMID: 17426506; PMCID: PMC2785020.

Zhang, X. and Wei, H. 2021. Role of decidual natural killer cells in human pregnancy and related pregnancy complications. *Frontiers in Immunology*, p.3421.

Zhu, XT. Chen, L. and Lin, JH. 2018. Selective COX-2 inhibitor versus non-selective COX-2 inhibitor for the prevention of heterotopic ossification after total hip arthroplasty: A meta-analysis. *Medicine*, 97(31).

Zhu, Y., Wang, S., Wu, H. and Wu, Y., 2014. Effect of perioperative parecoxib on postoperative pain and local inflammation factors PGE2 and IL-6 for total knee arthroplasty: a randomized, double-blind, placebo-controlled study. *European journal of orthopaedic surgery & traumatology*, 24(3), pp.395-401.

Zorko, N. Kamenik, M. Starc, V. 2009. The effect of Trendelenburg position, lactated ringer's solution and hydroxyethyl starch solution on cardiac output after spinal anesthesia. *Anesth Analg*: 108:655-9.

