

DAFTAR PUSTAKA

- Agrogiannis, G.D., Sifakis, S., Patsouris, E.S., Konstantinido, A.E., 2014. Insulin-like growth factors in embryonic and fetal growth and skeletal development (Review). *Mol. Med. Rep.* 10, 579–584. <https://doi.org/10.3892/mmr.2014.2258>
- Agurs-Collins, T., Rohrmann, S., Sutcliffe, C., Bienstock, J.L., Monsegue, D., Akereyeni, F., Bradwin, G., Rifai, N., Pollak, M.N., Platz, E.A., 2012. Racial variation in umbilical cord blood sex steroid hormones and the insulin-like growth factor axis in African-American and white female neonates. *Cancer Causes Control CCC* 23, 445–454. <https://doi.org/10.1007/s10552-011-9893-6>
- Ahn, J., Yu, K., Stolzenberg-Solomon, R., Simon, K.C., McCullough, M.L., Gallicchio, L., Jacobs, E.J., Ascherio, A., Helzlsouer, K., Jacobs, K.B., Li, Q., Weinstein, S.J., Purdue, M., Virtamo, J., Horst, R., Wheeler, W., Chanock, S., Hunter, D.J., Hayes, R.B., Kraft, P., Albanes, D., 2010. Genome-wide association study of circulating vitamin D levels. *Hum. Mol. Genet.* 19, 2739–2745. <https://doi.org/10.1093/hmg/ddq155>
- Aji, A.S., Desmawati, D., Yerizel, E., Lipoeto, N.I., 2018. The association between lifestyle and maternal vitamin D levels during pregnancy in West Sumatra, Indonesia. *Asia Pac. J. Clin. Nutr.* 27, 1286–1293. [https://doi.org/10.6133/apjcn.201811_27\(6\).0016](https://doi.org/10.6133/apjcn.201811_27(6).0016)
- Akram, S.K., Carlsson-Skwirut, C., Bhutta, Z.A., Söder, O., 2011. Placental IGF-I, IGFBP-1, zinc, and iron, and maternal and infant anthropometry at birth. *Acta Paediatr.* 100, 1504–1509. <https://doi.org/10.1111/j.1651-2227.2011.02336.x>
- Alshahrani, F., Aljohani, N., 2013. Vitamin D: Deficiency, Sufficiency and Toxicity. *Nutrients* 5, 3605–3616. <https://doi.org/10.3390/nu5093605>
- Amato, G., Izzo, G., La Montagna, G., Bellastella, A., 1996. Low dose recombinant human growth hormone normalizes bone metabolism and cortical bone density and improves trabecular bone density in growth hormone deficient adults without causing adverse effects. *Clin. Endocrinol. (Oxf.)* 45, 27–32.
- Ameri, P., Giusti, A., Boschetti, M., Bovio, M., Teti, C., Leoncini, G., Ferone, D., Murialdo, G., Minuto, F., 2013a. Vitamin D increases circulating IGF1 in adults: potential implication for the treatment of GH deficiency. *Eur. J. Endocrinol.* 169, 767–772. <https://doi.org/10.1530/EJE-13-0510>
- Ameri, P., Giusti, A., Boschetti, M., Murialdo, G., Minuto, F., Ferone, D., 2013b. Interactions between vitamin D and IGF-I: from physiology to clinical practice. *Clin. Endocrinol. (Oxf.)* 79, 457–463. <https://doi.org/10.1111/cen.12268>
- Baggerly, C.A., Cuomo, R.E., French, C.B., Garland, C.F., Gorham, E.D., Grant, W.B., Heaney, R.P., Holick, M.F., Hollis, B.W., McDonnell, S.L., Pittaway, M., Seaton, P., Wagner, C.L., Wunsch, A., 2015. Sunlight and Vitamin D: Necessary for Public Health. *J. Am. Coll. Nutr.* 34, 359–365. <https://doi.org/10.1080/07315724.2015.1039866>
- Bai, Y., Yu, Y., Yu, B., Ge, J., Ji, J., Lu, H., Wei, J., Weng, Z., Tao, Z., Lu, J., 2009. Association of vitamin D receptor polymorphisms with the risk of prostate cancer in the Han population of Southern China. *BMC Med. Genet.* 10, 125. <https://doi.org/10.1186/1471-2350-10-125>

- Balding, D.J., 2006. A tutorial on statistical methods for population association studies. *Nat. Rev. Genet.* 7, 781–791. <https://doi.org/10.1038/nrg1916>
- Bardosono, S., 2016. Maternal Micronutrient Deficiency during the First Trimester among Indonesian Pregnant Women Living in Jakarta. *J. Kedokt. Univ. Indones.* 4, 76–81. <https://doi.org/10.23886/ejki.4.6281.76-81>
- Batai, K., Murphy, A.B., Shah, E., Ruden, M., Newsome, J., Agate, S., Dixon, M.A., Chen, H.Y., Deane, L.A., Hollowell, C.M.P., Ahaghotu, C., Kittles, R.A., 2014a. Common vitamin D pathway gene variants reveal contrasting effects on serum vitamin D levels in African Americans and European Americans. *Hum. Genet.* 133, 1395–1405. <https://doi.org/10.1007/s00439-014-1472-y>
- Batai, K., Murphy, A.B., Shah, E., Ruden, M., Newsome, J., Agate, S., Dixon, M.A., Chen, H.Y., Deane, L.A., Hollowell, C.M.P., Ahaghotu, C., Kittles, R.A., 2014b. Common vitamin D pathway gene variants reveal contrasting effects on serum vitamin D levels in African Americans and European Americans. *Hum. Genet.* 133, 1395–1405. <https://doi.org/10.1007/s00439-014-1472-y>
- Bener, A., Al-Hamaq, A.O., Saleh, N.M., 2013. Association between vitamin D insufficiency and adverse pregnancy outcome: global comparisons. *Int. J. Womens Health* 5, 523–531. <https://doi.org/10.2147/IJWH.S51403>
- Bener, A., Alsaied, A., Al-Ali, M., Hassan, A.S., Basha, B., Al-Kubaisi, A., Abraham, A., Mian, M., Guiter, G., Tewfik, I., 2008. Impact of lifestyle and dietary habits on hypovitaminosis D in type 1 diabetes mellitus and healthy children from Qatar, a sun-rich country. *Ann. Nutr. Metab.* 53, 215–222. <https://doi.org/10.1159/000184439>
- Berry, D.J., Vimalaswaran, K.S., Whittaker, J.C., Hingorani, A.D., Hyppönen, E., 2012. Evaluation of Genetic Markers as Instruments for Mendelian Randomization Studies on Vitamin D. *PLOS ONE* 7, e37465. <https://doi.org/10.1371/journal.pone.0037465>
- Bhatia, S., Faessen, G.H., Carland, G., Balise, R.L., Gargosky, S.E., Druzin, M., El-Sayed, Y., Wilson, D.M., Giudice, L.C., 2002. A longitudinal analysis of maternal serum insulin-like growth factor I (IGF-I) and total and nonphosphorylated IGF-binding protein-1 in human pregnancies complicated by intrauterine growth restriction. *J. Clin. Endocrinol. Metab.* 87, 1864–1870. <https://doi.org/10.1210/jcem.87.4.8418>
- Bhupornvivat, N., Phupong, V., 2017. Serum 25-hydroxyvitamin D in pregnant women during preterm labor. *Asia Pac. J. Clin. Nutr.* 26, 287–290. <https://doi.org/10.6133/apjcn.112015.11>
- Bikle, D.D., 2014. Vitamin D Metabolism, Mechanism of Action, and Clinical Applications. *Chem. Biol.* 21, 319–329. <https://doi.org/10.1016/j.chembiol.2013.12.016>
- Bischoff-Ferrari, H.A., Giovannucci, E., Willett, W.C., Dietrich, T., Dawson-Hughes, B., 2006. Estimation of optimal serum concentrations of 25-hydroxyvitamin D for multiple health outcomes. *Am. J. Clin. Nutr.* 84, 18–28.
- Björn, L.O., Wang, T., 2000. Vitamin D in an ecological context. *Int. J. Circumpolar Health* 59, 26–32.

- Bodnar, L.M., Catov, J.M., Roberts, J.M., Simhan, H.N., 2007. Prepregnancy obesity predicts poor vitamin D status in mothers and their neonates. *J. Nutr.* 137, 2437–2442.
- Bodnar, L.M., Catov, J.M., Zmuda, J.M., Cooper, M.E., Parrott, M.S., Roberts, J.M., Marazita, M.L., Simhan, H.N., 2010. Maternal Serum 25-Hydroxyvitamin D Concentrations Are Associated with Small-for-Gestational Age Births in White Women. *J. Nutr.* 140, 999–1006. <https://doi.org/10.3945/jn.109.119636>
- Bodnar, L.M., Simhan, H.N., Catov, J.M., Roberts, J.M., Platt, R.W., Diesel, J.C., Klebanoff, M.A., 2014. Maternal vitamin D status and the risk of mild and severe preeclampsia. *Epidemiol. Camb. Mass* 25, 207–214. <https://doi.org/10.1097/EDE.0000000000000039>
- Bogazzi, F., Rossi, G., Lombardi, M., Tomisti, L., Sardella, C., Manetti, L., Curzio, O., Marcocci, C., Grasso, L., Gasperi, M., Martino, E., 2011. Vitamin D status may contribute to serum insulin-like growth factor I concentrations in healthy subjects. *J. Endocrinol. Invest.* 34, e200–203. <https://doi.org/10.3275/7228>
- Bourlon, P.M., Billaudel, B., Faure-Dussert, A., 1999. Influence of vitamin D3 deficiency and 1,25 dihydroxyvitamin D3 on de novo insulin biosynthesis in the islets of the rat endocrine pancreas. *J. Endocrinol.* 160, 87–95.
- Bowyer, L., Catling-Paull, C., Diamond, T., Homer, C., Davis, G., Craig, M.E., 2009. Vitamin D, PTH and calcium levels in pregnant women and their neonates. *Clin. Endocrinol. (Oxf.)* 70, 372–377. <https://doi.org/10.1111/j.1365-2265.2008.03316.x>
- Bu, F.-X., Armas, L., Lappe, J., Zhou, Y., Gao, G., Wang, H.-W., Recker, R., Zhao, L.-J., 2010a. Comprehensive association analysis of nine candidate genes with serum 25-hydroxy vitamin D levels among healthy Caucasian subjects. *Hum. Genet.* 128, 549–556. <https://doi.org/10.1007/s00439-010-0881-9>
- Bu, F.-X., Armas, L., Lappe, J., Zhou, Y., Gao, G., Wang, H.-W., Recker, R., Zhao, L.-J., 2010b. Comprehensive association analysis of nine candidate genes with serum 25-hydroxy vitamin D levels among healthy Caucasian subjects. *Hum. Genet.* 128, 549–556. <https://doi.org/10.1007/s00439-010-0881-9>
- Bukhary, N.B.I., Isa, Z.M., Shamsuddin, K., Lin, K.G., Mahdy, Z.A., Hassan, H., Yeop, N.S.H., 2016. Risk factors for antenatal hypovitaminosis D in an urban district in Malaysia. *BMC Pregnancy Childbirth* 16, 156. <https://doi.org/10.1186/s12884-016-0939-3>
- Cabaset, S., Krieger, J.-P., Richard, A., Elgizouli, M., Nieters, A., Rohrmann, S., Quack Lötscher, K.C., 2019. Vitamin D status and its determinants in healthy pregnant women living in Switzerland in the first trimester of pregnancy. *BMC Pregnancy Childbirth* 19, 10. <https://doi.org/10.1186/s12884-018-2150-1>
- Carol, W., Sarah N., T., Adekunle, D., 2012. Vitamin D and Its Role During Pregnancy in Attaining an Optimal Health of Mother and Fetus. *Nutrients* 4, 208–230.
- Cashman, K.D., Dowling, K.G., Škrabáková, Z., Gonzalez-Gross, M., Valtueña, J., Henauw, S.D., Moreno, L., Damsgaard, C.T., Michaelsen, K.F., Mølgaard, C., Jorde, R., Grimnes, G., Moschonis, G., Mavrogianni, C., Manios, Y., Thamm, M., Mensink, G.B., Rabenberg, M., Busch, M.A., Cox, L., Meadows, S., Goldberg, G., Prentice, A., Dekker, J.M., Nijpels, G., Pilz, S., Swart, K.M., Schoor, N.M. van,

- Lips, P., Eiriksdottir, G., Gudnason, V., Cotch, M.F., Koskinen, S., Lamberg-Allardt, C., Durazo-Arvizu, R.A., Sempos, C.T., Kiely, M., 2016. Vitamin D deficiency in Europe: pandemic? *Am. J. Clin. Nutr.* *ajcn120873*. <https://doi.org/10.3945/ajcn.115.120873>
- Charatcharoenwitthaya, N., Nanthakomon, T., Somprasit, C., Chanthasenanon, A., Chailurkit, L., Pattaraarchachai, J., Ongphiphadhanakul, B., 2013. Maternal vitamin D status, its associated factors and the course of pregnancy in Thai women. *Clin. Endocrinol. (Oxf.)* *78*, 126–133. <https://doi.org/10.1111/j.1365-2265.2012.04470.x>
- Che, R., Motsinger-Reif, A.A., 2013. Evaluation of genetic risk score models in the presence of interaction and linkage disequilibrium. *Front. Genet.* *4*. <https://doi.org/10.3389/fgene.2013.00138>
- Chen, T.C., Chimeh, F., Lu, Z., Mathieu, J., Person, K.S., Zhang, A., Kohn, N., Martinello, S., Berkowitz, R., Holick, M.F., 2007. Factors that influence the cutaneous synthesis and dietary sources of vitamin D. *Arch. Biochem. Biophys.*, Highlight Issue: Vitamin D *460*, 213–217. <https://doi.org/10.1016/j.abb.2006.12.017>
- Chen, Y., Zhu, B., Wu, X., Li, S., Tao, F., 2017. Association between maternal vitamin D deficiency and small for gestational age: evidence from a meta-analysis of prospective cohort studies. *BMJ Open* *7*, e016404. <https://doi.org/10.1136/bmjopen-2017-016404>
- Chen, Y.-H., Fu, L., Hao, J.-H., Yu, Z., Zhu, P., Wang, H., Xu, Y.-Y., Zhang, C., Tao, F.-B., Xu, D.-X., 2015. Maternal Vitamin D Deficiency During Pregnancy Elevates the Risks of Small for Gestational Age and Low Birth Weight Infants in Chinese Population. *J. Clin. Endocrinol. Metab.* *100*, 1912–1919. <https://doi.org/10.1210/jc.2014-4407>
- Cheng, J.B., Motola, D.L., Mangelsdorf, D.J., Russell, D.W., 2003. De-orphanization of cytochrome P450 2R1: a microsomal vitamin D 25-hydroxylase. *J. Biol. Chem.* *278*, 38084–38093. <https://doi.org/10.1074/jbc.M307028200>
- Chiesa, C., Osborn, J.F., Haass, C., Natale, F., Spinelli, M., Scapillati, E., Spinelli, A., Pacifico, L., 2008. Ghrelin, leptin, IGF-I, IGFBP-3, and insulin concentrations at birth: is there a relationship with fetal growth and neonatal anthropometry? *Clin. Chem.* *54*, 550–558. <https://doi.org/10.1373/clinchem.2007.095299>
- Christakos, S., Ajibade, D.V., Dhawan, P., Fechner, A.J., Mady, L.J., 2010. Vitamin D: metabolism. *Endocrinol. Metab. Clin. North Am.* *39*, 243–253, table of contents. <https://doi.org/10.1016/j.ecl.2010.02.002>
- Clemmons, D.R., 2012. Metabolic Actions of IGF-I in Normal Physiology and Diabetes. *Endocrinol. Metab. Clin. North Am.* *41*, 425–443. <https://doi.org/10.1016/j.ecl.2012.04.017>
- Clemmons, D.R., 2006. Involvement of insulin-like growth factor-I in the control of glucose homeostasis. *Curr. Opin. Pharmacol.* *6*, 620–625. <https://doi.org/10.1016/j.coph.2006.08.006>
- Colao, A., 2008. The GH-IGF-I axis and the cardiovascular system: clinical implications. *Clin. Endocrinol. (Oxf.)* *69*, 347–358. <https://doi.org/10.1111/j.1365-2265.2008.03292.x>

- Cooke Bailey, J.N., Igo, R.P., 2016a. Genetic Risk Scores. *Curr. Protoc. Hum. Genet.* 91, 1.29.1-1.29.9. <https://doi.org/10.1002/cphg.20>
- Cooke Bailey, J.N., Igo, R.P., 2016b. Genetic Risk Scores. *Curr. Protoc. Hum. Genet.* 91, 1.29.1-1.29.9. <https://doi.org/10.1002/cphg.20>
- Coşkun, S., Şimşek, Ş., Camkurt, M.A., Çim, A., Çelik, S.B., 2016. Association of polymorphisms in the vitamin D receptor gene and serum 25-hydroxyvitamin D levels in children with autism spectrum disorder. *Gene* 588, 109–114. <https://doi.org/10.1016/j.gene.2016.05.004>
- Crow, J.F., 1999. Hardy, Weinberg and language impediments. *Genetics* 152, 821–825.
- Crowe, F.L., Key, T.J., Allen, N.E., Appleby, P.N., Roddam, A., Overvad, K., Grønbaek, H., Tjønneland, A., Halkjaer, J., Dossus, L., Boeing, H., Kröger, J., Trichopoulou, A., Dilis, V., Trichopoulos, D., Boutron-Ruault, M.-C., De Lauzon, B., Clavel-Chapelon, F., Palli, D., Berrino, F., Panico, S., Tumino, R., Sacerdote, C., Bueno-de-Mesquita, H.B., Vrieling, A., van Gils, C.H., Peeters, P.H.M., Gram, I.T., Skeie, G., Lund, E., Rodríguez, L., Jakszyn, P., Molina-Montes, E., Tormo, M.J., Barricarte, A., Larrañaga, N., Khaw, K.-T., Bingham, S., Rinaldi, S., Slimani, N., Norat, T., Gallo, V., Riboli, E., Kaaks, R., 2009. The association between diet and serum concentrations of IGF-I, IGFBP-1, IGFBP-2, and IGFBP-3 in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiol. Biomark. Prev. Publ. Am. Assoc. Cancer Res. Cosponsored Am. Soc. Prev. Oncol.* 18, 1333–1340. <https://doi.org/10.1158/1055-9965.EPI-08-0781>
- Dakin, S., Armstrong, J.S., 1989. Predicting job performance: A comparison of expert opinion and research findings. *Int. J. Forecast.* 5, 187–194. [https://doi.org/10.1016/0169-2070\(89\)90086-1](https://doi.org/10.1016/0169-2070(89)90086-1)
- Deepa Singh, 2016. Vitamin D Status in Pregnant Women of Udaipur. *Biochem Anal Biochem* 5, 1–3. <https://doi.org/10.4172/2161-1009.1000280>
- Deiber, M., Chatelain, P., Naville, D., Putet, G., Salle, B., 1989. Functional hypersomatotropism in small for gestational age (SGA) newborn infants. *J. Clin. Endocrinol. Metab.* 68, 232–234. <https://doi.org/10.1210/jcem-68-1-232>
- Dent, C.E., Gupta, M.M., 1975. Plasma 25-hydroxyvitamin-D-levels during pregnancy in Caucasians and in vegetarian and non-vegetarian Asians. *Lancet Lond. Engl.* 2, 1057–1060.
- Díaz, L., Noyola-Martínez, N., Barrera, D., Hernández, G., Avila, E., Halhali, A., Larrea, F., 2009. Calcitriol inhibits TNF-alpha-induced inflammatory cytokines in human trophoblasts. *J. Reprod. Immunol.* 81, 17–24. <https://doi.org/10.1016/j.jri.2009.02.005>
- Dina Keumala Sari, 2017. Vitamin D supplementation increased 25(OH)D serum levels but did not reach normal range in North Sumatera women with vitamin D receptor gene polymorphism, in: *Innovations in Nutrition, Food Sciences and Public Health. Presented at the 10th World Congress on Nutrition and Food Sciences, Journal of Nutrition and Food Sciences, JAPAN.*
- Dina Keumala Sari, 2013. Are avoiding sunlight exposure and low physical activity resulting micro evolution in tropical country women? *Sci. Res. J.* 1.

- Ding, N., Yu, R.T., Subramaniam, N., Sherman, M.H., Wilson, C., Rao, R., Leblanc, M., Coulter, S., He, M., Scott, C., Lau, S.L., Atkins, A.R., Barish, G.D., Gunton, J.E., Liddle, C., Downes, M., Evans, R.M., 2013. A vitamin D receptor/SMAD genomic circuit gates hepatic fibrotic response. *Cell* 153, 601–613. <https://doi.org/10.1016/j.cell.2013.03.028>
- Díaz, E., Halhali, A., Luna, C., Díaz, L., Avila, E., Larrea, F., 2002. Newborn Birth Weight Correlates with Placental Zinc, Umbilical Insulin-Like Growth Factor I, and Leptin Levels in Preeclampsia. *Arch. Med. Res.* 33, 40–47. [https://doi.org/10.1016/S0188-4409\(01\)00364-2](https://doi.org/10.1016/S0188-4409(01)00364-2)
- Donati, L., Di Vico, A., Nucci, M., Quagliozzi, L., Spagnuolo, T., Labianca, A., Bracaglia, M., Ianniello, F., Caruso, A., Paradisi, G., 2010. Vaginal microbial flora and outcome of pregnancy. *Arch. Gynecol. Obstet.* 281, 589–600. <https://doi.org/10.1007/s00404-009-1318-3>
- Duan, L., Xue, Z., Ji, H., Zhang, D., Wang, Y., 2018. Effects of CYP2R1 gene variants on vitamin D levels and status: A systematic review and meta-analysis. *Gene* 678, 361–369. <https://doi.org/10.1016/j.gene.2018.08.056>
- Dudbridge, F., 2016. Polygenic Epidemiology. *Genet. Epidemiol.* 40, 268–272. <https://doi.org/10.1002/gepi.21966>
- Dudbridge, F., 2013. Power and predictive accuracy of polygenic risk scores. *PLoS Genet.* 9, e1003348. <https://doi.org/10.1371/journal.pgen.1003348>
- Durazo-Arvizu, R.A., Camacho, P., Bovet, P., Forrester, T., Lambert, E.V., Plange-Rhule, J., Hoofnagle, A.N., Aloia, J., Tayo, B., Dugas, L.R., Cooper, R.S., Luke, A., 2014. 25-Hydroxyvitamin D in African-origin populations at varying latitudes challenges the construct of a physiologic norm¹²³. *Am. J. Clin. Nutr.* 100, 908–914. <https://doi.org/10.3945/ajcn.113.066605>
- Eelen, G., 2005. *Molecular Modes of Action of 1 α ,25-dihydroxyvitamin D₃ & Analogs*. Leuven University Press.
- Efstratiadis, A., 1998. Genetics of mouse growth. *Int. J. Dev. Biol.* 42, 955–976.
- Emerah, A.A., El-Shal, A.S., 2013. Role of vitamin D receptor gene polymorphisms and serum 25-hydroxyvitamin D level in Egyptian female patients with systemic lupus erythematosus. *Mol. Biol. Rep.* 40, 6151–6162. <https://doi.org/10.1007/s11033-013-2726-9>
- Engelman, C.D., Meyers, K.J., Iyengar, S.K., Liu, Z., Karki, C.K., Igo, R.P., Truitt, B., Robinson, J., Sarto, G.E., Wallace, R., Blodi, B.A., Klein, M.L., Tinker, L., LeBlanc, E.S., Jackson, R.D., Song, Y., Manson, J.E., Mares, J.A., Millen, A.E., 2013. Vitamin D Intake and Season Modify the Effects of the GC and CYP2R1 Genes on 25-Hydroxyvitamin D Concentrations¹²³. *J. Nutr.* 143, 17–26. <https://doi.org/10.3945/jn.112.169482>
- Falletti, E., Bitetto, D., Fabris, C., Fattovich, G., Cussigh, A., Cmet, S., Ceriani, E., Fornasiere, E., Pasino, M., Ieluzzi, D., Pirisi, M., Toniutto, P., 2012. Vitamin D binding protein gene polymorphisms and baseline vitamin D levels as predictors of antiviral response in chronic hepatitis C. *Hepatol. Baltim. Md* 56, 1641–1650. <https://doi.org/10.1002/hep.25848>
- Fang, J., Mao, D., Smith, C.H., Fant, M.E., 2006. IGF regulation of neutral amino acid transport in the BeWo choriocarcinoma cell line (b30 clone): evidence for MAP

- kinase-dependent and MAP kinase-independent mechanisms. *Growth Horm. IGF Res. Off. J. Growth Horm. Res. Soc. Int. IGF Res. Soc.* 16, 318–325. <https://doi.org/10.1016/j.ghir.2006.08.002>
- Fischer, P.R., Thacher, T.D., Pettifor, J.M., Jorde, L.B., Eccleshall, T.R., Feldman, D., 2000. Vitamin D receptor polymorphisms and nutritional rickets in Nigerian children. *J. Bone Miner. Res. Off. J. Am. Soc. Bone Miner. Res.* 15, 2206–2210. <https://doi.org/10.1359/jbmr.2000.15.11.2206>
- Flood-Nichols, S.K., Tinnemore, D., Huang, R.R., Napolitano, P.G., Ippolito, D.L., 2015. Vitamin D Deficiency in Early Pregnancy. *PLoS ONE* 10. <https://doi.org/10.1371/journal.pone.0123763>
- Forbes, K., Westwood, M., 2010. Maternal growth factor regulation of human placental development and fetal growth. *J. Endocrinol.* 207, 1–16. <https://doi.org/10.1677/JOE-10-0174>
- Forouhi, N.G., Luan, J., Cooper, A., Boucher, B.J., Wareham, N.J., 2008. Baseline Serum 25-Hydroxy Vitamin D Is Predictive of Future Glycemic Status and Insulin Resistance. *Diabetes* 57, 2619–2625. <https://doi.org/10.2337/db08-0593>
- Francis, E.C., Hinkle, S.N., Song, Y., Rawal, S., Donnelly, S.R., Zhu, Y., Chen, L., Zhang, C., 2018. Longitudinal Maternal Vitamin D Status during Pregnancy Is Associated with Neonatal Anthropometric Measures. *Nutrients* 10. <https://doi.org/10.3390/nu10111631>
- Gascon-Barré, M., Demers, C., Mirshahi, A., Néron, S., Zalzal, S., Nanci, A., 2003. The normal liver harbors the vitamin D nuclear receptor in nonparenchymal and biliary epithelial cells. *Hepatology* 37, 1034–1042. <https://doi.org/10.1053/jhep.2003.50176>
- Gatford, K.L., Heinemann, G.K., Thompson, S.D., Zhang, J.V., Buckberry, S., Owens, J.A., Dekker, G.A., Roberts, C.T., SCOPE Consortium, 2014. Circulating IGF1 and IGF2 and SNP genotypes in men and pregnant and non-pregnant women. *Endocr. Connect.* 3, 138–149. <https://doi.org/10.1530/EC-14-0068>
- Gernand, A.D., Simhan, H.N., Caritis, S., Bodnar, L.M., 2014. Maternal Vitamin D Status and Small-for-Gestational-Age Offspring in Women at High Risk for Preeclampsia. *Obstet. Gynecol.* 123, 40–48. <https://doi.org/10.1097/AOG.0000000000000049>
- Gibson, R.S., 2005. *Principles of nutritional assessment*. Oxford University Press, New York; Oxford.
- Ginde, A.A., Sullivan, A.F., Mansbach, J.M., Camargo, C.A., 2010. Vitamin D insufficiency in pregnant and nonpregnant women of childbearing age in the United States. *Am. J. Obstet. Gynecol.* 202, 436.e1–8. <https://doi.org/10.1016/j.ajog.2009.11.036>
- Green, T.J., Skeaff, C.M., Rockell, J.E.P., Venn, B.J., Lambert, A., Todd, J., Khor, G.L., Loh, S.P., Muslimatun, S., Agustina, R., Whiting, S.J., 2008. Vitamin D status and its association with parathyroid hormone concentrations in women of child-bearing age living in Jakarta and Kuala Lumpur. *Eur. J. Clin. Nutr.* 62, 373–378. <https://doi.org/10.1038/sj.ejcn.1602696>
- Greene-Finestone, L.S., Berger, C., de Groh, M., Hanley, D.A., Hidiroglou, N., Sarafin, K., Poliquin, S., Krieger, J., Richards, J.B., Goltzman, D., CaMos Research Group,

2011. 25-Hydroxyvitamin D in Canadian adults: biological, environmental, and behavioral correlates. *Osteoporos. Int.* 22, 1389–1399. <https://doi.org/10.1007/s00198-010-1362-7>
- Greer, F.R., 2008. 25-Hydroxyvitamin D: functional outcomes in infants and young children. *Am. J. Clin. Nutr.* 88, 529S-533S.
- Gür, E.B., Turan, G.A., Tatar, S., Gökduman, A., Karadeniz, M., Çelik, G., Genç, M., Güçlü, S., 2014. The effect of place of residence and lifestyle on vitamin D deficiency in pregnancy: Comparison of eastern and western parts of Turkey. *J. Turk. Ger. Gynecol. Assoc.* 15, 149–155. <https://doi.org/10.5152/jtgga.2014.13048>
- Hajiahmadi, M., Shafi, H., Delavar, M.A., 2015. Impact of Parity on Obesity: A Cross-Sectional Study in Iranian Women. *Med. Princ. Pract.* 24, 70–74. <https://doi.org/10.1159/000368358>
- Halhali, A., Díaz, L., Sánchez, I., Garabédian, M., Bourges, H., Larrea, F., 1999. Effects of IGF-I on 1,25-dihydroxyvitamin D(3) synthesis by human placenta in culture. *Mol. Hum. Reprod.* 5, 771–776.
- Hall, L.M., Kimlin, M.G., Aronov, P.A., Hammock, B.D., Slusser, J.R., Woodhouse, L.R., Stephensen, C.B., 2010. Vitamin D intake needed to maintain target serum 25-hydroxyvitamin D concentrations in participants with low sun exposure and dark skin pigmentation is substantially higher than current recommendations. *J. Nutr.* 140, 542–550. <https://doi.org/10.3945/jn.109.115253>
- Hanieh, S., Ha, T.T., Simpson, J.A., Thuy, T.T., Khuong, N.C., Thoang, D.D., Tran, T.D., Tuan, T., Fisher, J., Biggs, B.-A., 2014. Maternal Vitamin D Status and Infant Outcomes in Rural Vietnam: A Prospective Cohort Study. *PLOS ONE* 9, e99005. <https://doi.org/10.1371/journal.pone.0099005>
- Hankins, M., Smith, H., 2007. GPAQ. *Br. J. Gen. Pract.* 57, 994.
- Hart, P.H., Lucas, R.M., Walsh, J.P., Zosky, G.R., Whitehouse, A.J.O., Zhu, K., Allen, K.L., Kusel, M.M., Anderson, D., Mountain, J.A., 2015. Vitamin D in Fetal Development: Findings From a Birth Cohort Study. *Pediatrics* 135, e167–e173. <https://doi.org/10.1542/peds.2014-1860>
- Harvey, N.C., Holroyd, C., Ntani, G., Javaid, K., Cooper, P., Moon, R., Cole, Z., Tinati, T., Godfrey, K., Dennison, E., Bishop, N.J., Baird, J., Cooper, C., 2014. Vitamin D supplementation in pregnancy: a systematic review. *Health Technol. Assess. Winch. Engl.* 18, 1–190. <https://doi.org/10.3310/hta18450>
- Haugen, M., Brantsæter, A., Trogstad, L., Alexander, J., Roth, C., Magnus, P., Meltzer, H., 2009. Vitamin D Supplementation and Reduced Risk of Preeclampsia in Nulliparous Women. *Epidemiology* 20, 720–726. <https://doi.org/10.1097/EDE.0b013e3181a70f08>
- Haussler, M.R., Haussler, C.A., Whitfield, G.K., Hsieh, J.-C., Thompson, P.D., Barthel, T.K., Bartik, L., Egan, J.B., Wu, Y., Kubicek, J.L., Lowmiller, C.L., Moffet, E.W., Forster, R.E., Jurutka, P.W., 2010. The nuclear vitamin D receptor controls the expression of genes encoding factors which feed the “Fountain of Youth” to mediate healthful aging. *J. Steroid Biochem. Mol. Biol.* 121, 88–97. <https://doi.org/10.1016/j.jsbmb.2010.03.019>

- Heaney, R.P., 2004. Functional indices of vitamin D status and ramifications of vitamin D deficiency. *Am. J. Clin. Nutr.* 80, 1706S-1709S. <https://doi.org/10.1093/ajcn/80.6.1706S>
- Hernandez, L.M., Blazer, D.G., Institute of Medicine (US) Committee on Assessing Interactions Among Social, B., 2006. *Genetics and Health*. National Academies Press (US).
- Hien, V.T.T., Lam, N.T., Skeaff, C.M., Todd, J., McLean, J.M., Green, T.J., 2012. Vitamin D status of pregnant and non-pregnant women of reproductive age living in Hanoi City and the Hai Duong province of Vietnam. *Matern. Child. Nutr.* 8, 533–539. <https://doi.org/10.1111/j.1740-8709.2011.00327.x>
- Higgins, M.F., Russell, N.E., Crossey, P.A., Nyhan, K.C., Brazil, D.P., McAuliffe, F.M., 2012. Maternal and Fetal Placental Growth Hormone and IGF Axis in Type 1 Diabetic Pregnancy. *PLoS ONE* 7. <https://doi.org/10.1371/journal.pone.0029164>
- Holick, M.F., 2007a. Vitamin D Deficiency. *N. Engl. J. Med.* 357, 266–281. <https://doi.org/10.1056/NEJMra070553>
- Holick, M.F., 2007b. Vitamin D Deficiency. *N. Engl. J. Med.* 357, 266–281. <https://doi.org/10.1056/NEJMra070553>
- Holick, M.F., 2006. High prevalence of vitamin D inadequacy and implications for health. *Mayo Clin. Proc.* 81, 353–373. <https://doi.org/10.4065/81.3.353>
- Holick, M.F., 2004. Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am. J. Clin. Nutr.* 79, 362–371.
- Holick, M.F., Binkley, N.C., Bischoff-Ferrari, H.A., Gordon, C.M., Hanley, D.A., Heaney, R.P., Murad, M.H., Weaver, C.M., Endocrine Society, 2011. Evaluation, treatment, and prevention of vitamin D deficiency: an Endocrine Society clinical practice guideline. *J. Clin. Endocrinol. Metab.* 96, 1911–1930. <https://doi.org/10.1210/jc.2011-0385>
- Holick, M.F., Chen, T.C., 2008a. Vitamin D deficiency: a worldwide problem with health consequences. *Am. J. Clin. Nutr.* 87, 1080S-1086S.
- Holick, M.F., Chen, T.C., 2008b. Vitamin D deficiency: a worldwide problem with health consequences. *Am. J. Clin. Nutr.* 87, 1080S–6S.
- Holmes, R.P., Kummerow, F.A., 1983. The relationship of adequate and excessive intake of vitamin D to health and disease. *J. Am. Coll. Nutr.* 2, 173–199.
- Hosseini-nezhad, A., Holick, M.F., 2013. Vitamin D for Health: A Global Perspective. *Mayo Clin. Proc. Mayo Clin.* 88, 720–755. <https://doi.org/10.1016/j.mayocp.2013.05.011>
- Hosseini-nezhad, A., Holick, M.F., 2012. Optimize dietary intake of vitamin D: an epigenetic perspective. *Curr. Opin. Clin. Nutr. Metab. Care* 15, 567–579. <https://doi.org/10.1097/MCO.0b013e3283594978>
- Hüls, A., Ickstadt, K., Schikowski, T., Krämer, U., 2017a. Detection of gene-environment interactions in the presence of linkage disequilibrium and noise by using genetic risk scores with internal weights from elastic net regression. *BMC Genet.* 18, 55. <https://doi.org/10.1186/s12863-017-0519-1>

- Hüls, A., Krämer, U., Carlsten, C., Schikowski, T., Ickstadt, K., Schwender, H., 2017b. Comparison of weighting approaches for genetic risk scores in gene-environment interaction studies. *BMC Genet.* 18. <https://doi.org/10.1186/s12863-017-0586-3>
- Hüls, A., Krämer, U., Carlsten, C., Schikowski, T., Ickstadt, K., Schwender, H., 2017c. Comparison of weighting approaches for genetic risk scores in gene-environment interaction studies. *BMC Genet.* 18. <https://doi.org/10.1186/s12863-017-0586-3>
- Hyppönen, E., Boucher, B.J., Berry, D.J., Power, C., 2008. 25-hydroxyvitamin D, IGF-1, and metabolic syndrome at 45 years of age: a cross-sectional study in the 1958 British Birth Cohort. *Diabetes* 57, 298–305. <https://doi.org/10.2337/db07-1122>
- Ikezoe, T., Tanosaki, S., Krug, U., Liu, B., Cohen, P., Taguchi, H., Koeffler, H.P., 2004. Insulin-like growth factor binding protein-3 antagonizes the effects of retinoids in myeloid leukemia cells. *Blood* 104, 237–242. <https://doi.org/10.1182/blood-2003-07-2203>
- Institute of Medicine, 2011. Dietary Reference Intakes for Calcium and Vitamin D. The National Academies Press, Washington, DC.
- Institute of Medicine, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines, The National Academies Collection: Reports funded by National Institutes of Health. National Academies Press (US), Washington (DC).
- Irani, R.A., Xia, Y., 2008. The Functional Role of the Renin–Angiotensin System in Pregnancy and Preeclampsia. *Placenta* 29, 763–771. <https://doi.org/10.1016/j.placenta.2008.06.011>
- Jääskeläinen, T., Knekt, P., Marniemi, J., Sares-Jäske, L., Männistö, S., Heliövaara, M., Järvinen, R., 2013. Vitamin D status is associated with sociodemographic factors, lifestyle and metabolic health. *Eur. J. Nutr.* 52, 513–525. <https://doi.org/10.1007/s00394-012-0354-0>
- Jan Mohamed, H.J., Rowan, A., Fong, B., Loy, S.-L., 2014. Maternal Serum and Breast Milk Vitamin D Levels: Findings from the Universiti Sains Malaysia Pregnancy Cohort Study. *PLoS ONE* 9. <https://doi.org/10.1371/journal.pone.0100705>
- Janssens, W., Bouillon, R., Claes, B., Carremans, C., Lehouck, A., Buyschaert, I., Coolen, J., Mathieu, C., Decramer, M., Lambrechts, D., 2010. Vitamin D deficiency is highly prevalent in COPD and correlates with variants in the vitamin D-binding gene. *Thorax* 65, 215–220. <https://doi.org/10.1136/thx.2009.120659>
- Jensen, C.B., Petersen, S.B., Granström, C., Maslova, E., Mølgaard, C., Olsen, S.F., 2012. Sources and determinants of vitamin D intake in Danish pregnant women. *Nutrients* 4, 259–272. <https://doi.org/10.3390/nu4040259>
- Jones, G., Prosser, D.E., Kaufmann, M., 2012. 25-Hydroxyvitamin D-24-hydroxylase (CYP24A1): its important role in the degradation of vitamin D. *Arch. Biochem. Biophys.* 523, 9–18. <https://doi.org/10.1016/j.abb.2011.11.003>
- Kaludjerovic, J., Vieth, R., 2010. Relationship between vitamin D during perinatal development and health. *J. Midwifery Womens Health* 55, 550–560. <https://doi.org/10.1016/j.jmwh.2010.02.016>
- Kamenický, P., Blanchard, A., Gauci, C., Salenave, S., Letierce, A., Lombès, M., Brailly-Tabard, S., Azizi, M., Prié, D., Souberbielle, J.-C., Chanson, P., 2012. Pathophysiology of renal calcium handling in acromegaly: what lies behind

- hypercalciuria? *J. Clin. Endocrinol. Metab.* 97, 2124–2133. <https://doi.org/10.1210/jc.2011-3188>
- Kamycheva, E., Berg, V., Jorde, R., 2013. Insulin-like growth factor I, growth hormone, and insulin sensitivity: the effects of a one-year cholecalciferol supplementation in middle-aged overweight and obese subjects. *Endocrine* 43, 412–418. <https://doi.org/10.1007/s12020-012-9825-6>
- Karras, S.N., Anagnostis, P., Bili, E., Naughton, D., Petroczi, A., Papadopoulou, F., Goulis, D.G., 2014. Maternal vitamin D status in pregnancy and offspring bone development: the unmet needs of vitamin D era. *Osteoporos. Int. J. Establ. Result Coop. Eur. Found. Osteoporos. Natl. Osteoporos. Found. USA* 25, 795–805. <https://doi.org/10.1007/s00198-013-2468-5>
- Kemenkes RI, 2013. Riset Kesehatan Dasar 2013. Kementrian Kesehatan, Jakarta.
- Kemenkes RI, 2011. Standar Antropometri Penilaian Status Gizi Anak (Keputusan Menteri Kesehatan RI No. 1995/MENKES/SK/XII/2010). Dirjen Bina Gizi dan KIA, Jakarta.
- Kemenperin, 2016. Outlook Susu. Pusat data dan sistem informasi pertanian, Jakarta.
- Khalessi, N., Kalani, M., Araghi, M., Farahani, Z., 2015a. The Relationship between Maternal Vitamin D Deficiency and Low Birth Weight Neonates. *J. Fam. Reprod. Health* 9, 113–117.
- Khalessi, N., Kalani, M., Araghi, M., Farahani, Z., 2015b. The Relationship between Maternal Vitamin D Deficiency and Low Birth Weight Neonates. *J. Fam. Reprod. Health* 9, 113–117.
- Khalessi, N., Kalani, M., Araghi, M., Farahani, Z., 2015c. The Relationship between Maternal Vitamin D Deficiency and Low Birth Weight Neonates. *J. Fam. Reprod. Health* 9, 113–117.
- Kimlin, M.G., 2008. Geographic location and vitamin D synthesis. *Mol. Aspects Med.* 29, 453–461. <https://doi.org/10.1016/j.mam.2008.08.005>
- Klauwer, D., Blum, W.F., Hanitsch, S., Rascher, W., Lee, P.D., Kiess, W., 1997. IGF-I, IGF-II, free IGF-I and IGFBP-1, -2 and -3 levels in venous cord blood: relationship to birthweight, length and gestational age in healthy newborns. *Acta Paediatr. Oslo Nor.* 1992 86, 826–833.
- Langlois, K., Greene-Finestone, L., Little, J., Hidioglou, N., Whiting, S., 2010. Vitamin D status of Canadians as measured in the 2007 to 2009 Canadian Health Measures Survey. *Health Rep.* 21, 47–55.
- Lapillonne, A., 2010. Vitamin D deficiency during pregnancy may impair maternal and fetal outcomes. *Med. Hypotheses* 74, 71–75. <https://doi.org/10.1016/j.mehy.2009.07.054>
- Laviola, L., Natalicchio, A., Perrini, S., Giorgino, F., 2008. Abnormalities of IGF-I signaling in the pathogenesis of diseases of the bone, brain, and fetoplacental unit in humans. *Am. J. Physiol. Endocrinol. Metab.* 295, E991-999. <https://doi.org/10.1152/ajpendo.90452.2008>
- Leffelaar, E.R., Vrijkotte, T.G.M., van Eijsden, M., 2010. Maternal early pregnancy vitamin D status in relation to fetal and neonatal growth: results of the multi-ethnic Amsterdam Born Children and their Development cohort. *Br. J. Nutr.* 104, 108–117. <https://doi.org/10.1017/S000711451000022X>

- Lemeshow S, Hosmer DW, Klar J, Lwanga SK, 1990. Adequacy of sample size in health studies. *World Health Organ.* 1–4.
- Lerchbaum, E., Obermayer-Pietsch, B., 2012. Vitamin D and fertility: a systematic review. *Eur. J. Endocrinol.* 166, 765–778. <https://doi.org/10.1530/EJE-11-0984>
- Lewis, C.M., Vassos, E., 2017. Prospects for using risk scores in polygenic medicine. *Genome Med.* 9. <https://doi.org/10.1186/s13073-017-0489-y>
- Lewis, S., Lucas, R.M., Halliday, J., Ponsonby, A.-L., 2010. Vitamin D deficiency and pregnancy: from preconception to birth. *Mol. Nutr. Food Res.* 54, 1092–1102. <https://doi.org/10.1002/mnfr.201000044>
- Li, W., Green, T.J., Innis, S.M., Barr, S.I., Whiting, S.J., Shand, A., von Dadelszen, P., 2011. Suboptimal vitamin D levels in pregnant women despite supplement use. *Can. J. Public Health Rev. Can. Sante Publique* 102, 308–312.
- Lim, S.-Y., Yoo, H.-J., Kim, A.-L., Oh, J.-A., Kim, H.-S., Choi, Y.-H., Cho, J.-H., Lee, J.-H., Yoon, K.-H., 2013. Nutritional Intake of Pregnant Women with Gestational Diabetes or Type 2 Diabetes Mellitus. *Clin. Nutr. Res.* 2, 81–90. <https://doi.org/10.7762/cnr.2013.2.2.81>
- Lipoeto, N.I., Agus, Z., Oenzil, F., Wahlqvist, M., Wattanapenpaiboon, N., 2004. Dietary intake and the risk of coronary heart disease among the coconut-consuming Minangkabau in West Sumatra, Indonesia. *Asia Pac. J. Clin. Nutr.* 13, 377–384.
- Liu, N., Kaplan, A.T., Low, J., Nguyen, L., Liu, G.Y., Equils, O., Hewison, M., 2009. Vitamin D induces innate antibacterial responses in human trophoblasts via an intracrine pathway. *Biol. Reprod.* 80, 398–406. <https://doi.org/10.1095/biolreprod.108.073577>
- Liu, N.Q., Hewison, M., 2012. Vitamin D, the placenta and pregnancy. *Arch. Biochem. Biophys.*, *The Many Faces of Vitamin D* 523, 37–47. <https://doi.org/10.1016/j.abb.2011.11.018>
- Locatelli, V., Bianchi, V.E., 2014. Effect of GH/IGF-1 on Bone Metabolism and Osteoporosis. *Int. J. Endocrinol.* 2014, 235060. <https://doi.org/10.1155/2014/235060>
- Lu, L., Sheng, H., Li, H., Gan, W., Liu, C., Zhu, J., Loos, R.J.F., Lin, X., 2012. Associations between common variants in GC and DHCR7/NADSYN1 and vitamin D concentration in Chinese Hans. *Hum. Genet.* 131, 505–512. <https://doi.org/10.1007/s00439-011-1099-1>
- Luo, Z.-C., Nuyt, A.-M., Delvin, E., Audibert, F., Girard, I., Shatenstein, B., Cloutier, A., Cousineau, J., Djemli, A., Deal, C., Levy, E., Wu, Y., Julien, P., Fraser, W.D., 2012. Maternal and Fetal IGF-I and IGF-II Levels, Fetal Growth, and Gestational Diabetes. *J. Clin. Endocrinol. Metab.* 97, 1720–1728. <https://doi.org/10.1210/jc.2011-3296>
- Ma, R., Gu, Y., Zhao, S., Sun, J., Groome, L.J., Wang, Y., 2012. Expressions of vitamin D metabolic components VDBP, CYP2R1, CYP27B1, CYP24A1, and VDR in placentas from normal and preeclamptic pregnancies. *Am. J. Physiol. Endocrinol. Metab.* 303, E928-935. <https://doi.org/10.1152/ajpendo.00279.2012>
- Maaty, M.A.A. el, Hassanein, S.I., Sleem, H.M., Gad, M.Z., 2013. Effect of Polymorphisms in the NADSYN1/DHCR7 Locus (rs12785878 and rs1790349) on

- Plasma 25-Hydroxyvitamin D Levels and Coronary Artery Disease Incidence. *J. Nutr.* 6, 327–335. <https://doi.org/10.1159/000360422>
- Malloy, P.J., Feldman, D., 2010. Genetic disorders and defects in vitamin d action. *Endocrinol. Metab. Clin. North Am.* 39, 333–346, table of contents. <https://doi.org/10.1016/j.ecl.2010.02.004>
- Mann, J., Truswell, S., 2017. *Essentials of Human Nutrition*. Oxford University Press.
- Manousaki, D., Dudding, T., Haworth, S., Hsu, Y.-H., Liu, C.-T., Medina-Gómez, C., Voortman, T., van der Velde, N., Melhus, H., Robinson-Cohen, C., Cousminer, D.L., Nethander, M., Vandenput, L., Noordam, R., Forgetta, V., Greenwood, C.M.T., Biggs, M.L., Psaty, B.M., Rotter, J.I., Zemel, B.S., Mitchell, J.A., Taylor, B., Lorentzon, M., Karlsson, M., Jaddoe, V.V.W., Tiemeier, H., Campos-Obando, N., Franco, O.H., Utterlinden, A.G., Broer, L., van Schoor, N.M., Ham, A.C., Ikram, M.A., Karasik, D., de Mutsert, R., Rosendaal, F.R., den Heijer, M., Wang, T.J., Lind, L., Orwoll, E.S., Mook-Kanamori, D.O., Michaëlsson, K., Kestenbaum, B., Ohlsson, C., Mellström, D., de Groot, L.C.P.G.M., Grant, S.F.A., Kiel, D.P., Zillikens, M.C., Rivadeneira, F., Sawcer, S., Timpson, N.J., Richards, J.B., 2017. Low-Frequency Synonymous Coding Variation in CYP2R1 Has Large Effects on Vitamin D Levels and Risk of Multiple Sclerosis. *Am. J. Hum. Genet.* 101, 227–238. <https://doi.org/10.1016/j.ajhg.2017.06.014>
- Manzon, L., Altarescu, G., Tevet, A., Schimmel, M.S., Elstein, D., Samueloff, A., Grisaru-Granovsky, S., 2014. Vitamin D receptor polymorphism FokI is associated with spontaneous idiopathic preterm birth in an Israeli population. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 177, 84–88. <https://doi.org/10.1016/j.ejogrb.2014.03.008>
- Matar, M., Al-Shaar, L., Maalouf, J., Nabulsi, M., Arabi, A., Choucair, M., Tamim, H., El-Hajj Fuleihan, G., 2016. The Relationship Between Calcitropic Hormones, IGF-1, and Bone Mass Across Pubertal Stages. *J. Clin. Endocrinol. Metab.* 101, 4860–4870. <https://doi.org/10.1210/jc.2016-3071>
- Maysa Alzaim, 2018. *FOKI Vitamin D Receptor Gene Polymorphisms and Metabolic Health in Pregnant Saudi Women (Doctoral Dissertation)*. University of Massachusetts Amherst, USA.
- Mazahery, H., von Hurst, P.R., 2015. Factors Affecting 25-Hydroxyvitamin D Concentration in Response to Vitamin D Supplementation. *Nutrients* 7, 5111–5142. <https://doi.org/10.3390/nu7075111>
- McGrath, J.J., Saha, S., Burne, T.H.J., Eyles, D.W., 2010. A systematic review of the association between common single nucleotide polymorphisms and 25-hydroxyvitamin D concentrations. *J. Steroid Biochem. Mol. Biol., Proceedings of the 14th Vitamin D Workshop* 121, 471–477. <https://doi.org/10.1016/j.jsbmb.2010.03.073>
- Merewood, A., Mehta, S.D., Chen, T.C., Bauchner, H., Holick, M.F., 2009. Association between Vitamin D Deficiency and Primary Cesarean Section. *J. Clin. Endocrinol. Metab.* 94, 940–945. <https://doi.org/10.1210/jc.2008-1217>
- Metgud, C.S., Naik, V.A., Mallapur, M.D., 2012. Factors Affecting Birth Weight of a Newborn – A Community Based Study in Rural Karnataka, India. *PLoS ONE* 7. <https://doi.org/10.1371/journal.pone.0040040>

- Mezzavilla, M., Tomei, S., Alkayal, F., Melhem, M., Ali, M.M., Al-Arouj, M., Bennakhi, A., Alsmadi, O., Elkum, N., 2018. Investigation of genetic variation and lifestyle determinants in vitamin D levels in Arab individuals. *J. Transl. Med.* 16. <https://doi.org/10.1186/s12967-018-1396-8>
- Min, B., 2013. Effects of Vitamin D on Blood Pressure and Endothelial Function. *Korean J. Physiol. Pharmacol.* 17, 385. <https://doi.org/10.4196/kjpp.2013.17.5.385>
- Ministry of Health Republic of Indonesia, 2013. Dietary Intake Reference in Indonesia. Ministry of Health Republic of Indonesia, Jakarta.
- Mithal, A., Kalra, S., 2014. Vitamin D supplementation in pregnancy. *Indian J. Endocrinol. Metab.* 18, 593–596. <https://doi.org/10.4103/2230-8210.139204>
- Miyamoto, K., Kesterson, R.A., Yamamoto, H., Taketani, Y., Nishiwaki, E., Tatsumi, S., Inoue, Y., Morita, K., Takeda, E., Pike, J.W., 1997. Structural organization of the human vitamin D receptor chromosomal gene and its promoter. *Mol. Endocrinol. Baltim. Md* 11, 1165–1179. <https://doi.org/10.1210/mend.11.8.9951>
- Mohamed, H.J.J., Rowan, A., Fong, B., Loy, S.-L., 2014. Maternal Serum and Breast Milk Vitamin D Levels: Findings from the Universiti Sains Malaysia Pregnancy Cohort Study. *PLOS ONE* 9, e100705. <https://doi.org/10.1371/journal.pone.0100705>
- Møller, U.K., Strey, S., Mosekilde, L., Heickendorff, L., Flyvbjerg, A., Frydholm, J., Jensen, L.T., Rejnmark, L., 2013. Changes in calcitropic hormones, bone markers and insulin-like growth factor I (IGF-I) during pregnancy and postpartum: a controlled cohort study. *Osteoporos. Int.* 24, 1307–1320. <https://doi.org/10.1007/s00198-012-2062-2>
- Monticeli, O.A., Brenol, J.C.T., Chies, J. a. B., Longo, M.G.F., Rucatti, G.G., Scalco, R., Xavier, R.M., 2012. The role of BsmI and FokI vitamin D receptor gene polymorphisms and serum 25-hydroxyvitamin D in Brazilian patients with systemic lupus erythematosus. *Lupus* 21, 43–52. <https://doi.org/10.1177/0961203311421798>
- Moore, J.H., 2003. The ubiquitous nature of epistasis in determining susceptibility to common human diseases. *Hum. Hered.* 56, 73–82. <https://doi.org/10.1159/000073735>
- Morley, R., Carlin, J.B., Pasco, J.A., Wark, J.D., Ponsonby, A.-L., 2009. Maternal 25-hydroxyvitamin D concentration and offspring birth size: effect modification by infant VDR genotype. *Eur. J. Clin. Nutr.* 63, 802–804. <https://doi.org/10.1038/ejcn.2008.55>
- Morris, J.G., 1999. Ineffective vitamin D synthesis in cats is reversed by an inhibitor of 7-dehydrocholesterol- Δ^7 -reductase. *J. Nutr.* 129, 903–908. <https://doi.org/10.1093/jn/129.4.903>
- Morrison, N.A., Qi, J.C., Tokita, A., Kelly, P.J., Crofts, L., Nguyen, T.V., Sambrook, P.N., Eisman, J.A., 1994. Prediction of bone density from vitamin D receptor alleles. *Nature* 367, 284–287. <https://doi.org/10.1038/367284a0>
- Murthi, P., Yong, H.E.J., Ngyuen, T.P.H., Ellery, S., Singh, H., Rahman, R., Dickinson, H., Walker, D.W., Davies-Tuck, M., Wallace, E.M., Ebeling, P.R., 2016. Role of the Placental Vitamin D Receptor in Modulating Feto-Placental

- Growth in Fetal Growth Restriction and Preeclampsia-Affected Pregnancies. *Front. Physiol.* 7, 1–7. <https://doi.org/10.3389/fphys.2016.00043>
- Muszkat, P., Camargo, M.B.R., Griz, L.H.M., Lazaretti-Castro, M., 2010. Evidence-based non-skeletal actions of vitamin D. *Arq. Bras. Endocrinol. Metabol.* 54, 110–117.
- Namipashaki, A., Razaghi-Moghadam, Z., Ansari-Pour, N., 2015. The Essentiality of Reporting Hardy-Weinberg Equilibrium Calculations in Population-Based Genetic Association Studies. *Cell J. Yakhteh* 17, 187–192.
- Naugler, C., Zhang, J., Henne, D., Woods, P., Hemmelgarn, B.R., 2013. Association of vitamin D status with socio-demographic factors in Calgary, Alberta: an ecological study using Census Canada data. *BMC Public Health* 13, 316. <https://doi.org/10.1186/1471-2458-13-316>
- Nguyen, T.P.H., Yong, H.E.J., Chollangi, T., Borg, A.J., Brennecke, S.P., Murthi, P., 2015. Placental vitamin D receptor expression is decreased in human idiopathic fetal growth restriction. *J. Mol. Med.* 93, 795–805. <https://doi.org/10.1007/s00109-015-1267-1>
- Nimitphong, H., Holick, M.F., 2013. Vitamin D status and sun exposure in southeast Asia. *Dermatoendocrinol.* 5, 34–37. <https://doi.org/10.4161/derm.24054>
- Nissen, J., Vogel, U., Ravn-Haren, G., Andersen, E.W., Madsen, K.H., Nexø, B.A., Andersen, R., Mejborn, H., Bjerrum, P.J., Rasmussen, L.B., Wulf, H.C., 2015. Common variants in CYP2R1 and GC genes are both determinants of serum 25-hydroxyvitamin D concentrations after UVB irradiation and after consumption of vitamin D₃-fortified bread and milk during winter in Denmark. *Am. J. Clin. Nutr.* 101, 218–227. <https://doi.org/10.3945/ajcn.114.092148>
- Novakovic, B., Sibson, M., Ng, H.K., Manuelpillai, U., Rakyan, V., Down, T., Beck, S., Fournier, T., Evain-Brion, D., Dimitriadis, E., Craig, J.M., Morley, R., Saffery, R., 2009. Placenta-specific methylation of the vitamin D 24-hydroxylase gene: implications for feedback autoregulation of active vitamin D levels at the fetomaternal interface. *J. Biol. Chem.* 284, 14838–14848. <https://doi.org/10.1074/jbc.M809542200>
- Nowaczyk, M.J., 2013. Smith-Lemli-Opitz Syndrome, in: Adam, M.P., Ardinger, H.H., Pagon, R.A., Wallace, S.E., Bean, L.J., Stephens, K., Amemiya, A. (Eds.), *GeneReviews®*. University of Washington, Seattle, Seattle (WA).
- O'Brien, K.M., Sandler, D.P., Shi, M., Harmon, Q.E., Taylor, J.A., Weinberg, C.R., 2018. Genome-Wide Association Study of Serum 25-Hydroxyvitamin D in US Women. *Front. Genet.* 9. <https://doi.org/10.3389/fgene.2018.00067>
- Onis MD, Ismail L, Chumlea C, Onyango A, Bhutta Z, Luna M, 2012. *International Fetal and Newborn Growth Standards for the 21st Century: Anthropometry Handbook*. University of Oxford.
- Osorio, M., Torres, J., Moya, F., Pezzullo, J., Salafia, C., Baxter, R., Schwander, J., Fant, M., 1996. Insulin-like growth factors (IGFs) and IGF binding proteins-1, -2, and -3 in newborn serum: relationships to fetoplacental growth at term. *Early Hum. Dev.* 46, 15–26.
- Ottman, R., 1996. Gene-environment interaction: definitions and study designs. *Prev. Med.* 25, 764–770.

- Palacios, C., Gonzalez, L., 2014. Is vitamin D deficiency a major global public health problem? *J. Steroid Biochem. Mol. Biol.* 144 Pt A, 138–145. <https://doi.org/10.1016/j.jsbmb.2013.11.003>
- Pereira-da-Silva, L., 2012. Neonatal Anthropometry: A Tool to Evaluate the Nutritional Status and Predict Early and Late Risks, in: *Handbook of Anthropometry*. Springer, New York, NY, pp. 1079–1104. https://doi.org/10.1007/978-1-4419-1788-1_65
- Pérez-López, F.R., 2007. Vitamin D: the secosteroid hormone and human reproduction. *Gynecol. Endocrinol. Off. J. Int. Soc. Gynecol. Endocrinol.* 23, 13–24.
- Petkovich, M., Jones, G., 2011. CYP24A1 and kidney disease. *Curr. Opin. Nephrol. Hypertens.* 20, 337–344. <https://doi.org/10.1097/MNH.0b013e3283477a7b>
- Pillai, D.K., Iqbal, S.F., Benton, A.S., Lerner, J., Wiles, A., Foerster, M., Ozedirne, T., Holbrook, H.P., Payne, P.W., Gordish-Dressman, H., Teach, S.J., Freishtat, R.J., 2011. Associations between genetic variants in vitamin D metabolism and asthma characteristics in young African Americans: a pilot study. *J. Investig. Med. Off. Publ. Am. Fed. Clin. Res.* 59, 938–946. <https://doi.org/10.2310/JIM.0b013e318220df41>
- Poh, B.K., Rojroongwasinkul, N., Nguyen, B.K.L., Sandjaja, null, Ruzita, A.T., Yamborisut, U., Hong, T.N., Ernawati, F., Deurenberg, P., Parikh, P., SEANUTS Study Group, 2016. 25-hydroxy-vitamin D demography and the risk of vitamin D insufficiency in the South East Asian Nutrition Surveys (SEANUTS). *Asia Pac. J. Clin. Nutr.* 25, 538–548.
- Prabhu, A.V., Luu, W., Li, D., Sharpe, L.J., Brown, A.J., 2016. DHCR7: A vital enzyme switch between cholesterol and vitamin D production. *Prog. Lipid Res.* 64, 138–151. <https://doi.org/10.1016/j.plipres.2016.09.003>
- Pratumvinit, B., Wongkrajang, P., Wataganara, T., Hanyongyuth, S., Nimmannit, A., Chatsiricharoenkul, S., Manonukul, K., Reesukumal, K., 2015. Maternal Vitamin D Status and Its Related Factors in Pregnant Women in Bangkok, Thailand. *PloS One* 10, e0131126. <https://doi.org/10.1371/journal.pone.0131126>
- Purswani, J.M., Gala, P., Dwarkanath, P., Larkin, H.M., Kurpad, A., Mehta, S., 2017. The role of vitamin D in pre-eclampsia: a systematic review. *BMC Pregnancy Childbirth* 17. <https://doi.org/10.1186/s12884-017-1408-3>
- Putri, N.I., Lipoeto, N.I., Rita, R.S., Aji, A.S., 2019. Analysis of the association between maternal 25-hydroxyvitamin D levels and newborn birthweight in Tanah Datar and Solok Districts, West Sumatra, Indonesia. *J. Ilm. Univ. Batanghari Jambi* 19, 61–64. <https://doi.org/10.33087/jiubj.v19i1.546>
- Ramos-Lopez, E., Brück, P., Jansen, T., Herwig, J., Badenhop, K., 2007. CYP2R1 (vitamin D 25-hydroxylase) gene is associated with susceptibility to type 1 diabetes and vitamin D levels in Germans. *Diabetes Metab. Res. Rev.* 23, 631–636. <https://doi.org/10.1002/dmrr.719>
- Randhawa, R.S., 2008. The insulin-like growth factor system and fetal growth restriction. *Pediatr. Endocrinol. Rev. PER* 6, 235–240.
- Reid, E.W., McNeill, J.A., Alderdice, F.A., Tully, M.A., Holmes, V.A., 2014. Physical activity, sedentary behaviour and fetal macrosomia in uncomplicated pregnancies:

- a prospective cohort study. *Midwifery* 30, 1202–1209. <https://doi.org/10.1016/j.midw.2014.04.010>
- Robien, K., Butler, L.M., Wang, R., Beckman, K.B., Walek, D., Koh, W.-P., Yuan, J.-M., 2013. Genetic and environmental predictors of serum 25-hydroxyvitamin D concentrations among middle-aged and elderly Chinese in Singapore. *Br. J. Nutr.* 109, 493–502. <https://doi.org/10.1017/S0007114512001675>
- Robinson, K.M., Bessell, S., 2002. *Women in Indonesia: Gender, Equity and Development*. Institute of Southeast Asian Studies.
- Rockwell, M., Kraak, V., Hulver, M., Epling, J., 2018. Clinical Management of Low Vitamin D: A Scoping Review of Physicians' Practices. *Nutrients* 10. <https://doi.org/10.3390/nu10040493>
- Rodriguez, A., Santa Marina, L., Jimenez, A.M., Esplugues, A., Ballester, F., Espada, M., Sunyer, J., Morales, E., 2016. Vitamin D Status in Pregnancy and Determinants in a Southern European Cohort Study. *Paediatr. Perinat. Epidemiol.* 30, 217–228. <https://doi.org/10.1111/ppe.12281>
- Romero, R., Espinoza, J., Gonçalves, L.F., Kusanovic, J.P., Friel, L., Hassan, S., 2007. The role of inflammation and infection in preterm birth. *Semin. Reprod. Med.* 25, 21–39. <https://doi.org/10.1055/s-2006-956773>
- Rosenfeld, T., Salem, H., Altarescu, G., Grisaru-Granovsky, S., Tevet, A., Birk, R., 2017. Maternal-fetal vitamin D receptor polymorphisms significantly associated with preterm birth. *Arch. Gynecol. Obstet.* 296, 215–222. <https://doi.org/10.1007/s00404-017-4412-y>
- Rucker, R.B., Zemleni, J., Suttie, J.W., McCormick, D.B., 2007. *Handbook of Vitamins*, Fourth Edition. CRC Press.
- Rukiyah, 2010. *Asuhan Neonatus Bayi dan Anak Balita*. Trans Info Medika, Jakarta.
- Sadat-Ali, M., AlElq, A., Al-Turki, H., Al-Mulhim, F., Al-Ali, A., 2009. Vitamin D levels in healthy men in eastern Saudi Arabia. *Ann. Saudi Med.* 29, 378–382. <https://doi.org/10.4103/0256-4947.55168>
- Sakharkar, P., Chauhan, B., 2017. ROLE OF VITAMIN D RECEPTOR (VDR) GENE POLYMORPHISM 6, 1083–1095. <https://doi.org/10.20959/wjpps20177-9500>
- Sandovici, I., Hoelle, K., Angiolini, E., Constância, M., 2012. Placental adaptations to the maternal-fetal environment: implications for fetal growth and developmental programming. *Reprod. Biomed. Online* 25, 68–89. <https://doi.org/10.1016/j.rbmo.2012.03.017>
- Saputri, L.A., 2017. Korelasi Kadar IGF-1 Maternal dengan Antropometri Bayi Baru Lahir. *J. Ilmu Keperawatan Dan Kebidanan* 8, 53–60.
- Sari, D.K., Damanik, H.A., Lipoeto, N.I., Lubis, Z., 2013. Is Micro Evolution in Tropical Country Women Resulting Low 25(OH)D Level?: A Cross Sectional Study in Indonesia. *J. Nutr. Food Sci.* 4. <https://doi.org/10.4172/2155-9600.1000246>
- Savanelli, M.C., Scarano, E., Muscogiuri, G., Barrea, L., Vuolo, L., Rubino, M., Savastano, S., Colao, A., Di Somma, C., 2016. Cardiovascular risk in adult hypopituitary patients with growth hormone deficiency: is there a role for vitamin D? *Endocrine* 52, 111–119. <https://doi.org/10.1007/s12020-015-0779-3>

- Schaid, D.J., Jacobsen, S.J., 1999. Biased tests of association: comparisons of allele frequencies when departing from Hardy-Weinberg proportions. *Am. J. Epidemiol.* 149, 706–711. <https://doi.org/10.1093/oxfordjournals.aje.a009878>
- Schneuer, F.J., Roberts, C.L., Guilbert, C., Simpson, J.M., Algert, C.S., Khambalia, A.Z., Tasevski, V., Ashton, A.W., Morris, J.M., Nassar, N., 2014. Effects of maternal serum 25-hydroxyvitamin D concentrations in the first trimester on subsequent pregnancy outcomes in an Australian population. *Am. J. Clin. Nutr.* 99, 287–295. <https://doi.org/10.3945/ajcn.113.065672>
- Sferruzzi-Perri, A.N., Owens, J.A., Pringle, K.G., Robinson, J.S., Roberts, C.T., 2006. Maternal insulin-like growth factors-I and -II act via different pathways to promote fetal growth. *Endocrinology* 147, 3344–3355. <https://doi.org/10.1210/en.2005-1328>
- Shahbazi, M., Jeddi-Tehrani, M., Zareie, M., Salek-Moghaddam, A., Akhondi, M.M., Bahmanpoor, M., Sadeghi, M.R., Zarnani, A.H., 2011. Expression profiling of vitamin D receptor in placenta, decidua and ovary of pregnant mice. *Placenta* 32, 657–664. <https://doi.org/10.1016/j.placenta.2011.06.013>
- Shand, A.W., Nassar, N., Von Dadelszen, P., Innis, S.M., Green, T.J., 2010. Maternal vitamin D status in pregnancy and adverse pregnancy outcomes in a group at high risk for pre-eclampsia. *BJOG Int. J. Obstet. Gynaecol.* 117, 1593–1598. <https://doi.org/10.1111/j.1471-0528.2010.02742.x>
- Shao, B., Jiang, S., Muyiduli, X., Wang, S., Mo, M., Li, M., Wang, Z., Yu, Y., 2017. Vitamin D pathway gene polymorphisms influenced vitamin D level among pregnant women. *Clin. Nutr. Edinb. Scotl.* 37, 2230–2237. <https://doi.org/10.1016/j.clnu.2017.10.024>
- Shin, J.S., Choi, M.Y., Longtine, M.S., Nelson, D.M., 2010. Vitamin D effects on pregnancy and the placenta. *Placenta* 31, 1027–1034. <https://doi.org/10.1016/j.placenta.2010.08.015>
- Shinkyō, R., Sakaki, T., Kamakura, M., Ohta, M., Inouye, K., 2004. Metabolism of vitamin D by human microsomal CYP2R1. *Biochem. Biophys. Res. Commun.* 324, 451–457. <https://doi.org/10.1016/j.bbrc.2004.09.073>
- Shoenfeld, N., Amital, H., Shoenfeld, Y., 2009. The effect of melanism and vitamin D synthesis on the incidence of autoimmune disease. *Nat. Clin. Pract. Rheumatol.* 5, 99–105. <https://doi.org/10.1038/ncprheum0989>
- Siege-Riz, A.M., Viswanathan, M., Moos, M.-K., Deierlein, A., Mumford, S., Knaack, J., Thieda, P., Lux, L.J., Lohr, K.N., 2009. A systematic review of outcomes of maternal weight gain according to the Institute of Medicine recommendations: birthweight, fetal growth, and postpartum weight retention. *Am. J. Obstet. Gynecol.* 201, 339.e1–14. <https://doi.org/10.1016/j.ajog.2009.07.002>
- Signorello, L.B., Shi, J., Cai, Q., Zheng, W., Williams, S.M., Long, J., Cohen, S.S., Li, G., Hollis, B.W., Smith, J.R., Blot, W.J., 2011. Common variation in vitamin D pathway genes predicts circulating 25-hydroxyvitamin D Levels among African Americans. *PloS One* 6, e28623. <https://doi.org/10.1371/journal.pone.0028623>
- Slater, N.A., Rager, M.L., Havrda, D.E., Harralson, A.F., 2017. Genetic Variation in CYP2R1 and GC Genes Associated With Vitamin D Deficiency Status. *J. Pharm. Pract.* 30, 31–36. <https://doi.org/10.1177/0897190015585876>

- Smith, C., 2005. Genomics: SNPs and human disease. *Nature* 435, 993. <https://doi.org/10.1038/435993a>
- Song, Y., Kato, S., Fleet, J.C., 2003. Vitamin D receptor (VDR) knockout mice reveal VDR-independent regulation of intestinal calcium absorption and ECaC2 and calbindin D9k mRNA. *J. Nutr.* 133, 374–380.
- Stang, J., Huffman, L.G., 2016. Position of the Academy of Nutrition and Dietetics: Obesity, Reproduction, and Pregnancy Outcomes. *J. Acad. Nutr. Diet.* 116, 677–691. <https://doi.org/10.1016/j.jand.2016.01.008>
- Stephenson, J., Heslehurst, N., Hall, J., Schoenaker, D.A.J.M., Hutchinson, J., Cade, J.E., Poston, L., Barrett, G., Crozier, S.R., Barker, M., Kumaran, K., Yajnik, C.S., Baird, J., Mishra, G.D., 2018. Before the beginning: nutrition and lifestyle in the preconception period and its importance for future health. *Lancet Lond. Engl.* 391, 1830–1841. [https://doi.org/10.1016/S0140-6736\(18\)30311-8](https://doi.org/10.1016/S0140-6736(18)30311-8)
- Swamy, G.K., Garrett, M.E., Miranda, M.L., Ashley-Koch, A.E., 2011. Maternal Vitamin D Receptor Genetic Variation Contributes to Infant Birthweight among Black Mothers. *Am. J. Med. Genet. A.* 155, 1264–1271. <https://doi.org/10.1002/ajmg.a.33583>
- Theodoratou, E., Tzoulaki, I., Zgaga, L., Ioannidis, J.P.A., 2014. Vitamin D and multiple health outcomes: umbrella review of systematic reviews and meta-analyses of observational studies and randomised trials. *BMJ* 348, g2035. <https://doi.org/10.1136/bmj.g2035>
- Thiele, D.K., Erickson, E., Snowden, J., 2016. Pregnancy Outcomes and Vitamin D Status in the Pacific Northwest. *FASEB J.* 30, 1150.24-1150.24. https://doi.org/10.1096/fasebj.30.1_supplement.1150.24
- Thongthai, P., Chailurkit, L., Chanprasertyothin, S., Nimitphong, H., Sritara, P., Aekplakorn, W., Ongphiphadhanakul, B., 2014. Vitamin D Binding Protein Gene Polymorphism as a Risk Factor for Vitamin D Deficiency in Thais. *Endocr. Pract.* 21, 221–225. <https://doi.org/10.4158/EP14266.OR>
- Thorne-Lyman, A., Fawzi, W.W., 2012. Vitamin D during pregnancy and maternal, neonatal and infant health outcomes: a systematic review and meta-analysis. *Paediatr. Perinat. Epidemiol.* 26 Suppl 1, 75–90. <https://doi.org/10.1111/j.1365-3016.2012.01283.x>
- Tint, G.S., Irons, M., Elias, E.R., Batta, A.K., Frieden, R., Chen, T.S., Salen, G., 1994. Defective cholesterol biosynthesis associated with the Smith-Lemli-Opitz syndrome. *N. Engl. J. Med.* 330, 107–113. <https://doi.org/10.1056/NEJM199401133300205>
- Toko, E.N., Sumba, O.P., Daud, I.I., Ogolla, S., Majiwa, M., Krisher, J.T., Ouma, C., Dent, A.E., Rochford, R., Mehta, S., 2016. Maternal Vitamin D Status and Adverse Birth Outcomes in Children from Rural Western Kenya. *Nutrients* 8. <https://doi.org/10.3390/nu8120794>
- Topaloğlu, N., Oguz, S., Silan, F., Uludag, A., Isik, S., Akurut, C., 2014. Association of vitamin D receptor gene polymorphisms in children with atopic diseases.
- Triunfo, S., Lanzzone, A., 2016. Potential impact of maternal vitamin D status on obstetric well-being. *J. Endocrinol. Invest.* 39, 37–44. <https://doi.org/10.1007/s40618-015-0330-7>

- Trummer, C., Schwetz, V., Pandis, M., Grübler, M.R., Verheyen, N., Gaksch, M., Zittermann, A., März, W., Aberer, F., Lang, A., Friedl, C., Tomaschitz, A., Obermayer-Pietsch, B., Pieber, T.R., Pilz, S., Treiber, G., 2017. Effects of Vitamin D Supplementation on IGF-1 and Calcitriol: A Randomized-Controlled Trial. *Nutrients* 9. <https://doi.org/10.3390/nu9060623>
- Tyrrell, J., Richmond, R.C., Palmer, T.M., Feenstra, B., Rangarajan, J., Metrustry, S., Cavadino, A., Paternoster, L., Armstrong, L.L., Silva, N.M.G.D., Wood, A.R., Horikoshi, M., Geller, F., Myhre, R., Bradfield, J.P., Kreiner-Møller, E., Huikari, V., Painter, J.N., Hottenga, J.-J., Allard, C., Berry, D.J., Bouchard, L., Das, S., Evans, D.M., Hakonarson, H., Hayes, M.G., Heikkinen, J., Hofman, A., Knight, B., Lind, P.A., McCarthy, M.I., McMahon, G., Medland, S.E., Melbye, M., Morris, A.P., Nodzenski, M., Reichetzeder, C., Ring, S.M., Sebert, S., Sengpiel, V., Sørensen, T.I.A., Willemsen, G., Geus, E.J.C. de, Martin, N.G., Spector, T.D., Power, C., Järvelin, M.-R., Bisgaard, H., Grant, S.F.A., Nohr, E.A., Jaddoe, V.W., Jacobsson, B., Murray, J.C., Hoche, B., Hattersley, A.T., Scholtens, D.M., Smith, G.D., Hivert, M.-F., Felix, J.F., Hyppönen, E., Lowe, W.L., Frayling, T.M., Lawlor, D.A., Freathy, R.M., 2016. Genetic Evidence for Causal Relationships Between Maternal Obesity-Related Traits and Birth Weight. *JAMA* 315, 1129–1140. <https://doi.org/10.1001/jama.2016.1975>
- Uitterlinden, A.G., Fang, Y., Van Meurs, J.B.J., Pols, H.A.P., Van Leeuwen, J.P.T.M., 2004. Genetics and biology of vitamin D receptor polymorphisms. *Gene* 338, 143–156. <https://doi.org/10.1016/j.gene.2004.05.014>
- Valdivielso, J.M., Fernandez, E., 2006. Vitamin D receptor polymorphisms and diseases. *Clin. Chim. Acta* 371, 1–12. <https://doi.org/10.1016/j.cca.2006.02.016>
- Vandevijvere, S., Amsalkhir, S., Van Oyen, H., Moreno-Reyes, R., 2012. High prevalence of vitamin D deficiency in pregnant women: a national cross-sectional survey. *PLoS One* 7, e43868. <https://doi.org/10.1371/journal.pone.0043868>
- Veerbeek, J.H.W., Nikkels, P.G.J., Torrance, H.L., Gravesteyn, J., Post Uiterweer, E.D., Derks, J.B., Koenen, S.V., Visser, G.H.A., Van Rijn, B.B., Franx, A., 2014. Placental pathology in early intrauterine growth restriction associated with maternal hypertension. *Placenta* 35, 696–701. <https://doi.org/10.1016/j.placenta.2014.06.375>
- Verberg, M.F.G., Gillott, D.J., Al-Fardan, N., Grudzinskas, J.G., 2005. Hyperemesis gravidarum, a literature review. *Hum. Reprod. Update* 11, 527–539. <https://doi.org/10.1093/humupd/dmi021>
- Vidal, A.C., Murtha, A.P., Murphy, S.K., Fortner, K., Overcash, F., Henry, N., Schildkraut, J.M., Forman, M.R., Demark-Wahnefried, W., Kurtzberg, J., Jirtle, R., Hoyo, C., 2013. Maternal BMI, IGF-I Levels, and Birth Weight in African American and White Infants. *Int. J. Pediatr.* 2013. <https://doi.org/10.1155/2013/191472>
- Viganò, P., Mangioni, S., Pompei, F., Chiodo, I., 2003. Maternal-conceptus cross talk—a review. *Placenta* 24 Suppl B, S56-61.
- Wang, C., Dai, J., Sun, Y., Xie, L., Pan, L., Hu, Z., Shen, H., 2015. Genetic risk score: principle, methods and application. *Zhonghua Liu Xing Bing Xue Za Zhi Zhonghua Liuxingbingxue Zazhi* 36, 1062–1064.

- Wang, H.S., Lim, J., English, J., Irvine, L., Chard, T., 1991. The concentration of insulin-like growth factor-I and insulin-like growth factor-binding protein-1 in human umbilical cord serum at delivery: relation to fetal weight. *J. Endocrinol.* 129, 459–464.
- Wang, T.J., 2010. Common genetic determinants of vitamin D insufficiency: a genome-wide association study. *The Lancet* 376, 180–188. [https://doi.org/10.1016/S0140-6736\(10\)60588-0](https://doi.org/10.1016/S0140-6736(10)60588-0)
- Wang, T.-T., Tavera-Mendoza, L.E., Laperriere, D., Libby, E., MacLeod, N.B., Nagai, Y., Bourdeau, V., Konstorium, A., Lallemand, B., Zhang, R., Mader, S., White, J.H., 2005. Large-scale in silico and microarray-based identification of direct 1,25-dihydroxyvitamin D3 target genes. *Mol. Endocrinol. Baltim. Md* 19, 2685–2695. <https://doi.org/10.1210/me.2005-0106>
- Ward, K.A., Adams, J.E., Mughal, M.Z., 2005. Bone status during adolescence, pregnancy and lactation. *Curr. Opin. Obstet. Gynecol.* 17, 435–439.
- Webb, A.R., Engelsens, O., 2006. Calculated Ultraviolet Exposure Levels for a Healthy Vitamin D Status. *Photochem. Photobiol.* 82, 1697–1703. <https://doi.org/10.1111/j.1751-1097.2006.tb09833.x>
- Wei, S.Q., 2014. Vitamin D and pregnancy outcomes. *Curr. Opin. Obstet. Gynecol.* 26, 438–447. <https://doi.org/10.1097/GCO.0000000000000117>
- Wellek, S., Goddard, K.A.B., Ziegler, A., 2010. A confidence-limit-based approach to the assessment of Hardy-Weinberg equilibrium. *Biom. J. Biom. Z.* 52, 253–270. <https://doi.org/10.1002/bimj.200900249>
- White, J.H., 2012. Vitamin D metabolism and signaling in the immune system. *Rev. Endocr. Metab. Disord.* 13, 21–29. <https://doi.org/10.1007/s11154-011-9195-z>
- WHO, 2004. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet Lond. Engl.* 363, 157–163. [https://doi.org/10.1016/S0140-6736\(03\)15268-3](https://doi.org/10.1016/S0140-6736(03)15268-3)
- Wibowo T, 2010. *Buku Saku Pelayanan Kesehatan Esensial, Teknis Pelayanan Kesehatan Dasar.* Kementerian Kesehatan RI, Jakarta.
- Wigginton, J.E., Cutler, D.J., Abecasis, G.R., 2005. A Note on Exact Tests of Hardy-Weinberg Equilibrium. *Am. J. Hum. Genet.* 76, 887–893. <https://doi.org/10.1086/429864>
- Wiley, A.S., Lubree, H.G., Joshi, S.M., Bhat, D.S., Ramdas, L.V., Rao, A.S., Thuse, N.V., Deshpande, V.U., Yajnik, C.S., 2016. Cord IGF-I concentrations in Indian newborns: associations with neonatal body composition and maternal determinants. *Pediatr. Obes.* 11, 151–157. <https://doi.org/10.1111/ijpo.12038>
- Woolcott, C.G., Giguère, Y., Weiler, H.A., Spencer, A., Forest, J.-C., Armson, B.A., Dodds, L., 2016. Determinants of vitamin D status in pregnant women and neonates. *Can. J. Public Health Rev. Can. Sante Publique* 107, e410–e416. <https://doi.org/10.17269/cjph.107.5629>
- World Health Organization, World Health Organization Nutrition for Health and Development, 2007. WHO Child Growth Standards: Head Circumference-for-age, Arm Circumference-for-age, Triceps Skinfold-for-age and Subscapular Skinfold-for-age : Methods and Development. World Health Organization.

- Wortsman, J., Matsuoka, L.Y., Chen, T.C., Lu, Z., Holick, M.F., 2000. Decreased bioavailability of vitamin D in obesity. *Am. J. Clin. Nutr.* 72, 690–693. <https://doi.org/10.1093/ajcn/72.3.690>
- Wu-Wong, J.R., Nakane, M., Ma, J., Ruan, X., Kroeger, P.E., 2006. Effects of Vitamin D analogs on gene expression profiling in human coronary artery smooth muscle cells. *Atherosclerosis* 186, 20–28. <https://doi.org/10.1016/j.atherosclerosis.2005.06.046>
- Yakar, S., Liu, J.-L., Stannard, B., Butler, A., Accili, D., Sauer, B., LeRoith, D., 1999. Normal growth and development in the absence of hepatic insulin-like growth factor I. *Proc. Natl. Acad. Sci. U. S. A.* 96, 7324–7329.
- Yang, M.-J., 2014. Changes in maternal serum insulin-like growth factor-1 during pregnancy and its relationship to maternal anthropometry. *J. Chin. Med. Assoc. JCMA* 77, 218. <https://doi.org/10.1016/j.jcma.2014.03.001>
- Yang, Z., Laillou, A., Smith, G., Schofield, D., Moench-Pfanner, R., 2013. A review of vitamin D fortification: implications for nutrition programming in Southeast Asia. *Food Nutr. Bull.* 34, S81-89. <https://doi.org/10.1177/15648265130342S110>
- Yu, Z., Han, S., Zhu, J., Sun, X., Ji, C., Guo, X., 2013. Pre-pregnancy body mass index in relation to infant birth weight and offspring overweight/obesity: a systematic review and meta-analysis. *PloS One* 8, e61627. <https://doi.org/10.1371/journal.pone.0061627>
- Zhan, Y., Liu, M., You, Y., Zhang, Y., Wang, J., Wang, X., Liu, S., Liu, X., 2015. Genetic variations in the vitamin-D receptor (VDR) gene in preeclampsia patients in the Chinese Han population. *Hypertens. Res. Off. J. Jpn. Soc. Hypertens.* 38, 513–517. <https://doi.org/10.1038/hr.2015.29>
- Zhang, R., Naughton, D.P., 2010. Vitamin D in health and disease: Current perspectives. *Nutr. J.* 9, 65. <https://doi.org/10.1186/1475-2891-9-65>
- Zhang, Y., Wang, X., Liu, Y., Qu, H., Qu, S., Wang, W., Ren, L., 2012. The GC, CYP2R1 and DHCR7 genes are associated with vitamin D levels in northeastern Han Chinese children. *Swiss Med. Wkly.* 142, w13636. <https://doi.org/10.4414/smw.2012.13636>

