

DAFTAR PUSTAKA

1. Kidney Disease : Outcomes CKD Work Group. KDIGO 2012 clinical practice guideline for the evaluation and management of Chronic Kidney Disease. *Kidney Int Suppl.*2013;3:5-62.
2. National Institut Of Health.USRDS Annual Data Report : Executive Summary. National Institutes of Health, National Institutes of Diabetes and Digestive and Kidney Disease;2017.
2. Milss TK, Xu Y, Zhang W, Bundy DJ, Chen CS, Kelly TN, et al. A systematic analysis of worldwide population-based data on the global burden of Chronic Kidney Disease in 2010. *International Society of Nephrology.*2015;88:950-7.
3. National Institut Of Health. USRDS Annual Data Report : Epidemiology of kidney disease in The United States. National Institutes of Health, National Institutes of Diabetes and Digestive and Kidney Disease;2016.
4. Hasan M, Sutradhar I, Gupta RD, Sarker M. Prevalence of Chronic Kidney Disease in South Asia: a systematic review. *BMC Nephrology.*2018;19:291.
5. Webster AC, Nagler EV, Morton RL, Masson P. Chronic Kidney Disease. *The Lancet.*2017;389:1238–52.
6. Neuen BL, Chadban, SJ, Demaio AR, Johnson DW, Perkovic V. Chronic Kidney Disease and the global NCDs agenda. *BMJ Global Health.*2017; 2:380.
7. Jha V, Modi GK. Getting to Know the enemy better-the global burden of Chronic Kidney Disease. *Kidney International.*2018;94:462-4.
8. Centers for Disease Control and Prevention. National Chronic Kidney Disease Fact Sheet. US Departement of Health and Human Services, Center for Disease Control and Prevention;2017.
9. RISKESDAS (2013). Riset Kesehatan Dasar Indonesia 2013. <http://www.depkes.go.id/resources/download/general/HasilRiskesdas2013.pdf>- Diakses Januari 2019.
10. RISKESDAS (2018). Riset Kesehatan Dasar Indonesia 2013. <http://www.depkes.go.id/resources/download/info->

[terkini/materi_rakorpop_2018/Hasil%20Risikesdas%202018.pdf](#)-Diakses Januari 2019.

11. Perhimpunan Nefrologi Indonesia. 10th Report Of Indonesian Renal Registry. <https://www.indonesianrenalregistry.org/data/IRR%202017%20.pdf>-Diakses Februari 2019.
12. Matsushita K, Tonelli M, Lloyd A, Levey AS, Coresh J, Hemmelgarn BR. Clinical risk implications of the CKD Epidemiology Collaboration (CKD-EPI) equation compared with the Modification of Diet in Renal Disease (MDRD) Study equation for estimated GFR. *Am J Kidney Dis.* 2012;60:241-9.
13. Lucisano G, Comi N, Pelagi E, Cianfrone P, Fuiano L, Fuiano G. Can Renal Sonography Be a Reliable Diagnostic Tool in the Assessment of Chronic Kidney Disease?. *Journal of Ultrasound in Medicine.*2015;34:299–306.
14. Petrucci I, Clementi A, Sessa C, Torrisi I, Meola M. Ultrasound and color Doppler applications in Chronic Kidney Disease. *Journal of Nephrology.*2018.
15. O'Neill WC. Renal Relevant Radiology: use of ultrasound in kidney disease and nephrology procedures. *Clinical Journal of the American Society of Nephrology.*2014;9(2):373–81.
16. Hull TD, Agarwal A, Hoyt K. New ultrasound techniques promise further advances in AKI dan CKD. *J Am Nephrol.*2017;28:3452-60.
17. Majdawati A. Hubungan Gambaran Ultrasonografi ginjal dengan Laju Filtrasi Glomerulus (GFR) pada penderita gangguan ginjal. *Jurnal Kedokteran Yarsi.*2009;17:74-81.
18. Yaprak M, Cakır O, Turan MN, Dayanan R, Akın S, Degirmen E, et al. Role of ultrasonographic Chronic Kidney Disease score in the assessment of Chronic Kidney Disease. *International Urology and Nephrology.*2016;49: 123-31.
19. Korkmaz M, Aras B, Guneyli S, Yılmaz M. Clinical significance of renal cortical thickness in patients with Chronic Kidney Disease. *Ultrasonography.*2018;37(1):50–4.

20. Jeong TD, Cho EJ, Lee W, Chun S, Hong KS, Min WK. Accuracy assessment of five equations used for estimating the glomerular filtration rate in Korean adults. *Annals of Laboratory Medicine*.2017; 37:371.
21. Suwitra K. Penyakit ginjal kronik. In:I Setia S, Alwi I, Sudoyo AW, Simadibrata M, Setyohadi B, editors. Buku ajar ilmu penyakit dalam. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FKUI; 2014. p. 2161-67.
22. Xie Y, Bowe B, Mokdad AH, Xian H, Yan Y, Li T, et al. Analysis of the Global Burden Of Disease study highlights the global, regional and national trends of Chronic Kidney Disease epidemiology from 1990 to 2016. *Kidney International*.2018;94:567-81.
23. Bello AK, Ronksley PE, Tangri N, Kurzawa J, Osman MA, Singer A, et al. Prevalence and demographics of CKD in Canadian primary care practices: a cross-sectional study. *Kidney International Reports*.2019.
24. Moreno, Velasquez I, Castro F, Gomez B, Cuero C, Motta J, Chronic Kidney Disease in Panama: results from PREFREC study and national mortality trends. *Kidney International Reports*.2017.
25. Hill NR, Fatoba ST, Oke JL, Hirst JA, O'Callaghan CA, Lasserson DS, et al. Global Prevalence of Chronic Kidney Disease – asystematic review and meta-analysis. *PLOS ONE* 11.2016;7:158765.
26. Tanto C, Hustrini NM. Penyakit Ginjal Kronis. In : Liwang F, Hanifati S, Pradipta EA, editors. *Kapita Selekt Kedokteran*. Edisi 4. Jakarta : Media Aesculapius; 2014.p.644-7.
27. Wilson LM. Gagal Ginjal Kronik. In : Hartanto H, Wulansari P, Susi N, Mahanani DA, editors. *Patofisiologi konsep klinis proses-proses penyakit*. Edisi 6. Jakarta : EGC ; 200.p.912-49.
28. Hartono A. Sistem Renal. In : Komalasari R, Tampubolon AO, Ester M, editors. *Buku Ajar Patofisiologi*. Jakarta. EGC; 2011. p. 561-6.
30. Pusat data dan Informasi Kementrian Kesehatan RI. Situasi Penyakit Ginjal Kronik. www.depkes.go.id/download.php?file.../infodatin/infodatin%20ginjal%202017 - Diakses Januari 2019.

31. Chaudhry S. Penyakit Ginjal Kronik. Eric Wong, editors. <http://www.pathophys.org/PGK/>–Diakses Februari 2019.
32. Sebastian A, Tait P. Renal imaging. *Medicine*.2015;43(7):389–394.
33. Meola M, Samoni S, Petrucci I. Imaging in Chronic Kidney Disease. *Ultrasound Imaging in Acute and Chronic Kidney Disease*.2016;188:69–80.
34. Hansen K, Nielsen M, Ewertsen C. Ultrasonography of the Kidney: A Pictorial Review. *Diagnostics*.2015;6:2.
35. Schelling JR. Tubular atrophy in the pathogenesis of Chronic Kidney Disease progression. *Pediatric Nephrology*. 2015;31:693–706.
36. Yamashita SR, Atzingen AC, Von, Iared W, Bezerra AS, De A, et al. Value of renal cortical thickness as a predictor of renal function impairment in chronic renal disease patients. *Radiologia Brasileira*.2015;48:12–6.
37. Dahlan MS. Langkah-langkah membuat proposal penelitian bidang kedokteran dan kesehatan. 2nd ed. Jakarta : Sagung Seto;2016.
38. Dahlan MS. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan.3rd ed. (Suslia A, ed.). Jakarta : Salemba Medika;2010.
39. Chang EH, Chong WK, Kasoji SK, Fielding JR, Altun E, Mullin LB, et al. Diagnostic accuracy of contrast-enhanced ultrasound for characterization of kidney lesions in patients with and without chronic kidney disease. *BMC Nephrology*.2017;18(1):26.
40. Aisara S, Azmi s, Yanni M. Gambaran klinis penderita Penyakit Ginjal Kronis yang menjalani hemodialisis di RSUP Dr. M. Djamil Padang. 2018;7:42-50.
41. Anita DC. Kadar albumin dan hemoglobin pasien gagal ginjal kronis dengan diabetes dan nondiabetes.2015;2:253-62.
42. Iseki K. Gender differences in chronic kidney disease. *Kidney International*.2008; 74(4): 415–417.
43. Carrero JJ, Hecking M, Chesnaye NC, Jager KJ. Sex and gender disparities in the epidemiology and outcomes of chronic kidney disease. *Nature Reviews Nephrology*.2018:1-14

44. Fanelli C, Dellê H, Cavaglieri RC, Dominguez WV, Noronha IL. Gender Differences in the Progression of Experimental Chronic Kidney Disease Induced by Chronic Nitric Oxide Inhibition. *BioMed Research International*. 2017;1–12.
45. Lima PI, Portas CC, Perez VR, Fontana F, Rodriguez RR, Prieto R, et al. Gender Differences in the Acute Kidney Injury to Chronic Kidney Disease Transition. *Scientific Reports*.2017;7(1):1-13.
46. Goldberg I, Krause I. Role of gender in Chronic Kidney Disease. *European medical journal*. 2016;1:58-64.
47. Ma'shumah N, Bintanah S, Handarsari E. Hubungan asupan protein dengan kadar ureum, kreatinin, dan kadar hemoglobin darah pada penderita gagal ginjal kronik hemodialisa rawat jalan di RS Tugurejo Semarang.2014;3:22-32.
48. Poluan FS, Sugeng C, Rachmanto E. Profil Penyakit Ginjal Kronik yang di rawat di RS Prof Dr. R. D. Kondou Manado.2016;4:1-5.
49. Hartini S. Gambaran karakteristik pasien Gagal Ginjal Kronis yang menjalani hemodialisa di Rumah Sakit Umum Daerah dr. Moewardi. *J Keperawatan Fak Ilmu Kesehatan Univ Muhammadiyah* ah. 2016;2(1):1–15.
50. Surya AM, Pertiwi D, Masrul. Hubungan protein urin dengan Laju Filtrasi Glomerulus pada penderita Penyakit Ginjal Kronik dewasa di RSUP Dr. M. Djamil Padang.2018;7:469-74.
51. Weinstein JR, Anderson S.The Aging Kidney: Physiological Changes. *Advances in Chronic Kidney Disease*.2010;17(4):302–7.
52. Denic A, Glassock RJ, Rule AD. Structural and Functional Changes With the Aging Kidney. *Advances in Chronic Kidney Disease*.2016;23(1):19–28.
53. Hsieh M, Power DA. Abnormal renal function and electrolyt disturbances in older people.
54. Prakash S, O'Hare AM. Interaction of Aging and Chronic Kidney Disease. *Seminars in Nephrology*.2009;29(5):497–503.
55. Novenia N. Gambaran anemia pada penyakit ginjal kronik yang diarway di bagian ilmu penyakit dalam.2016.

56. Sagita TC. Hubungan derajat keparahan gagal ginjal kronik dengan kejadian penyakit jantung koroner. 2018;7(2):472–84.
57. Neugarten J, Reckelhoff JF. Gender Issues in Chronic Kidney Disease. Elsevier inc.2015;3:69–80.
58. Chang PY, Chien LN, Lin YF, Wu MS, Chiu WT, Chiou HY. Risk factors of gender for renal progression in patients with early chronic kidney disease. *Medicine*.2017;95(30):4203.
59. Yu MK, Lyles CR, Bent-Shaw LA, Young BA. Risk Factor, Age and Sex Differences in Chronic Kidney Disease Prevalence in a Diabetic Cohort: The Pathways Study. *American Journal of Nephrology*.2012;36(3):245–51.
60. Cobo G, Hecking M, Port FK, Exner I, Lindholm B, Stenvinkel P, et al. Sex and gender differences in chronic kidney disease: progression to end-stage renal disease and haemodialysis. *Clinical Science*.2016;130(14):1147–63.
61. Jovanovic D, Gasic B, Pavlovic S, Naumovic R. Correlation of kidney size with kidney function and anthropometric parameters in healthy subjects and patients with chronic kidney diseases. *Renal Failure*.2013;35(6):896–900.
62. Makusidi MA, Chijioke A, Braimoh KT. Usefulness of renal length and volume by ultrasound in determining severity of chronic kidney disease. *Saudi J Kidney Dis Transpl*.2014;25:1117-21.
63. Zhang WX, Zhang ZM, Cao BS, Zhou W. Sonographic measurement of renal size in patients undergoing chronic hemodialysis: Correlation with residual renal function. *Experimental and Therapeutic Medicine*.2014;7(5): 1259–64.
64. Hostetter TH. Hypertrophy and hyperfunction of the diabetic kidney. *Journal of Clinical Investigation*.2001;2:161–162.
65. Ahmed S, Bughio S, Hassan M, Lal S, Ali M. Role of Ultrasound in the Diagnosis of Chronic Kidney Disease and its Correlation with Serum Creatinine Level. *Cureus*.2019;11:4241.
66. Singh A, Gupta K, Chander R, Vira M. sonographic grading of renal cortical echogenicity and raised serum creatinine in patients with chronic kidney disease.*Jemds*.2016;5:2279-86.

67. Siddappa JK, Singla S, Al Ameen M, Rakshith SC, Kumar N. Correlation of ultrasonographic parameters with serum creatinine in Chronic Kidney Disease. *Journal of clinical imaging science*.2013;3:25.
68. Lee JH, Cho MH, Chung SI, Lim SD, Kim KS. Relationship of renal echogenicity with renal pathology and function. *Child kidney disc*.2017;21:47-52.
69. Otsuka T, Kaneko Y, Sato Y, Kaseda R, Aoyagi R, Yamamoto S, et al. Kidney morphological parameters measured using noncontrast-enhanced steady-state free precession MRI with spatially selective inversion recovery pulse correlate with eGFR in patients with advanced CKD. *Clinical and Experimental Nephrology*.2017;22(1):45–54.
70. Bragato N, Borges NC, Fioravanti MCS. B-mode and Doppler ultrasound of chronic kidney disease in dogs and cats. *Veterinary Research Communications*.2017;41(4):307–315.
71. Szopinski T, Keller E, Zatura F. Kidney ultrasound – what is important for a urologist?. *J Ultrason*.2016;16:371–7.
72. Apoku IN, Ayoola OO, Salako AA, Idowu BM. Ultrasound evaluation of obstructive uropathy and its hemodynamic responses in southwest Nigeria. *International Braz j Urol*.2015;41(3):556–1.

