

DAFTAR PUSTAKA

- [1] Pusat Data dan Sistem Informasi Pertanian (Pusdatin). Analisis Kinerja Perdagangan Jagung. Indonesia: Sekretariat Jenderal Kementerian Pertanian; 2022.
- [2] Islam F, Imran A, Afzsaal M, et al. Nutritional, Functional, and Ethnomedical Properties of Sweet Corn Cob: a concurrent review. *International J of Food Science and Technology*. 2023;58(5):2181-2188.
- [3] Dong J, Cai L, Zhu X, et al. Antioxidant Activities and Phenolic Compounds of Sornhusk, Corncob and Stigma Maydis. *J Braz Chem Soc*. 2014;23(11):1956-1964.
- [4] Fidrianny I, Wulandari E, Hartati R. In Vitro Antioxidant Activity of Different Organs Extracts of corn Grown in Cimahi-West Java-Indonesia. *International J of Pharmacognosy and Phytochemical Research*. 2016;8(6):1025-1032.
- [5] Kusriani H, Marliani L, Apriliani E. Aktivitas Antioksidan dan Tabir Surya dari Tongkol dan Rambut Jagung (*Zea mays* L.). *International J of Pharmaceutical Science and Technology*. 2017;4(1):10-17.
- [6] Suryanto E, Momuat LI. Isolasi dan Aktivitas Antioksidan Fraksi dari Ekstrak Tongkol Jagung (*Zea mays*). *Agritech*. 2017;37(2):139-147.
- [7] Silveira RFM, Fidelis GP, Viana RLS, et al. Antioxidant and Antiproliferative Activities of Methanolic Extract from a Neglected Agricultural Product: Corn Cobs. *Molecules*. 2014;19:5360-5378.
- [8] Dewi IK, Suhendriyo, Indarto, et al. Total Phenolic and Flavonoid Content, Free Radical Scavenging Activity and Tyrosinase Inhibition of Corn Cob (*Zea mays*) Extract. *International J of Applied Pharmaceutics*. 2021;13(1):99-102.
- [9] Suryanto E, Momuat LI. Aktivitas Singlet Oxygen Quenching Senyawa Flavonoid dari Ekstrak Etil Asetat Tongkol Jagung (*Zea mays*). *Chem Prog*. 2016;9(2):55-62.
- [10] Kanpipit N, Nualkaew N, Thapphasaraphong S. The Potential of Purple Waxy Corn Cob (*Zea mays* L.) Extract Loaded-Sericin Hydrogel for Anti-Hyperpigmentation, UV Protection and Anti-Aging Properties as Topical Product Applications. *Pharmaceutics*. 2023;16(35):1-23.
- [11] Wungkana I, Suryanto E, Momuat L. Aktivitas Antioksidan dan Tabir Surya Fraksi Fenolik dari Limbah Tongkol Jagung (*Zea mays* L.). *Jurnal Ilmiah Farmasi-UNSRAT*. 2013;2(44):149-155.
- [12] Xu D, Zhao M. Photoaging Induced by Long-Term Exposure to UV Irradiation and Amelioration by Skipjack Tuna Skin Hydrolysates:

Targeting Inhibition of Mapk and Nf-Kb Signaling Hyperactivation. Journal of Functional Foods. 2022;98:1-10.

- [13] Bocheva G, Slominski RM, Janjetovic Z, et al. Protective Role of Melatonin and Its Metabolites in Skin Aging. International Journal of Molecular Sciences. 2022;23(3).
- [14] Brenner M, Hearing VJ. The protective role of melanin against UV damage in human skin. Photochem Photobiol. 2008;84:539-49.
- [15] Wang Y, Curtis-Long MJ, Lee BW, et al. Inhibition of tyrosinase activity by polyphenol compounds from *Flemingia philippinensis* roots. Bioorg Med Chem. 2014;22:1115–20.
- [16] Sirat HM, Rezali MF, Ujang Z. Isolation and identification of radical scavenging and tyrosinase inhibition of polyphenols from *Tibouchina semidecandra* L. J Agric Food Chem. 2010; 58:10404–9.
- [17] Solimine J, Garo E, Wedler J, et al. Tyrosinase inhibitory constituents from a polyphenolenriched fraction of rose oil distillation wastewater. Fitoterapia. 2016;108:13–9.
- [18] SG, Karadeniz F, Seo Y, Kong CS. Anti-melanogenic effects of flavonoid glycosides from *Limonium tetragonum* (thunb.) bullock via inhibition of tyrosinase and tyrosinaserelated proteins. Molecules. 2017;22:1480–90.
- [19] Orhan IE, Khan MT. Flavonoid derivatives as potent tyrosinase inhibitors – a survey of recent findings between 2008–2013. Curr Top Med Chem. 2014;14:1486–93.
- [20] Muhammad D, Hubert J, Lalun N, et al. Isolation of flavonoids and triterpenoids from the fruits of *Alphitonia neocaledonica* and evaluation of their anti-oxidant, antityrosinase and cytotoxic activities. Phytochem Anal. 2015;26:137–44.
- [21] Kim Y, Uyama H, Kobayashi S. Inhibition effects of (+)-catechin-aldehyde polycondensates on proteinases causing proteolytic degradation of extracellular matrix. Biochem. Biophys Res. Commun. 2004;320:256–261.
- [22] Melzig MF, Löser B, Ciesielski S. Inhibition of neutrophil elastase activity by phenolic compounds from plants. Pharmazie. 2001;56:967–970.
- [23] Girish KS, Kemparaju K, Nagaraju S, Vishwanath BS. Hyaluronidase inhibitors: a biological and therapeutic perspective. Curr Med Chem.. 2009;16:2261-2288.
- [24] Scotti L, Singla RK, Ishiki HM, Júnior FJBM, Silva MS, Filho JMB, & Scotti MT. Recent Advancement in Natural Hyaluronidase Inhibitors. Curr Top Med Chem 2016;16(23):2525– 2531.
- [25] Robert K. Handbook of Plant Science. Norwich (UK): Wiley; 2007.
- [26] Regulatory Directive. The Biology of *Zea mays* L. (Corn/Maize). Canada: Interdepartmental Executive Committee on Pest Management; 1994.

- [27] Ekowati D, Hanifah IR. Potensi Tongkol Jagung (*Zea mays* L.) Sebagai Sunscreen dalam Sediaan Hand Bodylotion. *Jurnal Ilmiah Manuntung*. 2016;2(2):198-207.
- [28] Kalyan N, Morey RV. Densification Characteristics of Corn Cobs. *Fuel Processing Technology*. 2010;91:559-565.
- [29] Belyea RL, Rausch KD, Tumbleson ME. Composition of Corn and Distillers Dried Grains with Solubles from Dry Grind Ethanol Processing. *Bioresource Technology*. 2004;99:293-298.
- [30] Mullen CA, Boateng AA, Goldberg NM, et al. Bi-oil and Bio-char Production from Corn Cobs and Stover by Fast Pyrolysis. *Biomass and Bioenergy*. 2020;34:67-74.
- [31] Balasundram N, Sundram K, Samman S. Phenolic Compounds in Plants and Agri-industrial by-products: Antioxidant Activity, Occurrence, and Potential Uses. *Food Chemistry*. 2006;99:191-203.
- [32] Hartati A. Aktivitas Antioksidan dan Tabir Surya Krim Ekstrak Biji Alpukat (*Perseaamericana* Mill.) dan Ekstrak Tongkol Jagung (*Zea mays* L.). *Jurnal Kesehatan*. 2022;13(3):485-491.
- [33] Pangemanan DA, Suryanto E, Yamlean PVY. Skrinning Fitokimia, Uji Aktivitas Antioksidan dan Tabir Surya pada Tanaman Jagung (*Zea mays* L.). *Pharmacon*. 2002;9(2):194-204.
- [34] Dewi IK, Pramono S, ROhman A, Martien R. Potential of Corncobs (*Zea mays*) Fraction as Tyrosinase Inhibitor and Natural Antioxidant In Vitro. *Food Research*. 2021;5(2):67-73.
- [35] Maqbool J, Anwar H, Rasul A, et al. Comparative Evaluation of Ethyl Acetate and n-Hexane Extracts of *Cannabis Sativa* L. Leaves for muscle Function Restoration after Peripheral Nerve Lesion. *Food Science and Nutrition*. 2023:1-9.
- [36] Wang X, Xu LP. Ultrasonic-assisted Extraction and Antibacterial Properties of Polyphenols of Sweet Corncob. *Advanced Materials Research*. 2014;1028:373-379.
- [37] Mandal SC, Nayak AK, Dhara AK. *Herba; Biomolecules in Healthcare Applications*. Chennai, India: Andre G. Wolff; 2022.
- [38] Egbuna C, Ifemeje JC, Udedi SC, Kumar S. *Phytochemistry, Volume 1: Fundamental, Modern Techniques, and Applications*. Canada: Apple Academic Press; 2019.
- [39] Colegate SM, Moluneux RS. *Bioactive Natural Products: Detection, Isolation, and Structural Determination*. London (NY): CRC Press Taylor and Francis Group; 2008.
- [40] Cannell RJP. *Natural Products Isolation*. New Jersey (US): Humana Press; 1998.

- [41] McMaster, Marvin C. LC/MS: A Practical User's Guide. Canada: John Wiley & Sons, inc; 2005.
- [42] Gilchrist BA, Krutmann. Skin Aging. Berlin Heidelberg (NY): Springer; 2006.
- [43] Koltover VK. Anti-Aging Pharmacology. San Diego: Elsevier Science & Technology; 2022.
- [44] Farage MA, Miller KW, Maibach HI. Textbook of Aging Skin. Berlin Heidelberg (NY): Springer; 2010.
- [45] Pandel R, Poljsak B, Godic A, Dahmane R. Skin Photoaging and the Role of Antioxidant in Its Prevention. Hindawi Publishing Corporation. 2013;1-11.
- [46] Rigel DS, Weiss RA, Lim HW, Dover JS. Photoaging. Basel (NY): Marcel Dekker, Inc; 2004.
- [47] Laga AC, Murphy GF. The Translational Basis of Human Cutaneous Photoaging. The American Journal of Pathology. 2009;174(2):357-360.
- [48] Ullah S, Son Sm Yun HY, et al. Tyrosinase Inhibitors: A Patent Review (2011-2015). Expert Opinion on Therapeutic Patents. 2016;26(3):347-362.
- [49] Gebalski J, Graczyk F, Zaluski D. Paving the Way towards Effective Plant-Based Inhibitors of Hyaluronidase and Tyrosinase: A Critical Review on a Structure-activity Relationship. J of Enzyme Inhibition and Medicinal Chemistry. 2022;37(1):1120-1195.
- [50] Chang YH, Ryu JS, Lee RH, et al. Inhibition of Melanogenesis by Ramalin from the Antarctic Lichen *Ramalina terebata*. J Soc Cosmet Scientists Korea. 2012;38(3):247-254.
- [51] Boo YC. P-Coumaric Acid as An Active Ingredient in Cosmetic: A Review Focusing on Its Antimelanogenic Effects. Antioxidants. 2019;8(275):1-16.
- [52] Kwon HJ, Cho YS. Pharmaceutical Composition for Preventing of Treating Autophagy-Related Diseases, Angiogenic Disease or Melanin-Related Disease. Patent Application Publication. 2013:1-9.
- [53] Chang TS. An Update Review of Tyrosinase Inhibitors. International J of Molecular Sciences. 2009;10:2440-2475.
- [54] Varela MT, Ferrarini M, Mercaldi VG, et al. Coumaric Acid Derivatives as Tyrosinase Inhibitors: Efficacy Study Through In Silico, In Vitro and Ex Vivo Approaches. Bioorganic Chemistry. 2020;103:1-36.
- [55] Azmi N, Hashim P, Hashim DM, et al. Anti-elastase, Anti-tyrosinase and Matrix Metalloproteinase-1 Inhibitory Activity of Earthworm Extracts as Potential New Anti-aging Agent. Asian Pac J of Trop Biomed. 2014;4(1):348-352.

- [56] Tsukahara K, Takema Y, Moriwaka S, et al. Selective Inhibition of Skin Fibroblast Elastase Elicits a Concentration-Dependent Prevention of Ultraviolet B-Induced Wrinkle Formation. *The Society for Investigative Dermatology*. 2001;117(3):671-677.
- [57] Ledwon P, Papini AM, Rovero P, Latajka R. Peptides and Peptidomimetics as Inhibitors of Enzymes Involved in Fibrillar Collagen Degradation. *Materials*. 2021;14(3217):1-28.
- [58] Robert L, Jacob MP, Frances C, et al. Interaction Between Elastin and Elastases and Its Role in the Aging of the Arterial Wall, Skin and Other Connective Tissues: A Review. *Mechanisms of Ageing and Development*. 1984;28:155-166.
- [59] Groutas WC, Dou D, Alliston KR. Neutrophil Elastase Inhibitors. *Expert Opin Ther Pat*. 2011;21(3):339-354.
- [60] Jakimiuk K, Gesek J, Atanasov AG, Tomczyk M. Flavonoids as Inhibitors of Human Neutrophil Elastase. *Journal of Enzyme inhibition and Medicinal Chemistry*. 2021;36(1):1016-1028.
- [61] Mio K, Carrette O, Maibach HI, Sterns R. Evidence That the Serum Inhibitors of Hyaluronidase May Be a Member of the Inter- α -inhibitor Family. *The Journal of Biological Chemistry*. 2000;275(42):32413-32421.
- [62] Scotti L, Singla RK, Ishiki HM, et al. Recent Advancement in Natural Hyaluronidase Inhibitors. *Current Topics in Medicinal Chemistry*. 2016;16:1-7.
- [63] Girish KS, Kemparaju K, Nagaraju S, Viswanath. Hyaluronidase Inhibitors: A Biological and Therapeutic Perspective. *Current Medicinal Chemistry*. 2009;16:2261-2288.
- [64] Papaemmanouil CD, Garcia JP, Luna AJB, et al. ANTIAGE-DB: A Database and Server for the Prediction of Anti-Aging Compounds Targeting Elastase, Hyaluronidase, and Tyrosinase. *Antioxidants*. 2022;11(2268):1-26.
- [65] Pintus F, Floris S, Fais A, et al. Hydroxy-3-Phenylcoumarins as Multitarget Compounds for Skin Aging Diseases: Synthesis, Molecular Docking and Tyrosinase, Elastase, Collagenase and Hyaluronidase Inhibition, and Sun Protection Factor. *Molecules*. 2022;27(6914):1-15.
- [66] Kumud M, Sanju N. In-Vitro Evaluation of Antioxidant, Anti-elastase, Anti-collagenase, Anti-hyaluronidase Activities of Safranal and Determination of Its Sun Protection Factor in Skin Photoaging. *Bioorganic Chemistry*. 2018;77:159-167.
- [67] Zeng HJ, Ma J, Yang R, et al. Molecular interactions of flavonoids to hyaluronidase: insights from spectroscopic and molecular modeling studies. *J Fluoresc* 2015;25:941-59.

- [68] Wangthong S, Tonsiripakdee I, Monhaphol T, Nonthanbenjawan R, & Wanichwecharungruang SP. Post TLC developing technique for tyrosinase inhibitor detection. *Biomed Chromatogr.* 2007;21:94-100.
- [69] Momtaz S, Mapunya B, Houghton P, Edgerly C, Hussein A, Naidoo S & Lall N. Tyrosinase inhibition by extracts and constituents of *Sideroxylon inerme* L. stem bark, used in South Africa for skin lightening. *J Ethnopharmacology.* 2008;119:507-512.
- [70] Moon JY, Yim EY, Song G, Lee NH, & Hyun CG. Screening of elastase and tyrosinase inhibitory activity from Jeju Island plants. *EurAsia J BioSci.* 2010;4:41-53.
- [71] Widowati W, Janeva W, Amalia A, et al. Antioxidant and Antiaging Activities of *Jasminum Sambac* Extract, and its Compounds. *Journal of Reports in Pharmaceutical Sciences.* 2018;7(3):270-285.
- [72] Singh A. Isolation, Characterization, and Therapeutic Applications of Natural Bioactive Compounds. USA: IGI Publisher; 2022.
- [73] Demir E, Serdar G, Sokmen M. Comparison of some extraction methods for isolation of catechins and caffeine from Turkish green tea. *International Journal of Secondary Metabolite.* 2015;2(2):15-25.
- [74] Desai S, Tatke P, Gabhe SY. Isolation of catechin from stem bark of *Albizia lebbeck*. *International Journal of Analytical, Pharmaceutical and Biomedical Sciences.* 2014;3(2):31- 35.
- [75] Villa RAS, Corredor JAG, Paez MI. Isolation of catechin and Gallic acid from Colombian bark of *Pinus patula*. *Chem Sci J.* 2017;8(4):1-11.
- [76] Dong JJ, Ye JH, Lu JL, Zheng XQ, Liang YR. Isolation of antioxidant catechins from green tea and its decaffeination. *Food Bioprod Process.* 2011;89:62-66
- [77] Nuryana I, Ratnakomala S, Fahrurrozi, Juanssilfero AB, Andriani A, Putra FJLN, Rezamela E, Wulansari R, Atmaja MIP, Lisdiyanti P. Catechin contents, antioxidant and antibacterial activities of different types of Indonesia Tea (*Camellia sinensis*). *Annales Bogorienses.* 2020;24(2):106-113.
- [78] Lee S, Yu JS, Phung HM, Lee JG, Kim KH, Kang KS. Potential anti-kin aging effect of (-)- catechin isolated from the root bark of *Ulmus davidiana* var. *japonica* in tumor necrosis factor α -stimulated normal human dermal fibroblasts. *Antioxidants.* 2020; 9(981):1-13.
- [79] Patient A, Marie EJ, Robinson JC, Martial K, Meudec E, Grutzmacher JL, Closs B, Bereau D. Polyphenol composition and antioxidant activity of *Tapirira guianensis* Aubl. (Anarcadiaceae) leaves. *Plants.* 2022; 11(326):1-14.
- [80] Wang J, Fang X, Ge L, Cao F, Zhao L, Wang Z, Xiao W. Antitumor, antioxidant and anti-inflammatory activities of kaempferol and its

corresponding glycosides and the enzymatic preparation of kaempferol. *Plos One*. 2018;1-12.

- [81] Wu M, Cai Z, Fang Z, Li S, Huang Z, Tang Z, Luo Q, Chen H. The composition and antiaging activities of polyphenol extract from *Phyllanthus emblica* L. Fruit. *Nutrients*. 2022;14(857):1-18.
- [82] Marzo NS, Sanchez AP, Torres VR, Tebar AM, Castilllo J, Lopez MH, Catalan EB. Antioxidant and photoprotective activity of apigenin and its potassium salt derivative in human keratinocytes and absorption in caco-2 cell monolayers. *Int J Mol Sci*. 2019;20(2148):1-13.
- [83] Tian C, Liu X, Chang Y, Wang R, Lv T, Cui C. Investigation of the anti-inflammatory and antioxidant activities of luteolin, kaempferol, apigenin and quercetin. *S Afr J Bot*. 2021;137:257-264.
- [84] Martinez CA, Mosquera OM, Nino J. Apigenin glycoside: an antioxidant isolated from *Alchornea coelophylla* pax & k. Hoffm. (euphorbiacea) leaf extract. *Univ Sci*. 2016;21(3):245-257.
- [85] Szymczak G, Kosior MW, Sowa I, Zapala K, Strzemski M, Kocjan R. Evaluation of isoflavone content and antioxidant activity of selected soy taxa. *J Food Compost Anal*. 2017;57:40-48.
- [86] Choi YM, Yoon H, Lee S, Ko HC, Shin MJ, Lee MC, Ro NY, Desta KT. Isoflavones, anthocyanins, phenolic content, and antioxidant activities of black soybeans (*Glycine max* (L.) Merrill) as affected by seed weight. *Sci Rep*. 2020;10:19960.
- [87] Fougere L, Zubrzycki S, Elfakir C, Destandau E. Characterization of Corn Silk Extract Using HPLC/HRMS/MS Analyses and Bioinformatic Data Processing. *Plants*. 2023;12(721):1-20.
- [88] Ranilla LG, Gonzales BAR, Pinto MFR, et al. Primary and Phenolic Metabolites Analyses, In Vitro Health-Relevant Bioactivity and Physical Characteristics of Purple Corn (*Zea mays* L.) Grown at Two Andean Geographical Locations. *Metabolites*. 2021;11(722):1-12.
- [89] Hernandez M, Ventura J, Castro C, et al. UPLC-ESI-QTOF-MS²-Based Identification and Antioxidant Activity Assessment of Phenolic Compounds from Red Corn Cob (*Zea mays* L.). *Molecules*. 2018;23(1425):1-10.
- [90] Demir E, Serdar G, Sokmen M. Comparison of some extraction methods for isolation of catechins and caffeine from Turkish green tea. *International Journal of Secondary Metabolite*. 2015;2(2):15-25.
- [91] Villa RAS, Corredor JAG, Paez MI. Isolation of catechin and Gallic acid from Colombian bark of *Pinus patula*. *Chem Sci J*. 2017;8(4):1-11.
- [92] Harahap A, Triamarta S, Kharisma D, Hanifah W, et al. Evaluation of the Anti-tyrosinase-anti-aging Potential and Metabolite Profiling from The Bioactive Fraction of Corn Cob (*Zea mays* L.). *Int J App Pharm*. 2024;16(1):71-76.

- [93] Razgonova MP, Zakharenko AM, Derbush IV, et al. Research of 5 Extracts of Wild Amur Grape *Vitis amurensis* Rupr. And Identification of its Polyphenolic Composition by Tandem Mass Spectrometry (HPLC-MS/MS). *FABRA*. 2021;254:01012.
- [94] Razgonova M, Zinchenko Y, Pikula K, et al. Spatial Distribution of Polyphenolic Compounds in Corn Grains (*Zea mays* L. var. pioneer) Studied by Laser Confocal Microscopy and High-Resolution Mass Spectrometry. *Plants*. 2022;11(630):1-21.
- [95] Orabi MAA, Alqahtani OS, Alyami BA, et al. Human Lung Cancer (A549) Cell Line Cytotoxicity and Anti-*Leishmania major* Activity of *Carissa macricarpa* Leaves: A Study Supported by UPLC-ESI-MS/MS Metabolites Profiling and Molecular Docking. *Pharmaceuticals*. 2022;12:1561.
- [96] Arifah N. Isolasi dan Elusidasi Struktur Senyawa Aktif Sebagai Penghambat Enzim Enzim Xantin Oksidase, Enzim Tirosinase, dan Enzim α -Glukosidase dari Lichen *Stereocaulon Graminosum* SCHAER [Tesis]. Padang: Fakultas Farmasi Universitas Andalas; 2022.
- [97] Zhang X, Liang C, Li C, et al. Simultaneous Qualitative and Quantitative Study of Main Compounds in *Commelina communis* Linn. By UHPLC-Q-TOF-MS-MS and HPLC-ESI-MS-MS. *Journal of Chromatographic Science*. 2018;56(7):582-594.
- [98] Rohlig RM, Eder J, Engel KH. Metabolite Profiling of Maize Grain: differentiation due to genetics and environment. *Metabolomics*. 2009;5:459-477.
- [99] Fakhriadi A. Isolasi dan Profil Senyawa Metabolit Sekunder dari Bunga Kecombrang (*Etilingera elatior* (Jack) R. M. Sm.) yang Menghambat Enzim α -Glukosidase [Skripsi]. Padang: Fakultas Farmasi Universitas Andalas; 2023.
- [100] Sayet MAE, Gendy MAA, Hamdan DI, Shazly AM. Phytoconstituents, LC-ESI-MS Profile, Antioxidant and Antimicrobial Activities of *Citrus x limon* L. Burm. f. Cultivar Variegated Pink Lemon. *J Pharm Sci & Res*. 2017;9(4):357-391.
- [101] Takahashi T, Miyazawa M. Tyrosinase Inhibitory Activities of Cinnamic Acid Analogues. *Pharmazie*. 2010;65(12):913-918.
- [102] Park SH, Kim DS, et al. Inhibitory Effect of p-Coumaric Acid by *Rhodiola sachalinensis* on Melanin Synthesis in B16F10 cells. *Pharmazie*. 2008;63(4):290-295.
- [103] Siedle B, Murillo R, Hucke O, et al. Structure Activity Relationship Studies of Cinnamic Acid Derivatives as Inhibitors of Human Neutrophil Elastase Revealed by Ligand Docking Calculations. *Pharmazie*. 2002;58:337-339.

- [104] Girsang E, Lister INE, Ginting CN, et al. Antioxidant and Antiaging Activity of Rutin and Caffeic Acid. *Pharmaciana*. 2020;10(2):147-156.
- [105] Aoshima H, Miyase T, Warashina T. Caffeic acid oligomers with hyaluronidase inhibitory activity from *Clinopodium gracile*. *Chem Pharm Bull*. 2012;60:499-507.
- [106] Jia J, Liu Z, Wang Y, Wei Y, Yuan H. The Steroid Compounds from *Vanderbylia robiniophila* (huaier) and Their Tyrosinase Inhibitory Activities. *Mycosystema*. 2023;42(9):1981-1992.

