

DAFTAR PUSTAKA

1. Riskawati YK, Damar Prabowo E, Al Rasyid H. Tingkat Aktivitas Fisik Mahasiswa Program Studi Pendidikan Dokter Tahun Kedua, Ketiga, Keempat. Majalah Kesehatan. 2018;5(1):26–32.
2. Gunalam IF, Lontoh SO. Penelitian Pendahuluan Tingkat Kebugaran Fisik dengan Six Minute Walking Test pada Mahasiswa Fakultas Kedokteran Universitas Tarumanagara. Ebers Papirus. 2021 Jun;27(1):100–15.
3. Centers for Disease Control and Prevention. Childhood Obesity Causes & Consequences - Overweight & Obesity [Internet]. 2016 [cited 2023 Nov 7]. Available from: https://www.cdc.gov/obesity/basics/causes.html?s_cid=qr2022
4. Kementerian Kesehatan Republik Indonesia. Laporan Nasional Riskesdas 2018 [Internet]. Laporan Hasil Riset Kesehatan Dasar (Riskesdas). 2018 [cited 2023 Feb 8]. Available from: <https://layanan.data.kemkes.go.id/katalog-data/riskesdas/ketersediaan-data/riskesdas-2018>
5. Kementerian Kesehatan Republik Indonesia. Laporan Nasional Riskesdas 2013 [Internet]. Laporan Hasil Riset Kesehatan Dasar (Riskesdas). 2013 [cited 2023 Feb 8]. Available from: <https://layanan.data.kemkes.go.id/katalog-data/riskesdas/ketersediaan-data/riskesdas-2013>
6. World Health Organization. Physical Activity [Internet]. 2022 [cited 2023 Feb 13]. Available from: <https://www.who.int/news-room/fact-sheets/detail/physical-activity>
7. P2PTM Kemenkes RI. Apa Definisi Aktivitas Fisik? [Internet]. 2019 [cited 2023 Feb 8]. Available from: <https://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/apa-definisi-aktivitas-fisik>
8. Saunders TJ, Gray CE, Poitras VJ, Chaput JP, Janssen I, Katzmarzyk PT, et al. Combinations of physical activity, sedentary behaviour and sleep: Relationships with health indicators in school-aged children and youth. Applied Physiology, Nutrition and Metabolism. 2016;41(6):283–93.
9. Setyo H, Handayani S, Wiyono N. Hubungan Aktivitas Fisik dengan Kapasitas Memori Kerja pada Mahasiswa Program Studi Kedokteran Universitas Sebelas Maret. Nexus Kedokteran Komunitas. 2016 Dec;5(2):1–11.

10. Chetta A, Zanini A, Pisi G, Aiello M, Tzani P, Neri M, et al. Reference values for the 6-min walk test in healthy subjects 20-50 years old. *Respir Med*. 2006 Sep;100(9):1573–8.
11. Halliday SJ, Wang L, Yu C, Vickers BP, Newman JH, Fremont RD, et al. Six-minute walk distance in healthy young adults. *Respir Med*. 2020 Apr 1;165:1–18.
12. Pascatello L, Arena R, Riebe D, Thompson P. ACSM's guidelines for exercise testing and prescription. 9th ed. Vol. 9, ACSM's guidelines for exercise testing and prescription. Baltimore: Lippincott Williams & Wilkins; 2014.
13. Rhodes RE, Janssen I, Bredin SSD, Warburton DER, Bauman A. Physical activity: Health impact, prevalence, correlates and interventions. *Psychol Health*. 2017 Aug 3;32(8):942–75.
14. World Health Organization. Global Recommendations on Physical Activity for Health. Geneva: World Health Organization; 2010.
15. Jetté M, Sidney K, Blümchen G. Metabolic equivalents (METS) in exercise testing, exercise prescription, and evaluation of functional capacity. *Clin Cardiol*. 1990;13(8):555–65.
16. International Physical Activity Questionnaire. Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ)-Short and Long Forms [Internet]. 2005 [cited 2023 Feb 13]. Available from: www.ipaq.ki.se.
17. Nuzum H, Stickel A, Corona M, Zeller M, Melrose RJ, Wilkins SS. Potential Benefits of Physical Activity in MCI and Dementia. *Behavioural Neurology*. 2020;2020:1–10.
18. Lugo D, Pulido AL, Miros CG, Issa O, Cusnir M, Horvath SA, et al. The effects of physical activity on cancer prevention, treatment and prognosis: A review of the literature. *Complement Ther Med*. 2019 Jun 1;44:9–13.
19. Centers for Disease Control and Prevention. The association between school based physical activity, including physical education, and academic performance. Atlanta: Department of Health and Human Services; 2010.
20. P2PTM Kemenkes RI. Manfaat Aktivitas Fisik [Internet]. 2018 [cited 2023 Nov 12]. Available from: <https://p2ptm.kemkes.go.id/infographic-p2ptm/hipertensi/manfaat-aktivitas-fisik>

21. Bauman AE, Reis RS, Sallis JF, Wells JC, Loos RJ, Martin BW. Correlates of physical activity: why are some people physically active and others not? *The Lancet*. 2012 Jul;380(9838):258–71.
22. Koeneman MA, Verheijden MW, Chinapaw MJM, Hopman-Rock M. Determinants of physical activity and exercise in healthy older adults: A systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 2011;8(1):142.
23. Cortés-Muñoz C, Cardona-Arango D, Segura-Cardona Á, Garzón-Duque MO. Demographic, social, physical and mental factors associated with functional capacity in the elderly, Antioquia, Colombia, 2012. *Revista de Salud Publica*. 2016 Mar 1;18(2):167–78.
24. Agyemang K, Banstola A, Pokhrel S, Anokye N. Determinants of Physical Activity and Dietary Habits among Adults in Ghana: A Cross-Sectional Study. *Int J Environ Res Public Health*. 2022 Apr 1;19(8):4671.
25. Mötteli S, Dohle S. Egocentric social network correlates of physical activity. *J Sport Health Sci*. 2020 Jul;9(4):339–44.
26. Ainsworth B, Cahalin L, Buman M, Ross R. The Current State of Physical Activity Assessment Tools. *Prog Cardiovasc Dis*. 2015 Jan 1;57(4):387–95.
27. Reiser LM, Schlenk EA. Clinical use of physical activity measures. *J Am Acad Nurse Pract*. 2009 Feb;21(2):87–94.
28. Keating XD, Zhou K, Liu X, Hodges M, Liu J, Guan J, et al. Reliability and concurrent validity of global physical activity questionnaire (GPAQ): A systematic review. *Int J Environ Res Public Health*. 2019 Nov 1;16(21):4128.
29. Godin G. The Godin-Shephard Leisure-Time Physical Activity Questionnaire. *Health & Fitness Journal of Canada*. 2011;4(1):18–22.
30. Lee PH, Macfarlane DJ, Lam TH, Stewart SM. Validity of the international physical activity questionnaire short form (IPAQ-SF): A systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 2011 Oct 21;8:115.
31. Widiyatmoko F, Hadi H. Tingkat aktivitas fisik siswa di kota Semarang. *Journal Sport Area*. 2018 Dec 7;3(2):140–7.
32. Puciato D, Rozpara M, Borysiuk Z. Physical activity as a determinant of quality of life in working-age people in Wrocław, Poland. *Int J Environ Res Public Health*. 2018 Apr 1;15(4):623.

33. Hidayati E, Suharti A, Adha Z, Yusviani H. Gambaran Kapasitas Fungsional Jantung-Paru pada Pasien COVID-19 Derajat Sedang di Ruang Isolasi. Jakarta; 2021.
34. Nusdwinuringtyas N, Alwi I, Yunus F. Kesahihan dan Keandalan Uji Jalan Enam Menit pada Lintasan 15 Meter. Media Penelitian dan Pengembangan Kesehatan. 2018 Oct 17;28(2):131–6.
35. Tumiwa HT, Rattu AJM, Kawatu PAT. Gambaran Kapasitas Vital Paru dan Volume Oksigen Maksimum (VO₂Max) pada Atlet Sepak Bola Ps.Bank Sulutgo di Kota Manado Tahun 2016. Pharmacon. 2016 May;5(2):251–8.
36. Lismadiana. Peranan Olahraga terhadap Kapasitas Kardiorespirasi. Jurnal Olahraga Prestasi. 2012;8(2):108–22.
37. Ayu I, Widiastuti E, Priyambodo S, Wira Buanayuda G. Korelasi Pengukuran Antropometrik dengan Kebugaran Kardiorespirasi pada Mahasiswa Fakultas Kedokteran Universitas Mataram. Jurnal Kedokteran Unram. 2018;7(4):19–22.
38. Alfarisi R, Rivai PP. Hubungan indeks massa tubuh terhadap ketahanan kardiorespirasi diukur dari vo₂max pada mahasiswa Fakultas Kedokteran Universitas Malahayati. Jurnal Ilmu Kedokteran Dan Kesehatan. 2017;4(2):67–73.
39. Mariany Y, Maria C. Hubungan antara status gizi dan aktivitas fisik dengan kebugaran kardiorespirasi pada siswa umur 8-14 tahun SMP Muhammadiyah Plus Kota Batam. Menara Ilmu. 2022;16(1):113–21.
40. Caballer DVB. The effectiveness of exercise interventions and the factors associated with the physical performance in older adults [Thesis]. [Valencia]: Universidad CEU Cardenal Herrera; 2016.
41. Rustiawan H. Pengaruh latihan interval training dengan running circuit terhadap peningkatan VO₂Max. Jurnal Wahana Pendidikan. 2020 Jan 31;7(1):15–28.
42. Grgic J, Lazinica B, Schoenfeld BJ, Pedisic Z. Test–Retest Reliability of the One-Repetition Maximum (1RM) Strength Assessment: a Systematic Review. Sports Med Open. 2020 Dec 17;6(1):31.
43. Mayorga-Vega D, Aguilar-Soto P, Viciana J. Criterion-Related Validity of the 20-M Shuttle Run Test for Estimating Cardiorespiratory Fitness: A Meta-Analysis. J Sports Sci Med. 2015 Sep;14(3):536–47.
44. Bohannon RW, Wang YC. Four-Meter Gait Speed: Normative Values and Reliability Determined for Adults Participating in the

- NIH Toolbox Study. Arch Phys Med Rehabil. 2019 Mar 1;100(3):509–13.
45. Mehmet H, Robinson SR, Yang AWH. Assessment of Gait Speed in Older Adults. Journal of Geriatric Physical Therapy. 2020 Jan 1;43(1):42–52.
46. Díaz-Balboa E, González-Salvado V, Rodríguez-Romero B, Martínez-Monzonís A, Pedreira-Pérez M, Cuesta-Vargas AI, et al. Thirty-second sit-to-stand test as an alternative for estimating peak oxygen uptake and 6-min walking distance in women with breast cancer: a cross-sectional study. Supportive Care in Cancer. 2022 Oct 1;30(10):8251–60.
47. Figueiredo PHS, Veloso LR de S, Lima MMO, Vieira CFD, Alves FL, Lacerda ACR, et al. The reliability and validity of the 30-seconds sit-to-stand test and its capacity for assessment of the functional status of hemodialysis patients. J Bodyw Mov Ther. 2021 Jul 1;27:157–64.
48. Muñoz-Bermejo L, Adsuar JC, Mendoza-Muñoz M, Barrios-Fernández S, García-Gordillo MA, Pérez-Gómez J, et al. Test-retest reliability of five times sit to stand test (Ftsst) in adults: A systematic review and meta-analysis. Biology (Basel). 2021 Jun 1;10(6):510.
49. Agarwala P, Salzman SH. Six-Minute Walk Test: Clinical Role, Technique, Coding, and Reimbursement. Chest. 2020 Mar 1;157(3):603–11.
50. Uszko-Lencer NHMK, Mesquita R, Janssen E, Werter C, Brunner-La Rocca HP, Pitta F, et al. Reliability, construct validity and determinants of 6-minute walk test performance in patients with chronic heart failure. Int J Cardiol. 2017 Aug 1;240:285–90.
51. Hoeger WWK, Hoeger SA. Principles and Labs for Fitness and Wellness. 13th ed. London: Cengage Learning; 2015.
52. Corbin C, Welk G, Corbin W, Welk K. Corbin's Concepts of Fitness And Wellness: A Comprehensive Lifestyle Approach. 13th ed. New York: McGraw Hill; 2023.
53. Wu G, Sanderson B, Bittner V. The 6-minute walk test: How important is the learning effect? Am Heart J. 2003 Jul 1;146(1):129–33.
54. Lammers AE, Hislop AA, Flynn Y, Haworth SG. The 6-minute walk test: Normal values for children of 4-11 years of age. Arch Dis Child. 2008 Jun;93(6):464–8.

55. Dahlan MS. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. 3rd ed. Jakarta: Salemba Medika; 2010.
56. Riduwan. Metode dan Teknik Menyusun Tesis. 4th ed. Rahayu SB, Warsiman, editors. Bandung: Alfabeta; 2006.
57. Rahmah SRA. Hubungan Aktivitas Fisik dengan Berat Badan pada Remaja Selama Masa Pandemi Covid-19 di Wilayah Padang Harapan Kota Bengkulu [Skripsi]. [Bengkulu]: Politeknik Kesehatan Kemenkes Bengkulu; 2021.
58. ATS Committee on Proficiency Standards for Clinical Pulmonary Function Laboratories. American Thoracic Society ATS Statement: Guidelines for the Six-Minute Walk Test. Am J Respir Crit Care Med. 2002;166:111–7.
59. Enright PL. The Six-Minute Walk Test. Respir Care. 2003 Aug;48(8):783–5.
60. Nusdwinuringtyas N. Six Minute Walking Distance Cut-off Point in Indonesian (Mongoloid) Population. Journal Of The Indonesian Medical Association. 2019 Sep 25;68(8):389–94.
61. S D. Statistik Untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat dan Multivariat. 6th ed. Jakarta: Epidemiologi Indonesia; 2014. 224 p.
62. Narwanto MI, Salsabila S, Wulandari P. Hubungan Aktivitas Fisik dan Indeks Massa Tubuh dengan Gangguan Muskuloskeletal pada Mahasiswa Kedokteran Universitas Jember di Masa Pandemi Covid-19. Jurnal Ilmiah Kesehatan. 2022 Mar 10;21(1):38–42.
63. Unick JL, Lang W, Tate DF, Bond DS, Espeland MA, Wing RR. Objective Estimates of Physical Activity and Sedentary Time among Young Adults. J Obes. 2017;2017:1–11.
64. Wahyuni T, Diansabila J. Hubungan Indeks Massa Tubuh (IMT) dengan Kadar Kolesterol pada Mahasiswa Program Studi Kedokteran. Muhammadiyah Journal of Nutrition and Food Science (MJNF). 2021 Mar 1;1(2):54.
65. Febriyanti NK, Adiputra IN, Sutadarma IGS. Hubungan indeks massa tubuh dan aktivitas fisik terhadap daya tahan kardiovaskular pada mahasiswa Fakultas Kedokteran Universitas Udayana. Denpasar; 2015.
66. Al-Qasasy AIBMS. Hubungan Tingkat Aktivitas Fisik dengan Indeks Massa Tubuh Mahasiswa Fakultas Kedokteran Universitas

Andalas Angkatan 2014, 2015, dan 2016 [Skripsi]. [Padang]: Universitas Andalas; 2018.

67. Carballo-Fazanes A, Rico-Díaz J, Barcala-Furelos R, Rey E, Rodríguez-Fernández JE, Varela-Casal C, et al. Physical Activity Habits and Determinants, Sedentary Behaviour and Lifestyle in University Students. *Int J Environ Res Public Health*. 2020 May 8;17(9):3272.
68. Castro O, Bennie J, Vergeer I, Bosselut G, Biddle SJH. How Sedentary Are University Students? A Systematic Review and Meta-Analysis. *Prevention Science*. 2020 Apr 23;21(3):332–43.
69. Zulka AN, Determinan AF, Resiko... P, Natasa Zulka A, Suryaningsih Y, Wahyuningtiyas NL, et al. Analisis faktor determinan peningkatan resiko sedentary lifestyle mahasiswa dengan pendekatan health belief model. *PROFESSIONAL HEALTH JOURNAL*. 2024;5(2):362–9.
70. Kusuma Dewi R, Nur Rohmah A. Tes jalan 6 menit untuk mengukur kebugaran jasmani, nadi istirahat, dan nadi exercise pada mahasiswa anestesiologi perokok dan non perokok. *Jurnal Kesehatan Kusuma Husada*. 2023 Jan 24;91–6.
71. Almeida VP, Ferreira AS, Guimarães FS, Papathanasiou J, Lopes AJ. Predictive models for the six-minute walk test considering the walking course and physical activity level. *Eur J Phys Rehabil Med*. 2020 Jan;55(6).
72. Breda CA, Rodacki ALF, Leite N, Homann D, Goes SM, Stefanello JMF. Physical activity level and physical performance in the 6-minute walk test in women with fibromyalgia. *Rev Bras Reumatol*. 2013;53(3):276–81.