

## DAFTAR PUSTAKA

- Ahmad, M. (2016). Tool Development to Assess Nausea and Vomiting Among Patients Receiving Chemotherapy. *International Journal of Cancer and Oncology*, 3(1), 1–5. <https://doi.org/10.15436/2377-0902.16.031>
- Alvionita, D., & Arifah, S. (2021). Gambaran Gejala Akibat Kemoterapi pada Anak Usia Sekolah dengan Leukemia Akut Limfoblastik di RSUD Dr. Moewardi Surakarta. *Seminar Nasional Keperawatan Universitas Muhammadiyah Surakarta (SEMNASKEP)*, 37–42. <https://publikasiilmiah.ums.ac.id/handle/11617/12665>
- American Cancer Society. (2018). *Cancer Facts & Figures 2018* | American Cancer Society. <https://www.cancer.org/research/cancer-facts-statistics/all-cancer-facts-figures/cancer-facts-figures-2018.html>
- American Cancer Society. (2019). *Leukemia in Children* | Childhood Leukemia. American Cancer Society. <https://www.cancer.org/cancer/types/leukemia-in-children.html>
- Apriany, D. (2016). *Asuhan keperawatan anak dengan keganasan*. PT Refika Aditama.
- Arber, D. A., Orazi, A., Hasserjian, R., Thiele, J., Borowitz, M. J., Le Beau, M. M., Bloomfield, C. D., Cazzola, M., & Vardiman, J. W. (2016). The 2016 revision to the World Health Organization classification of myeloid

neoplasms and acute leukemia. *Blood*, 127(20), 2391–2405.  
<https://doi.org/10.1182/blood-2016-03-643544>

Arslan, F. T., Basbakkal, Z., & Kantar, M. (2013). Quality of Life and Chemotherapy-related Symptoms of Turkish Cancer Children Undergoing Chemotherapy. *Asian Pacific Journal of Cancer Prevention*, 14(3), 1761–1768. <https://doi.org/10.7314/APJCP.2013.14.3.1761>

Badan Litbang Kesehatan. (2018). *Laporan nasional riskesdas 2018* (pp. 1–582). Kementerian Kesehatan RI. <https://dinkes.kalbarprov.go.id/wp-content/uploads/2019/03/Laporan-Riskesdas-2018-Nasional.pdf>

Bastani, P., & Kiadaliri, A. A. (2011). Health-related quality of life after chemotherapy cycle in breast cancer in Iran. *Medical Oncology*, 28(S1), 70–74. <https://doi.org/10.1007/s12032-010-9714-x>

Benabdallah, A., Boumendjel, M., Aissi, O., Rahmoune, C., Boussaid, M., & Messaoud, C. (2018). Chemical composition, antioxidant activity and acetylcholinesterase inhibitory of wild *Mentha* species from northeastern Algeria. *South African Journal of Botany*, 116, 131–139. <https://doi.org/10.1016/j.sajb.2018.03.002>

Bhatt, K. D., Dhoriyani, N. B., & Smitha, D. (2013). A Comparative Study between Relaxation Technique and Aerobic Exercise in Fatigue During Chemotherapy in Acute Lymphoblastic Leukemia in Children. *Indian Journal of Physiotherapy and Occupational Therapy - An International Journal*, 7(3), 140. <https://doi.org/10.5958/j.0973-5674.7.3.081>

Bowden, V. R., & Greenberg, C. S. (2010). *Children and their families: The continuum of care* (2nd ed.). Lippincott Williams & Wilkins.

Cancer Council NSW. (2018). *Understanding acute leukaemia: A guide for people with cancer, their families and friends*. SOS Print + Media Group.  
<https://www.cancer.org.au/cancer-information/types-of-cancer/leukaemia>

Cancer Research UK. (2021). *Phases of treatment for acute lymphoblastic leukaemia (ALL)*. Cancer Research UK.  
<https://www.cancerresearchuk.org/about-cancer/acute-lymphoblastic-leukaemia-all/treatment/phases>

Cornelio, S., Nayak, B., & George, A. (2016). Experiences of mothers on parenting children with leukemia. *Indian Journal of Palliative Care*, 22(2), 168.  
<https://doi.org/10.4103/0973-1075.179608>

Crichton, A., Knight, S., Oakley, E., Babl, F. E., & Anderson, V. (2015). Fatigue in Child Chronic Health Conditions: A Systematic Review of Assessment Instruments. *Pediatrics*, 135(4), e1015–e1031.  
<https://doi.org/10.1542/peds.2014-2440>

Crichton, M., Marshall, S., Marx, W., McCarthy, A. L., & Isenring, E. (2019). Efficacy of Ginger (*Zingiber officinale*) in Ameliorating Chemotherapy-Induced Nausea and Vomiting and Chemotherapy-Related Outcomes: A Systematic Review Update and Meta-Analysis. *Journal of the Academy of Nutrition and Dietetics*, 119(12), 2055–2068.  
<https://doi.org/10.1016/j.jand.2019.06.009>

De Morais, E. F., Da Silva Lira, J. A., De Paiva Macedo, R. A., Santos, K. S. D., Elias, C. T. V., & De Arruda Morais, M. D. L. S. (2014). Oral manifestations resulting from chemotherapy in children with acute lymphoblastic leukemia☆☆Please cite this article as: Morais EF, Lira JAS, Macedo RAP, Santos KS, Elias CTV, Arruda-Morais MLS. Oral manifestations resulting from chemotherapy in children with acute lymphoblastic leukemia. *Braz J Otorhinolaryngol.* 2014;80:78–85. *Brazilian Journal of Otorhinolaryngology*, 80(1), 78–85. <https://doi.org/10.5935/1808-8694.20140015>

Dinner, S., & Liedtke, M. (2018). Antibody-based therapies in patients with acute lymphoblastic leukemia. *Hematology*, 2018(1), 9–15. <https://doi.org/10.1182/asheducation-2018.1.9>

Dupuis, L. L., Sung, L., Molassiotis, A., Orsey, A. D., Tissing, W., & Van De Wetering, M. (2017). 2016 updated MASCC/ESMO consensus recommendations: Prevention of acute chemotherapy-induced nausea and vomiting in children. *Supportive Care in Cancer*, 25(1), 323–331. <https://doi.org/10.1007/s00520-016-3384-y>

Efe Ertürk, N., & Taşcı, S. (2021). The Effects of Peppermint Oil on Nausea, Vomiting and Retching in Cancer Patients Undergoing Chemotherapy: An Open Label Quasi–Randomized Controlled Pilot Study. *Complementary Therapies in Medicine*, 56, 102587. <https://doi.org/10.1016/j.ctim.2020.102587>

- Eghbali, M., Varaei, S., Hosseini, M., Yekaninejad, M. S., & Shahi, F. (2018). The Effect of Aromatherapy with Peppermint Essential Oil on Nausea and Vomiting in the Acute Phase of Chemotherapy in Patients with Breast Cancer. *Journal of Babol University of Medical Sciences*, 20(9), 66–71. <https://doi.org/10.18869/acadpub.jbums.20.9.66>
- Emadi, A., & Law, J. Y. (2023). *Acute Lymphoblastic Leukemia (ALL)—Hematology and Oncology* [Msdmanuals.com]. MSD Manual Professional Edition. <https://www.msdmanuals.com/professional/hematology-and-oncology/leukemias/acute-lymphoblastic-leukemia-all>
- Evans, A., Malvar, J., Garretson, C., Pedroja Kolovos, E., & Baron Nelson, M. (2018). The Use of Aromatherapy to Reduce Chemotherapy-Induced Nausea in Children With Cancer: A Randomized, Double-Blind, Placebo-Controlled Trial. *Journal of Pediatric Oncology Nursing*, 35(6), 392–398. <https://doi.org/10.1177/1043454218782133>
- Fatikasari, A. C., Ayu, W. D., & Masruhim, M. A. (2018). Kajian Penggunaan Obat Kemoterapi pada Pasien Leukemia Anak Di RSUD Abdul Wahab Sjahranie Kota Samarinda. *Proceeding of Mulawarman Pharmaceuticals Conferences*, 8, 111–118. <https://doi.org/10.25026/mpc.v8i1.312>
- Fernandes, A. (2020). Kelelahan Pada Anak Dengan Leukemia Limfoblastik Akut Dalam Menjalani Kemoterapi Fase Induksi. *JURNAL KESEHATAN PERINTIS (Perintis's Health Journal)*, 7(1), 69–74. <https://doi.org/10.33653/jkp.v7i1.411>

- Garrocho-Rangel, J. A., Herrera-Moncada, M., Márquez-Preciado, R., Tejeda-Nava, F., Ortiz-Zamudio, J. J., & Pozos-Guillén, A. (2018). Oral mucositis in paediatric acute lymphoblastic leukemia patients receiving methotrexate-based chemotherapy: Case series. *European Journal of Paediatric Dentistry*, 3, 239–242. <https://doi.org/10.23804/ejpd.2018.19.03.13>
- Gibson, F., & Soanes, L. (2008). *Cancer in Children and Young People: Acute Nursing Care*. John Wiley & Sons Ltd.
- Goepfert, M., Liebl, P., Herth, N., Ciarlo, G., Buentzel, J., & Huebner, J. (2017). Aroma oil therapy in palliative care: A pilot study with physiological parameters in conscious as well as unconscious patients. *Journal of Cancer Research and Clinical Oncology*, 143(10), 2123–2129. <https://doi.org/10.1007/s00432-017-2460-0>
- Gupta, K., Walton, R., & Kataria, S. P. (2021). Chemotherapy-Induced Nausea and Vomiting: Pathogenesis, Recommendations, and New Trends. *Cancer Treatment and Research Communications*, 26, 100278. <https://doi.org/10.1016/j.ctarc.2020.100278>
- Gurcan, M., & Turan, S. A. (2019). Symptom Management for Nausea-Vomiting in Children Receiving Cancer Treatment: Evidence-Based Practices/Kanser Tedavisi Alan Cocuklarda Bulanti-Kusmaya Yonelik Semptom Yonetimi: Kanit Temelli Uygulamalar. *The Journal of Current Pediatrics*, 17(1), 170–183. <https://go.gale.com/ps/i.do?p=AONE&sw=w&issn=13049054&v=2.1&it=r&id=GALE%7CA690441207&sid=googleScholar&linkaccess=abs>

- Hagedoorn, M., Kreicbergs, U., & Appel, C. (2011). Coping with cancer: The perspective of patients' relatives. *Acta Oncologica*, 50(2), 205–211. <https://doi.org/10.3109/0284186X.2010.536165>
- Hainsworth, J. D. (2020). Nausea and Vomiting. In *Abeloff's Clinical Oncology* (pp. 598-606.e3). Elsevier. <https://doi.org/10.1016/B978-0-323-47674-4.00039-6>
- Hastuti, P., Nurhayati, Y., Ernawati, D., Yuliasuti, C., & Widyastuti, M. (2021). Lemon aromatherapy as an alternative to reduce the intensity of chemotherapy-related nausea and vomiting experienced by the breast cancer patients. *INTERNATIONAL JOURNAL OF NURSING AND MIDWIFERY SCIENCE (IJNMS)*, 5(2), 125–130. <https://doi.org/10.29082/IJNMS/2021/Vol5/Iss2/350>
- Heckroth, M., Luckett, R. T., Moser, C., Parajuli, D., & Abell, T. L. (2021). Nausea and Vomiting in 2021: A Comprehensive Update. *Journal of Clinical Gastroenterology*, 55(4), 279–299. <https://doi.org/10.1097/MCG.0000000000001485>
- Hematology Oncology Associates of Fredericksburg. (2023). *Allopurinol*. Hematology Oncology Associates of Fredericksburg. <https://www.hoafredericksburg.com/allopurinol/>
- Heydarirad, G., Keyhanmehr, A. S., Mofid, B., Nikfarjad, H., & Mosavat, S. H. (2019). Efficacy of aromatherapy with *Rosa damascena* in the improvement of sleep quality of cancer patients: A randomized controlled clinical trial.

*Complementary Therapies in Clinical Practice*, 35, 57–61.

<https://doi.org/10.1016/j.ctcp.2019.01.017>

Hockenberry-Eaton, M., & Hinds, P. S. (2000). Fatigue in children and adolescents with cancer: Evolution of a program of study. *Seminars in Oncology Nursing*, 16(4), 261–272. <https://doi.org/10.1053/sonu.2000.16577>

Hoffbrand, A. V., & Moss, P. A. H. (2018). *Kapita selekta hematologi (Bahasa Indonesia)* (H. Hartanto & W. A. Lestari, Trans.; 7th ed.). Penerbit Buku Kedokteran EGC.

Iihara, H., Fujii, H., Yoshimi, C., Yamada, M., Suzuki, A., Matsubishi, N., Takahashi, T., Yoshida, K., & Itoh, Y. (2016). Control of chemotherapy-induced nausea in patients receiving outpatient cancer chemotherapy. *International Journal of Clinical Oncology*, 21(2), 409–418. <https://doi.org/10.1007/s10147-015-0908-2>

Jafarimanesh, H., Akbari, M., Hoseinian, R., Zarei, M., & Harorani, M. (2020). The Effect of Peppermint (*Mentha piperita*) Extract on the Severity of Nausea, Vomiting and Anorexia in Patients with Breast Cancer Undergoing Chemotherapy: A Randomized Controlled Trial. *Integrative Cancer Therapies*, 19(1), 1–10. <https://doi.org/10.1177/1534735420967084>

Jain, T., & Litzow, M. R. (2018). No free rides: Management of toxicities of novel immunotherapies in ALL, including financial. *Hematology*, 2018(1), 25–34. <https://doi.org/10.1182/asheducation-2018.1.25>

Jitowiyono, S. (2018). *Asuhan keperawatan pada pasien dengan gangguan sistem hematologi*. Pustaka Baru Press.



- Kasiati. (2017). Aromatherapy and Acupressure Combination May Reduce Nausea Vomiting Response (Effect of Chemotherapy) to Cervical Cancer Clients. *IOSR Journal of Nursing and Health Science*, 06(02), 09–15. <https://doi.org/10.9790/1959-0602020915>
- Kids Health. (2018). *Acute lymphoblastic leukemia (ALL): Chemotherapy phases*. Sick Kids. <https://www.aboutkidshealth.ca:443/article?contentid=2846&language=english>
- Li, K., Cai, Y., Xie, S., Zhou, Y., Dong, J., Zhu, Q., Zhang, J., & Qiu, X. (2022). Evidence Summary for Nonpharmacological Management of Chemotherapy-Induced Nausea and Vomiting. *BioMed Research International*, 2022, 1–10. <https://doi.org/10.1155/2022/4741193>
- Lisnawati, K., Wati, N. M. N., & Dewi, N. L. P. T. (2021). Pengaruh aromaterapi peppermint dalam menurunkan mual muntah akibat kemoterapi pada pasien kanker. *Bali Medika Jurnal*, 8(4), 427–444.
- Maria, A., Indriati, G., & Rahmalia, S. (2014). Pengalaman ibu dalam merawat anak Dengan leukemia. *Jurnal Online Mahasiswa (JOM) Bidang Ilmu Keperawatan*, 1(1), Article 1. <https://jom.unri.ac.id/index.php/JOMPSIK/article/view/3520>
- Marx, W., Kiss, N., McCarthy, A. L., McKavanagh, D., & Isenring, L. (2016). Chemotherapy-Induced Nausea and Vomiting: A Narrative Review to Inform Dietetics Practice. *Journal of the Academy of Nutrition and Dietetics*, 116(5), 819–827. <https://doi.org/10.1016/j.jand.2015.10.020>

- Meliani, G. F. (2021). *Asuhan keperawatan pada anak dengan gangguan kenyamanan: Nausea dengan penerapan terapi akupresure untuk menurunkan mual muntah pada pasien leukemia akibat kemoterapi: Literature review* [Karya Tulis Ilmiah, Universitas Muhammadiyah Tasikmalaya]. <https://repository.umtas.ac.id/731/>
- Melina, D. (2020). *Pengaruh Aromaterapi Fennel dan Terapi Musik Instrumental Terhadap Respon Mual Muntah pada Pasien Pasca Kemoterapi di RSUD Dr. Moewardi Surakarta* [Skripsi, Universitas Muhammadiyah Surakarta]. <https://eprints.ums.ac.id/81319/13/NASKAH%20PUBLIKASI.pdf>
- Mendri, N. K., & Prayogi, A. S. (2017). *Asuhan keperawatan pada anak sakit & bayi resiko tinggi*. Pustaka Baru Press.
- Miron, I., Maria Moisa, S., Lucaci, L., Arsenescu-Georgescu, C., Miron, L., Ciubara, A., & Burlea, M. (2014). Chemotherapy-related toxicity in childhood neoplasia. *Journal of B.U.ON.: Official Journal of the Balkan Union of Oncology*, *19*(4), 1070–1075.
- Namazi, M., Amir Ali Akbari, S., Mojab, F., Talebi, A., Alavi Majd, H., & Jannesari, S. (2014). Effects of Citrus Aurantium (Bitter Orange) on the Severity of First-Stage Labor Pain. *Iranian Journal of Pharmaceutical Research : IJPR*, *13*(3), 1011–1018. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4177623/>
- National Cancer Institute. (2021). *Anemia and Cancer Treatment—Side Effects—NCI (nciglobal,ncienterprise)* [Cancer.gov]. <https://www.cancer.gov/about-cancer/treatment/side-effects/anemia>

- National Cancer Institute. (2023). *Childhood Acute Lymphoblastic Leukemia Treatment (PDQ®)—NCI (nciglobal,ncienterprise) [Cancer.gov]*. National Cancer Institute. <https://www.cancer.gov/types/leukemia/hp/child-all-treatment-pdq>
- National Institute of Environmental Health Sciences. (2022). *Essential Oils*. National Institute of Environmental Health Sciences. <https://www.niehs.nih.gov/health/topics/agents/essential-oils/index.cfm>
- Navari, R. M. (2015). 5-HT<sub>3</sub> receptors as important mediators of nausea and vomiting due to chemotherapy. *Biochimica et Biophysica Acta (BBA) - Biomembranes*, 1848(10), 2738–2746. <https://doi.org/10.1016/j.bbamem.2015.03.020>
- Nuraini, D., & Mariyam. (2020). Studi kasus: Dampak fisiologis post kemoterapi pada anak limfositik leukemia akut (LLA). *Ners Muda*, 1(2), 120–126. <https://doi.org/10.26714/nm.v1i2.5795>
- Nurrohmi, L. S., Lumadi, S. A., & Mumpuni, R. Y. (2021). Perbandingan Efektivitas Aromaterapi Peppermint dan Lavender Terhadap Penurunan Efek Mual Muntah Post Kemoterapi. *Syntax Literate; Jurnal Ilmiah Indonesia*, 6(12), 6214–6225. <https://doi.org/10.36418/syntax-literate.v6i12.5048>
- Phillips, S., Kanter, J., Ruggiero, K. J., Mueller, M., Johnson, M. A., & Kelechi, T. J. (2019). An approach to revising mHealth interventions for children and families: A case example in sickle cell disease. *Research in Nursing & Health*, 42(6), 483–493. <https://doi.org/10.1002/nur.21973>

- Potts, N. L., & Mandleco, B. L. (2012). *Pediatric nursing: Caring for children and their families* (2nd ed.). Cengage Learning.
- PPNI. (2017). *Standar Diagnosis Keperawatan Indonesia: Definisi dan Indikator Diagnostik* (1st ed.). DPP PPNI.
- PPNI. (2018). *Standar Intervensi Keperawatan Indonesia: Definisi dan Tindakan Keperawatan* (1st ed.). DPP PPNI.
- Puckett, Y., & Chan, O. (2023). Acute Lymphocytic Leukemia. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK459149/>
- Rahmi, U. P. (2023). *Asuhan keperawatan pasien anak dengan leukemia limfoblastik akut di ruang kronis RSUP Dr. M. Djamil Padang* [Karya Ilmiah Akhir, Universitas Andalas]. <http://scholar.unand.ac.id/202718/5/KIA%20Full%20Text.pdf>
- Rao, K. V., & Faso, A. (2012). Chemotherapy-Induced Nausea and Vomiting: Optimizing Prevention and Management. *American Health & Drug Benefits*, 5(4), 232–240. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4046471/>
- Ribeiro, I., Limeira, R., Dias De Castro, R., Ferreti Bonan, P., & Valença, A. (2017). Oral Mucositis in Pediatric Patients in Treatment for Acute Lymphoblastic Leukemia. *International Journal of Environmental Research and Public Health*, 14(12), 1468. <https://doi.org/10.3390/ijerph14121468>

- Roberts, K. G. (2018). Genetics and prognosis of ALL in children vs adults. *Hematology*, 2018(1), 137–145. <https://doi.org/10.1182/asheducation-2018.1.137>
- Rongen-van Dartel, S. A. A., Repping-Wuts, H., Van Hoogmoed, D., Knoop, H., Bleijenberg, G., Van Riel, P. L. C. M., & Fransen, J. (2014). Relationship Between Objectively Assessed Physical Activity and Fatigue in Patients With Rheumatoid Arthritis: Inverse Correlation of Activity and Fatigue. *Arthritis Care & Research*, 66(6), 852–860. <https://doi.org/10.1002/acr.22251>
- Ruggiero, A., Rizzo, D., Catalano, M., Coccia, P., Triarico, S., & Attinà, G. (2018). Acute chemotherapy-induced nausea and vomiting in children with cancer: Still waiting for a common consensus on treatment. *Journal of International Medical Research*, 46(6), 2149–2156. <https://doi.org/10.1177/0300060518765324>
- Şancı, Y., Yıldız, S., Ayçiçek, A., & Möhür, N. (2023). Effect of peppermint-lemon aromatherapy on nausea-vomiting and quality of life in pediatric patients with leukemia: A randomized controlled trial. *Journal of Pediatric Nursing*, S0882596323001793. <https://doi.org/10.1016/j.pedn.2023.07.001>
- Schneider, R. (2020). Essential oil inhaler (AromaStick®) improves heat tolerance in the Hot Immersion Test (HIT). Results from two randomized, controlled experiments. *Journal of Thermal Biology*, 87, 102478. <https://doi.org/10.1016/j.jtherbio.2019.102478>

- Selwood, K. (2008). Future Trends. In F. Gibson & L. Soanes (Eds.), *Cancer in Children and Young People* (1st ed., pp. 85–90). Wiley.  
<https://doi.org/10.1002/9780470988145.ch6>
- Setiati, S., Alwi, I., Sudoyo, A. W., Simadibrata, M., & Syam, A. F. (2017). *Buku ajar ilmu penyakit dalam* (VII). Interna Publishing.
- Singh, R., Shushni, M. A. M., & Belkheir, A. (2015). Antibacterial and antioxidant activities of *Mentha piperita* L. *Arabian Journal of Chemistry*, 8(3), 322–328. <https://doi.org/10.1016/j.arabjc.2011.01.019>
- Soares, A. F., Aquino, A. R. L. D., Carvalho, C. H. P. D., Nonaka, C. F. W., Almeida, D., & Pinto, L. P. (2011). Frequency of oral mucositis and microbiological analysis in children with acute lymphoblastic leukemia treated with 0.12% chlorhexidine gluconate. *Brazilian Dental Journal*, 22(4), 312–316. <https://doi.org/10.1590/S0103-64402011000400009>
- Stark, L. L., Tofthagen, C., Visovsky, C., & McMillan, S. C. (2012). The Symptom Experience of Patients With Cancer: *Journal of Hospice & Palliative Nursing*, 14(1), 61–70. <https://doi.org/10.1097/NJH.0b013e318236de5c>
- Sulistyowati, R. (2018). *Aromaterapi pereda nyeri*. Wineka Media.
- The Leukemia and Lymphoma Society. (2023). *Facts 2022-2023: Updated data on blood cancers* (800.955.4572). The Leukemia and Lymphoma Society.
- Tomlinson, D., & Kline, N. E. (2010). *Pediatric Oncology Nursing: Advanced Clinical Handbook* (2nd ed.). Springer.
- Toniolo, J., Delaide, V., & Beloni, P. (2021). Effectiveness of Inhaled Aromatherapy on Chemotherapy-Induced Nausea and Vomiting: A

- Systematic Review. *The Journal of Alternative and Complementary Medicine*, 27(12), 1058–1069. <https://doi.org/10.1089/acm.2021.0067>
- Trovato, G. M., Catalano, D., Martines, G. F., Pirri, C., & Trovato, F. M. (2013). Western Dietary Pattern and Sedentary Life: Independent Effects of Diet and Physical Exercise Intensity on NAFLD. *American Journal of Gastroenterology*, 108(12), 1932–1933. <https://doi.org/10.1038/ajg.2013.356>
- Wati, N. L., & Qoyyimah, D. F. (2018). Tingkat Stres Ibu Yang Mempunyai Anak Kanker Leukemia di Rumah Cinta Bandung. *Jurnal Keperawatan BSI*, 6(1), 69–76. <http://ejournal.bsi.ac.id/ejurnal/index.php/jk>
- WHO. (2021). *Childhood cancer*. World Health Organization. <https://www.who.int/news-room/fact-sheets/detail/cancer-in-children>
- Windiastuti, E., Nancy, Y. M., Multasih, S., Sudarmanto, B., & Ugrasena, I. D. G. (2018). *Buku Ajar Hematologi Onkologi Anak*. Ikatan Dokter Anak Indonesia (IDAI).
- Wiryani, O., Herniyatun, H., & Kusumastuti, K. (2019). Efektivitas Aromaterapi Jahe terhadap Keluhan Mual dan Muntah pada Pasien CA Serviks dengan Kemoterapi di RSUD Prof dr. Margono Soekarjo Purwokerto. *Prosiding University Research Colloquium*, 139–148. <http://repository.urecol.org/index.php/proceeding/article/view/594>
- Wong, D. L. (2012). *Pedoman klinis: Keperawatan pediatrik* (4th ed.). Penerbit Buku Kedokteran EGC.

Yılmaz, H. B., Gerçeker, G. Ö., & Muslu, G. K. (2016). Evaluating the cancer related fatigue by children, mothers, and nurses in Turkish pediatric oncology patients. *European Journal of Oncology Nursing*, 23, 66–71. <https://doi.org/10.1016/j.ejon.2016.05.002>

Young, G. (2011). *Essencial Oil Pocket Reference* (5th ed.). Life Science Pubhlising.

Zuraida, & Sari, E. D. (2018). Perbedaan Efektivitas Pemberian Essensial Oil Peppermint dan Aroma Terapi Lavender terhadap Intensitas Mual dan Muntah pada Ibu Hamil Trimester I di Puskesmas Baso Kabupaten Agam Tahun 2017. *Menara Ilmu*, 12(4), Article 4. <https://jurnal.umsb.ac.id/index.php/menarailmu/article/view/745>

