

DAFTAR PUSTAKA

1. Ford ES, Capewell S. Coronary heart disease mortality among young adults in the U.S. from 1980 through 2002: concealed leveling of mortality rates. *J Am Coll Cardiol.* 2007; 50: 2128–32.
2. Nichols M, Townsend N, Scarborough P, Rayner M. Cardiovascular disease in Europe 2014: epidemiological update. *Eur Heart J.* 2014; 35: 2950–59.
3. Montalescot G, Sechtem U, Achenbach S, Andreotti F, Arden C, Budaj A, et al. 2013 ESC guidelines on the management of stable coronary artery disease: the Task Force on the management of stable coronary artery disease of the European Society of Cardiology. *Eur Heart J.* 2013; 34: 2949–3003.
4. Sajadieh A, Nielsen OW, Rasmussen V, Hein HO, Hansen JF. Prevalence and prognostic significance of daily-life silent myocardial ischaemia in middle-aged and elderly subjects with no apparent heart disease. *Eur Heart J.* 2005; 26: 1402-09.
5. Patel MR, Peterson ED, Dai D, Brennan JM, Redberg RF, Anderson HV, et al. Low diagnostic yield of elective coronary angiography. *N Engl J Med.* 2010; 362: 886–95.
6. Blacher J, Asmar R, Djane S, London GM, Safar ME. Aortic pulse wave velocity as a marker of cardiovascular risk in hypertensive patients. *Hypertension.* 1999; 33: 1111–17.
7. Vlachopoulos C, Aznaouridis K, Stefanadis C. Prediction of cardiovascular events and all-cause mortality with arterial stiffness: a systematic review and meta-analysis. *J Am Coll Cardiol.* 2010; 55: 1318–27.
8. Ben-Shlomo Y, Spears M, Boustred C, May M, Anderson SG, Benjamin EJ, et al. Aortic pulse wave velocity improves cardiovascular event prediction: an individual participant meta-analysis of prospective observational data from 17,635 subjects. *J Am Coll Cardiol.* 2014; 63: 636–46.
9. Funck KL, Laugesen E, Ovrehus K, Jensen JM, Norgaard BL, Dey D, et al. Increased high-risk coronary plaque burden is associated with arterial stiffness in patients with type 2 diabetes without clinical signs of coronary artery disease: a computed tomography angiography study. *J Hypertens.* 2017; 35:1235–43.
10. Kim BH, Jang JS, Kwon YS, Kim JH, Kim IJ, Lee CW. High brachial ankle pulse wave velocity as a marker for predicting coronary artery stenosis in patients with type 2 diabetes. *Endocrinol Metab.* 2018; 33:88–96.
11. Cwynar M, Jerzy G, Barbara G, Marzena D, Tomasz G. "Pulse wave velocity in patients with coronary artery disease or type 2 diabetes mellitus." *Acta Cardiologica* 61 (2006): 421 - 426.

12. Braber TL, Prakken NH, Mosterd A, Mali WP, Doevendans PA, Bots ML, et al. Identifying coronary artery disease in asymptomatic middle-aged sportsmen: the additional value of pulse wave velocity. *PLoS ONE*. 2015; 10: e0131895.
13. Lee JY, Ryu S, Lee SH, Kim BJ, Kim BS, Kang JH, et al. Association between brachial-ankle pulse wave velocity and progression of coronary artery calcium: a prospective cohort study. *Cardiovasc Diabetol*. 2015; 14:147.
14. Torii S, Arima H, Ohkubo T, Fujiyoshi A, Kadota A, Takashima N, et al. Association between pulse wave velocity and coronary artery calcification in Japanese men. *J Atheroscl Thromb*. 2015; 22:1266–77.
15. Vishnu A, Choo J, Wilcox B, Hisamatsu T, Barinas-Mitchell EJ, Fujiyoshi A, et al. Brachial-ankle pulse wave velocity is associated with coronary calcification among 1131 healthy middle-aged men. *Int J Cardiol*. 2015; 189:67–72.
16. Liao J, Farmer J. Arterial stiffness as a risk factor for coronary artery disease. *Curr Atheroscler Rep*. 2014;16(2):387.
17. Ikonomidis I, Makavos G, Lekakis J. Arterial stiffness and coronary artery disease. *Curr Opin Cardiol*. 2015;30(4):422-31
18. Williams B, Giuseppe M, Wilko S, Enrico A, Michel A, Michel B. 2018 ESC/ESH Guidelines for the management of arterial hypertension. *European Heart Journal*. 2018; 39:3021–104
19. Palmiero P, Maiello M, Daly DD Jr, Ciccone MM, Nanda NC. Aortic stiffness assessed by global pulse wave velocity in postmenopausal women: an ultrasonographic study. *Echocardiography*. 2012;29(10):1233-8.
20. Baguet, JP., Kingwell, B., Dart, A. *et al*. Analysis of the regional pulse wave velocity by Doppler: methodology and reproducibility. *J Hum Hyperten*. 2003;17, 407-12.
21. Franklin SS et al. Hemodynamic patterns of age-related changes in blood pressure. The Framingham Heart Study. *Circulation*. 1997;96(1):308–15.
22. Yiu-fai Cheung. Systemic Circulation. In: Robert H. Anderson, Edward J. Baker, Daniel J. Penny, Andrew N. Redington, et al. *Paediatric Cardiology (Third Edition)*: Churchill Livingstone. Philadelphia: Elsevier; 2010:91-116.
23. Members ATF, Erbel R, Aboyans V, Boileau C, Bossone E, Bartolomeo RD, et al. 2014 ESC Guidelines on the diagnosis and treatment of aortic diseases: document covering acute and chronic aortic diseases of the thoracic and abdominal aorta of the adult The Task Force for the Diagnosis and Treatment of Aortic Diseases of the European Society of Cardiology (ESC). *European heart journal*. 2014;35(41):2873- 926.
24. Brunet J, Pierrat B, Badel P. Review of current advances in the mechanical description and quantification of aortic dissection mechanisms. *IEEE Rev Biomed Eng*. 2021;14:240-255.

25. Petit C, Mousavi SJ, Avril S. Chapter 6 - Review of the Essential Roles of SMCs in ATAA Biomechanics. In: Doweidar MH. *Advances in Biomechanics and Tissue Regeneration*: Academic Press; 2019: 95-114.
26. Singh C, Wong CS, Wang X. Medical textiles as vascular implants and their success to mimic natural arteries. *Journal of functional biomaterials*. 2015;6(3):500-25.
27. Laurent S and Boutouyrie P. Arterial Stiffness and Hypertension in the Elderly. *Front. Cardiovasc. Med*. 2020; 7:544302.
28. Zeman SJ, Vojtech Melenovsky, David A.K. Mechanisms, Pathophysiology, and Therapy of Arterial Stiffness. *Arterioscler Thromb Vasc Biol*. 2005; 25:932-943.
29. Gajdova J, Karasek D, Goldmannova D, Krystynik O, Schovanek J, Vaverkova, et al. Pulse wave analysis and diabetes mellitus. A systematic review. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 2017;161(3):223-233.
30. Ikonomidis I, Aboyans V, Blacher J, Brodmann M, Brutsaert DL, Chirinos JA, et al. The role of ventricular-arterial coupling in cardiac disease and heart failure: assessment, clinical implications and therapeutic interventions. A consensus document of the European Society of Cardiology Working Group on Aorta & Peripheral Vascular Diseases, European Association of Cardiovascular Imaging, and Heart Failure Association. *Eur J Heart Fail*. 2019;21(4):402-424.
31. Mattace-Raso FU, van der Cammen TJ, Hofman A, van Popele NM, Bos ML, Schalekamp MA, et al. Arterial stiffness and risk of coronary heart disease and stroke: the Rotterdam Study. *Circulation*. 2006;113(5):657-63.
32. Rocha E. Pulse wave velocity: a marker of arterial stiffness and its applicability in clinical practice. *Rev Port Cardiol*. 2011;30(9):699-702.
33. Van Bortel LM, Laurent S, Boutouyrie P, Chowienczyk P, Cruickshank JK, De Backer T, et al. Artery Society; European Society of Hypertension Working Group on Vascular Structure and Function; European Network for Noninvasive Investigation of Large Arteries. Expert consensus document on the measurement of aortic stiffness in daily practice using carotid-femoral pulse wave velocity. *J Hypertens*. 2012;30(3):445-8.
34. Park JB, Sharman JE, Li Y, Munakata M, Shirai K, Chen CH, et al. Expert Consensus on the Clinical Use of Pulse Wave Velocity in Asia. *Pulse (Basel)*. 2022;10(1-4):1-18.
35. Kim H-L and Kim S-H. Pulse Wave Velocity in Atherosclerosis. *Front. Cardiovasc. Med*. 2019;6:41.
36. Dahlan MS. Besar Sampel dalam Penelitian Kedokteran dan Kesehatan Jakarta: *Epidemiologi Indonesia*. Jakarta: Salemba Medika; 2019:49-52.
37. 2023 AHA/ACC/ACCP/ASPC/NLA/PCNA Guideline for the Management of Patients With Chronic Coronary Disease: A Report of the American Heart

Association/American College of Cardiology Joint Committee on Clinical Practice Guidelines. *J Am Coll Cardiol*. 2023; Jul 20.

38. PERKENI. Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia. Jakarta: PB PERKENI; 2021:1–119.
39. Firdaus I, Rahajoe AU, Yahya FA, Lukito AA, Kuncoro AS, Lilyasari O, et al. Panduan praktik klinis. Dalam: PERKI, editor. Panduan Praktik Klinis dan *Clinical Pathway* Penyakit Jantung dan Pembuluh Darah. 1 ed. Jakarta: PERKI; 2016: 7-15.
40. Lu Y, Kiechl SJ, Wang J, Xu Q, Kiechl S, Pechlaner R; Global Pulse Wave Velocity Study Group. Global distributions of age- and sex-related arterial stiffness: systematic review and meta-analysis of 167 studies with 509,743 participants. *EBioMedicine*. 2023 Jun;92:104619.
41. Subbiah MT. Estrogen replacement therapy and cardioprotection: mechanisms and controversies. *Brazilian Journal of Medical and Biological Research*. 2002;35(3):271-6
42. Lyle AN, Raaz U. Killing Me Unsoftly: Causes and Mechanisms of Arterial Stiffness. *Arterioscler Thromb Vasc Biol*. 2017 Feb;37(2):e1-e11.
43. Yu-Jie W, Hui-Liang L, Bing L, Lu Z, Zhi-Geng J. Impact of smoking and smoking cessation on arterial stiffness in healthy participants. *Angiology*. 2013 May;64(4):273-80.
44. El Khoudary SR, Aggarwal B, Beckie TM, Hodis HN, Johnson AE, Langer RD, Limacher MC, Manson JE, Stefanick ML, Allison MA; American Heart Association Prevention Science Committee of the Council on Epidemiology and Prevention; and Council on Cardiovascular and Stroke Nursing. Menopause Transition and Cardiovascular Disease Risk: Implications for Timing of Early Prevention: A Scientific Statement From the American Heart Association. *Circulation*. 2020 Dec 22;142(25):e506-e532.
45. Salehi N, Janjani P, Tadbiri H, Rozbahani M, Jalilian M. Effect of cigarette smoking on coronary arteries and pattern and severity of coronary artery disease: a review. *J Int Med Res*. 2021. Dec; 49:12.
46. Hirofumi Ohnishi, Shigeyuki Saitoh, Satoru Takagi, Jun-ichi Ohata, Takeshi Isobe, Yuka Kikuchi, Hiroshi Takeuchi, Kazuaki Shimamoto; Pulse Wave Velocity as an Indicator of Atherosclerosis in Impaired Fasting Glucose: The Tanno and Sobetsu Study. *Diabetes Care* 1 February 2003; 26 (2): 437–440.
47. Sadeghi M, Heidari R, Mostanfar B, Tavassoli A, Roghani F, Yazdekhasti S. The Relation Between Ankle-Brachial Index (ABI) and Coronary Artery Disease Severity and Risk Factors: An Angiographic Study. *ARYA Atheroscler*. 2011 Summer;7(2):68-73.
48. Wohlfahrt P, Palouš D, Ingrischová M, et al. A high ankle-brachial index is associated with increased aortic pulse wave velocity: the Czech post-MONICA study. *European Journal of Cardiovascular Prevention & Rehabilitation*. 2011;18(6):790-796.

49. Choi KM, Lee KW, Seo JA, Oh JH, Kim SG, Kim NH, et al. Relationship between brachial-ankle pulse wave velocity and cardiovascular risk factors of the metabolic syndrome. *Diabetes Res Clin Pract* 2004;66:57-61.
50. Yamashina A, Tomiyama H, Arai T, Hirose K, Koji Y, Hirayama Y, et al. Brachial-ankle pulse wave velocity as a marker of atherosclerotic vascular damage and cardiovascular risk. *Hypertens Res* 2003;26:615-22.
51. Modena BD, Bellahsen O, Nikzad N, Chieh A, Parikh N, Dufek DM, Ebner G, Topol EJ, Steinhubl S. Advanced and Accurate Mobile Health Tracking Devices Record New Cardiac Vital Signs. *Hypertension*. 2018 Aug;72(2):503-510.
52. Jatoi NA, Jerrard-Dunne P, Feely J, Mahmud A. Impact of smoking and smoking cessation on arterial stiffness and aortic wave reflection in hypertension. *Hypertension*. 2007 May;49(5):981-5.

