

DAFTAR PUSTAKA

- [1] M. R. Planning, P. O. Quantity, and E. Order, "ISSN : 1963-6590 (Print)
ISSN : 2442-2630 (Online)".
- [2] M. Dan, and M. K. Clay, "Improvement of Mechanical and Thermal
Properties of Recycled," 2016.
- [3] D. Sarifah, "Pengaruh Vinil Ester terhadap Sifat Mekanik dan Ketahanan
Termal Polimer Blend Epoksi/Vinil Ester sebagai Material Kandidat
Printed Circuit Board (PCB)," pp. 1–68, 2016.
- [4] I. Mujiarto *), "Sifat dan Karakteristik Material Plastik Dan Bahan Aditif,"
Traksi, vol. 3, no. 2, pp. 65–74, 2005.
- [5] I. Indra, F. M. Janah, and R. Aryani, "Enhancing the Solubility of
Ketoconazole via Pharmaceutical Cocrystal," *J. Phys. Conf. Ser.*, vol. 1179,
no. 1, pp. 6–11, 2019, doi: 10.1088/1742-6596/1179/1/012134.
- [6] G. A. Apriliyana, "Komposit Peg 4000-Silika Ristobalit Menggunakan
Dynamic Mechanical Analysis (Dma) Thermomechanical
Characterization Peg 4000-Silica Composite Cristobalite Using Dynamic
Mechanical Analysis," 2015.
- [7] W. Zhang, X. Li, and R. Yang, "Pyrolysis and fire behaviour of epoxy resin
composites based on a phosphorus-containing polyhedral oligomeric
silsesquioxane (DOPO-POSS)," *Polym. Degrad. Stab.*, vol. 96, no. 10, pp.
1821–1832, 2011, doi: 10.1016/j.polymdegradstab.2011.07.014.
- [8] F. M. Falah, "Pengaruh Jenis Polimer Dan Wt% Tembaga Terhadap Sifat
Fisik Dan Mekanik Material Komposit Tembaga/Polimer Sebagai Kandidat
Material Peluru Frangible," pp. i–97, 2018.
- [9] H. Abral *et al.*, "Improving impact, tensile and thermal properties of
thermoset unsaturated polyester via mixing with thermoset vinyl ester and
methyl methacrylate," *Polym. Test.*, vol. 81, p. 106193, 2020, doi:
10.1016/j.polymertesting.2019.106193.
- [10] Fitrilawati, "Kimia Fisika Polimer." pp. 120–140, 2010.
- [11] N. Adnan, H. Abral, D. H, and E. Staria, "Identification of Mechanical
Strength for Mixture of Thermoset Polyester with Thermoset Vinyl Ester

- due to Bending Load,” *JMPM (Jurnal Mater. dan Proses Manufaktur)*, vol. 6, no. 1, pp. 19–25, 2022, doi: 10.18196/jmpm.v6i1.14450.
- [12] N. Hasanah, “Pengaruh Wt % Polikarbonat Dan Proses Pembuatan Terhadap Sifat Fisik Dan Mekanik Polypropylene / Polycarbonate Blend Sebagai Material Sabot,” p. 98, 2016.
- [13] V. P. Privalko, Y. S. Lipatov, and K. D. Petrenko, “Thermodynamics of binary polymer alloys. Polyethylene oxide-polymethyl methacrylate system,” *Polym. Sci. U.S.S.R.*, vol. 29, no. 10, pp. 2259–2267, 1987, doi: 10.1016/0032-3950(87)90154-7.
- [14] M. Malik, V. Choudhary, and I. K. Varma, “Current status of unsaturated polyester resins,” *J. Macromol. Sci. - Polym. Rev.*, vol. 40, no. 2–3, pp. 139–165, 2000, doi: 10.1081/MC-100100582.
- [15] W. P. Limited, *Polyesters and polyamides*. 2008. doi: 10.1201/9781439831861.
- [16] B. Benmokrane, A. Chennouf, and H. S. Mitri, “Laboratory evaluation of cement-based grouts and grouted rock anchors,” *Int. J. Rock Mech. Min. Sci.*, vol. 32, no. 7, pp. 633–642, 1995, doi: 10.1016/0148-9062(95)0021-8.
- [17] G. Gibson, *Epoxy Resins*. 2017. doi: 10.1016/B978-0-323-35824-8.0027-X.
- [18] M. Paci, V. Crescenzi, N. Supino, and F. Campana, “Structural Characterisation of Unsaturated Polyesters,” *Macromol. Chem. Phys.*, vol. 183, no. 2, pp. 377–387, 1982.
- [19] E. M. S. Sanchez, C. A. C. Zavaglia, and M. I. Felisberti, “Unsaturated polyester resins: Influence of the styrene concentration on the miscibility and mechanical properties,” *Polymer (Guildf.)*, vol. 41, no. 2, pp. 765–769, 2000, doi: 10.1016/S0032-3861(99)00184-6.
- [20] B. Dholakiya, “Unsaturated polyester resin for speciality applications,” *Polyester*, vol. 7, pp. 167–202, 2012.
- [21] J. Chaudhary, “Synthesis, Characterization and Curing of Vinyl ester resin,” *J. Environ. Nanotechnol.*, vol. 2, no. (Special Issue), pp. 42–45, 2022, doi: 10.13074/jent.2013.02.nciset37.
- [22] X. Cao, “Integrated Analysis of Low Profile Unsaturated Polyester,” 2002.
- [23] G. E. Mitchell *et al.*, “Quantitative characterization of microscopic

variations in the cross-link density of gels,” *Macromolecules*, vol. 35, no. 4, pp. 1336–1341, 2002, doi: 10.1021/ma010840d.

- [24] K. Nagai, “New developments in the production of methyl methacrylate,” *Appl. Catal. A Gen.*, vol. 221, no. 1–2, pp. 367–377, 2001, doi: 10.1016/S0926-860X(01)00810-9.
- [25] Q. Li, Q. Yang, J. C. Jia, and L. H. Liu, “Experimental research on crack propagation and failure in rock-type materials under compression,” *Electron. J. Geotech. Eng.*, vol. 13 D, 2008.
- [26] Y. Zeng, “Feasibility Study of Cohesive Zone Model on Crack Propagation in Pipeline Steel Under Monotonic and Fatigue Loading,” no. February, 2015.
- [27] S./ Hafis, “Karakteristik Laju Perambatan Retak Fatik Bahan Komposit Berpenguat Serat Kenaf Dengan Matrik Polyester HAFIS SYAFRUDIN ANSHARI I 1405005 JURUSAN TEKNIK MESIN,” 2010.
- [28] ASTM International, “Standard Test Methods for Plane-Strain Fracture Toughness and Strain Energy Release Rate of Plastic Materials,” *Annu. B. ASTM Stand.*, vol. 99, no. Reapproved, pp. 1–9, 1996, doi: 10.1520/D5045-99R07E01.2.
- [29] D. R. Mujiyanti, N. Komari, and N. I. Sari, “Imported from Adsorption and diffusion of alkylbenzene in microspherical ZSM-5 zeolite assembled with nanocrystals https://link.springer.com/article/10.1007/s10450-018-9980-z?utm_source=researcher_app&utm_medium=referral&utm_campaign=MKEF_USG_Researcher_i,” vol. 3, no. 2, pp. 71–75, 2013.