

DAFTAR PUSTAKA

- American Diabetes Association. (2020). Standards Of Medical Care In Diabetes. Clinical And Applied Research And Education
- Antari, N. K. N. (2017). Pengalaman Belajar Lapangan Diabetes Melitus Tipe 2.
- Black, J.M., & Hawks, J.H. (2014). Keperawatan Medikal Bedah Manajemen Klinis Untuk Hasil Yang Diharapkan Edisi 8 Buku 2. Jakarta: Salemba Medika.
- Black, J.M., & Hawks, J.H. (2014). Keperawatan Medikal Bedah. Edisi 8. Singapore : Elsevier.
- Cir, C., & Cáceres-farfán, L. (2021). Archivos Peruanos de Cardiología y Cirugía Cardiovascular Ankle-brachial index : more than a diagnostic test ? 2(4), 254–262.
<https://doi.org/10.47487/apcyccv.v2i4.168.255>
- Chang, C. C., Chen, M. Y., Shen, J. H., Lin, Y. Bin, Hsu, W. W., & Lin, B. S. (2016). A quantitative real-time assessment of Buerger exercise on dorsal foot peripheral skin circulation in patients with diabetes foot. Medicine (United States), 95(46), 1–5.
<https://doi.org/10.1097/MD.0000000000005334>
- Chang, C. F., Chang, C. C., Hwang, S. L., & Chen, M. Y. (2015). Effects of *Buerger* Exercise Combined Health-Promoting Program on Peripheral Neurovasculopathy Among Community Residents at High Risk for Diabetic Foot Ulceration. Worldviews on Evidence-Based Nursing, 12(3), 145–153.
<https://doi.org/10.1111/wvn.12091>
- Cho, N. H. (2018). IDF Diabetes Atlas: Global Estimates of Diabetes Prevalence for 2017 and Projections for 2045. Diabetes Research and Clinical Practice
- Dahlan, S. (2020). Besar sampel dalam penelitian kedokteran dan kesehatan (5th ed., Vol. 2). Epidemiologi Indonesia.
- Decroli. (2019). Diabetes Melitus Tipe 2. Pusat Penerbitan Bagian Ilmu Penyakit Dalam Fakultas Kedokteran Universitas Andalas
- Dhillon, J., Sopacua, E., Tandanu, E., Studi, P., & Dokter, S.-P. (2022). Insidensi Gangren Diabetikum Pada Pasien Diabetes Melitus Tipe 2 Di Rumah Sakit Royal Prima Incidence of Diabetic Gangrene in Patients With Type 2 Diabetes Melitus At Royal Prima Hospital. 4(1), 453.
<https://ejurnal.ung.ac.id/index.php/jjhsr/inde>

- Dhillon, J., Sopacua, E., Tandanu, E., Studi, P., & Dokter, S.-P. (2022). Insidensi Gangren Diabetikum Pada Pasien Diabetes Melitus Tipe 2 Di Rumah Sakit Royal Prima Incidence of Diabetic Gangrene in Patients With Type 2 Diabetes Melitus At Royal Prima Hospital. 4(1), 453. <https://ejurnal.ung.ac.id/index.php/jjhsr/inde>
- Faria, Valéria & Fernandes, Juliana & Cunha, Tulio & Pussieldi, Guilherme & Pereira, Danielle. (2022). Peripheral tissue perfusion and associated factors in individuals with type 2 diabetes mellitus: cross-sectional study. 10.21203/rs.3.rs-2198110/v1.
- Fitria, A., Vika, Purwono, Janu, Metro, K. D. W., & Akademi. (2021). Penerapan Senam Kaki Diabetes Melitus Pada Penurunan Kadar Gula Darah Pada Penderita Diabetes Di Puskesmas Yosomulyo Kota Metro Kec. Metro Pusat the Implementation of Diabetes Melitus Footness in the Reduction of Blood Sugar Levels in Diabetes At Puskes. Jurnal Cendikia Muda, 1(3).
- Hafid, M. A., Ilhamsyah, I., Saputra, L. O. A., & Sari, M. (2021). The Effect of Buerger Allen Exercise on The Lower Extremity Peripheral Circulation in Type 2 Diabetic Patients. STRADA Jurnal Ilmiah Kesehatan, 10(1), 612–621. <https://doi.org/10.30994/sjik.v10i1.669>
- IDF. (2016). IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care-2017 Chair: Core Contributors. In IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care. www.idf.org/managing-type2-diabetes
- IDF. (2016). IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care-2017 Chair: Core Contributors. In IDF Clinical Practice Recommendations for managing Type 2 Diabetes in Primary Care. www.idf.org/managing-type2-diabetes
- Kattan, E., Ibarra-Estrada, M., Ospina-Tascón, G., & Hernández, G. (2023). Perspectives on peripheral perfusion assessment. Current opinion in critical care, 29(3), 208–214. <https://doi.org/10.1097/MCC.0000000000001038>
- Lasia, I Made et.al. (2020). Pengaruh Senam Kaki Diabetik Terhadap Ankle brachial index (Abi) Pada Pasien Diabetes Melitus Tipe Ii Di Puskesmas II Denpasar Selatan. Jurnal Keperawatan Terapan (e-Journal), Vol. 06, No. 01, 2020: 2442-6873
- Mangiwa, I., Katuuk, M., & Sumarauw, L. (2017). Pengaruh Senam Kaki Diabetes Terhadap Nilai Ankle Brachial Index Pada Pasien Diabetes Melitus Tipe II Di Rumah Sakit Pacaran Kasih Gmim Manado. Jurnal Keperawatan UNSRAT, 5(1), 105018.

- Marissa, Nelly & Nur Ramadhan. (2017). Kejadian Ulkus Berulang Pada Pasien Diabetes Melitus. SEL Jurnal Penelitian Kesehatan Vol. 4 No.2, November 2017, 91-100 92
- Megawati, S. W., Utami, R., & Jundiah, R. S. (2020). Senam Kaki Diabetes Pada Penderita Diabetes Melitus Tipe 2 Untuk Meningkatkan Nilai Ankle Brachial Index. Jnc, 3(2), 1–6. <http://jurnal.unpad.ac.id/jnc/article/view/24445>
- Nursalam. (2011). Manajemen Keperawatan : Aplikasi dalam Praktik Keperawatan Professional. Edisi 3. Jakarta : Salemba Medika.
- Okotorina, R., Wahyuni, A., & Harahap, E. Y. (2019). Pencegahan Ulkus Diabetikum Pada Penderita Diabetes Melitus. REAL in Nursing Journal (RNJ), 2(3), 108–117. <https://ojs.fdk.ac.id/index.php/Nursing/index>
- PERKENI (2021). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa Di Indonesia 2021. PB Perkeni.
- Pratiwi, I. N., Dewi, L. C., & Widyawati, I. Y. (2020). *Buerger* exercise dan edukasi perawatan kaki pada penderita diabetes dan hipertensi dalam upaya menurunkan resiko gangguan vaskular. Transformasi: Jurnal Pengabdian Masyarakat, 16(2), 121–132. <https://doi.org/10.20414/transformasi.v16i2.2679>
- Radhika J, Poomalai G, Nalini S, Revathi R. Effectiveness of Buerger-Allen Exercise on Lower Extremity Perfusion and Peripheral Neuropathy Symptoms among Patients with Diabetes Mellitus. Iran J Nurs Midwifery Res. 2020;25(4):291-295. Published 2020 Jun 17. doi:10.4103/ijnmr.IJNMR_63_19
- Rivandi, Janis & Ade Yonata .(2015). Relationship Between Diabetic Nephropathy And Incident With Chronic Kidney Disease. Majority Volume 4 N 9
- Saeedi P, Petersohn I, Salpea P, Malanda B, Karuranga S, Unwin N, Colagiuri S, Guariguata L, Motala AA, Ogurtsova K, Shaw JE, Bright D, Williams R; IDF Diabetes Atlas Committee. (2019). Global and regional diabetes prevalence estimates for 2019 and projections for 2030 and 2045: Results from the International Diabetes Federation Diabetes Atlas, 9(th) edition. Diabetes Res Clin Pract 2019;157:107843. [PMID: 31518657 DOI: 10.1016/j.diabres.2019.107843]
- Salam, A. Y., & Laili, N. (2020). Efek *Buerger* Allen Exercise terhadap Perubahan Nilai ABI (Ankle Brachial Index) Pasien Diabetes Tipe II. JI-KES (Jurnal Ilmu Kesehatan), 3(2), 64–70. <https://doi.org/10.33006/ji-kes.v3i2.149>

- Sari, A., Wardy W, A., & Sofiani, Y. (2019). Efektivitas Perbandingan *Buerger Allen Exercise* dan Senam Kaki Terhadap Nilai ABI Pada Penderita DM TIPE II. *Journal of Telenursing (JOTING)*, 1(1), 1–16. <https://doi.org/https://doi.org/10.31539/jotining.v1i1>.
- Sari, I. R. N., Basri, T. H., Yakubu, P. D., Khanna, N. N., Bakari, A. G., Garko, S. B., & Abubakar, A. B. (2017). Ulkus Kaki Diabetik Kanan dengan Diabetes Melitus Tipe 2. *J AgromedUnila*, 4(1), 133–139. www.scireslit.com
- Sari, N., & Hisyam, B. (2014). Hubungan Antara Diabetes Melitus Tipe Ii Dengan Kejadian Gagal Ginjal Kronik Di Rumah Sakit Pku Muhammadiyah Yogyakarta Periode Januari 2011–Oktober 2012. *Jurnal Kedokteran Dan Kesehatan Indonesia*, 6(1), 11–18. <https://doi.org/10.20885/jkki.vol6.iss1.art3>
- Schaper, N. C et al. (2019). Lower extremity muscle strength is reduced in people with type 2 diabetes, with and without polyneuropathy, and is associated with impaired mobility and reduced quality of life. *Diabetes Research and Clinical Practice*, 95(3): 345-351.
- Smeltzer SC (2013). *Buku Ajar Keperawatan Medikal Bedah*. Jakarta :EGC.
- Sothornwit, J., Srisawasdi, G., Suwannakin, A., & Sriwijitkamol, A. (2018). Decreased healthrelated quality of life in patients with diabetic foot problems. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 11, 35–43. <https://doi.org/10.2147/DMSO.S154304>
- Soyoye DO, Abiodun OO, Ikem RT, Kolawole BA, Akintomide AO. (2021). Diabetes and peripheral artery disease: A review. *World J Diabetes*; 12(6): 827-838
- Stoberock, K., Kaschwich, M., Nicolay, S. S., Mahmoud, N., Heidemann, F., Rieß, H. C., Debus, E. S., & Behrendt, C. A. (2021). The interrelationship between diabetes mellitus and peripheral arterial disease. *VASA. Zeitschrift für Gefasskrankheiten*, 50(5), 323–330. <https://doi.org/10.1024/0301-1526/a000925>
- Subiyanto, Paulus. (2019). *Buku Ajar Asuhan Keperawatan Pada Pasien Dengan Gangguan Sistem Endokrin*. Yogyakarta : Pustaka Baru Press
- Sugiyono. (2020). *Statistika untuk penelitian*. Alfa Beta.
- Suza, D. E., Hijriana, I., Ariani, Y., & Hariati, H. (2020). Effects of lower extremity exercises on ankle-brachial index values among type 2 diabetes melitus patients. *Open Access Macedonian Journal of Medical Sciences*, 8(E), 1–6. <https://doi.org/10.3889/oamjms.2020.4261>

- Syafril, S. (2018). Pathophysiology diabetic foot ulcer. IOP Conference Series: Earth and Environmental Science, 125(1). <https://doi.org/10.1088/1755-1315/125/1/012161>
- Thakur, A., Sharma, R., Sharma, S. K., Thakur, K., & Jelly, P. (2022). Effect of buerger allen exercise on foot perfusion among patient with diabetes mellitus: A systematic review & meta-analysis. *Diabetes & metabolic syndrome*, 16(2), 102393. <https://doi.org/10.1016/j.dsx.2022.102393>
- Tim Pokja SDKI DPP PPNI, (2016), Standar Diagnosis Keperawatan Indonesia (SDKI), Edisi 1, Jakarta, Persatuan Perawat Indonesia
- Tim Pokja SIKI DPP PPNI, (2018), Standar Intervensi Keperawatan Indonesia (SIKI), Edisi 1, Jakarta, Persatuan Perawat Indonesia
- Tim Pokja SLKI DPP PPNI, (2018), Standar Luaran Keperawatan Indonesia (SLKI), Edisi 1, Jakarta, Persatuan Perawat Indonesia
- Utama, Y. A., & Nainggolan, S. S. (2021). Pengaruh Senam Kaki terhadap Nilai Ankle Brachial Index Pada Pasien Diabetes Melitus Tipe II: Sebuah Tinjauan Sistematis. *Jurnal Ilmiah Universitas Batanghari Jambi*, 21(2), 657. <https://doi.org/10.33087/jiubj.v21i2.1439>
- Vijayarathi, M., & Hemavathy, V. (2015). Buerger Allen Exercise for Type 2 Diabetes Mellitus Foot Ulcer Patients.
- Wang, A., Lv, G., Cheng, X., Ma, X., Wang, W., Gui, J., Hu, J., Lu, M., Chu, G., Jin'an, C., Zhang, H., Jiang, Y., Chen, Y., Yang, W., Jiang, L., Geng, H., Zheng, R., Li, Y., Feng, W., ... Hu, Y. (2020). Guidelines on multidisciplinary approaches for the prevention and management of diabetic foot disease (2020 edition). *Burns and Trauma*, 8. <https://doi.org/10.1093/BURNST/TKAA017>
- Wang, A., Lv, G., Cheng, X., Ma, X., Wang, W., Gui, J., Hu, J., Lu, M., Chu, G., Jin'an, C., Zhang, H., Jiang, Y., Chen, Y., Yang, W., Jiang, L., Geng, H., Zheng, R., Li, Y., Feng, W., ... Hu, Y. (2020). Guidelines on multidisciplinary approaches for the prevention and management of diabetic foot disease (2020 edition). *Burns and Trauma*, 8. <https://doi.org/10.1093/BURNST/TKAA017>
- Wijayanti, Dhia & Warsono, Warsono. (2022). Penerapan buerger allen exercise meningkatkan perfusi perifer pada penderita diabetes melitus tipe II. *Ners Muda*. 3. 10.26714/nm.v3i2.8266.

Zhang, Y., Lazzarini, P. A., McPhail, S. M., van Netten, J. J., Armstrong, D. G., & Pacella, R. E. (2020). Global Disability Burdens of Diabetes-Related Lower-Extremity Complications in 1990 and 2016. *Diabetes care*, 43(5), 964–974. <https://doi.org/10.2337/dc19-1614>

