

## DAFTAR PUSTAKA

- [1] M. Chairul Basrun Umanailo, *Ilmu sosial budaya dasar Penulis.*
- [2] N. Saadah Andriani Sentra Advokasi Perempuan and D. dan Anak, “KEBIJAKAN RESPONSIF DISABILITAS: Pengarusutamaan Managemen Kebijakan di Level Daerah, Nasional dan Internasional,” 2016.
- [3] “Buku I Analisis Tematik Kependudukan Indonesia (Fertilitas Remaja, Kematian Maternal, Kematian Bayi, dan Penyandang Disabilitas)”.
- [4] D. A. Rahmawati, “Analisis Yuridis Perlindungan Hukum Terhadap Pemenuhan Hak-Hak Anak Penyandang Disabilitas Berdasarkan Pasal 5 Ayat (3) Undang-Undang Republik Indonesia Nomor 8 Tahun 2016 Tentang Penyandang,” 2021.
- [5] H. Hikmat, “Pedoman Operasional Asistensi Rehabilitasi Sosial Penyandang Disabilitas,” *Kementerian Sosial RI*, 2021.
- [6] H. A. Shedeed, M. F. Issa, and S. M. El-sayed, “Brain EEG signal processing for controlling a robotic arm,” in *2013 8th International Conference on Computer Engineering & Systems (ICCES)*, 2013, pp. 152–157. doi: 10.1109/ICCES.2013.6707191.
- [7] A. Hartman and V. K. Nandikolla, “Human-Machine Interface for a Smart Wheelchair,” *Journal of Robotics*, vol. 2019, p. 4837058, 2019, doi: 10.1155/2019/4837058.
- [8] M. AlAbboudi, M. Majed, F. Hassan, and A. B. Nassif, “EEG Wheelchair for People of Determination,” in *2020 Advances in Science and Engineering Technology International Conferences (ASET)*, 2020, pp. 1–5. doi: 10.1109/ASET48392.2020.9118340.
- [9] M. Sasaki and others, “Robot control system based on Electrooculography and Electromyogram,” *Journal of Computer and Communications*, vol. 3, no. 11, p. 113, 2015.
- [10] M. I. Rusydi *et al.*, “Electric Wheelchair Control Using Wrist Rotation Based on Analysis of Muscle Fatigue,” *IEEE Access*, vol. 10, pp. 102907–102918, 2022, doi: 10.1109/ACCESS.2022.3208151.
- [11] H. A. Shedeed, M. F. Issa, and S. M. El-Sayed, “Brain EEG signal processing for controlling a robotic arm,” in *2013 8th International Conference on Computer Engineering & Systems (ICCES)*, 2013, pp. 152–157.
- [12] T. Carlson and J. del R. Millan, “Brain-Controlled Wheelchairs: A Robotic Architecture,” *IEEE Robot Autom Mag*, vol. 20, no. 1, pp. 65–73, 2013, doi: 10.1109/MRA.2012.2229936.

- [13] J. Li *et al.*, “Evaluation and application of a hybrid brain computer interface for real wheelchair parallel control with multi-degree of freedom,” *Int J Neural Syst*, vol. 24, no. 4, Jun. 2014, doi: 10.1142/S0129065714500142.
- [14] K. Blinowska and P. Durka, “Electroencephalography (eeg),” *Wiley encyclopedia of biomedical engineering*, 2006.
- [15] S. O'Regan, S. Faul, and W. Marnane, “Automatic detection of EEG artefacts arising from head movements using EEG and gyroscope signals,” *Med Eng Phys*, vol. 35, no. 7, pp. 867–874, 2013, doi: <https://doi.org/10.1016/j.medengphy.2012.08.017>.
- [16] M. Fatourechi, A. Bashashati, R. K. Ward, and G. E. Birch, “EMG and EOG artifacts in brain computer interface systems: A survey,” *Clinical Neurophysiology*, vol. 118, no. 3, pp. 480–494, 2007, doi: <https://doi.org/10.1016/j.clinph.2006.10.019>.
- [17] J. Simarmata, M. Turnip, and A. Turnip, “DENOISING ARTEFAK PADA SINYAL ELEKTROENSEFALOGRAM (EEG) MENGGUNAKAN FIR FILTER DENGAN METODE TRANSFORMASI WAVELET,” 2014.
- [18] M. Sasaki *et al.*, “Estimation of the Shoulder Joint Angle using Brainwaves,” *Andalas Journal of Electrical and Electronic Engineering Technology*, vol. 1, no. 1, pp. 1–11, May 2021, doi: 10.25077/ajeeet.v1i1.5.
- [19] Y. Winata, “MERANCANG SISTEM BRAIN COMPUTER INTERFACE BERBASIS ELECTROENCEPHALOGRAPHY UNTUK PENGOPERASIAN ROBOT LENGAN MENGGUNAKAN METODE THRESHOLD,” *Universitas Andalas*, 2021.
- [20] I. Yemensia, “PERANCANGAN KENDALI KURSI RODA DENGAN SISTEM BRAIN COMPUTER INTERFACE BERBASIS ELECTROENCEPHALOGRAPHY MENGGUNAKAN METODE SUPPORT VECTOR MACHINE,” *Universitas Andalas*, 2022.
- [21] M. Farhan, “SISTEM KENDALI KURSI RODA MEMANFAATKAN SINYAL ELECTROENCEPHALOGRAPHY BAGI PENYANDANG DISABILITAS MENGGUNAKAN METODE K-NEAREST NEIGHBOR,” Padang, 2022.
- [22] A. Kharisma and B. T. Indrojarwo, “Desain Kursi Roda dengan Sistem Kemudi Tuas sebagai Sarana Mobilitas bagi Anak Penderita Cerebral Palsy Usia 6 hingga 10th,” *Jurnal Sains dan Seni ITS*, vol. 5, no. 2, 2017.
- [23] A. Syakura, “the Development of safety and comfort fulfillment in Preventing injury for stroke patients with wheelchair: A systematic review,” *PROFESSIONAL HEALTH JOURNAL*, vol. 3, no. 2, pp. 101–114, 2022.
- [24] I. M. L. Batan, “Pengembangan kursi roda sebagai upaya peningkatan ruang gerak penderita cacat kaki,” *Jurnal Teknik Industri*, vol. 8, no. 2, pp. 97–105, 2006.
- [25] P. Farastya, “Ragam Kursi Roda, Unik dan Bermanfaat Untuk Segala Kondisi,” *Online*. <https://www.medicalogy.com/blog/7-ragam-kursi-roda-unik-dan-bermanfaat-untuk-segala-kondisi/> (accessed Nov. 11, 2023).

- [26] A. S. Junior and F. Arifin, “Prototipe Kursi Roda Elektrik Dengan Kendali Joystick Dan Smartphone,” *Elinvo (Electronics, Informatics, and Vocational Education)*, vol. 4, no. 1, pp. 62–68, 2019.
- [27] A. S. Junior and F. Arifin, “Prototipe Kursi Roda Elektrik Dengan Kendali Joystick Dan Smartphone,” *Elinvo (Electronics, Informatics, and Vocational Education)*, vol. 4, no. 1, pp. 62–68, 2019.
- [28] A. A. Matarru, “Studi Eksperimen Arduino Uno Sebagai Pengendali Kursi Roda Elektrik,” *INISTA (Journal of Informatics Information System Software Engineering and Applications)*, vol. 4, no. 2, pp. 21–31, 2022.
- [29] S. Annirohman, “RANCANGAN KURSI RODA ELEKTRIK DENGAN REMOT DAN TUAS,” *Jurnal Teknik*, vol. 12, no. 1, 2023.
- [30] A. Kübler and B. Kotchoubey, “Brain-computer interfaces in the continuum of consciousness,” *Curr Opin Neurol*, vol. 20, no. 6, pp. 643–649, 2007.
- [31] M. Van Gerven *et al.*, “The brain-computer interface cycle,” *J Neural Eng*, vol. 6, no. 4, p. 41001, 2009.
- [32] L. Naci *et al.*, “Brain-computer interfaces for communication with nonresponsive patients,” *Annals of Neurology*, vol. 72, no. 3. pp. 312–323, Sep. 2012. doi: 10.1002/ana.23656.
- [33] L. Entremont, “Brain-Computer Interfaces-conjunctions between two worlds.”
- [34] R. H. Abiyev, N. Akkaya, E. Aytac, I. Günsel, and A. Çağman, “Brain-Computer Interface for Control of Wheelchair Using Fuzzy Neural Networks,” *Biomed Res Int*, vol. 2016, 2016, doi: 10.1155/2016/9359868.
- [35] V. Kumar, K. Shivappa, B. Luu, M. Solis, and K. George, “HomeAutomationSystemusingBrainComputer InterfaceParadigm basedonAuditorySelection Attention.”
- [36] Z. P. Zhao *et al.*, “Modulating Brain Activity with Invasive Brain-Computer Interface: A Narrative Review,” *Brain Sciences*, vol. 13, no. 1. MDPI, Jan. 01, 2023. doi: 10.3390/brainsci13010134.
- [37] S. Saha *et al.*, “Progress in Brain Computer Interface: Challenges and Opportunities,” *Frontiers in Systems Neuroscience*, vol. 15. Frontiers Media S.A., Feb. 25, 2021. doi: 10.3389/fnsys.2021.578875.
- [38] B. Graimann, B. Allison, and G. Pfurtscheller, “Brain-Computer Interfaces: A Gentle Introduction,” in *Frontiers Collection*, vol. Part F952, Springer VS, 2009, pp. 1–27. doi: 10.1007/978-3-642-02091-9\_1.
- [39] D. Bansal and R. Mahajan, *EEG-based brain-computer Interfaces: cognitive analysis and control applications*. Academic Press, 2019.

- [40] D. Allison Brendan Z. and Krusienski, “Noninvasive Brain-Computer Interfaces,” in *Encyclopedia of Computational Neuroscience*, R. Jaeger Dieter and Jung, Ed., New York, NY: Springer New York, 2013, pp. 1–13. doi: 10.1007/978-1-4614-7320-6\_707-1.
- [41] C. Klaes, “Invasive brain-computer interfaces and neural recordings from humans,” in *Handbook of behavioral neuroscience*, vol. 28, Elsevier, 2018, pp. 527–539.
- [42] I. Yani, S. Fatonah, and others, “EFEKTIFITAS HASIL PEREKAMAN EKG DENGAN MENGGUNAKAN KONDUKTOR JELI DAN AIR PADA PASIEN PENYAKIT JANTUNG KORONER (PJK) DI RUANG INTENSIVE CARDIO VASCULAR CARE UNIT (ICVCU) RSUD DR. MOEWARDI,” *Jurnal Ilmu Keperawatan Indonesia (JIKI)*, vol. 7, no. 2, 2014.
- [43] J. W. Britton *et al.*, “Electroencephalography (EEG): An Introductory Text and Atlas of Normal and Abnormal Findings in Adults, Children, and Infants.” American Epilepsy Society, Chicago, 2016. [Online]. Available: <http://europepmc.org/books/NBK390354>
- [44] R. Ranjan, B. Chandra Sahana, and A. Kumar Bhandari, “Ocular artifact elimination from electroencephalography signals: A systematic review,” *Biocybern Biomed Eng*, vol. 41, no. 3, pp. 960–996, 2021, doi: <https://doi.org/10.1016/j.bbe.2021.06.007>.
- [45] S. O'Regan, S. Faul, and W. Marnane, “Automatic detection of EEG artefacts arising from head movements using EEG and gyroscope signals,” *Med Eng Phys*, vol. 35, no. 7, pp. 867–874, 2013.
- [46] E. Astrand, C. Wardak, and S. Ben Hamed, “Selective visual attention to drive cognitive brain-machine interfaces: From concepts to neurofeedback and rehabilitation applications,” *Front Syst Neurosci*, vol. 8, p. 144, Nov. 2014, doi: 10.3389/fnsys.2014.00144.
- [47] J. W. Britton *et al.*, “Electroencephalography (EEG): An introductory text and atlas of normal and abnormal findings in adults, children, and infants,” 2016.
- [48] “Welcome to the OpenBCI Community | OpenBCI Documentation.” Accessed: Jul. 30, 2023. [Online]. Available: <https://docs.openbci.com/>
- [49] M. Teplan and others, “Fundamentals of EEG measurement,” *Measurement science review*, vol. 2, no. 2, pp. 1–11, 2002.
- [50] R. Oostenveld and P. Praamstra, “The five percent electrode system for high-resolution EEG and ERP measurements,” *Clinical neurophysiology*, vol. 112, no. 4, pp. 713–719, 2001.
- [51] D. Silverman, “The Rationale and History of the 10-20 System of the International Federation,” *American Journal of EEG Technology*, vol. 3, no. 1, pp. 17–22, Mar. 1963, doi: 10.1080/00029238.1963.11080602.
- [52] R. P. N. Rao, *Brain-computer interfacing: an introduction*. Cambridge University Press, 2013.

- [53] R. Alfina, I. Arifianto, D. Astharini, and P. Wulandari, “Mendisain GUI untuk menampilkan nilai FFT dan IFFT menggunakan LabVIEW,” *Tesla*, vol. 21, no. 1, pp. 50–56, 2019.
- [54] “O'Reilly Media - Technology and Business Training.” Accessed: Jul. 30, 2023. [Online]. Available: <https://www.oreilly.com/>
- [55] “What is an Infinite Impulse Response Filter (IIR)?” Accessed: Jul. 30, 2023. [Online]. Available: <https://technobYTE.org/infinite-impulse-response-filter-iir/>
- [56] M. El Habib Daho and M. Amine Chikh, “Combining bootstrapping samples, random subspaces and random forests to build classifiers,” *J Med Imaging Health Inform*, vol. 5, no. 3, pp. 539–544, Jun. 2015, doi: 10.1166/jmihi.2015.1423.
- [57] Y. Liu, Y. Wang, and J. Zhang, “LNCS 7473 - New Machine Learning Algorithm: Random Forest,” 2012.
- [58] Y.-C. Chang, K.-H. Chang, and G.-J. Wu, “Application of eXtreme gradient boosting trees in the construction of credit risk assessment models for financial institutions,” *Appl Soft Comput*, vol. 73, pp. 914–920, 2018.
- [59] J. H. Kim, C. M. Kim, and M.-S. Yim, “An investigation of insider threat mitigation based on EEG signal classification,” *Sensors*, vol. 20, no. 21, p. 6365, 2020.
- [60] K. Pushpavathi and B. Kanmani, “Design of IIR Filters from Wavelets: A Comparative Study,” vol. 14, no. 3, pp. 46–65, 2021.

