

## BIBLIOGRAPHY

- Abutaha, N. (2015). In vitro antiproliferative activity of partially purified *Withania somnifera* fruit extract on different cancer cell lines. *Journal of B.U.ON.*, 20(2), 625–630.
- Agistia et al . (2013). Interaction Between Active Compounds From Aegle Marmelos Correa As Anti Inflammation Agent With Cox-1 And Cox-2 Receptor Interaksi Senyawa Aktif Dari Aegle Marmelos Correa Sebagai Anti Inflamasi Dengan Reseptor Cox-1 Dan Cox-2. *Traditional Medicine Journal*, 18(2), 2013.
- Albaayit, S. F. A., Maharjan, R., Abdullah, R., & Noor, M. H. M. (2021). Anti-enterococcus faecalis, cytotoxicity, phytotoxicity, and anticancer studies on clausena excavata burum. f. (rutaceae) leaves. *BioMed Research International*, 2021. <https://doi.org/10.1155/2021/3123476>
- Altemimi, A., Lakhssassi, N., Baharlouei, A., Watson, D. G., & Lightfoot, D. A. (2017). Phytochemicals: Extraction, isolation, and identification of bioactive compounds from plant extracts. *Plants*, 6(4). <https://doi.org/10.3390/plants6040042>
- Atun, S., Aznam, N., Arianingrum, R., & Nurestri, S. (2010). TDevelopment of active compounds from temu giring (*Curcuma heyneana*) and temu ireng (*Curcuma aerogynosa*) against human cancer cell lines. In *Jurnal Penelitian Saintek* (Vol. 15, Issue 2, pp. 1–9).

Azzam, K. AL. (2023). SwissADME and pkCSM Webservers Predictors: an integrated Online Platform for Accurate and Comprehensive Predictions for In Silico ADME/T Properties of Artemisinin and its Derivatives. *Kompleksnoe Ispol'zovanie Mineral'nogo Syr'a/Complex Use of Mineral Resources/Mineraldik Shikisattardy Keshendi Paidalanu*, 325(2), 14–21. <https://doi.org/10.31643/2023/6445.13>

Badriyah, L., & Farihah, D. (2023). Optimalisasi ekstraksi kulit bawang merah (Allium cepa L) menggunakan metode maserasi. *Jurnal Sintesis: Penelitian Sains, Terapan Dan Analisisnya*, 3(1), 30–37. <https://doi.org/10.56399/jst.v3i1.32>

Banerjee, P., Eckert, A. O., Schrey, A. K., & Preissner, R. (2018). ProTox-II: A webserver for the prediction of toxicity of chemicals. *Nucleic Acids Research*, 46(W1), W257–W263. <https://doi.org/10.1093/nar/gky318>

Beny, R., Yana, N. R. A., & Leorita, M. (2020). Desain Turunan Senyawa Leonurine Sebagai Kandidat Obat Anti Inflamasi. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 6(1), 181–191.

Bhat, V., & Chatterjee, J. (2021). The Use of In Silico Tools for the Toxicity Prediction of Potential Inhibitors of SARS-CoV-2. *ATLA Alternatives to Laboratory Animals*, 49(1–2), 22–32. <https://doi.org/10.1177/02611929211008196>

Cai, S., & Gao, Z. (2021). Atorvastatin inhibits proliferation and promotes apoptosis of colon cancer cells via COX-2/PGE2/β-Catenin Pathway. *Journal of B.U.ON.*, 26(4), 1219–1225.

Cerella, C., Sobolewski, C., Dicato, M., & Diederich, M. (2010). Targeting COX-2 expression by natural compounds: A promising alternative strategy to synthetic COX-2 inhibitors for cancer chemoprevention and therapy. *Biochemical Pharmacology*, 80(12), 1801–1815. <https://doi.org/10.1016/j.bcp.2010.06.050>

Chan, E. W. C., Ng, Y. K., Tan, C. Y., Alessandro, L., Wong, S. K., & Chan, H. T. (2021). Diosmetin and tamarixetin (methylated flavonoids): A review on their chemistry, sources, pharmacology, and anticancer properties. *Journal of Applied Pharmaceutical Science*, 11(3), 022–028.

Clark, D. E. (2003). In silico prediction of blood–brain barrier permeation. *Drug Discovery Today*, 8(20), 927–933.

Drobnik, J., & Stebel, A. (2021). Four centuries of medicinal mosses and liverworts in european ethnopharmacy and scientific pharmacy: A review. *Plants*, 10(7). <https://doi.org/10.3390/plants10071296>

Drwal, M. N., Banerjee, P., Dunkel, M., Wettig, M. R., & Preissner, R. (2014). ProTox: A web server for the in silico prediction of rodent oral toxicity. *Nucleic Acids Research*, 42(W1), 53–58. <https://doi.org/10.1093/nar/gku401>

Duan, Y., Fang, Z., Shi, Z., & Zhang, L. (2019). Knockdown of lncRNA CCEPR suppresses colorectal cancer progression. *Experimental and Therapeutic Medicine*, 3534–3542. <https://doi.org/10.3892/etm.2019.7942>

Dziwak, M., Wróblewska, K., Szumny, A., & Galek, R. (2022). Modern Use of Bryophytes as a Source of Secondary Metabolites. *Agronomy*, 12(6). <https://doi.org/10.3390/agronomy12061456>

El-Seedi, H. R., Yosri, N., El-Aarag, B., Mahmoud, S. H., Zayed, A., Du, M., Saeed, A., Musharraf, S. G., El-Garawani, I. M., Habib, M. R., Tahir, H. E., Hegab, M. M., Zou, X., Guo, Z., Efferth, T., & Khalifa, S. A. M. (2022). Chemistry and the Potential Antiviral, Anticancer, and Anti-Inflammatory Activities of Cardiotonic Steroids Derived from Toads . *Molecules*, 27(19).

El-Tantawy, H. M., Hassan, A. R., & Taha, H. E. (2022). Anticancer Mechanism of the Non-polar Extract from Echium angustifolium Mill. Aerial Parts in Relation to Its Chemical Content. *Egyptian Journal of Chemistry*, 65(10), 17–26.

El Sayed, A. M., Basam, S. M., El-Naggar, E. M. bellah A., Marzouk, H. S., & El-Hawary, S. (2020). LC–MS/MS and GC–MS profiling as well as the antimicrobial effect of leaves of selected Yucca species introduced to Egypt. *Scientific Reports*, 10(1), 1–15. <https://doi.org/10.1038/s41598-020-74440-y>

Emon, N. U., Alam, S., Rudra, S., Riya, S. R., Paul, A., Hossen, S. M. M., Kulsum, U., & Ganguly, A. (2021). Antidepressant, anxiolytic, antipyretic, and thrombolytic profiling of methanol extract of the aerial part of Piper nigrum: In vivo, in vitro, and in silico approaches. *Food Science and Nutrition*, 9(2), 833–846.

Essa, A. F., Teleb, M., El-Kersh, D. M., El Gendy, A. E. N. G., Elshamy, A. I., & Farag,

- M. A. (2023). Natural acylated flavonoids: their chemistry and biological merits in context to molecular docking studies. In *Phytochemistry Reviews* (Vol. 22, Issue 6). Springer Netherlands. <https://doi.org/10.1007/s11101-022-09840-1>
- Eweas, A. F., Maghrabi, I. A., & Namarneh, A. I. (2014). Advances in molecular modeling and docking as a tool for modern drug discovery. *Der Pharma Chemica*, 6(6), 211–228.
- Fadhillah, R., Aditya Putri Iskandar, E., & Dewantari Kusumaningrum, H. (2012). Aktivitas Antibakteri Ekstrak Tumbuhan Lumut Hati (Marchantia Paleacea) Terhadap Bakteri Patogen Dan Perusak Pangan. *Jurnal Teknologi Dan Industri Pangan*, 23(2), 126–131. <https://doi.org/10.6066/jtip.2012.23.2.126>
- Gokbulut, A., Satılmış, B., Batçioğlu, K., Cetin, B., & Sarer, E. (2012). Antioxidant activity and luteolin content of Marchantia polymorpha L. *Turkish Journal of Biology*, 36(4), 381–385. <https://doi.org/10.3906/biy-1106-15>
- Goodwin, J. S. (1991). Are prostaglandins proinflammatory, antiinflammatory, both or neither? *The Journal of Rheumatology. Supplement*, 28, 26–29.
- Gupta, R. A., & DuBois, R. N. (2001). Colorectal cancer prevention and treatment by inhibition of cyclooxygenase-2. *Nature Reviews Cancer*, 1(1), 11–21.
- Gupta, S. K., Sharma, A., & Moktan, S. (2015). a Review on Some Species of Marchantia With Reference To Distribution , Characterization and Importance.

*World Journal of Pharmacy and Pharmaceutical Sciences*, 4(4), 1576–1588.

Han, S. H., Han, J. H., Chun, W. J., Lee, S. S., Kim, H. S., & Lee, J. W. (2021). Nobiletin Inhibits Non-Small-Cell Lung Cancer by Inactivating WNT/β-Catenin Signaling through Downregulating miR-15-5p. *Evidence-Based Complementary and Alternative Medicine*, 2021. <https://doi.org/10.1155/2021/7782963>

Han, Y., Zhang, J., Hu, C. Q., Zhang, X., Ma, B., & Zhang, P. (2019). In silico ADME and toxicity prediction of ceftazidime and its impurities. *Frontiers in Pharmacology*, 10(APR), 1–12. <https://doi.org/10.3389/fphar.2019.00434>

Harahap, A. R. N. (2019). *Kejadian Kanker Kolorektal Di Rsud Dr . H . Abdul Moeloek Bandar Dr . H . Abdul Moeloek Bandar*. 2016.

Hardi, J., Kimia, J., Mipa, F., Tadulako, U., Jl Soekarno Hatta Km, P., & Bumi Tadulako Tondo Palu, K. (2019). Uji Aktivitas Antioksidan Eksrtrak Lumut Hati (*Marchantia polymorpha*) Antioxidant Activity Assay of Liverworts (*Marchantia polymorpha*) Extract. *Kovalen*, 5(3), 315–321.

Haryoto, Irjayanti, A. N., Suhendi, A., Muhtadi, & Sujono, T. A. (2015). Cytotoxic Activity of Polar, Semipolar, and Nonpolar Fraction of Ethanol Extract of Sala Plants Leaves (*Cynometra ramiflora* Linn .) Againts WiDr Cell. *ICB Pharma II “Current Breakthrough in Pharmacy Materials and Analyses,” February 2016*, 60–64.

He, X., Sun, Y., & Zhu, R. L. (2013). The Oil Bodies of Liverworts: Unique and Important Organelles in Land Plants. *Critical Reviews in Plant Sciences*, 32(5), 293–302. <https://doi.org/10.1080/07352689.2013.765765>

Himaja, M., & Md, A. (2011). Synthesis, Docking studies and anti-oxidant activity of tetra peptide FGVY. *International Journal of Research in Ayurveda & Pharmacy*, 2(3), 905–910.

Hsiao, P. C., Lee, W. J., Yang, S. F., Tan, P., Chen, H. Y., Lee, L. M., Chang, J. L., Lai, G. M., Chow, J. M., & Chien, M. H. (2014). Nobiletin suppresses the proliferation and induces apoptosis involving MAPKs and caspase-8/-9/-3 signals in human acute myeloid leukemia cells. *Tumor Biology*, 35(12), 11903–11911. <https://doi.org/10.1007/s13277-014-2457-0>

Ibrahim, A., Siswandono, & Bambang Prajogo, E. W. (2021). Cytotoxic activity of peronema canescens Jack leaves on human cells: HT-29 and primary adenocarcinoma colon cancer. *Pharmacognosy Journal*, 13(6), 1389–1396. <https://doi.org/10.5530/PJ.2021.13.176>

Irimie, A. I., Braicu, C., Zanoaga, O., Pileczki, V., Gherman, C., Berindan-Neagoe, I., & Campian, R. S. (2015). Epigallocatechin-3-gallate suppresses cell proliferation and promotes apoptosis and autophagy in oral cancer SSC-4 cells. *Oncotargets and Therapy*, 461–470.

Ivanović, V., Rančić, M., Arsić, B., & Pavlović, A. (2020). Lipinski's rule of five,

famous extensions and famous exceptions. *Chemia Naissensis*, 3(1), 171–181.

<https://doi.org/10.46793/chemn3.1.171i>

Jantwal, A., Rana, M., Joshi Rana, A., Upadhyay, J., Durgapal, S., & Arvind Jantwal, C. (2019). Pharmacological potential of genus Marchantia: A Review. *Journal of Pharmacognosy and Phytochemistry*, 8(2), 641–645.

Ji, Q., Liu, X., Fu, X., Zhang, L., Sui, H., Zhou, L., Sun, J., Cai, J., Qin, J., & Ren, J. (2013). Resveratrol inhibits invasion and metastasis of colorectal cancer cells via MALAT1 mediated Wnt/β-catenin signal pathway. *PloS One*, 8(11), e78700.

Jl Dharmawangsa Dalam, K. B. (2015). Prediksi Sifat Farmakokinetik, Toksisitas dan Aktivitas Sitotoksik Turunan N-Benzoiil-N’-(4-fluorofenil)tiourea sebagai Calon Obat Antikanker melalui Pemodelan Molekul (Prediction of Pharmacokinetic Properties, Toxicity and Derivatives as Anticancer Drugs . *Jurnal Ilmu Kefarmasian Indonesia*, 14(2), 246–255. <https://cactus.nci.nih.gov/10.1016/j.foodhyd.2011.08.017.Nanoemulsion-based>

Justin I. Odegaard, & Chawla, A. (2008). Public Access. *Bone*, 23(1), 1–7.

<https://doi.org/10.1016/j.foodhyd.2011.08.017.Nanoemulsion-based>

Karunagaran, D., Rashmi, R., & Kumar, T. R. (2005). Induction of apoptosis by curcumin and its implications for cancer therapy. *Current Cancer Drug Targets*, 5(2), 117–129.

Kawabata, K., Murakami, A., & Ohigashi, H. (2005). Nobiletin, a citrus flavonoid,

down-regulates matrix metalloproteinase-7 (matrilysin) expression in HT-29 human colorectal cancer cells. *Bioscience, Biotechnology, and Biochemistry*, 69(2), 307–314.

Kawsar, S. M. A., Hosen, M. A., Chowdhury, T. S., Rana, K. M., Fujii, Y., & Ozeki, Y. (2021). Thermochemical, PASS, Molecular Docking, Drug-Likeness and In Silico ADMET Prediction of Cytidine Derivatives against HIV-1 Reverse Transcriptase. *Revista de Chimie*, 72(3), 159–178. <https://doi.org/10.37358/rc.21.3.8446>

Kholifah, E., & Endah, E. (2022). Analisis Profil Fisika Kimia dan Farmakokinetik Senyawa Pentagamavunon-1 Secara Komputasi. *Duta Pharma Journal*, 2(1), 1–7. <https://doi.org/10.47701/djp.v2i1.1679>

Kim, S. Y., Hong, M., Kim, T. H., Lee, K. Y., Park, S. J., Hong, S. H., Sowndhararajan, K., & Kim, S. (2021). Anti-inflammatory effect of liverwort (Marchantia polymorpha L.) and racomitrium moss (racomitrium canescens (hedw.) brid.) growing in Korea. *Plants*, 10(10). <https://doi.org/10.3390/plants10102075>

Kim, Y.-S., Kim, S.-H., Kang, J.-G., & Ko, J.-H. (2012). Expression level and glycan dynamics determine the net effects of TIMP-1 on cancer progression. *BMB Reports*, 45(11), 623.

Kowalska, M., Fijałkowski, Ł., & Nowaczyk, A. (2018). The biological activity assessment of potential drugs acting on cardiovascular system using Lipinski and Veber Rules. *Journal of Education*, 8(12), 2391–8306.

<https://doi.org/10.5281/zenodo.2066519>

Kumar, M., Kaur, P., Kumar, S., & Kaur, S. (2015). Antiproliferative and apoptosis inducing effects of non-polar fractions from *Lawsonia inermis* L. in cervical (HeLa) cancer cells. *Physiology and Molecular Biology of Plants*, 21, 249–260.

Kurnia, D., Putri, S. A., Tumilaar, S. G., Zainuddin, A., Dharsono, H. D. A., & Amin, M. F. (2023). In silico Study of Antiviral Activity of Polyphenol Compounds from *Ocimum basilicum* by Molecular Docking, ADMET, and Drug-Likeness Analysis. *Advances and Applications in Bioinformatics and Chemistry*, 16, 37–47.  
<https://doi.org/10.2147/AABC.S403175>

Laksmiani, N. P. L., Astuti, N. M. W., Arisanti, C. I. S., & Paramita, N. L. P. V. (2018). Ethyl Acetate Fraction of Secang As Anti Cervical Cancer by Inducing p53 and Caspase 9. *IOP Conference Series: Earth and Environmental Science*, 207(1).  
<https://doi.org/10.1088/1755-1315/207/1/012065>

Li-Weber, M. (2009). New therapeutic aspects of flavones: the anticancer properties of *Scutellaria* and its main active constituents Wogonin, Baicalein and Baicalin. *Cancer Treatment Reviews*, 35(1), 57–68.

Li, S., Jiang, M., Wang, L., & Yu, S. (2020). Combined chemotherapy with cyclooxygenase-2 (COX-2) inhibitors in treating human cancers: Recent advancement. *Biomedicine and Pharmacotherapy*, 129(June), 110389.  
<https://doi.org/10.1016/j.biopha.2020.110389>

Li, Y., Huang, J., Lin, W., Yuan, Z., Feng, S., Xie, Y., & Ma, W. (2016). In vitro anticancer activity of a nonpolar fraction from gynostemma pentaphyllum (Thunb.) makino. *Evidence-Based Complementary and Alternative Medicine*, 2016. <https://doi.org/10.1155/2016/6308649>

Lipinski, C. A. (2016). Rule of five in 2015 and beyond: Target and ligand structural limitations, ligand chemistry structure and drug discovery project decisions. *Advanced Drug Delivery Reviews*, 101, 34–41.

Ma, X., Jin, S., Zhang, Y., Wan, L., Zhao, Y., & Zhou, L. (2014). Inhibitory effects of nobiletin on hepatocellular carcinoma in vitro and in vivo. *Phytotherapy Research*, 28(4), 560–567. <https://doi.org/10.1002/ptr.5024>

Malumbres, M., & Barbacid, M. (2009). Cell cycle, CDKs and cancer: a changing paradigm. *Nature Reviews Cancer*, 9(3), 153–166.

Mangurana, W. O. I., Yusnaini, Y., & Sahidin, S. (2019). Analisis Lc-Ms/Ms (Liquid Chromatograph Mass Spectrometry) Dan Metabolit Sekunder Serta Potensi Antibakteri Ekstrak N-Heksana Spons Callyspongia Aerizusa Yang Diambil Pada Kondisi Tutupan Terumbu Karang Yang Berbeda Di Perairan Teluk Staring. *Jurnal Biologi Tropis*, 19(2), 131–141. <https://doi.org/10.29303/jbt.v19i2.1126>

Md Idris, M. H., Mohd Amin, S. N., Mohd Amin, S. N., Nyokat, N., Khong, H. Y., Selvaraj, M., Zakaria, Z. A., Shaameri, Z., Hamzah, A. S., Teh, L. K., & Salleh, M. Z. (2022). Flavonoids as dual inhibitors of cyclooxygenase-2 (COX-2) and 5-

- lipoxygenase (5-LOX): molecular docking and in vitro studies. *Beni-Suef University Journal of Basic and Applied Sciences*, 11(1).
- Mewari, N., & Kumar, P. (2008). Antimicrobial activity of extracts of Marchantia polymorpha. *Pharmaceutical Biology*, 46(10–11), 819–822.
- Moon, J. Y., Cho, M., Ahn, K. S., & Cho, S. K. (2013). Nobiletin induces apoptosis and potentiates the effects of the anticancer drug 5-fluorouracil in p53-mutated SNU-16 human gastric cancer cells. *Nutrition and Cancer*, 65(2), 286–295.
- Negi, R. R., Rana, S. V., Gupta, V., Gupta, R., Chadha, V. D., Prasad, K. K., & Dhawan, D. K. (2019). Over-expression of Cyclooxygenase-2 in colorectal cancer patients. *Asian Pacific Journal of Cancer Prevention*, 20(6), 1675–1681.
- Novakovic, M., Bukvicki, D., Andjelkovic, B., Ilic-Tomic, T., Veljic, M., Tesevic, V., & Asakawa, Y. (2019). Cytotoxic activity of riccardin and perrottetin derivatives from the liverwort Lunularia cruciata. *Journal of Natural Products*, 82(4), 694–701.
- Novakovic, M., Ludwiczuk, A., Bukvicki, D., & Asakawa, Y. (2021). Phytochemicals from bryophytes: Structures and biological activity. *Journal of the Serbian Chemical Society*, 86(12), 1139–1175. <https://doi.org/10.2298/JSC211027100N>
- Orozco-Barocio, A., Robles-Rodríguez, B. S., Camacho-Corona, M. del R., Méndez-López, L. F., Godínez-Rubí, M., Peregrina-Sandoval, J., Rivera, G., Rojas Mayorquín, A. E., & Ortuno-Sahagun, D. (2022). In vitro Anticancer Activity of

- the Polar Fraction From the Lophocereus schottii Ethanolic Extract. *Frontiers in Pharmacology*, 13(April), 1–11. <https://doi.org/10.3389/fphar.2022.820381>
- Ouyang, L., Shi, Z., Zhao, S., Wang, F., Zhou, T., Liu, B., & Bao, J. (2012). Programmed cell death pathways in cancer: a review of apoptosis, autophagy and programmed necrosis. *Cell Proliferation*, 45(6), 487–498.
- Owa, T., Yoshino, H., Yoshimatsu, K., & Nagasu, T. (2001). Cell cycle regulation in the G1 phase: a promising target for the development of new chemotherapeutic anticancer agents. *Current Medicinal Chemistry*, 8(12), 1487–1503.
- Priani, S. E., & Fakih, T. M. (2020). *Tyrosinase Secara in Silico*. 17–24.
- Rashad, A. Y., Kassab, S. E., Daabees, H. G., Moneim, A. E. A., & Rostom, S. A. F. (2021). Febuxostat-based amides and some derived heterocycles targeting xanthine oxidase and COX inhibition. Synthesis, in vitro and in vivo biological evaluation, molecular modeling and in silico ADMET studies. *Bioorganic Chemistry*, 113, 104948.
- Rasyid, Z. A., Farida, A., Daud, S. H., Wiwin, S., Wijaya, K. I., & Tangke, A. E. (2020). Bioactivities of forest medicinal plants on kutai ethnic (Indonesia) of tapak leman (Hippobroma longiflora (L.) G. Don). *GSC Biological and Pharmaceutical Sciences*, 11(2), 91–98.
- Rosdiana, A., & Hadisaputri, Y. E. (2016). Review Artikel: Studi Pustaka Tentang

- Prosedur Kultur Sel. *Farmaka*, 14(1), 236–249.
- S, B. A., & H, T. E. (2013). Methanol Extract of *Moringa oleifera* Decrease BCL-2 Expression , TRAIL-R1 and Caspase-3 Level of Rat Colon Tissue Induced DMBA. *Jurnal Kedokteran Brawijaya*, 27(4), 201–206.
- Saenthaweesuk, S., Thaeomor, A., Rabintossaporn, P., Naowaboot, J., & Somparn, N. (2022). Effects of octacosanol on HMG-CoA reductase and cyclooxygenase-2 activities in the HT-29 human colorectal cancer cell line. *ScienceAsia*, 48(1), 32–36. <https://doi.org/10.2306/scienceasia1513-1874.2022.007>
- Safitri, R. A., Saptarini, O., Sunarni, T., Let, J., & Sutoyo, J. (2020). *Uji Aktivitas Sitotoksik , Ekspresi p53 , dan Bcl-2 dari Ekstrak Fraksi Herba Kelakai ( Stenochleana palustris ( Burm . F .) Bedd .) terhadap Sel Kanker Payudara T47D Cytotoxic Activity , Expression of p53 , and Bcl-2 Extract Fraction of Kelakai Herbs ( S. September.*
- Saleh, K. A., Albinhassan, T. H., Elbehairi, S. E. I., Alshehry, M. A., Alfaifi, M. Y., Al-Ghazzawi, A. M., Al-Kahtani, M. A., & Alasmari, A. D. A. (2019). Cell Cycle Arrest in Different Cancer Cell Lines (Liver, Breast, and Colon) Induces Apoptosis under the Influence of the Chemical Content of *Aeluropus lagopoides* Leaf Extracts. *Molecules*, 24(3), 1–12. <https://doi.org/10.3390/molecules24030507>
- Samadarsi, R., Augustin, L., Kumar, C., & Dutta, D. (2022). In-silico and in-vitro studies on the efficacy of mangiferin against colorectal cancer. *BMC Chemistry*,

16(1), 1–18. <https://doi.org/10.1186/s13065-022-00835-9>

Sayuti, M., & Nouva, N. (2019). Kanker Kolorektal. *AVERROUS: Jurnal Kedokteran Dan Kesehatan Malikussaleh*, 5(2), 76. <https://doi.org/10.29103/averrous.v5i2.2082>

Senduk, T. W., Montolalu, L. A. D. Y., & Dotulong, V. (2020). Rendemen Ekstrak air Rebusan Daun Tua mangrove (*Sonneratia alba*). *Jurnal Perikanan Dan Kelautan*, 11(1), 10–16. <https://ejournal.unsrat.ac.id/index.php/JPKT/index>

Seno, H., Oshima, M., Ishikawa, T. O., Oshima, H., Takaku, K., Narumiya, S., Taketo, M. M., Seno, H., & Chiba, T. (2002). Cyclooxygenase 2- and prostaglandin E2 receptor EP2-dependent angiogenesis in *ApcΔ716* mouse intestinal polyps. *Cancer Research*, 62(2), 506–511.

Shao, L. W., Huang, L. H., Yan, S., Jin, J. Di, & Ren, S. Y. (2016). Cordycepin induces apoptosis in human liver cancer HepG2 cells through extrinsic and intrinsic signaling pathways. *Oncology Letters*, 12(2), 995–1000. Sheng, J., Sun, H., Yu, F. B., Li, B., Zhang, Y., & Zhu, Y. T. (2020). The role of cyclooxygenase-2 in colorectal cancer. *International Journal of Medical Sciences*, 17(8), 1095–1101. <https://doi.org/10.7150/ijms.44439>

Siswandono, E. (2020). *Kimia Medisinal 1 Edisi 2*. Airlangga University Press.

Sp, N., Kang, D. Y., Kim, D. H., Park, J. H., Lee, H. G., Kim, H. J., Darvin, P., Park, Y. M., & Yang, Y. M. (2018). Nobiletin inhibits CD36-dependent tumor angiogenesis,

migration, invasion, and sphere formation through the Cd36/Stat3/Nf-Kb signaling axis. *Nutrients*, 10(6). <https://doi.org/10.3390/nu10060772>

Surh, Y.-J., Chun, K.-S., Cha, H.-H., Han, S. S., Keum, Y.-S., Park, K.-K., & Lee, S. S. (2001). Molecular mechanisms underlying chemopreventive activities of anti-inflammatory phytochemicals: down-regulation of COX-2 and iNOS through suppression of NF-κB activation. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 480, 243–268.

Taher, R. F., Al-Karmalawy, A. A., Abd El Maksoud, A. I., Khalil, H., Hassan, A., El-Khrisy, E. D. A., & El-Kashak, W. A. (2021). Two new flavonos and anticancer activity of Hymenosporum flavum: In vitro and molecular docking studies. *Journal of HerbMed Pharmacology*, 10(4), 443–458. <https://doi.org/10.34172/jhp.2021.52>

Tran, T. Q., Phan, H. N., Bui, A. L., & Quach, P. N. D. (2020). Biological activities of in vitro liverwort *Marchantia polymorpha* L. extracts. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 48(2), 826–838.

Varma, A. K., Patil, R., Das, S., Stanley, A., Yadav, L., & Sudhakar, A. (2010). Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of Drug-Designing. *PLoS ONE*, 5(8). <https://doi.org/10.1371/journal.pone.0012029>

Wang, X., Cao, J., Wu, Y., Wang, Q., & Xiao, J. (2016). Flavonoids, antioxidant potential, and acetylcholinesterase inhibition activity of the extracts from the

gametophyte and archegoniophore of Marchantia polymorpha L. *Molecules*, 21(3), 1–13. <https://doi.org/10.3390/molecules21030360>

Weerapreeyakul, N., Nonpunya, A., Barusrux, S., Thitimetharoch, T., & Sripanidkulchai, B. (2012). Evaluation of the anticancer potential of six herbs against a hepatoma cell line. *Chinese Medicine (United Kingdom)*, 7, 1–7.

<https://doi.org/10.1186/1749-8546-7-15>

Wen, X., Zhao, H., Wang, L., Wang, L., Du, G., Guan, W., Liu, J., Cao, X., Jiang, X., & Tian, J. (2020). Nobiletin attenuates DSS-induced intestinal barrier damage through the HNF4 $\alpha$ -Claudin-7 signaling pathway. *Journal of Agricultural and Food Chemistry*, 68(16), 4641–4649.

Wijaya, H., Novitasari, & Jubaidah, S. (2018). Perbandingan Metode Ekstraksi Terhadap Rendemen Ekstrak Daun Rambui Laut (Sonneratia caseolaris L. Engl). *Jurnal Ilmiah Manuntung*, 4(1), 79–83.

Wu, Q. B., & Sun, G. P. (2015). Expression of COX-2 and HER-2 in colorectal cancer and their correlation. *World Journal of Gastroenterology*, 21(20), 6206–6214. <https://doi.org/10.3748/wjg.v21.i20.6206>

Wu, X., Song, M., Wang, M., Zheng, J., Gao, Z., Xu, F., Zhang, G., & Xiao, H. (2015). Chemopreventive effects of nobiletin and its colonic metabolites on colon carcinogenesis. *Molecular Nutrition & Food Research*, 59(12), 2383–2394.

XIANG, L., HE, B., LIU, Q., HU, D., LIAO, W., LI, R., PENG, X., WANG, Q., & ZHAO, G. (2020). Antitumor effects of curcumin on the proliferation, migration and apoptosis of human colorectal carcinoma HCT-116 cells. *Oncology Reports*, 44(5), 1997–2008. <https://doi.org/10.3892/or.2020.7765>

Xiong, P., Wang, R., Zhang, X., DeLa Torre, E., Leon, F., Zhang, Q., Zheng, S., Wang, G., & Chen, Q.-H. (2015). Design, synthesis, and evaluation of genistein analogues as anti-cancer agents. *Anti-Cancer Agents in Medicinal Chemistry (Formerly Current Medicinal Chemistry-Anti-Cancer Agents)*, 15(9), 1197–1203.

Xuan, J., Goh, H., Tan, L. T., Goh, J. K., Chan, K. G., Pusparajah, P., Lee, L., & Goh, B. (2019). Nobiletin and Derivatives : Functional Compounds from Citrus Fruit Peel for Colon Cancer Chemoprevention. *Cancers*, 11(867), 34.

Yang, N., Zhao, Y., Wang, Z., Liu, Y., & Zhang, Y. (2017). Scutellarin suppresses growth and causes apoptosis of human colorectal cancer cells by regulating the p53 pathway. *Molecular Medicine Reports*, 15(2), 929–935.

Zheng, T. X., & Shimamura, M. (2022). Taxonomic revision of the genus Marchantia (Marchantiaceae) in Japan and the redefinition of the genus. *Hattoria*, 13(1784), 33–77. [https://doi.org/10.18968/hattoria.13.0\\_33](https://doi.org/10.18968/hattoria.13.0_33)

Zhou, M., Liu, X., Li, Z., Huang, Q., Li, F., & Li, C. Y. (2018). Caspase-3 regulates the migration, invasion and metastasis of colon cancer cells. *International Journal of Cancer*, 143(4), 921–930. <https://doi.org/10.1002/ijc.31374>