

DAFTAR PUSTAKA

- Abdel-Latif, M. M. M., & Abdel-Wahab, B. A. (2015). Knowledge and awareness of adverse drug reactions and pharmacovigilance practices among healthcare professionals in Al-Madinah Al-Munawwarah, Kingdom of Saudi Arabia. *Saudi Pharmaceutical Journal*, 23(2), 154–161.
<https://doi.org/10.1016/j.jps.2014.07.005>
- Abdullah, R., Insani, W. N., Destiani, D. P., Rohmaniasari, N., Mohenathas, N. D., & Barliana, M. I. (2018). Polypharmacy leads to increased prevalence of potentially inappropriate medication in the Indonesian geriatric population visiting primary care facilities. *Therapeutics and Clinical Risk Management*, 14, 1591–1597.
<https://doi.org/10.2147/TCRM.S170475>
- Al-Worafi, Y. M. (2020). Adverse drug reactions. In *Drug Safety in Developing Countries: Achievements and Challenges* (Vol. 1915, Issue 1915). INC.
<https://doi.org/10.1016/B978-0-12-819837-7.00005-4>
- Almasdy, D., Sari, Y. O., & Damris, M. (2020). Knowledge and Awareness of Health Workers in Reporting Adverse Drug Reaction of Geriatric Patients at Dr. M. Djamil Padang Hospital. *International Journal of Innovative Science and Research Technology*, 5(11), 570–573.
- Amin, S., Shah, S., Desai, M., Shah, A., & Maheriya, K. M. (2018). An analysis of adverse drug reactions in extremes of age group at tertiary care teaching hospital. *Perspectives in Clinical Research*, 9 (2), 70-75.
<https://doi.org/10.4103/picr.PICR-64-17>
- Andayani, T. M., Rahmawati, F., Rokhman, M. R., Sampurno, Mayasari, G., Nurcahya, B. M., Arini, Y. D., Arfania, M., Mpila, D. A., Octasari, P. M., Dwiningrum, A., Irnayanti, & Intiyani, R. (2019). *Drug Related Problems (Identifikasi, Faktor Resiko, dan Pencegahannya)* (Wahyu (ed.)). Gadjah Mada University Press.
- Aslam, M., Tan, C. K., & Prayitno, A. (2003). *Farmasi Klinis (Clinical Pharmacy)*. PT. Elex Media Komputindo.
- Badan POM RI. (2022). Buletin Berita MESO. In *Buletin Berita MESO* (November, Vol. 40, Issue 2).
- BPOM. (2019). Farmakovigilans (Keamanan Obat) : Panduan Deteksi dan Pelaporan Efek Samping Obat Untuk Tenaga Kesehatan. *Pusat Farmakovigilans Nasional*, 1–26.
- BPOM. (2022). Peraturan Badan Pengawas Obat Dan Makanan Nomor 15 Tahun 2022

- Tentang Penerapan Farmakovigilans. *BPOM*, 655.
- BPOM, & JICA. (2020). Modul farmakovigilans Untuk Tenaga Profesional Kesehatan. In *Badan Pengawas Obat dan Makanan (Japan International ooperation Agency)*.
- BPOM RI. (2012). Pedoman Monioring Efek Samping Obat (MESO) Bagi Tenaga Kesehatan. *Direktorat Pengawasan Distribusi Produk Terapeutik Dan PKRT Badan Pom RI*, 1–35.
- BPOM RI. (2023). *Buletin Berita MESO-Talkshow Farmakovigilans* (Vol. 41, Issue 1, pp. 25–28).
- Bracken, L. E., Nunn, A. J., Kirkham, J. J., Peak, M., Arnott, J., Smyth, R. L., Pirmohamed, M., & Turner, M. A. (2017). *Development of the Liverpool Adverse Drug Reaction Avoidability Assessment Tool*. 29, 1–11. <https://doi.org/10.1371/journal.pone.0169393>
- Budnitz, D. S., Lovegrove, M. C., Shehab, N., & Richards, C. L. (2012). Emergency Hospitalization for Adverse Drug Events in Older Americans. *Survey of Anesthesiology*, 56 (2), 65-66. <https://doi.org/10.1097/01.sa.0000412401.21757.36>
- Cahyaningsih, I., & Amaliya, N. (2019). Kajian Resiko Penggunaan Obat Yang Harus Digunakan Dengan Hati-Hati pada Pasien Geriatri dengan Diagnosis Gangguan Saraf Berdasarkan Beers Criteria. *Media Farmasi*, 16(1), 51–60.
- Cardona, V., Ansotegui, I. J., Ebisawa, M., El-Gamal, Y., Fernandez Rivas, M., Fineman, S., Geller, M., Gonzalez-Estrada, A., Greenberger, P. A., Sanchez Borges, M., Senna, G., Sheikh, A., Tanno, L. K., Thong, B. Y., Turner, P. J., & Worm, M. (2020). World allergy organization anaphylaxis guidance 2020. *World Allergy Organization Journal*, 13 (10). <https://doi.org/10.1016/j.waojou.2020.100472>
- Christanie, M., Setiati, S., Trisna, Y., & Andrajati, R. (2008). Kejadian Reaksi Obat yang Tidak Dikehendaki yang Menyebabkan Pasien Usia Lanjut Dirawat di Ruang Perawatan Penyakit Dalam Instalasi Rawat Inap B Rumah Sakit Dr. Cipto Mangunkusumo. *Majalah Ilmu Kefarmasian*, 5(3), 138–149.
- Darmojo, B. (2015). *Geriatri (Ilmu Kesehatan Lanjut Usia)* (H. Martono & K. Pranaka (eds.); 5th ed.). Badan Penerbit Fakultas Kedokteran Universitas Indonesia.
- Dass, A., Desai, S., & Kaniganti, S. (2017). Assessment of knowledge, attitude, and practice of pharmacovigilance among clinicians and postgraduate students in a teaching medical institution - A questionnaire study. *National Journal of Physiology, Pharmacy and Pharmacology*, 8 (5), 1.

- <https://doi.org/10.5455/njppp.2018.8.1145906122017>
- DiPiro, J. T., Wells, B. G., Schwinghammer, T. L., & DiPiro, C. V. (2017). Pharmacotherapy Handbook, Tenth Edition. In *McGraw-Hill Companies*.
- Doherty, A. S., Boland, F., Moriarty, F., Fahey, T., & Wallace, E. (2023). Adverse drug reactions and associated patient characteristics in older community-dwelling adults: a 6-year prospective cohort study. *The British Journal of General Practice : The Journal of the Royal College of General Practitioners*, 73(728), e211–e219. <https://doi.org/10.3399/BJGP.2022.0181>
- Edwards, I. R., & Aronson, J. K. (2000). Adverse drug reactions: Definitions, diagnosis, and management. *Lancet*, 356(9237), 1255–1259. [https://doi.org/10.1016/S0140-6736\(00\)02799-9](https://doi.org/10.1016/S0140-6736(00)02799-9)
- European Medicines Agency. (2022). *Report on pharmacovigilance tasks. 2019–2022*.
- Fadhilah, H., Salman, S., & Hilmi, I. L. (2023). Review Artikel: Studi Farmakovigilans terhadap Kejadian Advers Drug Reactions (ADRs). *Journal of Pharmaceutical and Sciences*, 6(1), 199–206. <https://doi.org/10.36490/journal-jps.com.v6i1.20>
- Farida, Y., & Tsalatsatun, K. F. (2021). Adverse Drug Reactions Study of Antihypertensive Drugs in Primary Care Settings. *Journal of Management and Pharmacy Practice*, 10(4), 241–248. <https://doi.org/10.22146/jmpf.56975>
- Fornasier, G., Francescon, S., Leone, R., & Baldo, P. (2018). An historical overview over Pharmacovigilance. *International Journal of Clinical Pharmacy*, 40(4), 744–747. <https://doi.org/10.1007/s11096-018-0657-1>
- Gumala, A., Yoneta Srangenge, & Lucida, H. (2023). Identifikasi dan Edukasi Adverse Drug Reactions dan Drug Related Problems pada Masyarakat Lanjut Usia di Posyandu Lansia Lubuk Begalung Padang. *Warta Pengabdian Andalas*, 30 no. 2, 346–353.
- Hakim, L. N. (2020). Urgensi Revisi Undang-Undang tentang Kesejahteraan Lanjut Usia. *Aspirasi: Jurnal Masalah-Masalah Sosial*, 11(1), 43–55. <https://doi.org/10.46807/aspirasi.v11i1.1589>
- Hashim, R., Zainal, Z. A., & Taib, H. M. (2019). Preliminary report: Review of adverse drug reactions (ADRs) reporting in the Malaysian elderly. *Pharmaceutical Sciences Asia*, 46(3), 135–139. <https://doi.org/10.29090/PSA.2019.03.018.0021>
- Hendra, G. A., Monica, E., & Yossy Herawati, I. (2021). Risk Assessment Of Adverse Drug Reactions In Elderly Patients With Chronic Diseases. *Jurnal Kesehatan Dr. Soebandi*, 9(2), 149–155. <https://doi.org/10.36858/jkds.v9i2.306>

- Herawati, F., & Utomo, A. (2016). Analysis of the Risk of Adverse Drug Reaction on Elderly Patients in General Hospital Surabaya. *Indonesian Journal of Clinical Pharmacy*, 5(2), 98–105. <https://doi.org/10.15416/ijcp.2016.5.2.98>
- Hussain, R., Hassali, M. A., Hashmi, F., & Akram, T. (2021). Exploring Healthcare Professionals Knowledge, Attitude, and Practices Towards Pharmacovigilance: A Cross-sectional Survey. *Journal of Pharmaceutical Policy and Practice*, 14(1), 1–13. <https://doi.org/10.1186/s40545-020-00287-3>
- Julianti, A. I., Amalia, L., & Hartini, S. (2020). Identifikasi Kejadian Reaksi Obat Merugikan pada Pasien Geriatri yang Menderita Hipertensi di Salah Satu Rumah Sakit di Bandung. *Majalah Farmasetika.*, 4(Suppl 1), 185–189. <https://doi.org/10.24198/mfarmasetika.v4i0.25879>
- Karminingtyas, R., Oktianti, S., Furdiyanti, D., Nova Hasani, & Al, E. (2020). Evaluation of the Use of Anti-Non Steroid Inflammation Drugs on Geriatri. *Media Farmasi Indonesia*, 15(1), 1558–1570.
- Khan, Z., Karatas, Y., & Hamid, S. M. (2023). Evaluation of Health Care Professionals Knowledge, Attitudes, Practices and Barriers to Pharmacovigilance and Adverse Drug Reaction Reporting: A Cross-sectional Multicentral Study. *Journal Pone*, 18(5 May), 1–27. <https://doi.org/10.1371/journal.pone.0285811>
- Kojima, T., Matsui, T., Suzuki, Y., Takeya, Y., Tomita, N., Kozaki, K., Kuzuya, M., Rakugi, H., Arai, H., & Akishita, M. (2020). Risk factors for adverse drug reactions in older inpatients of geriatric wards at admission: Multicenter study. *Geriatrics and Gerontology International*, 20(2), 144–149. <https://doi.org/10.1111/ggi.13844>
- Krippendorff, K. (2004). *Content analysis: An introduction to its methodology* (Second). Sage Publications.
- Kudri, A. M., & Barliana, M. I. (2018). Pengetahuan dan Kesadaran Apoteker dan Pasien dalam Melaporkan Adverse Drug Reaction (ADR) terhadap Keamanan Obat. *Farmaka*, 16 (2), 525–530. <http://jurnal.unpad.ac.id/farmaka/article/view/17602>
- Kurniawati, F., Yasin, N. M., Dina, A., Atana, S., & Hakim, S. N. (2021). Kajian Adverse Drug Reactions Terkait Interaksi Obat di Bangsal Rawat Inap Rumah Sakit Akademik UGM. *Journal of Management and Pharmacy Practice*, 10(4), 297–308. <https://doi.org/10.22146/jmpf.60228>
- Lattanzio, F., Laino, I., Pedone, C., Corica, F., Maltese, G., Salerno, G., Garasto, S., Corsonello, A., & Incalzi, R. A. (2012). Geriatric conditions and adverse drug reactions in elderly hospitalized patients. *Journal of the American Medical Directors Association*, 13(2), 96–99. <https://doi.org/10.1016/j.jamda.2011.04.006>

- Lee, L. M., Carias, D. C., Gosser, R., Hannah, A., Stephens, S., Templeman, W. A., & Hawkins, B. (2022). ASHP Guidelines on Adverse Drug Reaction Monitoring and Reporting. *American Journal of Health-System Pharmacy*, 79(1), E83–E89. <https://doi.org/10.1093/ajhp/zxab324>
- Lovia, S., Sari, Y. O., Almasdy, D., & Amelin, F. (2019). Studi Kualitatif Pengetahuan Perawat tentang Adverse Drug Reaction (ADR) di Bangsal Rawat Inap Anak RSUP DR. M. Djamil Padang. *Jurnal Sains Farmasi & Klinis*, 6(2), 95–103.
- Maharani, L. (2023). *Prevalence of adverse drug reaction in Indonesia : A systematic review*. 13(08), 55–67. <https://doi.org/10.7324/JAPS.2023.91550>
- Martini, R. D., Mulyana, R., Efendi, Y. P., Zasra, R., & Pathya, A. (2017). *Optimizing Geriatric Patient's Health for a Better Quality of Life*.
- Meilani, D., & Sinuraya, R. K. (2018). *Pharmacovigilance Dalam Aspek Penanganan Reaksi Obat yang Tidak Diinginkan*. 16, 103–111.
- Mudigubba, M. K., Rajashekharachari, Y., & Dahiya, S. (2018). Evaluation of Predisposing Factors Associated with Suspected Adverse Drug Reactions of Hospitalized Patients. *Journal of Young Pharmacists*, 10(2), 202–207. <https://doi.org/10.5530/jyp.2018.10.45>
- Mulyaningsih, Kismawati, & Prof. Dr. Lukman Hakim, MSc., A. (2010). *Profil drug related problems pada pasien geriatrik rawat inap di bangsal Bugenvil unit penyakit dalam RSUP. DR. Sardjito Yogyakarta periode September 2009-Januari 2010*. <http://etd.repository.ugm.ac.id/penelitian/detail/48786>
- Namirah, A., Darmawan, E., & Mustofa. (2015). Penggunaan Potentially Inappropriate Medications (PIMs) Pada Pasien Geriatri Rawat Inap Osteoarthritis di Rs Pku Muhammadiyah Yogyakarta. *Pharmaciana*, 7, 77–84.
- Nguyen, J. K., Fouts, M. M., Kotabe, S. E., & Lo, E. (2006). Polypharmacy as a risk factor for adverse drug reactions in geriatric nursing home residents. *American Journal Geriatric Pharmacotherapy*, 4 (1), 36-41. <https://doi.org/10.1016/j.amjopharm.2006.03.002>
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan*. 144.
- Nurhasnah, Viviandhari, D., Sakinah, R. N., & Wulandari, D. (2022). *Identifikasi Potentially Inappropriate Medications Menggunakan Kriteria Beers 2019 di Rumah Sakit Rujukan Sekunder di Jakarta*. 12(3), 153–163.
- O'Connor, M. N., Gallagher, P., Byrne, S., & O'Mahony, D. (2012). Adverse drug reactions in older patients during hospitalisation: Are they predictable? *Age and Ageing*, 41(6), 771–776. <https://doi.org/10.1093/ageing/afs046>

- Pangribowo, S. (2022). Infodatin Lanjut Usia (lansia) Berdaya, Bangsa Sejahtera. In *Pusat Data dan Informasi Kementerian Kesehatan RI* (p. 3). Pusdatin Kementerian Kesehatan RI.
<https://www.kemkes.go.id/downloads/resources/download/pusdatin/infodatin/Infodatin-Lansia-2022.pdf>
- Pauldurai, M., Kannaiyan, D., & Rao, R. (2015). Adverse drug reaction monitoring in geriatric patients of rural teaching hospital. *Der Pharmacia Lettre*, 7(12), 187–193.
- Permenkes RI. (2016). *Rencana Aksi Nasional kesehatan Lanjut Usia Tahun 2016-2019* (Nomor 25 T).
- Poerwandari, K. (2022). *Pendekatan Kualitatif untuk Penelitian Perilaku Manusia* (4th ed.). Lembaga Pengembangan Sarana Pengukuran dan Pendidikan Psikologi (LPSP3) Fakultas Psikologi Universitas Indonesia.
- Rahmawati, F., Dewa, I., Pramantara, P., Rochmah, W., Azhar, S., & Sulaiman, S. (2008). Adverse drug reactions (ADRs) in geriatric hospitalized patients Adverse drug reactions (ADRs) pada pasien rawat inap geriatri. In *Majalah Farmasi Indonesia* (Vol. 19, Issue 4).
- Rahmawati, R., Harianti Putri, Y., Handayani, D., Pertiwi, R., Putri Nurlita, S., Kamilla Putri, D., & Alawiya Simanullang, K. (2022). Potensi Penggunaan Obat Tidak Tepat Pada Pasien Rawat Jalan Geriatri Berdasarkan Kriteria Beers 2019. *Jurnal Kefarmasian Akfarindo*, 7(2), 9–14. <https://doi.org/10.37089/jofar.vi0.125>
- Riskesdas. (2018). Laporan Riskesdas 2018 Nasional. In *Lembaga Penerbit Balitbangkes*. Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan 2019. http://repository.bkpk.kemkes.go.id/3514/1/Laporan_Riskesdas_2018_Nasional.pdf
- RSI Ibnu Sina Bukittinggi. (2023). *Company Profile Rumah Sakit Islam Ibnu Sina Bukittinggi (YARSI) Sumatera Barat*.
- Sabiti, F. B., Purnami, I. D., Arief, T. A., Sofa, N. A., Yanto, A., & Permatasari, J. D. (2023). Hubungan Pengetahuan Tenaga Kesehatan Tentang Pharmacovigilance Terhadap Sikap Pelaporan ADR di Kota Semarang. *JPSCR: Journal of Pharmaceutical Science and Clinical Research*, 8(2), 218. <https://doi.org/10.20961/jpscr.v8i2.68202>
- Sahoo, S., Dehury, S., Pattnaik, K., Mohapatra, N., & Maharana, D. N. (2022). Pharmacovigilance in Geriatric Patient- A Prospective Observational Study Done in a Tertiary Care Hospital of Odisha, India. *Journal of Clinical and Diagnostic Research*, 15–18. <https://doi.org/10.7860/jcdr/2022/51321.15893>

- Schatz, S. N., & Weber, R. J. (2015). Adverse Drug Reactions. *PSAP CNS/Pharmacy Practice*.
- Selina Cheong, T., Goh Wen, Y., Ong Eng, H., Siti Nurhana Abdul, K., See Lin, L., & Edward Chong Kah, C. (2019). The Prevalence of Frailty and Its Association with Adverse Drug Reactions in Hospitalized Older Adults. *Journal of Geriatric Medicine and Gerontology*, 5(3). <https://doi.org/10.23937/2469-5858/1510076>
- Semete. (2020). *Guideline for Adverse Drug Reactions (ADR) Reporting for Healthcare Professionals*. 2020(June), 1–24. http://www.sahpra.org.za/wp-content/uploads/2020/04/ADR-Reporting-Guideline_HCPs_v1_for-commenting_March-2020.pdf
- Setyaningrum, N., Wahyono, D., & Pramantara, I. D. P. (2012). *Kajian Drug-Related Problems Dan Gambaran Kualitas Hidup Pasien Hemodialisis Rutin Lanjut Usia*. 9(1), 5–10.
- Setyowati, D. R, Sudarso, W. U. (2011). Evaluasi Pola Pereseptan Berdasarkan Beers Criteria Pada Pasien Geriatri Rawat Jalan Pada Poli Penyakit Dalam di Rsud Prof. Dr. Margono Soekarjo Purwokerto Periode Agustus 2010-Maret 2011. *PHARMACY*, 08.
- Shah, R., Gajjar, B., & Desai, S. (2012). A profile of adverse drug reactions with risk factors among geriatric patients in a tertiary care teaching rural hospital in India. *National Journal of Physiology, Pharmacy and Pharmacology*, 2(2), 113–122. <https://doi.org/10.5455/njppp.2012.2.113-122>
- Tagne, J. F., Yakob, R. A., Dang, T. H., McDonald, R., & Wickramasinghe, N. (2023). Reporting, Monitoring, and Handling of Adverse Drug Reactions in Australia: Scoping Review. *JMIR Public Health and Surveillance*, 9. <https://doi.org/10.2196/40080>
- Tangiisuran, B., Gozzoli, M. P., Davies, J. G., & Rajkumar, C. (2010). Adverse drug reactions in older people. *Reviews in Clinical Gerontology*, 20(3), 246–259. <https://doi.org/10.1017/S0959259810000171>
- The American Geriatrics Society. (2023). American Geriatrics Society 2023 updated AGS Beers Criteria® for potentially inappropriate medication use in older adults. *Journal of the American Geriatrics Society*, March. <https://doi.org/10.1111/jgs.18372>
- Tobat, S. R., Muchtar, M. H., & Martini, R. D. (2016). Identifikasi ADR (Adverse Drug Reaction) Pada Pasien Geriatri di Bagian/SMF Rawat Inap Penyakit Dalam Rsup. Dr. M. Djamil Padang. *Scientia : Jurnal Farmasi Dan Kesehatan*, 5(1), 57. <https://doi.org/10.36434/scientia.v5i1.70>

- USFDA. (2019). *CFR -Code of Federal Regulations*. 721(6), 1–10.
- Viviandhari, D., Nurhasnah, N., Sakinah, R. N., & Wulandari, D. (2022). A Comparison of Potentially Inappropriate Medications Identification Using Beers and STOPP Criteria in Hospitalized Geriatric Patients in Jakarta. *Indonesian Journal of Clinical Pharmacy*, 11(2), 105–115. <https://doi.org/10.15416/ijcp.2022.11.2.105>
- Viviandhari, D., Wulandari, N., Rusdi, N. K., Rahmi, N., Hidayana, N., & Faniroh, N. S. S. (2020). Assessing Potentially Inappropriate Medications in Hospitalized Geriatric Patients in 2 Hospital in Jakarta using STOPP START Criteria. *Journal of Management and Pharmacy Practice*, 10(1), 26–34. <https://doi.org/10.22146/jmpf.48944>
- WHO. (2002). Safety of Medicines. *World Health Organization Geneva*, 2002.2(2002), 20.
- WHO. (2015). *WHO Pharmacovigilance Indicators: A practical manual for the assessment of pharmacovigilance systems*.
- Won, S. H., Suh, S. Y., Yim, E., & Ahn, H. Y. (2022). Risk Factors Related to Serious Adverse Drug Reactions Reported through Electronic Submission during Hospitalization in Elderly Patients. *Korean Journal of Family Medicine*, 43(2), 125–131. <https://doi.org/10.4082/kjfm.21.0086>
- Woo, S. D., Yoon, J., Doo, G. E., Park, Y., Lee, Y., Lee, S. H., Lee, Y. H., & Ye, Y. M. (2020). Common causes and characteristics of adverse drug reactions in older adults: a retrospective study. *BMC Pharmacology and Toxicology*, 21(1), 1–9. <https://doi.org/10.1186/s40360-020-00464-9>
- Wulandari, N., Andrajati, R., & Supardi, S. (2016). Faktor Risiko Umur Lansia terhadap Kejadian Reaksi Obat yang Tidak Dikehendaki pada Pasien Hipertensi, Diabetes, Dislipidemia di Tiga Puskesmas di Kota Depok. *Jurnal Kefarmasian Indonesia*, 6(1), 60–67. <https://doi.org/10.22435/jki.v6i1.5470.60-67>
- Yadesa, T. M., Kitutu, F. E., Tamukong, R., & Alele, P. E. (2021). Prevalence, incidence, and characteristics of adverse drug reactions among older adults hospitalized at mbarara regional referral hospital, Uganda: A prospective cohort study. *Clinical Interventions in Aging*, 16(September), 1705–1721. <https://doi.org/10.2147/CIA.S332251>
- Yosriani, K., Donowati, M. W., & Widayati, A. (2014). Evaluasi Drug Related Problems Pada Pasien Geriatri dengan Hipertensi Disertai Vertigo di RS Panti Rini Yogyakarta Agustus 2013. *Jurnal Farmasi Sains Dan Komunitas*, 11(2), 96–102.

Zazzara, M. B., Palmer, K., Vetrano, D. L., Carfi, A., & Graziano, O. (2021). Adverse drug reactions in older adults: a narrative review of the literature. *European Geriatric Medicine*, 12(3), 463–473. <https://doi.org/10.1007/s41999-021-00481-9>

Zulkarnaini, A., & Martini, R. D. (2019). Gambaran Polifarmasi Pasien Geriatri Dibeberapa Poliklinik RSUP Dr. M. Djamil Padang. *Jurnal Kesehatan Andalas*, 8(1S), 1. <https://doi.org/10.25077/jka.v8i1s.916>

