

## DAFTAR PUSTAKA

- [1] H. Sung *et al.*, “Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries,” *CA. Cancer J. Clin.*, vol. 71, no. 3, hal. 209–249, 2021, doi: 10.3322/caac.21660.
- [2] R. Campagna *et al.*, “Beyond nicotinamide metabolism: Potential role of nicotinamide n-methyltransferase as a biomarker in skin cancers,” *Cancers (Basel)*, vol. 13, no. 19, 2021, doi: 10.3390/cancers13194943.
- [3] G. N. A. A. Paramartha, I. W. Niriyana, dan P. A. T. Adiputra, “Karakteristik Pasien Melanoma Maligna di Subbagian Bedah Onkologi RSUP Sanglah Tahun 2015-2016,” *Intisari Sains Medis*, vol. 10, no. 2, hal. 197–200, 2019, doi: 10.15562/ism.v10i2.242.
- [4] T. Petrie, R. Samatham, A. M. Witkowski, A. Esteva, dan S. A. Leachman, “Melanoma Early Detection: Big Data, Bigger Picture,” *J. Invest. Dermatol.*, vol. 139, no. 1, hal. 25–30, 2019, doi: 10.1016/j.jid.2018.06.187.
- [5] S. L. de Menezes, J. W. Kelly, R. Wolfe, H. Farrugia, dan V. J. Mar, “The increasing use of shave biopsy for diagnosing invasive melanoma in Australia,” *Med. J. Aust.*, vol. 211, no. 5, hal. 213–218, 2019, doi: 10.5694/mja2.50289.
- [6] R. Agustina, R. Magdalena, dan N. K. C. Pratiwi, “Klasifikasi Kanker Kulit menggunakan Metode Convolutional Neural Network dengan Arsitektur VGG-16,” *ELKOMIKA J. Tek. Energi Elektr. Tek. Telekomun. Tek. Elektron.*, vol. 10, no. 2, hal. 446, 2022, doi: 10.26760/elkomika.v10i2.446.
- [7] H. Cabo, *Atlas of Dermatoscopy Cases*. 2020.
- [8] O. Papadopoulos, *Non-Melanoma Skin Cancer and Cutaneous Melanoma*. Athens: Springer US, 2020.
- [9] S. Sonthalia dan F. Kaliyadan, “Dermoscopy Overview and Extradiagnostic Applications,” *StatPearls*, hal. 1–9, 2020, [Daring]. Tersedia pada: <http://www.ncbi.nlm.nih.gov/pubmed/30725816>.
- [10] A. S. Jahn *et al.*, “Over-Detection of Melanoma-Suspect Lesions by a CE-Certified Smartphone App: Performance in Comparison to Dermatologists, 2D and 3D Convolutional Neural Networks in a Prospective Data Set of 1204 Pigmented Skin Lesions Involving Patients’ Perception,” *Cancers (Basel)*, vol. 14, no. 15, 2022, doi: 10.3390/cancers14153829.
- [11] A. J. Petty *et al.*, “Meta-analysis of number needed to treat for diagnosis of melanoma by clinical setting,” *J. Am. Acad. Dermatol.*, vol. 82, no. 5, hal. 1158–1165, 2020, doi: 10.1016/j.jaad.2019.12.063.
- [12] K. Aljohani dan T. Turki, “Automatic Classification of Melanoma Skin Cancer with Deep Convolutional Neural Networks,” *Ai*, vol. 3, no. 2, hal. 512–525, 2022, doi: 10.3390/ai3020029.

- [13] D. N. H. Thanh, V. B. S. Prasath, L. M. Hieu, dan N. N. Hien, "Melanoma Skin Cancer Detection Method Based on Adaptive Principal Curvature, Colour Normalisation and Feature Extraction with the ABCD Rule," *J. Digit. Imaging*, vol. 33, no. 3, hal. 574–585, 2020, doi: 10.1007/s10278-019-00316-x.
- [14] S. Jain, V. Jagtap, dan N. Pise, "Computer aided melanoma skin cancer detection using image processing," *Procedia Comput. Sci.*, vol. 48, no. C, hal. 735–740, 2015, doi: 10.1016/j.procs.2015.04.209.
- [15] Y. S. Kim, L. A. Liotta, dan E. C. Kohn, "Cancer invasion and metastasis," *Hosp. Pract.*, vol. 28, no. 5, hal. 92–96, 1993, doi: 10.1080/21548331.1993.11442792.
- [16] S. Maman dan I. P. Witz, "A history of exploring cancer in context," *Nat. Rev. Cancer*, vol. 18, no. 6, hal. 359–376, 2018, doi: 10.1038/s41568-018-0006-7.
- [17] H. Yousef, M. Alhadj, S. Sharma, dan M. F. Hospital, "Anatomy , Skin ( Integument ), Epidermis," hal. 2–3, 2023, [Daring]. Tersedia pada: <https://www.ncbi.nlm.nih.gov/books/NBK470464/>.
- [18] L. Celleno dan F. Tamburi, "Structure and Function of the Skin," *Nutr. Cosmet. Beauty from Within*, hal. 3–45, 2009, doi: 10.1016/B978-0-8155-2029-0.50008-9.
- [19] D. Schadendorf *et al.*, "Melanoma," *Lancet*, vol. 392, no. 10151, hal. 971–984, 2018, doi: 10.1016/S0140-6736(18)31559-9.
- [20] N. Codella *et al.*, "Skin Lesion Analysis Toward Melanoma Detection 2018: A Challenge Hosted by the International Skin Imaging Collaboration (ISIC)," hal. 1–12, 2019, [Daring]. Tersedia pada: <http://arxiv.org/abs/1902.03368>.
- [21] A. H. Peter Soyer, "Official dataset of the SIIM-ISIC Melanoma Classification Challenge," 2020. <https://challenge2020.isic-archive.com/>.
- [22] B. Cassidy, C. Kendrick, A. Brodzicki, J. Jaworek-Korjakowska, dan M. H. Yap, "Analysis of the ISIC image datasets: Usage, benchmarks and recommendations," *Med. Image Anal.*, vol. 75, 2022, doi: 10.1016/j.media.2021.102305.
- [23] K. Sharma, K. Khanna, S. Gambhir, dan M. Gambhir, "Study on Brain Tumor Classification Through MRI Images Using a Deep Convolutional Neural Network," *Int. J. Inf. Retr. Res.*, vol. 12, no. 1, hal. 1–19, 2021, doi: 10.4018/ijirr.289610.
- [24] I. Wicaksono, "Pengembangan Sistem Pengenal Citra Rambu Lalu Lintas Berbasis Fitur Gabor," 2019, [Daring]. Tersedia pada: <https://repository.its.ac.id/60513/>.

- [25] R. Szeliski, *Computer Vision Algorithms and Applications Second Edition*, 2 ed. Seattle: Springer US, 2022.
- [26] Y. N. Nabusa, "Pengolahan Citra Digital Perbandingan Metode Histogram Equalization Dan Spesification Pada Citra Abu-Abu," *J-Icon*, vol. 7, no. 1, hal. 87–95, 2019.
- [27] N. Rozalia, "SISTEM PARKIR CERDAS DENGAN DETEKSI KETERSEDIAAN SLOT PARKIR BERBASIS KAMERA DAN PENGATURAN LOKASI PARKIR BERDASARKAN UKURAN," Andalas, 2021.
- [28] R. C. Gonzalez *et al.*, "Digital Image Processing Using MATLAB® Second Edition Tata McGraw Hill Education Private Limited NEW DELHI," 2010.
- [29] I. Zeger, S. Grgic, J. Vukovic, dan G. Sisul, "Grayscale Image Colorization Methods: Overview and Evaluation," *IEEE Access*, vol. 9, hal. 113326–113346, 2021, doi: 10.1109/ACCESS.2021.3104515.
- [30] N. Z. Munantri, H. Sofyan, dan M. Y. Florestiyanto, "Aplikasi Pengolahan Citra Digital Untuk Identifikasi Umur Pohon," *Telematika*, vol. 16, no. 2, hal. 97, 2020, doi: 10.31315/telematika.v16i2.3183.
- [31] M. Ohki, M. E. Zervakis, dan A. N. Venetsanopoulos, "3-D Digital filters," *Control Dyn. Syst.*, vol. 69, no. C, hal. 49–88, 1995, doi: 10.1016/S0090-5267(05)80038-6.
- [32] A. Z. Foady, "Sistem klasifikasi kanker kulit berdasarkan data citra dermoscopic dengan menggunakan metode deep extreme learning machine," 2019.
- [33] P. Yang, "An improved Otsu threshold segmentation algorithm Wei Song \*, Xiaobing Zhao and Rui Zheng Letu Qingge," vol. 22, no. 1, hal. 146–153, 2020.
- [34] A. Syaifudin, Y. Retno WU, dan T. Susyanto, "Penentuan Tingkat Buta Warna Pada Citra Ishihara Berbasis HSV Dan Algoritma Color Filtering," *J. Ilm. SINUS*, vol. 18, no. 2, hal. 55, 2020, doi: 10.30646/sinus.v18i2.485.
- [35] N. A. Panjaitan, "Segmentasi Citra Digital Dengan Menggunakan Algoritma Khutlang," *J. Inf. Syst. Res.*, vol. 1, no. 4, hal. 258–262, 2020.
- [36] M. A. MZ, "PENGENALAN BANGUN DATAR PADA BENDA TERHALANG DENGAN MENGGUNAKAN DETEKSI SUDUT BERBASIS KODE RANTAI," Andalas, 2017.
- [37] Florentinus Budi Setiawan, F. A. Kurnianingsih, Slamet Riyadi, dan Leonardus Heru Pratomo, "Pattern Recognition untuk Deteksi Posisi pada AGV Berbasis Raspberry Pi," *J. Nas. Tek. Elektro dan Teknol. Inf.*, vol. 10, no. 1, hal. 49–56, 2021, doi: 10.22146/jnteti.v10i1.738.
- [38] A. Alhaqi, "PERANCANGAN ROBOT LINE FOLLOWER PENDETEKSI

BENDA PADA KONDISI TERHALANG BERBASIS KAMERA DENGAN METODA FITUR BENTUK,” Andalas, 2019.

- [39] M. Haddad *et al.*, “Intelligent control of the steering for a powered wheelchair using a microcomputer,” *Adv. Intell. Syst. Comput.*, vol. 1252 AISC, hal. 594–603, 2021, doi: 10.1007/978-3-030-55190-2\_44.
- [40] The Raspberry Pi Foundation, *Raspberry Pi 4 Model B – Raspberry Pi*, vol. 4, no. 02. 2019.
- [41] T. I. Incorporated, “Ultrasonic sensing,” *Ultrasonics*, 2021. .
- [42] M. Boer, E. Duchnik, R. Maleszka, dan M. Marchlewicz, “Structural and biophysical characteristics of human skin in maintaining proper epidermal barrier function,” *Postep. Dermatologii i Alergol.*, vol. 33, no. 1, hal. 1–5, 2016, doi: 10.5114/pdia.2015.48037.
- [43] L. Firdaus dan T. Setiadi, “Perbandingan Algoritma Naive Bayes, Decision Tree, dan KNN untuk Klasifikasi Produk Populer Adidas US dengan Confusion Matrix,” *J. Sist. Komput. dan Inform.*, vol. 5, no. 2, hal. 185–195, 2023, doi: 10.30865/json.v5i2.6124.
- [44] Shavira Asyisyifa S, Dodi Vionanda, Nonong Amalita, dan Dina Fitria, “Comparison of Error Rate Prediction Methods in Binary Logistic Regression Model for Balanced Data,” *UNP J. Stat. Data Sci.*, vol. 1, no. 4, hal. 256–263, 2023, doi: 10.24036/ujsds/vol1-iss4/90.
- [45] B. Budiman, R. Nursyanti, R. Y. R. Alamsyah, dan I. Akbar, “Data Mining Implementation Using Naïve Bayes Algorithm and Decision Tree J48 In Determining Concentration Selection,” *Int. J. Quant. Res. Model.*, vol. 1, no. 3, hal. 123–134, 2020, doi: 10.46336/ijqrm.v1i3.72.
- [46] E. Xi, “Image Classification and Recognition Based on Deep Learning and Random Forest Algorithm,” *Wirel. Commun. Mob. Comput.*, vol. 2022, 2022, doi: 10.1155/2022/2013181.
- [47] P. Krassakis *et al.*, “Geospatial Intelligence and Machine Learning Technique for Urban Mapping in Coastal Regions of South Aegean Volcanic Arc Islands,” *Geomatics*, vol. 2, no. 3, hal. 297–322, 2022, doi: 10.3390/geomatics2030017.
- [48] A. L. Barbieri, O. Fadare, L. Fan, H. Singh, dan V. Parkash, “Challenges in communication from referring clinicians to pathologists in the electronic health record era,” *J. Pathol. Inform.*, vol. 9, no. 1, hal. 50, 2018, doi: 10.4103/jpi.jpi.
- [49] T. K. Abuya, R. M. Rimiru, dan G. O. Okeyo, “applied sciences An Image Denoising Technique Using Wavelet-Anisotropic Gaussian Filter-Based Denoising Convolutional Neural Network for CT Images,” 2023.
- [50] U. Kalwa, C. Legner, T. Kong, dan S. Pandey, “Skin cancer diagnostics with

an all-inclusive smartphone application,” *Symmetry (Basel)*., vol. 11, no. 6, 2019, doi: 10.3390/sym11060790.

- [51] L. Rocha, L. Velho, dan P. C. P. Carvalho, “Image moments-based structuring and tracking of objects,” *Brazilian Symp. Comput. Graph. Image Process.*, vol. 2002-Janua, no. 1, hal. 99–105, 2002, doi: 10.1109/SIBGRA.2002.1167130.
- [52] S. Majumder dan M. A. Ullah, “Feature extraction from dermoscopy images for melanoma diagnosis,” *SN Appl. Sci.*, vol. 1, no. 7, hal. 1–11, 2019, doi: 10.1007/s42452-019-0786-8.
- [53] A. R. H. Ali, J. Li, dan G. Yang, “Automating the ABCD Rule for Melanoma Detection: A Survey,” *IEEE Access*, vol. 8, hal. 83333–83346, 2020, doi: 10.1109/ACCESS.2020.2991034.
- [54] J. José, L. Salazar, : A., dan J. R. Casas Barcelona, “Analysis & Test of Image Acquisition Methods for Cinematography,” no. June, 2020.
- [55] A. J. Radcliffe dan G. V. Reklaitis, *Bayesian estimation of product attributes from on-line measurements in a dropwise additive manufacturing system*, vol. 43. Elsevier Masson SAS, 2018.
- [56] F. Aliew, “An Approach for Precise Distance Measuring Using Ultrasonic Sensors †,” *Eng. Proc.*, vol. 24, no. 1, 2022, doi: 10.3390/IECMA2022-12901.
- [57] E. Prenesti dan F. Gosmaro, “Trueness, precision and accuracy: a critical overview of the concepts as well as proposals for revision,” *Accredit. Qual. Assur.*, vol. 20, no. 1, hal. 33–40, 2015, doi: 10.1007/s00769-014-1093-0.
- [58] M. DHAWANGKHARA, “Rainfall Intensity Prediction With Matlab Using Cart And Random Forest Method (Case Study: Surabaya),” Institut Teknologi Sepuluh Nopember, 2016.
- [59] H. Malik, M. S. Farooq, A. Khelifi, A. Abid, J. Nasir Qureshi, dan M. Hussain, “A Comparison of Transfer Learning Performance Versus Health Experts in Disease Diagnosis from Medical Imaging,” *IEEE Access*, vol. 8, hal. 139367–139386, 2020, doi: 10.1109/ACCESS.2020.3004766.
- [60] M. M. A. Hussein, Nourhan Ashraf, “Effect of Using Image Standardization Device for Dental Photography Standerdizatuon in Comparison to Individualized Photography In Vivo Study,” *ClinicalTrials.gov*, vol. 5, no. 4, hal. 715–722, 2023, [Daring]. Tersedia pada: [https://clinicaltrials.gov/show/NCT04991363?utm\\_source=researcher\\_app&utm\\_medium=referral&utm\\_campaign=RESR\\_MRKT\\_Researcher\\_inbound](https://clinicaltrials.gov/show/NCT04991363?utm_source=researcher_app&utm_medium=referral&utm_campaign=RESR_MRKT_Researcher_inbound).
- [61] Z. R. Garrison *et al.*, “Advances in Early Detection of Melanoma and the Future of At-Home Testing,” *Life*, vol. 13, no. 4, hal. 1–14, 2023, doi: 10.3390/life13040974.