

DAFTAR PUSTAKA

- Abdullah, S. M. and Manaf, A. A. (2010) 'Multiple Layer Reversible Images Watermarking Using Enhancement of Difference Expansion Techniques', in *Networked Digital Technologies: Second International Conference, NDT 2010, Prague, Czech Republic, July 7-9, 2010. Proceedings, Part I 2*. Springer, pp. 333–342. doi: 10.1007/978-3-642-14292-5_35.
- Ahmad, T. *et al.* (2013) 'An improved Quad and RDE-based medical data hiding method', in *Proceeding - IEEE CYBERNETICSCOM 2013: IEEE International Conference on Computational Intelligence and Cybernetics*. IEEE, pp. 141–145. doi: 10.1109/CyberneticsCom.2013.6865798.
- Ahmad, T. *et al.* (2020) 'Hiding data in audio files: A smoothing-based approach to improve the quality of the stego audio', *Heliyon*, 6(3), p. e03464. doi: <https://doi.org/10.1016/j.heliyon.2020.e03464>.
- Al-Hooti, M. and Ahmad, T. (2019) 'Reversible Data Hiding in Audio Based on Discrete Cosine Transform and Location Maps', *International Journal of Intelligent Engineering and Systems*, 12(3), pp. 41–49. doi: 10.22266/ijies2019.0630.05.
- Al-Hooti, M. H. A., Djanali, S. and Ahmad, T. (2016) 'Audio Data Hiding Based on Sample Value Modification Using Modulus Function', *Journal of Information Processing Systems*, 12(3), pp. 525–537. doi: 10.3745/JIPS.03.0054.
- Al-Nofaie, S., Gutub, A. and Al-Ghamdi, M. (2021) 'Enhancing Arabic text steganography for personal usage utilizing pseudo-spaces', *Journal of King Saud University - Computer and Information Sciences*, 33(8), pp. 963–974. doi: <https://doi.org/10.1016/j.jksuci.2019.06.010>.
- Alattar, A. M. (2003) 'Reversible watermark using difference expansion of triplets', in *IEEE International Conference on Image Processing, ICIP'2003*, pp. I-501–4 vol.1. doi: 10.1109/ICIP.2003.1247008.
- Alattar, A. M. (2004) 'Reversible watermark using difference expansion of quads', in *IEEE International Conference on Acoustics, Speech, and Signal Processing*, pp. iii-377–80 vol.3. doi: 10.1109/ICASSP.2004.1326560.

- Amrulloh, M. M. and Ahmad, T. (2022) 'Minimizing Sample Space to Optimize Quality of Stego-Audio.', *International Journal of Intelligent Engineering & Systems*, 15(3). doi: 10.22266/ijies2022.0630.17.
- Andra, M. B., Ahmad, T. and Usagawa, T. (2017) 'Medical record protection with improved grde data hiding method on audio files', *Engineering Letters*, 25(2), pp. 112 – 124. Available at: <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85019720247&partnerID=40&md5=a94371952e1074e7c4f3fa18581180c5>.
- Arham, A. (2024) 'Penyisipan Data Secara Reversible Pada Gambar Medis Menggunakan Metode Difference Expansion of Quad dan Fungsi Modulus', *JOSTECH Journal of Science and Technology*, 4(1), pp. 29–38. doi: 10.15548/jostech.v4i1.8257.
- Arham, A. and Lestari, N. (2023) 'Secure medical image watermarking based on reversible data hiding with Arnold's cat map', *International Journal of Advances in Intelligent Informatics; Vol 9, No 3 (2023): November 2023*. doi: 10.26555/ijain.v9i3.1029.
- Arham, A. and Lestari, N. (2024) 'Arnold's cat map secure multiple-layer reversible watermarking', *Indonesian Journal of Electrical Engineering and Computer Science*, 33(3), p. 1536. doi: 10.11591/ijeecs.v33.i3.pp1536-1545.
- Arham, A., Nugroho, H. A. and Adji, T. B. (2017a) 'Combination schemes Reversible Data Hiding for medical images', in *Proceedings - 2016 2nd International Conference on Science and Technology-Computer, ICST 2016*. IEEE, pp. 44–49. doi: 10.1109/ICSTC.2016.7877345.
- Arham, A., Nugroho, H. A. and Adji, T. B. (2017b) 'Multiple Layer Data Hiding Scheme Based on Difference Expansion of Quad', *Signal Processing*, 137, pp. 52–62. doi: 10.1016/j.sigpro.2017.02.001.
- Arham, A., Rahmawati, R. and Riza, O. S. (2022) 'Reversible Data Hiding pada Audio Digital Berbasis Difference Expansion', *Insearch: Information System Research Journal*, 2(01), pp. 28–35. doi: 10.15548/isrj.v2i01.4101.
- Arham, A. and Riza, O. S. (2020) 'Reversible Data Hiding Using Hybrid Method

- of Difference Expansion on Medical Image’, *Jurnal Ilmiah Teknik Elektro Komputer dan Informatika (JITEKI)*, 6(2), pp. 11–19. doi: 10.26555/jiteki.v6i2.16965.
- Boucherkha, S. and Benmohamed, M. (2004) ‘A Lossless Watermarking Based Authentication System For Medical Images.’, in *International Conference on Computational Intelligence*, pp. 240–243.
- Braudaway, G. W., Magerlein, K. A. and Mintzer, F. C. (1996) ‘Protecting publicly available images with a visible image watermark’, in *Electronic Imaging: Science & Technology*. International Society for Optics and Photonics, pp. 126–133.
- Gutub, A. A.-A. and Alaseri, K. A. (2021) ‘Refining Arabic text stego-techniques for shares memorization of counting-based secret sharing’, *Journal of King Saud University - Computer and Information Sciences*, 33(9), pp. 1108–1120. doi: <https://doi.org/10.1016/j.jksuci.2019.06.014>.
- Hernández, J. R. and Pérez-González, F. (1999) ‘Statistical analysis of watermarking schemes for copyright protection of images’, *Proceedings of the IEEE*, 87(7), pp. 1142–1166.
- Hossen, M. S., Ahmad, T. and Croix, N. J. D. L. (2023) ‘Data Hiding Scheme using Difference Expansion and Modulus Function’, in *2023 2nd International Conference for Innovation in Technology (INOCON)*, pp. 1–6. doi: 10.1109/INOCON57975.2023.10100991.
- Hsiao, J.-Y., Chan, K.-F. and Chang, J. M. (2009) ‘Block-based reversible data embedding’, *Signal Processing*, 89(4), pp. 556–569. doi: 10.1016/j.sigpro.2008.10.018.
- Al Huti, M. H. A., Ahmad, T. and Djanali, S. (2015) ‘Increasing the capacity of the secret data using DEpixels blocks and adjusted RDE-based on grayscale images’, in *International Conference on Information & Communication Technology and Systems*. IEEE, pp. 225–230. doi: 10.1109/ICTS.2015.7379903.
- IRMAS: a dataset for instrument recognition in musical audio signals*. (no date). Available at: <https://www.upf.edu/web/mtg/irmas> (Accessed: 1 April 2024).
- Katzenbeisser, S. and Petitcolas, F. (2000) *Information hiding techniques for*

steganography and digital watermarking. Artech house.

- Kumar, S., Singh, B. K. and Yadav, M. (2020) 'A Recent Survey on Multimedia and Database Watermarking', *Multimedia Tools and Applications*, 79(27–28), pp. 20149–20197. doi: 10.1007/s11042-020-08881-y.
- Kundur, D. and Hatzinakos, D. (1999) 'Digital watermarking for telltale tamper proofing and authentication', *Proceedings of the IEEE*, 87(7), pp. 1167–1180.
- Kurniawan, Y. *et al.* (2016) 'Hiding secret data by using modulo function in quad difference expansion', in *2016 International Conference on Advanced Computer Science and Information Systems (ICACSIS)*, pp. 433–438. doi: 10.1109/ICACSIS.2016.7872741.
- Kutter, M. and Hartung, F. (2000) 'Introduction to watermarking techniques', *Information Hiding Techniques for Steganography and Digital Watermarking*, pp. 97–120.
- Kutter, M. and Petitcolas, F. A. P. (1999) 'Fair benchmark for image watermarking systems', in *Electronic Imaging '99*. International Society for Optics and Photonics, pp. 226–239.
- Lin, E. T. and Delp, E. J. (1999) 'A review of data hiding in digital images', in *PICS*, pp. 274–278.
- Lin, Y.-T. *et al.* (2017) 'A Novel Data Hiding Algorithm for High Dynamic Range Images', *IEEE Transactions on Multimedia*, 19(1), pp. 196–211. doi: 10.1109/TMM.2016.2605499.
- Liu, C.-L., Lou, D.-C. and Lee, C.-C. (2007) 'Reversible Data Embedding Using Reduced Difference Expansion', in *Third International Conference on Intelligent Information Hiding and Multimedia Signal Processing*, pp. 433–436. doi: 10.1109/IIH-MSP.2007.267.
- Lou, D.-C., Hu, M.-C. and Liu, J.-L. (2009) 'Multiple layer data hiding scheme for medical images', *Computer Standards & Interfaces*, 31(2), pp. 329–335. doi: 10.1016/j.csi.2008.05.009.
- Lu, C.-S. (2004) *Multimedia Security: Steganography and Digital Watermarking Techniques for Protection of Intellectual Property: Steganography and Digital Watermarking Techniques for Protection of Intellectual Property*.

Igi Global.

- Maniriho, P. and Ahmad, T. (2019) 'Information hiding scheme for digital images using difference expansion and modulus function', *Journal of King Saud University-Computer and Information Sciences*, 31(3), pp. 335–347. doi: 10.1016/j.jksuci.2018.01.011.
- Manunggal, T. T. and Arifianto, D. (2016) 'Data protection using interaural quantified-phase steganography on stereo audio signals', in *2016 IEEE Region 10 Conference (TENCON)*, pp. 3817–3821. doi: 10.1109/TENCON.2016.7848778.
- Miri, A. and Faez, K. (2017) 'Adaptive image steganography based on transform domain via genetic algorithm', *Optik*, 145, pp. 158–168. doi: <https://doi.org/10.1016/j.ijleo.2017.07.043>.
- Mohanty, S. P. (1999) 'Watermarking of digital images', *Masters Project Report, Dept. of Electrical Engineering, Indian Institute of Science, Bangalore-560*, 12.
- Mondal, U. K. and Mandal, J. K. (2013) 'Preservation of IPR of Songs through Embedding Secret Song (IPRSESS)', *Procedia Technology*, 10, pp. 978–986.
- Munir, R. (2006) 'Kriptografi', *Informatika, Bandung*.
- Prayogi, I. B. and Ahmad, T. (2021) 'Audio-based Data Hiding using All-in Modulo of Difference', in *2021 International Seminar on Intelligent Technology and Its Applications (ISITIA)*. IEEE, pp. 129–134. doi: 10.1109/ISITIA52817.2021.9502235.
- Ramalingam, M. and Isa, N. A. M. (2016) 'A data-hiding technique using scene-change detection for video steganography', *Computers & Electrical Engineering*, 54, pp. 423–434. doi: <https://doi.org/10.1016/j.compeleceng.2015.10.005>.
- Satish, K. *et al.* (2004) 'Chaos based spread spectrum image steganography', *IEEE Transactions on Consumer Electronics*, 50(2), pp. 587–590. doi: 10.1109/TCE.2004.1309431.
- Sayood, K. (2006) *Introduction to Data Compression, Introduction to data compression*. Elsevier Inc. Available at:

<http://www.scopus.com/inward/record.url?eid=2-s2.0-84882067020&partnerID=tZOtx3y1>.

- Van Schyndel, R. G., Tirkel, A. Z. and Osborne, C. F. (1994) 'A digital watermark', in *Image Processing, 1994. Proceedings. ICIP-94., IEEE International Conference*. IEEE, pp. 86–90.
- Setiawan, R. and Ahmad, T. (2020) 'Improving the Performance of Data Hiding by Designing Three Samples-based Smoothing in Audio', *International Journal of Intelligent Engineering and Systems*, 13(2), pp. 196–204. doi: 10.22266/ijies2020.0430.19.
- Shareef, F. R. (2020) 'A novel crypto technique based ciphertext shifting', *Egyptian Informatics Journal*, 21(2), pp. 83–90. doi: 10.1016/j.eij.2019.11.002.
- Shen, S., Huang, L. and Tian, Q. (2015) 'A novel data hiding for color images based on pixel value difference and modulus function', *Multimedia Tools and Applications*, 74(3), pp. 707–728. doi: 10.1007/s11042-014-2016-0.
- Syahlan, Z. and Ahmad, T. (2019) 'Reversible data hiding method by extending reduced difference expansion', *International Journal of Advances in Intelligent Informatics*, 5(2), pp. 101–112. doi: 10.26555/ijain.v5i2.351.
- Tian, J. (2002) 'Wavelet-based reversible watermarking for authentication', in III, E. J. D. and Wong, P. W. (eds) *Security and Watermarking of Multimedia Contents IV*. SPIE, pp. 679–690. doi: 10.1117/12.465329.
- Tian, J. (2003) 'Reversible data embedding using a difference expansion', *IEEE Transaction on Circuits Systems for Video Technology*, 13(8), pp. 890–896. doi: 10.1109/TCSVT.2003.815962.
- Yi, H., Wei, S. and Jianjun, H. (2009) 'Improved reduced difference expansion based reversible data hiding scheme for digital images', in *International Conference on Electronic Measurement & Instruments*, pp. 4–318. doi: 10.1109/ICEMI.2009.5274054.