

DAFTAR PUSTAKA

- [1] RISKESDAS, “Perilaku merokok di Indonesia,” *Jakarta Badan Penelit. dan Pengemb. Kesehat. Dep. Kesehat. Republik Indones.*, no. Data kesehatan, p. v, 2013.
- [2] Radian, “Implan Gigi Titanium,” *Global Estetik*, 2018. .
- [3] M. Bongio, J. J. J. P. Van Den Beucken, S. C. G. Leeuwenburgh, and J. A. Jansen, “Development of bone substitute materials: From ‘biocompatible’ to ‘instructive,’” *J. Mater. Chem.*, vol. 20, no. 40, pp. 8747–8759, 2010.
- [4] The International Programme on Chemical Safety (IPCS), *Titanium*. Geneva: World Health Organization, 1982.
- [5] M. Donachie, *TITANIUM: A Technical Guide*. OH: ASM International, 1988.
- [6] H. Aoki, “Science and Medical Applications of Hydroxyapatite,” *Titan. Med. Mater. Sci. Surf. Sci. Eng. Biol. Responses, Med. Appl.*, pp. 704–737, 2001.
- [7] X. F. Xiao and R. F. Liu, “Effect of suspension stability on electrophoretic deposition of hydroxyapatite coatings,” *Mater. Lett.*, vol. 60, no. 21–22, pp. 2627–2632, 2006.
- [8] L. Cordero-Arias *et al.*, “Electrophoretic deposition of PEEK-nano alumina composite coatings on stainless steel,” *Surf. Coatings Technol.*, vol. 203, no. 10–11, pp. 1349–1359, 2009.
- [9] A. R. Boccaccini, S. Keim, R. Ma, Y. Li, and I. Zhitomirsky, “Electrophoretic deposition of biomaterials,” *J. R. Soc. Interface*, vol. 7, no. SUPPL. 5, 2010.
- [10] D. Oktaviana, “Pelapisan Hidroxyapatite Bilayer pada Titanium Paduan (Ti6Al4V-ELI),” Universitas Andalas, 2016.

- [11] T. Putra, “Pengaruh Ukuran Partikel Hidroksiapatit Tulang Sapi terhadap Kualitas Pelapisan pada Permukaan CPTi Menggunakan Metode EPD untuk Material Implan Pada Akar Gigi,” Universitas Andalas, 2018.
- [12] E. Commission, “Biomaterials for Healthcare,” pp. 1–35, 2007.
- [13] S. Zhang, Y. Tomata, R. B. Newson, Y. Sugawara, and I. Tsuji, “Biomimetic Hydroxyapatite Coating on Metal Implants,” *J. Epidemiol. Community Health*, vol. 72, no. 8, pp. 679–684, 2018.
- [14] D. Kuroda, “Design and mechanical properties of new β type titanium alloys for implant materials,” vol. 243, no. 1–2, pp. 244–249, 1998.
- [15] Dahlan K, “Sintesis Hidroksiapatit dari Cangkang Telur Menggunakan Dry Metode,” *J. Biofisika*, 2009.
- [16] M. Akram, R. Ahmed, I. Shakir, W. A. W. Ibrahim, and R. Hussain, “Extracting hydroxyapatite and its precursors from natural resources,” *J. Mater. Sci.*, vol. 49, no. 4, pp. 1461–1475, 2014.
- [17] N. Pramanik, D. Mishra, I. Banerjee, T. K. Maiti, P. Bhargava, and P. Pramanik, “Chemical Synthesis, Characterization, and Biocompatibility Study of Hydroxyapatite/Chitosan Phosphate Nanocomposite for Bone Tissue Engineering Applications,” *Int. J. Biomater.*, vol. 2009, pp. 1–8, 2009.
- [18] D3359-09, “Standard Test Methods for Measuring Adhesion by Tape Test,” *Astm*, no. December 2007, pp. 1–7, 2013.
- [19] S. K. Falahieh, S. Nemeth, and M. J. Tan, “Progress in Crystal Growth and Characterization of Materials Electrophoretic deposition of hydroxyapatite coatings on AZ31 magnesium substrate for biodegradable implant applications,” *Prog. Cryst. Growth Charact. Mater.*, vol. 60, no. 3–4, pp. 74–79, 2014.
- [20] N. Fadhilla, “Pengaruh Variasi Waktu dan Variasi Tegangan Listrik pada Metode EPD terhadap Karakteristik Lapisan Hidroksiapatit Partikel Mikro

pada Titanium Murni (CPTi) untuk Aplikasi Ortodontik,” Universitas Andalas, 2018.

[21] A. Tahmasbi, M. Solati-hashjin, N. Azuan, A. Osman, and S. Faghihi, “Improved bio-physical performance of hydroxyapatite coatings obtained by electrophoretic deposition at dynamic voltage,” *Ceram. Int.*, pp. 1–11, 2014.

[22] I. Maulana, “Pelapisan Hidroksiapatit pada Titanium (TNTZ) untuk Material Implan Fiksasi Patah Tulang dengan Metoda Electrophoretic Deposition (EPD),” Universitas Andalas, 2017.

[23] H. P. S. Rahayu, R. Nuryadi, L. Aprilia, “Pengaruh Tegangan dan Waktu Deposisi Terhadap Pelapisan TiO₂ dengan Metode Elektroforesis,” 2012.

