DAFTAR PUSTAKA

A.O.A.C. 1984. Official methods of analysis. 12th edition. Association of Official Analytical Chemists. Washington, DC.

Ahmed, A., Khan, M.J., Shahjalal, M. and Islam, K.M.S., 2002. Effects of Feeding Urea and Soybean Meal Treated Rice Straw on Digestibility of feed Nutrient and Growth Performance of Bull Calves. Asian-Aus. J. Anim-Sci 15 : 522-527.

Akhadiarto, S dan M. N. Rofiq. 2017. Estimasi Emisi Gas Metana dari Fermentasi Enterik Ternak Ruminansia Menggunakan Metode Tier-1 di Indonesia. Jurnal Teknologi Lingkungan Vol. 18 (1) : 1-8.

Anantasook, N. M. Wanapat, A. Cherdthong, and P. Gunun. 2013. Changes of microbial population in the rumen of dairy steers as influenced by plant containing tannins and saponins and roughage to concentrate ratio. Asian Australas. J. Anim. Sci, 26 (11): 1583-1591.

Angga, W. A. *et al.* 2018. Potential of Waste Tea Leaves (Camellia sinensis) in West Sumatra to Be Processed into Poultry Feed. Pak. J. Nutr., 17 (6): 287-293, 2018.

Anggarawati, D. 2012. Aktivitas enzim selulose isolat SGF 2609 BBP4B-KP menggunakan substrat rumput laut yang dipretreatment dengan asam. Skripsi. Fakultas Teknik UI. Depok.

Anggorodi, R. 1984. Ilmu Makanan Ternak Umum. PT. Gramedia. Jakarta

Anggraeny, Y. N. *et al.* 2015. Sinkronisasi Suplai Protein dan Energi dalam Rumen untuk Meningkatkan Efisiensi Pakan Berkualitas Rendah.

Animut, G., R. Puchala., et al. 2008. Methane Emission by Goats Consuming Different Sources of Condensed Tannins. Anim. Feed Sci. and Technol. 144:22f8-241. WARTAZOAVol. 25 No. 3 Th. 2015 Hlm. 107-11.

Arora, S. P. 1989. Pencernaan Mikroba pada Ruminansia. Gadjah Mada University Press, Yogyakarta.

Arora, S. P. 1995. Pencernaan Mikrobia pada Ruminansia. Gadjah Mada University Press, Yogyakarta. Gumbira-Sa'id, E. et al. 2009. Agroindustri dan Bisnis Gambir Indonesia. IPB Press, Bogor.

Attwood, G. T., Klieve, A. V., Ouwerkerk, D. dan Patel, B. K. C. 1998. Ammonia Hyperproducing Bacteria from New Zealand Ruminants. *Applied and Environmental Microbiology*, vol. 64,hal.1796-1804.

Badan Pusat Statistik, 2015. Potensi Lahan Pertanaian Indonesia. Jakarta

Cabrera, C., R. Artacho dan R. Gime´nez. 2006. Green tea: beneficial effects. journal of the american college of nutrition, 25(2): 79–99

Church, D.C. 1976. Digestive Physiology and Nutrition of Ruminant. Vol 2. Oxfort Press. Hal: 564.

Cottle DJ, Nolan JV, Wiedemann SG. 2011. Ruminant enteric methane mitigation:a review. *Animal Production Science*. 51: 491-514.

Damron, W. S. 2006. Introduction to Animal Science. Prentice Hall, Ohio.

Daswir, I. Kusuma. 1993. Sistem usaha tani gambir di Sumatera Barat. Media Komunikasi. Penelitian dan Pengembangan Tanaman Industri. No. 11 Februari 1993. Hal. 68-74.

Dewi. 2002. Hidrolisis Limbah Hasil Pertanian Secara Enzimatik. *J. Akta Agrosia*. 5 (2): 67- 71

Doyle, P.T., Devendra, C., and Pearce, G.R. 1996. *Rice straw as a feed for ruminants*. International De-velopment Program of Australian Universities and Colleges Lim-ited (IDP), Canberra, Australia.

Ensminger, M. E. and C. G. Olentine.1980. Feed and Nutrition. The Ensminger Publishing Company, USA.

Feng, Y. L. 2004. Ruminant Animal Nutrition. Beijing: Science press.

Finlay, D.J., Esteban, G., Clarke, K.J., Williams, A.G., Embley, T.M., Hirt, R.P., 1994. Some rumen ciliates have endosymbiotic methanogenesis. FEMS Microbiol. Lett. 117, 157–162

Getachew, G, E.J. De Peters and P.H.Robinson. 2004. *In Vitro* Gas Prodduction Provides Effective Method for Assessing Ruminant Feeds. California Agriculture, Volume 58.

Hagerman, A. E. 2002. Tannin Chemistry. Department of Chemistry and Biochemistry. Oxford: Miamy University.

Haq, M.S. and Karyudi, 2013. Efforts to increase tea production (C a m ellia sin e n sis L. O. Kuntze) through application of technical culture. War. PPTK., 24: 71-84.

Haris, L. E. 1970. Nutrition Research Techniquefor Domestic and Wild Animal. Animal Science Department Utah State University.

Hungate, R. E. 1966. The Rumen ang its Microbes. Departement of Biotechnology and Agriculture Experiment Station University of California. Davis California Academy Press, London.

IPCC. 1995. Greenhouse Gas Inventory Workbook. UNEP-OECD-IEA-IPCC. Brackwell-UK.

Iqbal, M.F., Cheng, Y.F., Zhu, W.Y., Zeshan, B. 2008. Mitigation of Ruminant Methane Production: Current Strategies, Constraints And Future Options. *World J. Microbiol. Biotechnol*. 24: 2747–2755.

Ismartoyo. 2011. Pengantar Teknik Penelitian: Degradasi Pakan Ternak Ruminansia. Makassar. Brilian International.

Jayanegara, A. 2012. Polifenol sebagai aditif alami dalam upaya mitigasi emisi gas metana asal ternak ruminansia. Fakultas Peternakan, IPB. Bogor.

Jayanegara, A., Goel, G., Makkar, H.P.S., Becker, K., 2010. Reduction in methane emissions from ruminants by plant secondary metabolites: effects of polyphenols and saponins. In: Odongo, N.E., Garcia, M., Viljoen, G.J. (eds). Sustainable Improvement of Animal Production and Health. Food and Agriculture Organization of the United Nations, Rome, pp. 151–157.

Jhonson, R. R. 1966. Technique and procedure for *in vitro* rumen studies. J. Anim Sci. 25: 855-875.

Johnson, K. A. dan Johnson, D. E. 1995. Methane emissions from cattle. Journal of Animal Science, 73:2483.

Kanisius, A. A., H. S. Reksohadiprodjo, S. Prawirokusumo dan S. Lebdosoekadjo. 1983. Ilmu Makanan Ternak Dasar. Gadjah Mada University press. Yogyakarta.

Kraidees, M. S. 2005. Influence of urea treatment and soybean meal (urease) addition on the utilization of wheat straw by sheep. AsianAust. J. Anim. Sci. 18 (7) : 957 – 965.

Kumar, R and J. P. F., D'mello. 1995. Antinutritional factor in forage legume. In : D'Mello , J. P. F and C. Devendra (Editor). Tropical Legum in Animal Nutrition. CAB International Publishing, Wallingford.

Lamid, M, Puspaningsih, N. N. T. And Sarwoko, M. 2013. Addition of Lignocellulolytic Enzymes Into Rice Straw Improves In Vitro Rumen Fermentation Products. J. Appl. Environ. Biol. Sci., 3(9)166-171. ISSN: 2090-4274.

Lehninger, A.L. 1993. Dasar-Dasar Biokimia. Jilid 1, 2, 3. (Alih bahasa oleh; M. Thenawidjaja). Erlangga, Jakarta.

Makkar, H. P. S., M Blummel and K. Becker. 1995. Formation Of Complexes Between Polyvinyl Pyrrolidone and Polyethylene Glycol with Tannins and Their Implication in Gas Production and True Digestibility In in-vitro Techniques. J. Nutr. 73: 897-913.

Makkar, H.P.S., 2003. Effects and Fate of Tannins in Ruminant Animals, Adaptation to Tannins, and Strategies to Overcome Detrimental Effects of Feeding Tannin-Rich Feeds. *Small Rum. Res*. 49: 241–256.

Martin C, Doreau M, Morgavi DP. 2008. Methane Mitigation in Ruminants: From Rumen Microbes To The Animal. Inra, Ur 1213. Herbivores Research Unit. Research Centre of Clermont-Ferrand-Theix. F-63122. France (FR): St Genès Champanelle.

Maynard, L.A., Loosli, J.K., Hintz, H.F. and Warner, R.G., 1979. Animal Nutrition – seven edition. Mc Grow Hill Publishing. New York. Pp : 91-101, 158-166

McAllister, T.A., Newbold, C.J. 2008. Redirecting Rumen Fermentation to Reduce Methanogenesis. Aust. J. Exp. Agric. 48: 7–13.

McDonald, P., Edwards, R.A. and Greenhalg, J.P.D., 2002. Animal Nutrition. sixth Ed. Prentice hall. Gosport. London. Pp : 427-428.

McDonald, P.,R. A. Edward dan J. F. D. Greenhalgh. 1986. Animal Nutrition. Third Edition. London.

McLeod, M. N. 1974. Plant Tannin: Their Role in Forage Quality.Nutrition Abstract and Reviews. 44: 804-8115.

Mcsweeny, C.S. B. Palmer, D.M. McNeill dan D.O Krause. 2001. Microbial Interactions with Tannins: Nutrional Consequences for Ruminants. *Animal Feed Science and Technology*. 91: 83-93.

Morgavi, D.P., Forano, E., Martin, C., Newbold, C.J., 2010. Microbial ecosystem and methanogenesis in ruminants. Animal 4, 1024–1036.

Moss, A. R., Jouany JP, dan Newbold J. 2000. Methane Production by Ruminants: Its Contribution to Global Warming. Ann. Zootech. 49: 231-253.

Mourino FR, Akkarawongsa, Weimer PJ. 2001. Initial pH as a Determinant of Sellulose Digestion Rate by Mixed Ruminal Microorganisms in vitro. J Dairy Sci. 84:848–859.

Muchtadi, D. 2001. Sayuran sebagai sumber serat pangan untuk mencegah timbulnya penyakit degeneratif. Teknologi dan Industri Pangan 12:1-2.

Mueller-Harvey, I., 2006. Unravelling the conundrum of tannins in animal nutrition and health. J. Sci. Food Agric. 86, 2010–2037.

Nazir, M. 2000. Gambir : Budidaya, Pengolahan dan Prospek Diversifikasinya. Yayasan Hutanku. Padang.

Ningrat, R. W. S., M. Zain, Erpomen, dan H. Suryani, 2017. Effects of Doses and Different Sources of Tannins on in vitro Ruminal Methane, Volatile Fatty Acids Production and on Bacteria and Protozoa Populations. Asian J. Anim. Sci., 11 (1): 47-53, 2017.

Nisa, M., Sarwar, M. and Khan, M. A., 2004. Nutritive Value of Urea Treated Wheat Straw Ensiled with or without corn Steep Liquor for Lactating Nili-Ravi Buffaloes. Asian-Aust. J. Anim. Science. Vol 17 (6) : 825-829.

Philippidis, P. 1991. Evaluation of Current Status of The Cellulosa Production Technology. Biofuel Information Center.

Polyorach, S., and Wanapat, M. 2015. Improving the quality of rice straw by urea and calcium hy-droxide on rumen ecology, mi-crobial protein synthesis in beef cattle. *Journal of Animal Physi-ology and Animal Nutrition* 99: 449–456. DOI: 10.1111/jpn.12253

Prayitno CH, Fitria R, Samsi M. 2014. Suplementasi heit-chrose pada pakan sapi perah pre-partum ditinjau dari profil darah dan recovery bobot tubuh postpartum. Agripet. 14(2):89-95.

Preston, T. R. dan R. A. Leng. 1987. Matching Ruminant Production System with Available Resources in the Tropics. Penambul Books, Armidale. 245 p.

Rahmadi, R., Sunarso, J. Achmadi, E. Pangestu, A. Muktiani dan M.C. Surono. 2003. Ruminologi Dasar. Diktat Kuliah Fakultas Peternakan Unpad. Semarang.

Ramaiyulis, Sajatmiko dan Y. Sari. 2013. Pertumbuhan Protozoa Dalam Cairan Rumen Sapi yang Disuplementasi Dengan Defaunator Sisa Pengolahan Daun Gambir secara in–vitro. Pros. Semnas. Optimalisasi System Pertanian Terpadu dan Mandiri Menuju Ketahanan Pangan. Politeknik Pertanian Negeri Payakumbuh. Payakumbuh.

Sarwar, M., Khan, M.A., and Nisa, M. 2004. Effect of organic acids of fermentable carbohydrates on di-gestibility and nitrogen utiliza-tion of urea treated wheat straw in buffalo bulls. *Australian Jour-nal of Agricultural Research* 55: 223-228.

Sayuti, N. 1989. Ruminology. Diktat Fakultas Peternakan Universitas Andalas . Padang.

Sejian V, Lal R, Lakritz J, Ezeji T . 2011. Measurement and Prediction of Enteric Methane Emission. Int. J. Biomet 55: 1-16.

Soeparjo. 2010. Analisis Bahan Pakan secara Kimiawi: Analisis Proksimat dan Analisis Serat. Jambi: Fakultas Peternakan Universitas Jambi Press.

Southgate, D. dan Englyst, H.1985. Dietary fibre : Chemistry, Physical, Properties and Analysis. di dalam. Trowell, H., Burkitt, D. dan Heaton, K.1985. Dietary Fibre, Fibre-Depleted Food and Disease. Academic Press. London, Orlando, San Diego, New York, Toronto, Montreal. Sydney and Tokyo.

Steel, R.G.D. dan Torrie, J. H. 1991. Prinsip dan Prosedur Statistika Suatu Pendekatan Biometrik (Terjemahan: Bambang Sumantri). PT. Gramedia. Jakarta.

Sudana. 1984. “Straw Basal Diet for Growing Lambs” (A Thesis Submitted to the Degree of Master of Science). The Department of Biochemistry and Nutrition, the University of New England, Armidale, N. S. W., 23451, Australia.

Suryapratama, W. dan F.M. Suhartati. 2009.Pengaruh Suplementasi Asam Lemak Bercabang Terhadap Koloni Bakteri Rumen dan Sel Protozoa. Animal Production. 11 (2) : 129-134.

Tilley, J. M. dan R.A. Terry. 1969. A two stage technique for in vitro degradation of forage crop. J. British Grassland. 18: 104-111.

Tillman, A. D., H. Hartadi., S. Reksohadiprodjo., S. Prawirokusumo., dan S. Lebdosoekadjo, 1998. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press. Yogyakarta.

Tillman, A. D., H. Hartadi., S. Reksohadiprodjo., S. Prawirokusumo., dan S. Lebdosoekadjo, 1989. Ilmu Makanan Ternak Dasar. Gadjah Mada University Press. Yogyakarta.

Towaha, J. B. 2013. Kandungan Senyawa Kimia pada Daun Teh (*Camellia sinensis*). Warta Penelitian dan Pengembangan Tanaman Industri, 9(3).

Utomo, R. 2004. Pengaruh Penggunaan Jerami Padi Fermentasi sebagai Bahan Dasar Pembuatan Pakan Komplit pada Kinerja Domba. Buletin Peternakan. Vol 29 (4): 162-171.

Van Soest. P. J., 1982. Nutritional Ecology of the Ruminant. Commstock Pulishing Assciates. A Devision of Cornell University Press. Ithaca and London.

Vlaming, J.B. 2008. Quantifying Variation in Estimated Methane Emission from Ruminants Using the SF6Tracer Fechnique. A Thesis of Doctor of Phylosophy in Animal Science. Massey University. New Zealand.

Winarti, Sri. 2010. Makanan Fungsional. Surabaya: Graha Ilmu Yogyakarta.

Yunita, E. 2016. Pengaruh penggunaan pelepah sawit amoniasi yang ditambahkan dengan ampas daun gambir dalam ransum ruminansia terhadap kecernaan bahan kering, bahan organik dan protein kasar secara in vitro [skripsi]. Universitas Andalas, Padang.

Zain, M., T. Sutardi, Suryahadi, dan N. Ramli. 2008. Effect of defaunation and supplementation methionine hydroxy analogue and branched chain amino acid in growing sheep diet based on palm press fiber ammoniated. Pak. J. Nutr, 7(6): 813-816.

Zhang, H. L., Y. Chen, X. L. Xu dan Y. X. Yang. 2013. Effects of branched-chain amino acids on in vitro ruminal fermentation of wheat straw. Asian-Aust. J. Anim. Sci, 26(4): 523-528.