

## DAFTAR PUSTAKA

1. Honari G, Maibach H. Skin Structure and Function. Applied Dermatotoxicology: Clinical Aspects. Elsevier Inc.; 2014. 1–10 p. Available from: <http://dx.doi.org/10.1016/B978-0-12-420130-9.00001-3>
2. Norris DA. Structure and Function of the Skin. Twenty Fou. Vol. 2, Goldman's Cecil Medicine: Twenty Fourth Edition. Elsevier Inc.; 2012. 2498–2503 p. Available from: <http://dx.doi.org/10.1016/B978-1-4377-1604-7.00443-7>
3. Fithria RF, Anas Y, Safitri EI. Antihyperpigmentation Effect of The Combination of Turmeric (*Curcuma domestica* Val.) and Bitter Melon Leaves (*Momordica Charantia* L.) Ethanol Extracts on Guinea Pig Skin. J Kefarmasian Indones. 2018;8(1):10–6.
4. Zolghadri S, Beygi M, Mohammad TF, Alijanianzadeh M, Pillaiyar T, Garcia-Molina P, et al. Targeting tyrosinase in hyperpigmentation: Current status, limitations and future promises. Biochem Pharmacol. 2023;212(February):115574. Available from: <https://doi.org/10.1016/j.bcp.2023.115574>
5. Bayrakçeken Güven Z, Saracoglu I, Nagatsu A, Yilmaz MA, Basaran AA. Anti-tyrosinase and antimelanogenic effect of cinnamic acid derivatives from Prunus mahaleb L.: Phenolic composition, isolation, identification and inhibitory activity. J Ethnopharmacol. 2023;310(1):1–11. Available from: <https://doi.org/10.1016/j.jep.2023.116378>
6. Nagarani G, Abirami A, Siddhuraju P. A comparative study on antioxidant potentials, inhibitory activities against key enzymes related to metabolic syndrome, and anti-inflammatory activity of leaf extract from different Momordica species. Food Sci Hum Wellness. 2014;3(1):36–46. Available from: <http://dx.doi.org/10.1016/j.fshw.2014.02.003>
7. Tsai T-H, Huang C-J, Wu W-H, Huang W-C, Chyuan J-H, Tsai P-J. Antioxidant, Cell-protective, and Anti-melanogenic Activities of Leaf Extracts from Wild Bitter Melon (*Momordica charantia* Linn. var. abbreviata Ser.) Cultivars. Bot Stud. 2014;55(1).

8. Fithria RF, Anas Y, Putri FAWP. The Antihyperpigmentation Effect Pare Leaves (*Momordica charantia* L.) Ethanol Extract on Guinea Pig (*Cavia porcellus*) Skin. *J Ilm Cendekia Eksakta*. 2017;2(1):47–53.
9. Chairunisa U, Rustini, Nastiti CMRR, Riswanto FDO, Benson HAE, Lucida H. A Promising Ultra-Small Unilamellar Carrier System for Enhanced Skin Delivery of  $\alpha$ -Mangostin as an Anti-Age-Spot Serum. *Pharmaceutics*. 2022;14(12).
10. Husni P, Puspitaningrum K. Pengembangan Formula Nano-Fitosom Serbuk Liofilisasi. *Ijpest*. 2017;4(3):100–11.
11. Amjadi S, Shahnaz F, Shokouhi B, Azarmi Y, Siahi-Shadbad M, Ghanbarzadeh S, et al. Nanophytosomes for enhancement of rutin efficacy in oral administration for diabetes treatment in streptozotocin-induced diabetic rats. *Int J Pharm*. 2021;610(1):1–8. Available from: <https://doi.org/10.1016/j.ijpharm.2021.121208>
12. Tripathy S, Patel DK, Baro L, Nair SK. A Review on Phytosomes, Their Characterization, Advancement & Potential for Transdermal Application. *J Drug Deliv Ther*. 2011;2013(3):147–52. Available from: <http://jddtonline.info>
13. Gayathry KS, John JA. A Comprehensive Review on Bitter Gourd (*Momordica charantia* L.) as a Gold Mine of Functional Bioactive Components for Therapeutic Foods. *Food Prod Process Nutr*. 2022;4(1). Available from: <https://doi.org/10.1186/s43014-022-00089-x>
14. Situmorang CCO, Hasibuan R. Karakteristik Tumbuhan Pare (*Momordica charantia* L.) yang Berhasil Dimanfaatkan sebagai Bahan Pangan di Desa Tebing Linggahara Kabupaten Labuhanbatu. *Biosci J Ilm Biol*. 2023;11(1):256.
15. Dandawate PR, Subramaniam D, Subhash B, Padhye SA. Bitter Melon: a Panacea for Inflammation and Cancer. *Chin J Nat Med*. 2017;14(2):81–100.
16. Li W, Lin Z, Yang C, Wang Y, Qiao Y. Study on The Chemical Constituents of *Momordica charantia* L. Leaves and Method for Their Quantitative Determination. *Biomed Res*. 2015;26(3):415–9.

17. Sur S, Steele R, Isbell TS, Venkata KN, Rateb ME, Ray RB. Momordicine-I, a Bitter Melon Bioactive Metabolite, Displays Anti-Tumor Activity in Head and Neck Cancer Involving c-Met and Downstream Signaling. *Cancers (Basel)*. 2021;13(6):1–15.
18. Lim TK. *Edible Medicinal and Non-Medicinal Plants*. 2nd ed. *Edible Medicinal and Non-Medicinal Plants*. New York: Springer; 2012. 331–368 p.
19. Bora AFM, Kouame KJEP, Li X, Liu L, Pan Y. New insights into the bioactive polysaccharides, proteins, and triterpenoids isolated from bitter melon (*Momordica charantia*) and their relevance for nutraceutical and food application: A review. *Int J Biol Macromol*. 2023;231(600):123173. Available from: <https://doi.org/10.1016/j.ijbiomac.2023.123173>
20. Sun L, Zhang X, Dong L, Zhang C, Guo P, Wu C. The triterpenoids of the bitter gourd (*Momordica Charantia*) and their pharmacological activities: A review. *J Food Compos Anal*. 2021;96(1):1–14. Available from: <https://doi.org/10.1016/j.jfca.2020.103726>
21. Kubola J, Siriamornpun S. Phenolic Contents and Antioxidant Activities of Bitter Gourd (*Momordica charantia* L.) Leaf, Stem and Fruit Fraction Extracts in Vitro. *Food Chem*. 2008;110(4):881–90.
22. Andishmand H, Azadmard-damirchi S, Hamishekar H, Torbati MA, Kharazmi MS, Savage GP, et al. Nano-delivery systems for encapsulation of phenolic compounds from pomegranate peel. *Adv Colloid Interface Sci*. 2023;311(1):1–15. Available from: <https://doi.org/10.1016/j.cis.2022.102833>
23. Albar KG, Gomase VS, Kemkar KR, Linge SG, Wagh VS, Vijayalakshmi A, et al. Drug Delivery System: A Novel Approach to Formulation Development. *Int J Pharm Sci Rev Res*. 2023;79(2):218–26.
24. Babazadeh A, Zeinali M, Hamishehkar H. Nano-Phytosome: A Developing Platform for Herbal Anti-Cancer Agents in Cancer Therapy. *Curr Drug Targets*. 2017;18(999):1–1.
25. Li J, Wang X, Zhang T, Wang C, Huang Z, Luo X, et al. A Review on Phospholipids and Their Main Applications in Drug Delivery Systems.

- Asian J Pharm Sci. 2015;10(2):81–98. Available from: <http://dx.doi.org/10.1016/j.ajps.2014.09.004>
26. Rowe RC, Sheskey PJ, Quinn ME. Handbook of Pharmaceutical Excipients. Sixth Edit. Italy: Pharmaceutical Press; 2009.
  27. Purnami NLW. Karakterisasi Sistem Liposom Kering Kurkumin Yang Dibuat Dari Egg Phosphatidylcholine Dan Hydrogenated Egg Phosphatidylcholine. Universitas Airlangga; 2015.
  28. Shashi K, Satinder K, Bharat P. a Complete Review on: Liposomes. Int Res J Pharm. 2012;3(7):10–6.
  29. Li LH, Dutkiewicz EP, Huang YC, Zhou HB, Hsu CC. Analytical Methods for Cholesterol Quantification. J Food Drug Anal. 2019;27(2):375–86. Available from: <https://doi.org/10.1016/j.jfda.2018.09.001>
  30. Zulfa K, Widodo F, Puspita OE. Pengaruh Perbedaan Konsentrasi Surfaktan Non Ionik terhadap Karakteristik Niosom Pterostilben. Pharm J Indones. 2020;2020(1):21–6.
  31. Hasani S. Formulasi Dan Uji Aktivitas Antikanker Nanofitosom Katekin Gambir Terhadap Kemarian Sel Kanker Serviks (Hella Cell Line) Secara In Vitro. Universitas Andalas; 2022.
  32. Dua JS, Rana AC, Bhandari AK. LIPOSOME: Methods of preparation and applications. Int J Pharm Stud Res. 2012;3(2):14–20.
  33. Ai X, Zhong L, Niu H, He Z. Thin-film hydration preparation method and stability test of DOX-loaded disulfide-linked polyethylene glycol 5000-lysine-di-tocopherol succinate nanomicelles. Asian J Pharm Sci. 2014;9(5):244–50. Available from: <http://dx.doi.org/10.1016/j.ajps.2014.06.006>
  34. Monteiro N, Martins A, Reis RL, Neves NM. Liposomes in tissue engineering and regenerative medicine. J R Soc Interface. 2014;11(101).
  35. Rosyidah A. Preparasi dan Karakterisasi Sediaan Nanoliposom 3-o-Ethyl Ascorbic Acid dengan Metode Hidrasi Lapis Tipis Menggunakan Down Sizing Extruder. Universitas Islam Indonesia; 2020. Available from: <http://dspace.uui.ac.id/123456789/23818>
  36. Akbarzadeh A, Rezaei-Sadabady R, Davaran S, Joo SW, Zarghami N,

- Hanifehpour Y, et al. Liposome: Classification, preparation, and applications. *Nanoscale Res Lett*. 2013;8(1):1.
37. Barani M, Sangiovanni E, Angarano M, Rajizadeh MA, Mehrabani M, Piazza S, et al. Phytosomes as Innovative Delivery Systems for Phytochemicals: A Comprehensive Review of Literature. Vol. 16, *International Journal of Nanomedicine*. 2021. 6983–7022 p.
38. Darmawan DA, Darusman F, Priani SE. Literature Review: Fitosom sebagai Sistem Penghantaran Senyawa Polifenol dari Bahan Alam. In: *Semantic Schoolar*. 2020. p. 87–93. Available from: <http://dx.doi.org/10.29313/y6i2.22553>
39. Hirao T. Structure and Function of Skin From a Cosmetic Aspect. *Cosmetic Science and Technology: Theoretical Principles and Applications*. Elsevier Inc.; 2017. 673–683 p. Available from: <http://dx.doi.org/10.1016/B978-0-12-802005-0.00040-9>
40. Marks JG, Miller JJ. Structure and Function of the Skin. *Lookingbill Marks Princ Dermatology (Sixth Ed)*. 2019;2–10.
41. Lang DL. Layers of the Skin. In: *BIO 140 Human Biology I*. Bronx: Hostos Library; 2013. Available from: <https://guides.hostos.cuny.edu/bio140/4-14>
42. Saeedi M, Eslamifar M, Khezri K. Kojic acid applications in cosmetic and pharmaceutical preparations. *Biomed Pharmacother*. 2019;110(1):582–93. Available from: <https://doi.org/10.1016/j.biopha.2018.12.006>
43. Nautiyal A, Wairkar S. Management of hyperpigmentation: Current treatments and emerging therapies. *Pigment Cell Melanoma Res*. 2021;34(36):1000–14.
44. Syder NC, Quarshie C, Elbuluk N. Disorders of Facial Hyperpigmentation. *Dermatological Clin*. 2023;41:393–405.
45. Rajanala S, De Castro Maymone MB, Vashi NA. Melasma Pathogenesis: A Review of The Latest Research, Pathological Findings, and Investigational Therapies. *Dermatol Online J*. 2019;25(10):0–6.
46. Plensdorf S, Livieratos M, Dada N. Pigmentation Disorders: Diagnosis and Management. *Am Acad Fam Physician*. 2017;96(12):797–804.
47. Lakhan MK, Lynch M. Skin Pigmentation. *Medicine (Baltimore)*.

- 2021;49(7):447–52. Available from:  
<https://doi.org/10.1016/j.mpped.2021.04.010>
48. Silpa-archa N, Kohli I, Chaowattanapanit S, Lim HW, Hamzavi I. Postinflammatory Hyperpigmentation: A Comprehensive Overview. *J Am Acad Dermatol.* 2017;77(4):591–605. Available from:  
<http://dx.doi.org/10.1016/j.jaad.2017.01.035>
49. Kesehatan DJK dan A. Farmakope Herbal Indonesia. Edisi II. Jakarta: Kementerian Kesehatan Republik Indonesia; 2022.
50. RI DK. Parameter Standar Umum Ekstrak Tumbuhan Obat. Jakarta: Departemen Kesehatan RI; 2000.
51. Nandayasa WW, Febriyenti, Lucida H. Optimization and Characterization of Quercetin Vitamin C Nano-Phytosome Formulation. *Int J Appl Pharm.* 2023;15(Special Issue 1):51–5.
52. Aini PN, Muhammad D, Eko PG, Rachmat M, Fahmi E. Formulation, Characterization and Antioxidant Myricetin Nanophytosome for Topical Delivery. *Asian J Pharm Res Dev.* 2020;8(3):9–13.
53. Anandrao Saonere J, A Channawar M, I Kochar N, Mohale D, V Chandewar A. Preparation and Evaluation of Phytospholipid Complex of Phenolic Fractions of *G. glabra* for Antioxidant and Antimicrobial Activity. *Acta Sci Pharm Sci.* 2023;7(2):37–44.
54. Azzahra D. Optimasi Formulasi Serum Kosmetik Mengandung Avocado Oil dan Ekstrak Rimpang Kunyit Talerang (*Hedychium coronarium* J. Koenig) sebagai Antiflek. Universitas Andalas; 2021.
55. Momtaz S, Mapunya BM, Houghton PJ, Edgerly C, Hussein A, Naidoo S, et al. Tyrosinase Inhibition by Extracts and Constituents of *Sideroxylon inerme* L. stem bark, Used in South Africa for Skin Lightening. *J Ethnopharmacol.* 2008;119(3):507–12.
56. Azizah Z, Widya Wati S. Skrining Fitokimia Dan Penetapan Kadar Flavonoid Total Ekstrak Etanol Daun Pare (*Momordica charantia* L.). *J Farm Higea.* 2018;10(2):163–72.
57. Michaele C, Cheikna Z, Durand D-N, Mihaela C, Pacôme N, Ioana OG, et al. Phytochemical Screening and Antimicrobial Activity of *Momordica*

- charantia* L. and *Morinda lucida* Benth extracts from Benin. African J Microbiol Res. 2020;14(8):426–35.
58. Julianto TS. Fitokimia : Tinjauan Metabolit Sekunder dan Skrining Fitokimia. Yogyakarta: Universitas Islam Indonesia; 2019. Available from: <http://library.uui.ac.id>; e-mail: [perpustakaan@uui.ac.id](mailto:perpustakaan@uui.ac.id)
59. Sudarsono, Purwantini I. Standardisasi Obat Herbal. Yogyakarta: Gadjah Mada University Press; 2021.
60. Meinke MC, Lademann J, Knorr F, Patzelt A, Lohan SB. Nanoscience and Nanotechnology: Advances and Developments in Nano-sized Materials. Berlin: Boston: De Gruyter; 2018.
61. Danaei M, Dehghankhold M, Ataei S, Hasanzadeh Davarani F, Javanmard R, Dokhani A, et al. Impact of Particle Size and Polydispersity Index on The Clinical Applications of Lipidic Nanocarrier Systems. Pharmaceutics. 2018;10(2):1–17.
62. Shekunov BY, Chattopadhyay P, Tong HHY, Chow AHL. Particle Size Analysis in Pharmaceutics: Principles, Methods and Applications. Pharm Res. 2007;24(2):203–27.
63. Roni KA, Legiso. Kimia Organik. Vol. 4. Palembang: NoerFikri Offset; 2021. Available from: <http://marefateadyan.nashriyat.ir/node/150>
64. Sasongko RE, Surini S, Saputri FC. Formulation and characterization of bitter melon extract (*Momordica charantia*) loaded phytosomes. Pharmacogn J. 2019;11(6):1235–41.
65. Roosevelt A, Lau SHA, Syawal H. Formulasi Dan Uji Stabilitas Krime Kstrak Methanol Daun Beluntas (*Pluchea Indica* L.) Dari Kota Benteng Kabupaten Kepulauan Selayar Provinsi Sulawesi Selatan. J Farm Sandi Karsa. 2019;5(1):57–64.
66. Ramsdena CA, Rileyb PA. Mechanistic studies of tyrosinase suicide inactivation. Arkivoc. 2010;2010(1):260–74.
67. Chang TS. An updated review of tyrosinase inhibitors. Int J Mol Sci. 2009;10(6):2440–75.
68. Furi M, Ainun Alfatma, Rahma Dona, Armon Fernando, Fina Aryani, Rahayu Utami, et al. Uji Inhibitor Enzim Tيروسinase Ekstrak dan Fraksi Daun

- Kedabu (*Sonneratia ovata* Backer) Secara In Vitro. *J Ilm Manuntung*. 2022;8(2):201–14.
69. Qarani W, Husna F, Yulia W, Zulkarnain, Syahrizal D, Gani BA, et al. Antioxidant and Antiaging Activities of *Cinnamomum burmannii*, *Michelia champaca* and Their Combinations. *Narra J*. 2023;3(2).
70. Hidayatri N, Rahmat D, Wibowo AE. Aktivitas Penghambatan Enzim Tirosinase Secara In Vitro Solid Lipid Nanopartikel Tetrahidrokurkumin. *J Sains dan Kesehat*. 2021;3(6):767–72.

