

DAFTAR PUSTAKA

- Abinaya, R. (2021). In-vitro regeneration from direct and indirect organogenesis of *Crescentia alata Kunth*, an important multipurpose medicinal tree. *European Journal of Medicinal Plants*, 32(3), 48–58.
- Aditya, M., & Ariyanti, P. R. (2016). Manfaat gambir (*Uncaria gambir Roxb*) sebagai antioksidan. *Majority*, 5(3), 129.
- Agullo-Anton, M. A., Sanchez-Bravo, J., Acosta, M., & Druege, U. (2011). Auxins or sugars: What makes the difference in the adventitious rooting of stored carnation cuttings? *Plant Growth Regulation*, 30, 100–113.
- Akhtar, N., Iqbal, M. A., Haq, I. U., & Yang, J. (2020). Phytohormones in plant tissue culture: An updated review on applications and future prospects. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 143(2), 185-204.
- Ali, G., Hadi, F., Ali, Z., Tariq, M., & Khan, M. A. (2007). Callus induction and in vitro complete plant regeneration of different cultivars of tobacco (*Nicotiana tabacum L.*) on media of different hormonal concentrations. *Biotechnology*, 6(4), 561–566.
- Almeida, A., Oliveira, R. S., & Correia, P. J. (2020). The effect of cytokinins on in vitro shoot proliferation and rooting of *Arbutus unedo L.* *Scientia Horticulturae*, 261, 108868.
- Amoo, S. O., & Van Staden, J. (2013). Influence of plant growth regulators on shoot proliferation and secondary metabolite production in micropropagated *Huernia hystrix*. *Plant Cell, Tissue and Organ Culture*, 112, 249–256.
- Amoo, S. O., Aremu, A. O., & Van Staden, J. (2012). In vitro plant regeneration, secondary metabolite production, and antioxidant activity of micropropagated *Aloe arborescens* Mill. *Plant Cell, Tissue and Organ Culture*, 111(3), 345-358.
- Anggraini, T., Tai, A., Yoshino, T., & Itani, T. (2018). Antioxidative activity and catechin content of four kinds of *Uncaria gambir* extracts from West Sumatra, Indonesia. *African Journal of Biochemistry Research*, 5(1), 33-38.
- Anitasari, S. D., Sari, D. N. R., Astarini, I. A., & Defiani, M. R. (2018). *Dasar teknik kultur jaringan tanaman*. Deepublish.
- Anjarsari, I. R., Suminar, E., & Murgayanti. (2022). Studi pendahuluan regenerasi eksplan teh sebagai upaya percepatan penyediaan bibit unggul secara in vitro. *Jurnal Kultivasi*, 21(3), 360–368.
- Aremu, A. O., Plačková, L., Bairu, M. W., Novák, O., Plíhalová, L., Doležal, K., & Van Staden, J. (2022). Endogenous cytokinin profiles of in vitro grown plants. *Plant Cell, Tissue and Organ Culture*, 148(1), 1-21.
- Arimarsetiowati, R. (2012). Kultur jaringan tanaman kopi. *Warta Pusat Penelitian*

- Kopi Dan Kakao Di Indonesia*, 24(2), 13–17.
- Avivi, S., Mohammad Ubaidillah, Setiyono, & Atiqoh, R. (2022). Pengaruh BAP, IAA, dan jenis eksplan terhadap efisiensi regenerasi tomat Fortuna 23. *Jurnal Agronomi Indonesia (Indonesian Journal of Agronomy)*, 50(3), 307–314.
- Azeez, H. A., & Ibrahim, K. M. (2017). *Hypericum triquetrifolium* callus cultures: A potential source of phenolics and flavonoids. *Journal of Zankoy Sulaiman*, 16, 381–388.
- Azwanida, N. (2015). A review on the extraction methods used in medicinal plants, principle, strength, and limitation. *Medicinal & Aromatic Plants*, 4(3), 1–6.
- Babich, O., Sukhikh, S., Pungin, A., Asyakina, L., & Prosekov, A. (2020). Modern trends in the in vitro production and use of callus, suspension cells, and root cultures of medicinal plants. *Molecules*, 25(24), 1–18.
- Badan Pusat Statistik Sumatra Barat. (2023a). *Volume dan nilai ekspor gambir Sumatera Barat 2019-2021*. <https://sumbar.bps.go.id/>
- Badan Pusat Statistik Sumatra Barat. (2023b). *Luas lahan dan produksi gambir menurut kabupaten/kota di Provinsi Sumatera Barat 2020-2022*. <https://sumbar.bps.go.id/>
- Baque, M. A., Lee, E. J., & Paek, K.-Y. (2010). Medium salt strength induced changes in growth, physiology and secondary metabolite content in adventitious roots of *Morinda citrifolia*: The role of antioxidant enzymes and phenylalanine ammonia lyase. *Plant Cell Reports*, 29(7), 685–694.
- Barbez, E., Dünser, K., Gaidora, A., Lendl, T., & Busch, W. (2017). Auxin steers root cell expansion via apoplastic pH regulation in *Arabidopsis thaliana*. *Proceedings of the National Academy of Sciences*, 114(24), 6715–6720.
- Bates, S., Preece, J. E., Navarrete, N. E., Van Sambeek, J. W., & Gaffney, G. R. (1992). Thidiazuron stimulates shoot organogenesis and somatic embryogenesis in white ash (*Fraxinus americana* L.). *Plant Cell, Tissue and Organ Culture*, 31(1), 21–29.
- Bhojwani, S. S., & Dantu, P. K. (2021). *Plant tissue culture: An introductory text*. Springer Nature.
- Bimantara, D. S., Maghfoer, D., Barunawati, N., & Syahrian, A. (2018). Multiplikasi kultur meristem stroberi kultivar Earlibrite dengan penambahan konsentrasi hormon BAP dan kinetin. *Jurnal Produksi Tanaman*, 6(3), 432–437.
- Brumos, J., Robles, L. M., Yun, J., Vu, T. C., Jackson, S., Alonso, J. M., & Stepanova, A. N. (2018). Local auxin biosynthesis is a key regulator of plant development. *Developmental Cell*, 47(3), 306–318.
- Brunetti, C., Di Ferdinando, M., Fini, A., Pollastri, S., & Tattini, M. (2013). Flavonoids as antioxidants and developmental regulators: Relative significance in plants and humans. *International Journal of Molecular Sciences*, 14(2), 3540–3555.

- Budi, R. S. (2020). Uji komposisi zat pengatur tumbuh terhadap pertumbuhan eksplan pisang barangan (*Musa paradisiaca* L.) pada media MS secara in vitro. *BEST Journal (Biology Education, Sains and Technology)*, 3(1), 101–111.
- Chandran, H., Meena, M., Barupal, T., & Sharma, K. (2020). Plant tissue culture as a perpetual source for production of industrially important bioactive compounds. *Biotechnology Reports*, 26, e00450.
- Chen, L., Tong, J., Xiao, L., Ruan, Y., Liu, J., Zeng, M., Huang, H., Wang, J., & Xu, L. (2016). YUCCA-mediated auxin biogenesis is required for cell fate transition occurring during de novo root organogenesis in *Arabidopsis*. *Journal of Experimental Botany*, 67(14), 4273–4284.
- Correia, S., Escandón, M., Pogribna, M., & Cañal, M. J. (2019). Metabolic profiling of woody plants to understand recalcitrance to in vitro propagation: A review. *Plants*, 8(2), 55.
- Cortleven, A., Nitschke, S., Klaumünzer, M., AbdElgawad, H., Asard, H., Grimm, B., Riefler, M., & Schmülling, T. (2016). A novel protective function for cytokinin in the light stress response is mediated by the *Arabidopsis* histidine kinase 2 and histidine kinase 3 receptors. *Plant Physiology*, 170(4), 2129–2143.
- Dehgahi, R., & Joniyasa, A. (2017). Antifungal activity of various extracts of *Dendrobium sonia-28*'s protocorm-like bodies against *Fusarium proliferatum*. *Natural Product Research*, 31(22), 2683–2686.
- Deore, A. C., & Johnson, T. S. (2008). High-frequency plant regeneration from leaf-disc cultures of *Jatropha curcas* L.: An important biodiesel plant. *Plant Biotechnology Reports*, 2(1), 7–11.
- Devi, J., Kumar, R., Singh, K., Gehlot, A., Bhushan, S., & Kumar, S. (2021). In vitro adventitious roots: A non-disruptive technology for the production of phytoconstituents on the industrial scale. *Critical Reviews in Biotechnology*, 41(4), 564–579. Dhalimi, A. (2006). Permasalahan gambir (*Uncaria gambir* L.) di Sumatera Barat dan alternatif pemecahannya. *Perspektif: Review Penelitian Tanaman Industri*, 5(1), 46–59.
- Diaz-Sala, C. (2020). A perspective on adventitious root formation in tree species. *Plants*, 9(12), 1789.
- Ehsan, N., Hicks, L. M., Leach, L., & Vankova, R. (2019). The role of cytokinins in in vitro shoot organogenesis. *Journal of Experimental Botany*, 70(21), 6203–6214.
- Eoh, M. (2021). Kualitas dan kuantitas kalus pada kultur rumput benggala (*Panicum maximum*) yang diinduksi dengan kombinasi auksin dan sitokinin. *Agrinimal: Jurnal Ilmu Ternak dan Tanaman*, 9(1), 27–35.
- Espinosa-Leal, C. A., Puente-Garza, C. A., & García-Lara, S. (2018). In vitro plant tissue culture: means for production of biological active compounds. *Planta*, 248(1), 1–18.
- Estelle, M., & Weijers, D. (2009). Auxin signaling. *Annual Review of Plant Biology*,

60, 503-535.

- Faramayuda, F., Elfahmi, & Ramelan, R. S. (2016). Optimasi induksi kalus tanaman cabe jawa (*Piper retrofractum* Vahl) dengan berbagai variasi zat pengatur tumbuh. *Kartika: Jurnal Ilmiah Farmasi*, 4(2), 21–25.
- Fauzan, M., Nirmala, R., Sunaryo, W., & Pujowati, P. (2021). Induksi multiplikasi ubi kayu var. Gajah (*Manihot esculenta* Crantz) melalui kultur jaringan dengan zat pengatur tumbuh BAP dan NAA. *Jurnal Agroekoteknologi Tropika Lembab*, 3(2), 79–85.
- Febriani, Y., Riasari, H., Winingsih, W., Aulifa, D. L., & Permatasari, A. (2018). The potential use of red ginger (*Zingiber officinale* Roscoe) dregs as analgesic. *Indonesian Journal of Pharmaceutical Science and Technology*, 1(1), 57-64.
- Fendrych, M., Leung, J., & Friml, J. (2016). TIR1/AFB-Aux/IAA auxin perception mediates rapid cell wall acidification and growth of *Arabidopsis* hypocotyls. *eLife*, 5, e19048.
- Ferita, I., Warnita, W., & Prasetyo, D. (2019). *Budidaya dan pengolahan gambir (Uncaria gambir Roxb)*. Erka Publishing.
- Ferreyra, M. L. F., Rius, S. P., & Casati, P. (2012). Flavonoids: Biosynthesis, biological functions, and biotechnological applications. *Frontiers in Plant Science*, 3, 222.
- Gauchan, D. P., Dhakal, A., Sharma, N., Bhandari, S., Maskey, E., Shrestha, N., Gautam, R., Giri, S., & Gurung, S. (2014). Regenerative callus induction and biochemical analysis of *Stevia rebaudiana* Bertoni. *Journal of Advanced Laboratory Research in Biology*, 5(3), 41–45.
- Gayathri, M., Kumar, P. S., Prabha, A. L., & Muralitharan, G. (2015). In vitro regeneration of *Arachis hypogaea* L. and *Moringa oleifera* Lam. using extracellular phytohormones from *Aphanethece* sp. MBDU 515. *Algal Research*, 7, 100-105.
- Ghosh, A., Igamberdiev, A. U., & Debnath, S. C. (2018). Thidiazuron-induced somatic embryogenesis and changes of antioxidant properties in tissue cultures of half-high blueberry plants. *Scientific Reports*, 8(1), 16978.
- Ghosh, S., Chikara, S. K., Ghosh, A., & Ranade, S. A. (2021). Genome editing and its applications in plants: A comprehensive review. *Journal of Genetic Engineering and Biotechnology*, 19(1), 1-23.
- Ghosh, S., Zhao, H., & Price, G. D. (2023). Enhancing in vitro regeneration efficiency in *Populus tremula* × *alba* by modifying cytokinin receptor expression. *Plant Cell Reports*, 42(3), 521-535.
- Gladfelter, H. J., & Phillips, G. C. (1987). De novo shoot organogenesis of *Pinus eldarica* Medw. in vitro. I. Reproducible regeneration from long-term callus cultures. *Plant Cell Reports*, 6(3), 163-166. <https://doi.org/10.1007/BF00269463>
- Guan, L., Tayengwa, R., Cheng, Z. M., Peer, W. A., Murphy, A. S., & Zhao, M. (2015).

- Auxin regulates adventitious root formation in tomato cuttings. *BMC Plant Biology*, 15, 1-19.
- Guan, Y., Li, S. G., Fan, X. F., & Su, Z. X. (2023). Molecular mechanisms of de novo organogenesis in woody plants: Current understanding and future perspectives. *Frontiers in Plant Science*, 14, 1130981.
- Gunawan, E. (2016). *Perbanyakan tanaman: Cara praktis dan populer*. AgroMedia.
- Hahn, E. J., Kim, Y. S., Yu, K. W., & others. (2003). Adventitious root cultures of *Panax ginseng* C.A. Meyer and ginsenoside production through large-scale bioreactor systems. *Journal of Plant Biotechnology*, 5, 1–6
- Handayani, S., Hertiani, T., & Martono, S. (2019). Analisis metabolit sekunder dan aktivitas antioksidan ekstrak daun gambir (*Uncaria gambir* Roxb.). *Jurnal Farmasi Sains dan Komunitas*, 16(2), 75-82.
- Handayani, S., Hertiani, T., & Suranto, S. (2020). Anatomical structure and antioxidant activity of *Uncaria gambir* (Hunter) Roxb. leaves from different locations in West Sumatra, Indonesia. *Biodiversitas Journal of Biological Diversity*, 21(6), 2585-2592.
- Hesami, M., & Daneshvar, M. H. (2018). Indirect organogenesis through seedling-derived leaf segments of *Ficus religiosa*: A multipurpose woody medicinal plant. *Journal of Crop Science and Biotechnology*, 21(2), 129–136.
- Hesami, M., Naderi, R., & Tohidfar, M. (2019). Modeling and optimizing in vitro sterilization of chrysanthemum via multilayer perceptron-non-dominated sorting genetic algorithm-II (MLP-NSGAII). *Frontiers in Plant Science*, 10, 282. Ho, T. T., Lee, K. J., Lee, J. D., & others. (2017). Adventitious root culture of *Polygonum multiflorum* for phenolic compounds and its pilot-scale production in a 500 L tank. *Plant Cell, Tissue and Organ Culture*, 130, 167–181.
- Hoesen, D. S. H., Witjaksono, & Sukamto, L. (2008). Induksi kalus dan organogenesis kultur in vitro *Dendrobium lineale* Rolfe. *Berita Biologi*, 9(3), 333–341.
- Hussain, A., Qarshi, I. A., Nazir, H., Ullah, I., Rashid, M., & Shinwari, Z. K. (2019). Plant tissue culture: Current status and opportunities. In *Recent Advances in Plant in vitro Culture*. IntechOpen.
- Idris, H., & Nurmansyah. (2015). Efektifitas ekstrak etanol beberapa tanaman obat sebagai bahan baku fungisida nabati untuk mengendalikan *Colletotrichum gloeosporioides*. *Buletin Penelitian Tanaman Rempah dan Obat*, 26(2), 117-124.
- Idris, H., & Nurmansyah. (2016). Potensi ekstrak gambir, sirih-sirih dan sambiloto sebagai insektisida nabati untuk mengendalikan *Aphis schneideri* pada tanaman *Clausena anisata*. *Buletin Penelitian Tanaman Rempah dan Obat*, 7(2), 177-184.
- Ikeuchi, M., Favero, D. S., Sakamoto, Y., Iwase, A., Coleman, D., Rymen, B., & Sugimoto, K. (2019). Molecular mechanisms of plant regeneration. *Annual Review of Plant Biology*, 70, 377–406.

- Ikeuchi, M., Sugimoto, K., & Iwase, A. (2013). Plant callus: Mechanisms of induction and repression. *The Plant Cell*, 25(9), 3159–3173.
- Indah, P. N., & Ermavitalini, D. (2013). Induksi kalus daun nyamplung (*Calophyllum inophyllum* L.) pada beberapa kombinasi konsentrasi 6-BAP dan 2,4-D. *Jurnal Sains dan Teknologi Pomits*, 2(1), 2337–3520.
- Isah, T., Umar, S., Mujib, A., Sharma, M. P., Rajasekharan, P. E., Zafar, N., & Fruk, A. (2018). Secondary metabolism of pharmaceuticals in the plant in vitro cultures: Strategies, approaches, and limitations to achieving higher yield. *Plant Cell, Tissue and Organ Culture*, 132(2), 239–265.
- Jackson, R. G., Kowalczyk, M., Li, Y., & others. (2002). Over-expression of an *Arabidopsis* gene encoding a glucosyltransferase of indole-3-acetic acid: Phenotypic characterization of transgenic lines. *Plant Journal*, 32, 573–583.
- Jamwal, K., Bhattacharya, S., & Puri, S. (2017). Plant growth regulator mediated consequences of secondary metabolites in medicinal plants. *Journal of Applied Research on Medicinal and Aromatic Plants*, 9, 1–13.
- Jiang, Y., Li, Y., Lu, S., Liu, Y., Peng, J., & Zhu, L. (2019). Optimization of adventitious shoot regeneration system via callus induction in *Betula alnoides*. *Forests*, 10(12), 1099.
- Jones, M. P. A., Yi, Z., Murch, S. J., & Saxena, P. K. (2007). Thidiazuron-induced regeneration of *Echinacea purpurea* L. micropropagation in solid and liquid culture systems. *Plant Cell Reports*, 26, 13–19.
- Kaur, P., & Sandhu, J. S. (2020). Standardization of micropropagation protocol for *Ocimum basilicum* L. *Journal of Applied Biology & Biotechnology*, 8(6), 17–25.
- Kieber, J. J., & Schaller, G. E. (2018). Cytokinin signaling in plant development. *Development*, 145(4), dev149344.
- Kobayashi, K., & Masuda, T. (2020). Regulation of chlorophyll metabolism in plants. In *Photosynthesis in Plants* (pp. 131–148). Springer.
- Kothari, S. L., Joshi, A., Kachhwaha, S., & Ochoa-Alejo, N. (2010). Chilli peppers—a review on tissue culture and transgenesis. *Biotechnology Advances*, 28, 35–48.
- Kou, Y., Yuan, C., Zhao, Q., Liu, G., Nie, J., Ma, Z., ... & Yang, D. (2018). Thidiazuron triggers morphogenesis in *Rosa canina* L. protocorm-like bodies by changing incipient cell fate. *Frontiers in Plant Science*, 9, 444.
- Krishna, H., Alizadeh, M., Singh, D., Singh, U., Chauhan, N., Eftekhari, M., & Sadh, R. K. (2019). Somaclonal variations and their applications in horticultural crops improvement. *3 Biotech*, 9(12), 1–18.
- Kristina, N. (2016). Keragaman morfologi dan kadar katekin tanaman gambir berdaun merah yang tersebar pada berbagai ketinggian tempat di Sumatera Barat. *Prosidang Seminar Nasional Masyarakat Biodiversitas Indonesia*, 2, 43–48.

- Kruglova, N., Zinatullina, A., & Yegorova, N. (2023). Histological approach to the study of morphogenesis in callus cultures in vitro: A review. *Plant Biology*, 14, 533–545.
- Kumar, N., Bhatt, W. D., Mastan, S. G., & Reddy, M. P. (2018). TDZ-induced plant regeneration in *Jatropha curcas*: A promising biofuel plant. In *Thidiazuron: From urea derivative to plant growth regulator* (pp. 419–428).
- Kumari, A., Baskaran, P., & Van Staden, J. (2019). In vitro propagation and antibacterial activity in *Cotyledon orbiculata*: A valuable medicinal plant. *Plant Cell, Tissue and Organ Culture*, 137(3), 443-454.
- Laboratories, P. (2007). *Product information sheet Murashige & Skoog (MS) basal medium w/ vitamins*.
- Lakehal, A., Chaabouni, S., Cavel, E., Le Hir, R., Ranjan, A., Raneshan, Z., Novák, O., Păcurar, D. I., Perrone, I., Jobert, F., Gutierrez, L., Bako, L., & Bellini, C. (2020). A molecular framework for the control of adventitious rooting by TIR1/AFB2-Aux/IAA-dependent auxin signaling in *Arabidopsis*. *Molecular Plant*, 13(11), 1560-1576.
- Lee, S. K., & Rao, A. N. (1986). In vitro regeneration of plantlets in *Fagraea fragrans Roxb.* - a tropical tree. *Plant Cell, Tissue and Organ Culture*, 7, 43–51.
- Li, Q., Deng, M., Zhang, J., Zhao, W., Song, Y., Li, Q., & Huang, Q. (2018). Shoot organogenesis and plant regeneration from leaf explants of *Lysionotus serratus* D. Don. *Scientific Reports*, 8(1), 1–7.
- Liang, T., Shi, C., Peng, Y., Tan, H., Xin, P., Yang, Y., Wang, Q., Tong, C., Li, Y., Huang, J., & Li, L. (2020). Brassinosteroid-activated BRI1-EMS-SUPPRESSOR 1 inhibits flavonoid biosynthesis and coordinates growth and UV-B stress responses in plants. *Plant Cell*, 32(10), 3224–3239.
- Liang, Y., Chen, Y., Zhao, Y., Zhang, Y., Yang, S., Zhou, Y., & Wang, X. (2021). Overexpression of *OsARP6* increases heat tolerance in rice by modulating histone modification. *Plant Biotechnology Journal*, 19(7), 1388–1401.
- Ling, Q., Huang, W., & Jarvis, P. (2018). Integration of chloroplast-nuclear communication and regulation into plant systems biology. *Plant Signaling & Behavior*, 13(3), e1428551.
- Liscum, E., & Reed, J. W. (2002). Genetics of Aux/IAA and ARF action in plant growth and development. *Plant Molecular Biology*, 49, 387–400.
- Liu, H., Wang, Y., Wang, S., & Li, H. (2021). Transcriptome profiling reveals the molecular mechanisms of in vitro shoot organogenesis in *Eucalyptus grandis*. *BMC Plant Biology*, 21(1), 1-15.
- Liu, J., Sheng, L., Xu, Y., Li, J., Yang, Z., Huang, H., & Xu, L. (2014). WOX11 and 12 are involved in the first-step cell fate transition during de novo root organogenesis in *Arabidopsis*. *The Plant Cell*, 26, 1081–1093.

- Liu, X., Hegeman, A. D., Gardner, G., & Cohen, J. D. (2020). Protocol: High-throughput and quantitative assays of auxin and auxin precursors from minute tissue samples. *Plant Methods*, 16(1), 1–15.
- Long, Y., Yang, Y., Pan, G., & Shen, Y. (2022). New insights into tissue culture plant-regeneration mechanisms. *Frontiers in Plant Science*, 13(June).
- Loyola-Vargas, V. M., & Ochoa-Alejo, N. (2018). An introduction to plant tissue culture: Advances and perspectives. In *Plant cell culture protocols* (pp. 3-13). Humana Press.
- Lu, Y., Liu, Z., Lyu, M., Yuan, Y., & Wu, B. (2019). Characterization of JsWOX1 and JsWOX4 during callus and root induction in the shrub species Jasminum sambac. *Plants*, 8(79), 1–13.
- Lutfiah, A., & Habibah, N. A. (2022). Pengaruh pemberian elisitor ekstrak khamir pada pertumbuhan kultur kalus gembili dengan penambahan ZPT 2,4-D dan kinetin. *Indonesian Journal of Mathematics and Natural Sciences*, 45(2), 77–83.
- Mack, A. (2016). Separation of 10 green tea components on an Agilent InfinityLab Poroshell 120 EC-C18, 1.9 μ m column application note author.
- Mackinney, G. (1941). Absorption of light by chlorophyll. *Journal of Biological Chemistry*, 140(2), 315–322.
- Magyar-Tabori, K., Debranszki, J., Teixeira da Silva, J. A., Bulley, S. M., & Hudak, I. (2010). The role of cytokinins in shoot organogenesis in apple. *Plant Cell, Tissue and Organ Culture*, 101(3), 251–267.
- Maharani, R., Fathoni, A., & Sabri, E. (2019). *Uncaria gambir* Roxb: A potential plant as a source of natural antioxidants. *IOP Conference Series: Earth and Environmental Science*, 391(1), 012021.
- Mahmoud, L. M., Dutt, M., Shalan, A. M., El-Kady, M. E., El-Boray, M. S., Shabana, Y. M., & Grosser, J. W. (2020). Silicon nanoparticles mitigate oxidative stress of in vitro-derived banana (*Musa acuminata* 'Grand Nain') under simulated water deficit or salinity stress. *South African Journal of Botany*, 132, 155-163.
- Mahmud, S. (2021). *Induksi tunas dari eksplan tanaman gambir (*Uncaria gambir* (Hunter) Roxb) pada beberapa konsentrasi BAP secara in vitro* [Universitas Andalas].
- Mashud, N. (2013). Efek zat pengatur tumbuh BAP terhadap pertumbuhan planlet kelapa genjah kopyor dari kecambah yang dibelah. *B. Palma*, 12(2).
- Mastuti, R. (2017). *Dasar-dasar kultur jaringan tumbuhan*. UB Press.
- Méndez-Hernández, H. A., Ledezma-Rodríguez, M., Avilez-Montalvo, R. N., Juárez-Gómez, Y. L., Skeete, A., Avilez-Montalvo, J., ... & Loyola-Vargas, V. M. (2019). Signaling overview of plant somatic embryogenesis. *Frontiers in Plant Science*, 10, 77.

- Meng, L. W., Xie, X. L., Guo, L., Zhang, R. H., & Jiang, L. X. (2019). Exogenous auxin regulates multi-hormonal signal network and improves adventitious root formation in stem cuttings of *Catalpa bungei*. *Forests*, 10(8), 662.
- Mhasa, Q., Steyn, J. M., & Everson, C. S. (2020). Interaction of water stress and gibberellic acid on biomass and essential oil production of rose-scented geranium (*Pelargonium* spp.). *South African Journal of Botany*, 134, 235–244.
- Mohammadi, M., Moieni, A., & Hiraga, S. (2019). Genetic transformation of *Stevia* (*Stevia rebaudiana* Bertoni) and the analysis of putative transformants. *Scientia Horticulturae*, 249, 168–176.
- Mok, M. C., Mok, D. W. S., Armstrong, D. J., Shudo, K., Isogai, Y., & Okamoto, T. (1982). Cytokinin activity of N-phenyl-N'-1, 2,3-thiadiazol-5-ylurea (thidiazuron). *Phytochemistry*, 21(7), 1509–1511.
- Montalbán, I. A., De Diego, N., & Moncaleán, P. (2021). Enhancing initiation and proliferation in radiata pine (*Pinus radiata* D. Don) somatic embryogenesis through seed family screening, zygotic embryo staging and media adjustments. *Acta Physiologiae Plantarum*, 32(4), 1127-1136.
- Mphahlele, M. M., Makunga, N. P., Moyo, M., & Aremu, A. O. (2020). Insights into the metabolic dynamics during adventitious rooting of *Eucalyptus grandis*: An integrated metabolomics and transcriptomics approach. *Plant and Cell Physiology*, 61(7), 1267-1281.
- Naaz, A., Hussain, S. A., Anis, M., & Alatar, A. A. (2019). Meta-topolin improved micropropagation in *Syzygium cumini* and acclimatization to ex vitro conditions. *Biologia Plantarum*, 63(2), 174-182.
- Naaz, A., Shahzad, A., & Anis, M. (2019). Effect of exogenous phytohormones on growth and development of shoot regeneration and their analysis in improved cultivation of *Syzygium cumini*. *Physiology and Molecular Biology of Plants*, 25(2), 535-545.
- Nabavi, S. M., Šamec, D., Tomczyk, M., Milella, L., Russo, D., Habtemariam, S., & Nabavi, S. F. (2018). Flavonoid biosynthetic pathways in plants: Versatile targets for metabolic engineering. *Biotechnology Advances*, 36(8), 1915–1936.
- Nadafzadeh, M., Abdanan Mehdizadeh, S., & Soltanikazemi, M. (2018). Development of a computer vision system to predict peroxidase and polyphenol oxidase enzymes to evaluate the process of banana peel browning using genetic programming modeling. *Scientia Horticulturae*, 231, 201–209.
- Naik, S. K., Mishra, S., & Chand, P. K. (2022). Effect of photoperiod on indirect organogenesis in *Tectona grandis* L.f.: Implications for commercial micropropagation. *Journal of Forestry Research*, 33(1), 281-291.
- Nasrul, W., Zulmardi, & Indrayani, T. I. (2019). *Kinerja kelembagaan pasar gambir (Uncaria gambir Roxb)*. CV. Insan Cendekia Mandiri.

- Nic-Can, G. I., Galaz-Ávalos, R. M., De-la-Peña, C., & Loyola-Vargas, V. M. (2021). The role of auxins in somatic embryogenesis. In *Somatic Embryogenesis: Fundamental Aspects and Applications* (pp. 213-230). Springer, Cham.
- Noli, Z. A., Nur, F., & Suwirmen. (2024). Optimizing the effects of auxin and cytokinin combinations on shoot and root induction of *Dendrobium mussauense*. *Jurnal Biologi Tropis*, 24(2), 51–57.
- Noviarini, W., & Ermavitalini, D. (2015). Analisa kerusakan jaringan akar lamun *Thalassia hemprichii* yang terpapar logam berat kadmium (Cd). *Jurnal Sains Dan Seni ITS*, 4(2), 2–5.
- Nulfitriani, Basri, Z., & Suwastika, I. N. (2017). Induksi kalus dan inisiasi tunas bawang merah (*Allium ascalonicum* L.) lokal Palu. *Mitra Sains*, 5(2), 11–18.
- Nurchasanah, S., Noor, F., Ulinnuha, Z., & Januarso. (2022). Pengaruh konsentrasi NAA dan BAP terhadap pertumbuhan tunas kentang varietas Tedjo MZ secara in vitro. *Journal of Applied Agricultural Sciences*, 4(2), 69–74.
- Ochoa-Villarreal, M., Howat, S., Hong, S., Jang, M. O., Jin, Y. W., Lee, E. K., & Loake, G. J. (2016). Plant cell culture strategies for the production of natural products. *BMB Reports*, 49(3), 149–158.
- Ozudogru, E. A., Benelli, C., Dradi, G., & Lambardi, M. (2017). Effect of culture container and carbohydrate content on in vitro slow growth storage of the cherry rootstock *Gisela®5*. *Acta Physiologiae Plantarum*, 39(1), 94.
- Pakum, W., Inmano, O., & Kongbangkerd, A. (2021). TDZ and 2,4-D on in vitro propagation of panda plant from leaf explants. *Ornamental Horticulture*, 27(1), 41–48.
- Patel, S., Jasrai, Y. T., & Adiyecha, R. (2021). Micropropagation of teak (*Tectona grandis* L.): The effect of different plant growth regulators and culture conditions. *Biologia*, 76(1), 375–387.
- Perianez-Rodriguez, J., Rodriguez, M., Marconi, M., Bustillo-Avendaño, E., Wachsman, G., Sanchez-Corriónero, A., De Gernier, H., Cabrera, J., Perez-Garcia, P., Gude, I., & et al. (2021). An auxin-regulable oscillatory circuit drives the root clock in *Arabidopsis*. *Science Advances*, 7(8), eabf8371.
- Phillips, G. C., & Garda, M. (2019). Plant tissue culture media and practices: An overview. *In Vitro Cellular & Developmental Biology - Plant*, 55(3), 242–257.
- Piotrowska-Niczyporuk, A., & Bajguz, A. (2014). The effect of natural and synthetic auxins on the growth, metabolite content, and antioxidant response of green alga *Chlorella vulgaris* (Trebouxiophyceae). *Plant Growth Regulation*, 73, 57–66.
- Pourebad, N., Motafakkerazad, R., Kosari-Nasab, M., Akhtar, N. F., & Movafeghi, A. (2015). The influence of TDZ concentrations on in vitro growth and production of secondary metabolites by the shoot and callus culture of *Lallemantia iberica*. *Plant Cell, Tissue and Organ Culture*.

- Prashariska, K., Pitoyo, A., & Solichatun. (2021). Pengaruh indole-3-acetic acid (IAA) dan benzyl amino purine (BAP) terhadap induksi dan deteksi alkaloid kalus kamilen (*Matricaria chamomilla* L.). *Jurnal Inovasi Pertanian*, 23(2), 104–114.
- Puslitbangbun. (2007). *Varietas unggul tanaman perkebunan*. Pusat Penelitian dan Pengembangan Perkebunan.
- Putra, R. R., & Shofi, M. (2015). Pengaruh hormon naphtalene acetic acid terhadap inisiasi akar tanaman kangkung air (*Ipomoea aquatica* Forssk.). *Jurnal Wiyata*, 2(2), 108–113.
- Rahardja, P. C., & Wiryanta, W. (2003). *Aneka cara memperbanyak tanaman*. Agromedia Pustaka.
- Rahayu, T., Pratiwi, R. I. A., & Mubarakati, N. J. (2021). Profil metabolit daun kesambi (*Schleichera oleosa*) berdasarkan analisis histokimia dan *in silico*. *Metamorfosa: Journal of Biological Sciences*, 8(1), 156–165.
- Rahmawati, N., & Handayani, S. (2019). Studi anatomi daun beberapa jenis tumbuhan obat suku Rubiaceae. *Jurnal Biologi Universitas Andalas*, 7(2), 143-150.
- Rahmawati, N., & Hayati, R. (2021). Karakteristik morfologi, anatomi, dan fisiologi tanaman gambir (*Uncaria gambir* Roxb.) pada berbagai ketinggian tempat. *Jurnal Agronomi Indonesia*, 49(1), 92-99.
- Rai, M. K., Shekhawat, N. S., Gupta, A. K., Phulwaria, M., Ram, K., & Jaiswal, U. (2021). The role of abscisic acid in plant tissue culture: A review of recent progress. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 145(2), 259-275.
- Rai, R. (2007). Genetics and plant breeding: Introduction to plant biotechnology. Retrieved from <http://nsdl.niscair.res.in/jspui/bitstream/123456789/668/1/revised%20introduction%20to%20plant%20biotechnology.pdf>
- Ramirez, M. D. A., & Silva, R. F. Da. (2018). Morpho-anatomical characterization of secondary somatic embryogenesis in *Azadirachta indica* (Meliaceae). *Acta Botanica Mexicana*, 122, 7–20. <https://doi.org/10.21829/abm122.2018.1242>
- Rauf, A., Rahmawaty, R., & Siregar, A. Z. (2018). The effect of precursor addition on catechin content of gambier (*Uncaria gambir* Roxb.) callus culture. *IOP Conference Series: Earth and Environmental Science*, 122(1), 012035.
- Rebilas, K., & Rebilas, A. (2008). Auxin concentration control of the average DNA content in cells of in vitro cultures: A theoretical model and comparison to experimental data for *Allium cepa* and *Allium sativum*. *Plant Cell, Tissue and Organ Culture*, 95, 89–99.
- Saad, M. F. M., Goh, H.-H., Rajikan, R., Yusof, T. R. T., Baharum, S. N., & Bunawan, H. (2020). *Uncaria gambir* (W. Hunter) Roxb: From phytochemical composition to pharmacological importance. *Tropical Journal of Pharmaceutical Research*, 19(8), 1767–1773.

- San José, M. C., Cernadas, M. J., Corredoira, E., & Martínez, M. T. (2021). Proteomic analysis of shoot development in *Quercus suber* somatic embryos. *International Journal of Molecular Sciences*, 22(3), 1077.
- Sari, D. I., Suwirmen, & Nasir, N. (2015). Pengaruh konsentrasi thidiazuron (TDZ) dan arang aktif pada sub kultur tunas pisang kepok hijau (*Musa paradisiaca* L.). *Jurnal of Natural Science*, 4(3), 280–289.
- Sari, N., R, E. S., & Sumadi. (2014). Optimasi jenis dan konsentrasi ZPT dalam induksi kalus embriogenik dan regenerasi menjadi planlet pada *Carica pubescens* (Lenne & K. Koch). *Biosaintifika: Journal of Biology & Biology Education*, 6(1), 51–59.
- Sarmast, M. K. (2018). Genetic transformation and somaclonal variation in conifers. *Plant Biotechnology Reports*, 12(3), 309-325.
- Schaller, G. E., Street, I. H., & Kieber, J. J. (2018). Cytokinin and the cell cycle. *Current Opinion in Plant Biology*, 21, 7-15.
- Seldimirova, O. A., Kudoyarova, G. R., Kruglova, N. N., Zaytsev, D. Y., & Veselov, S. Y. (2016). Changes in distribution of zeatin and indole-3-acetic acid in cells during callus induction and organogenesis in vitro in immature embryo culture of wheat. *In Vitro Cellular & Developmental Biology-Plant*, 52, 251–264.
- Shahzad, A., Ahmad, N., Rather, M. A., Husain, M. K., & Anis, M. (2017). Improved shoot regeneration system through leaf derived callus in *Musa acuminata* cv. Dwarf Cavendish. *Physiology and Molecular Biology of Plants*, 23(2), 365-374.
- Shang, A. Q., Shu, X. L., Chen, J. J., Zhou, Y., Qin, Y., Wang, Y. Z., & Gao, Z. H. (2017). Phenolic compounds in plant tissue culture: Applications and potential risks. *Critical Reviews in Plant Sciences*, 36(5-6), 361–392.
- Sharan, M., Dhumale, D., & Sharon, M. (2021). Improvisation of temporary immersion system for large-scale micropropagation of banana. *Scientia Horticulturae*, 275, 109712.
- Sharma, N., Sharma, B., & Kaur, M. (2018). Efficient micropropagation and assessment of genetic fidelity of in vitro raised plants of *Crataeva nurvala* Buch. Ham.–an important medicinal tree. *Physiology and Molecular Biology of Plants*, 24(4), 753–762.
- Shofiyani, A., Purnawanto, A. M., & Carmelita, V. (2021). Respon kalus kencur (*Kaempferia galanga* L.) terhadap cekaman kekeringan dengan perlakuan polyethylene glycol 6000 dan naphthalene acetic acid. *Agritech*, 23(2), 137–143.
- Siddiqui, Z. H., Hussain, R. A., Javed, S. B., Alyemeni, M. N., & Ahmad, P. (2019). In vitro callus induction and biomass accumulation in *Withania somnifera* (L.) Dunal as influenced by different plant growth regulators. *Biocatalysis and Agricultural Biotechnology*, 20, 101234.
- Sion, R., Agustiansyah, & Timotiwu, P. B. (2024). Pengaruh nutripriming pada benih dengan zinc (Zn) terhadap pertumbuhan vegetatif tanaman jagung ungu hibrida.

Jurnal Agrotek Tropika, 12(1), 189–197.

- Srinivasan, M., Nachiappan, V., & Rajasekharan, R. (2006). Potential application of urea-derived herbicides as cytokinins in plant tissue culture. *Journal of Biosciences*, 31(5), 599–605.
- Staswick, P. E. (2009). The tryptophan conjugates of jasmonic and indole-3-acetic acids are endogenous auxin inhibitors. *Plant Physiology*, 150(3), 1310–1321.
- Su, Y., Liu, Y., & Zhang, X. (2011). Auxin–cytokinin interaction regulates meristem development. *Molecular Plant*, 4(4), 616–625.
- Sugiyama, M. (2015). Historical review of research on plant cell dedifferentiation. *Journal of Plant Research*, 128(3), 349–359.
- Suhatri, S., Rusdi, R., & Sugesti, R. (2020). Efek ekstrak etanol gambir (*Uncaria gambir* Roxb.) terhadap kadar glukosa darah mencit putih jantan yang diinduksi aloksan. *Jurnal Farmasi Higea*, 12(1), 66–76. Sutini, W., Widiurjani, N. A., Guniarti, P. D. H., Purwanto, D. A., & Muslihatin, W. (2020). In vitro culture technology for the production of secondary metabolites and the development of plants that are resistant to climate change. *NST Proceedings*, 2020, 30–36.
- Tahir, M. M., Mao, J., Li, S., Li, K., Liu, Y., Shao, Y., Zhang, D., & Zhang, X. (2022). Insights into factors controlling adventitious root formation in apples. *Horticulturae*, 8(276), 1–19. <https://doi.org/10.3390/horticulturae8040276>
- Taiz, L., & Zeiger, E. (2010). *Plant physiology* (5th ed.). Sunderland, MA: Sinauer Associates.
- Taji, A., Kumar Prakash, P., & Lakshmanan, P. (2005). In vitro plant breeding. In *Food product press* (Vol. 165, Issue 1).
- Teshome, Y., & Leweye, A. (2020). A review on perennial fruit seed production potential enhancement by using apomixes. *International Journal of Horticulture, Agriculture and Food Science*, 4(3), 81–90.
- Testillano, P. S. (2019). Microspore embryogenesis: Targeting the determinant factors of stress-induced cell reprogramming for crop improvement. *Journal of Experimental Botany*, 70(11), 2965–2978.
- Thakur, S., & Kanwar, K. (2018). Recent advances in elicitation strategies for high-value plant bioactive compounds. *Journal of Genetic Engineering and Biotechnology*, 16(2), 563–573.
- Roxb.) di Kebun Pakuwon. *Sirinov*, 1(2), 83–88.
- Utomo, A. T. G., Zainal, A., & Yusniwati. (2024). Induksi kalus tanaman gambir (*Uncaria gambir* (Hunter) Roxb.) pada beberapa konsentrasi 2,4-D secara in vitro. *Agroteknika*, 7(2), 164–174.
- van Staden, J., Zazimalova, E., & George, E. F. (2008). Plant growth regulators. II. Cytokinins, their analogues and antagonists. In E. F. George, M. A. Hall, & G. J.

- de Klerk (Eds.), *Plant propagation by tissue culture: Volume 1: The background* (pp. 205–226). Springer.
- Vatankhah, E., Niknam, V., & Ebrahimzadeh, H. (2013). Histological and biochemical parameters of *Crocus sativus* during in vitro root and shoot organogenesis. *Biologia Plantarum*, 58(2), 201–208.
- Vondráková, Z., Eliášová, K., Vágner, M., & Martincová, O. (2022). Abscisic acid and strigolactones in somatic embryogenesis of conifers. *Plants*, 11(3), 416.
- Wang, M., Mao, Y., Lu, Y., Tao, X., & Zhu, J. K. (2018). Multiplex gene editing in rice using the CRISPR-Cpf1 system. *Molecular Plant*, 11(1), 99–102.
- Wang, P., & Grimm, B. (2021). Connecting chlorophyll metabolism with accumulation of the photosynthetic apparatus. *Trends in Plant Science*, 26(5), 484–495.
- Wang, Y., Gao, Y., Zhu, Y. X., & Wang, H. (2022). CRISPR/Cas9-mediated targeted mutagenesis of PtoMYB156 enhances adventitious root formation in *Populus tomentosa*. *Frontiers in Plant Science*, 13, 841324.
- Wani, S. H., Kumar, V., Shriram, V., & Sah, S. K. (2018). Phytohormones and their metabolic engineering for abiotic stress tolerance in crop plants. *The Crop Journal*, 6(2), 176–193.
- Warseno, T., & Putri, D. M. S. (2019). Multiplikasi tunas dan induksi perakaran pada perbanyakan *Rhododendron radians* (Ericaceae) secara in vitro. *Jurnal Hortikultura*, 28(1), 51–58.
- Werner, T., Motyka, V., Laucou, V., Smets, R., Van Onckelen, H., & Schmülling, T. (2003). Cytokinin-deficient transgenic *Arabidopsis* plants show multiple developmental alterations indicating opposite functions of cytokinins in the regulation of shoot and root meristem activity. *The Plant Cell*, 15(11), 2532–2550.
- Werner, T., Motyka, V., Strnad, M., & Schmülling, T. (2001). Regulation of plant growth by cytokinin. *Proceedings of the National Academy of Sciences*, 98(18), 10487–10492.
- Widyawati, G., Solichatun, & Marliyana, S. D. (2006). Pengaruh variasi konsentrasi asam naftalen asetat (NAA) terhadap pertumbuhan dan kandungan minyak atsiri kalus melati (*Jasminum sambac* (L.) Ait.). *Biofarmasi*, 4(2), 41–44.
- Wu, Y., Liu, H., Wang, Q., & Zhang, G. (2021). Roles of cytokinins in root growth and abiotic stress response of *Arabidopsis thaliana*. *Plant Growth Regulation*, 94, 151–160.
- Xie, D., & Hong, Y. (2001). In vitro regeneration of *Acacia mangium* via organogenesis. *Plant Cell, Tissue and Organ Culture*, 55, 167–173.
- Xu, C. J., Zeng, B. Y., Huang, J., Huang, W., & Liu, Y. M. (2015). Genome-wide transcriptome and expression profile analysis of *Phalaenopsis* during explant browning. *PLOS ONE*, 10(4), e0123732.
- Xu, L. (2018). De novo root regeneration from leaf explants: Wounding, auxin, and

- cell fate transition. *Plant Biology*, 41, 39–45.
- Xu, X., Shi, H., Liu, Y., & Wang, J. (2020). Integration of exogenous NAA application and endogenous IAA content in regulating adventitious root formation in *Populus euphratica*. *Journal of Plant Growth Regulation*, 39(1), 290-304.
- Xu, Z., Zhang, C., Zhang, X., Liu, C., Wu, Z., Yang, Z., & Huang, X. (2020). Transcriptome profiling reveals auxin and cytokinin regulating somatic embryogenesis in different sister lines of cotton cultivar CCRI24. *Journal of Integrative Plant Biology*, 62(5), 631-660.
- Yaronskaya, E., Vershilovskaya, I., Poers, Y., Alawady, A. E., Averina, N., & Grimm, B. (2006). Cytokinin effects on tetrapyrrole biosynthesis and photosynthetic activity in barley seedlings. *Planta*, 224, 700–709.
- Yeni, G., Syamsu, K., Suparno, O., Mardliyati, E., & Muchtar, H. (2017). Repeated extraction process of raw gambier (*Uncaria gambir* Roxb.) for the production of gambier extract as an anti-oxidant active compound. *Jurnal Litbang Industri*, 7(1), 1-10.
- Yu, J., Liu, W., Liu, J., Qin, P., & Xu, L. (2017). Auxin control of root organogenesis from callus in tissue culture. *Frontiers in Plant Science*, 8, Article 1385.
- Yunarto, N., Calvin, C. C., Sulistyowati, I., Oktoberia, I. S., Reswandaru, U. N., Elya, B., & Mihardja, L. K. (2023). Development and validation of a high-performance liquid chromatography-based method for catechin isolated from the leaves of gambier (*Uncaria gambir* Roxb). *Tropical Journal of Natural Product Research*, 7(3), 2569–2573.
- Yusniwati. (2009). *Studi regenerasi beberapa genotipe cabai (Capsicum annuum L.) untuk rekayasa genetika* [Study on the regeneration of several chili genotypes (*Capsicum annuum* L.) for genetic engineering]. [Unpublished manuscript].
- Zainal, A., & Kasim, M. (2021). Aplikasi thidiazuron secara in vitro terhadap multiplikasi tunas gambir (*Uncaria gambir* (Hunter) Roxb). In *Komisi Nasional Sumber Daya Genetik "Peran Bioteknologi Dan SDG Dalam Mendukung Pertanian Maju, Mandiri, Dan Modern"* (pp. 555–568).
- Zainal, A., Anwar, A., & Lopita, S. (2020). Identification of gambier plant (*Uncaria gambir* (Hunter) Roxb) pollination system. *IOP Conference Series: Earth and Environmental Science*, 497.
- Zainal, A., Anwar, A., Gustian, Fitriawati, & Yunita, R. (2023). The effects of several concentrations of BAP and sources of explants on gambier shoot induction (*Uncaria gambier* (Hunter) Roxb). *IOP Conference Series: Earth and Environmental Science*, 1160.
- Zainal, A., Ferita, I., Gustian, & Warnita. (2022). Kajian karakterisasi terkait potensi kadar katekin pada tanaman gambir (*Uncaria gambir* (Hunt Roxb)). *Media Sains Indonesia*.

- Zainal, A., Monaliatrisna, Kasim, M., Gustian, Warnita, & Yunita, R. (2023). Seed physiological quality testing of gambir (*Uncaria gambir* Roxb.) at various ages of harvest. *Agricultural Science Digest*, 43(5), 604–609.
- Zhang, J., Gai, M. Z., Li, X. Y., Li, T. L., & Sun, H. M. (2016). Somatic embryogenesis and direct as well as indirect organogenesis in *Lilium pumilum* DC. Fisch., an endangered ornamental and medicinal plant. *Bioscience, Biotechnology, and Biochemistry*, 80(10), 1898–1906.
- Zhang, Y., Wu, Y., Li, Y., & Han, J. (2018). A two-phase culture system for efficient in vitro plant regeneration from leaf explants of *Catalpa bungei*. *Plant Methods*, 14(1), 1-10.
- Zhao, S., Wang, H., Liu, K., Li, L., Yang, J., An, X., Li, P., Yun, L., & Zhang, Z. (2021). The role of JrPPOs in the browning of walnut explants. *BMC Plant Biology*, 21(1), 9. <https://doi.org/10.1186/s12870-021-02772-4>
- Zhao, Y. (2010). Auxin biosynthesis and its role in plant development. *Annual Review of Plant Biology*, 61, 49–64.
- Zhou, H., Li, M., Zhao, X., Fan, X., & Guo, A. (2010). Plant regeneration from in vitro leaves of the peach rootstock ‘Nemaguard’ (*Prunus persica* x *P. davidiana*). *Plant Cell, Tissue and Organ Culture*, 101, 79–87.
- Zhu, X., Li, S., Pan, H., Wang, Y., & Chen, R. (2020). Epigenetic regulation of organ regeneration in higher plants. *The FEBS Journal*, 287(9), 1772–1784.
- Ziraluo, Y. P. B. (2021). Metode perbanyakan tanaman ubi jalar ungu (*Ipomoea batatas* Poiret) dengan teknik kultur jaringan atau stek planlet. *Jurnal Inovasi Pertanian*, 2(3), 1037–1046.