

DAFTAR PUSTAKA

- [AOAC] Association of Official Analytical Chemistry. (2005). Official Methods of Analysis of AOAC International, 19th ed, USA.
- Alencar NLM., Innecco R., Gomes-Filho E., Gallão MI., Alvarez-Pizarro JC., Prisco JT., & de Oliveira AB. (2012). Seed reserve composition and mobilization during germination and early seedling establishment of *Cereus jamacaru* D.C. ssp. *jamacaru* (Cactaceae). *Anais da Academia Brasileira de Ciências* 84 (3): 823-832.
- Andarwulan., Kusnandar, F., & Herawati, D. (2011). Analisis Pangan. Jakarta: Dian Rakyat
- Apriyantono, A., D. Fardiaz., N. L. Puspitasari., Sedarnawati & S. Budiyanto. (1989). *Analisis Pangan*. IPB Press. Bogor
- Borek S., Pukacka S., Michalski K., & Ratajczak L. (2009). *Lipid and protein accumulation in developing seeds of three lupine species: Lupinus luteus L., Lupinus albus L., and Lupinus mutabilis Sweet*. *J Exp Bot* 60 (12): 3453-3466.
- Borek S., Ratajczak W., & Ratajczak L. (2015). *Regulation of Storage Lipid Metabolism in Developing and Germinating Lupin Lupinus spp. Seeds*. *Acta Physiol Plant* 37: 119.
- Chalker, F. C. (1989). *Macadamia Cultural and Financial Aspect*. Yearbook California Macadamia Society.
- Copeland, L. O. & M. B. Medonald. (2001). *Principles of Seed Science and Technology*, 4th Edition. London: Kluwer Academic Publishers. 467p.
- D.C. ssp. *jamacaru* (Cactaceae). *Anais da Academia Brasileira de Ciências*.
- deMan, M John. (1997). *Kimia Makanan*. Bandung : ITB
- Diniz, G. S., Barbarino, E., Neto, J. O., Pacheco, S., & Lourenco, S. O. (2013). *Gross Cheical Profile and Calculation of Nitrogen to Protein Conversion Factors For Nine Species of Fishes From Coast Waters of Brazil*. *J.Aquat.R.*, 41, (2), 254-264. *during germination and early seedling establishment of Cereus jamacaru*
- [Dittjenbun] Direktorat Jenderal Perkebunan. (2006). *Pedoman Budidaya Makadamia (Macadamia integrifolia)*. Direktorat Budidaya Tanaman Tahunan Dirjen Perkebunan.

- Ensminger, Audrey. (1994). *Foods and Nutrition Encyclopedia Volume 1 2 nd Edition*, CRC Press LLC, Boca Raton.
- Feringo, T. (2019). Analisis Kadar Air, Kadar Abu, Kadar Abu Tak Larut Asam dan Kadar Lemak pada Makanan Ringan di Balai Riset dan Standarisasi Industri Medan. Universitas Sumatera Utara.
- Guangkun, Y., S. Hongmei, X. Xin, Q. Guozhing, L. Zhing, & X. Jing. (2009). Mitochondrial damage in the soybean seed axis during imbibitions at chilling temperatures. *Plant Cell Physiol.* 50:1305-1318.
- Handayani. (2015). Analisis Kualitas Kimia Susu Pasteurisasi dengan Penambahan Sari Buah Sirsak. Fakultas Peternakan. Universitas Hasanuddin. Makassar. Skripsi. Diakses pada tanggal 25 Juni 2018.
- Hasanah, M. (1994). Perkembangan penelitian benih makadamia. *Keluarga Benih.* (1):48-56.
- Hasanah, M., Sukarman, Rusmin, D., Marwati, T., & Noveriza, R. (2000). Perlakuan benih untuk meningkatkan viabilitas benih makadamia. *Laporan Teknis. Balai Penelitian Tanaman Rempah dan Obat.* Hal 15.
- Hor, Y. L., H. F. Chin, & M.Z. Karim. (1984). The Effect Of Seed Moisture And Storage Temperature on The Storability of Cocoa (*Theobroma cacao*) seeds. *Seed Science and Technology (Suiza) v. 12 (2):*/1415-420.
- Justice and Bass. (2002). *Prinsip dan Praktek Penyimpanan Benih* (Terjemahan R. Roesli). Raja Grafindo Persada. Jakarta. 446 hlm.
- Justice, OL & Bass L. N. (1990). *Prinsip Praktek Penyimpanan Benih*. Rajawali Press. Jakarta. 446 hal.
- Kartono (2004). Teknik penyimpanan benih kedelai varietas wilis pada kadar air dan suhu penyimpanan yang berbeda. *Buletin Teknik Pertanian*, 9 (2), 79-82.
- Kusumaningrum, A. A., & Widayati, R. I. (2017). *Efektivitas Macadamia Oil 10% dalam Pelembab pada Kulit Kering*. Doctoral dissertation, Faculty
- Kuswanto, H. (2003). *Teknologi Pemrosesan, Pengemasan, dan Penyimpanan Benih*. Kanisius. Yogyakarta.
- Li W., Gao Y., Xu H., Zhang Y., & Wang J. (2012). *A proteomic analysis of seed development in Brassica campestris L.* PLoS ONE 7 (11): e50290. DOI:10.1371/journal.pone.0050290.
- Lisa., Maya., Mustofa L, & Bambang S. (2015). Pengaruh Suhu dan Lama Pengeringan terhadap Mutu Tepung Jamur Tiram Putih (*Plaeotus*

ostreatus). *Jurnal THPi Student*, (on line), vol. 3, nomor 3, (<http://jkptb.uib.ac.id>, diakses 15 Desember 2016).

- Magomya, A. M., Kubmarawa, D., Ndahi, J. A., & Yebpella, G. G. (2014). Determination of plant proteins via the kjeldahl method and amino acid analysis: a comparative study. *International Journal of Science & Technology Research* 3(4), 68-72.
- Maguire, L. S., S.M. O'sullivan, K. Galvin, T.P. O'connor, dan N.M. O'brien. (2004). Fatty acid profile, tocopherol, squalene and phytosterol content of walnuts, almonds, peanuts, hazelnuts and the Macadamia nut. *International journal of food sciences and nutrition*. 55(3) : 171-178.
- Mandal S., & Mandal R. K. (2000). *Seed storage proteins and approaches for improvement of their nutritional quality by genetic engineering*. *Current Sci* 79 (5): 576-589.
- Mast, A. R., C. L. Willis, E. H. Jones, K. M. Downs, & P. H. Weston. (2008). A smaller Macadamia from a more vagile tribe: inference of phylogenetic relationships, divergence times, and diaspora evolution in Macadamia and relatives (tribe Macadamieae; Proteaceae). *Journal of Botany*, 95(7), 843-870.
- Mello JIO., Barbedo CJ., Salatino A., & Figueiredo-Ribeiro RCL. (2010). *Reserve carbohydrates and lipids from the seeds of four tropical tree species with different sensitivity to desiccation*. *Braz Arch Biol Technol* 53 (4): 889899.
- Meyer K., Stecca KL., Ewell-Hicks K., Allen SM., & Everard JD. (2012). *Oil and protein accumulation in developing seeds is influenced by the expression of a cytosolic. pyrophosphatase in arabidopsis*. *Plant Physiol* 159: 12211234.
- Molnar, I. (1966). *A manual of Australia Agriculture*. 2nd. Edn Heinemann. P 293.
- Musfiroh, I., Indriyati, W., Muchtaridi dan Setiya, Y. (2016). Analisis Proksimat dan Penetapan Kadar β -Karoten dalam Selai Lembaran Terung Belanda (*Cyphomandra betacea* Sendtn.) dengan Metode Spektrofotometri Sinar Tampak. *Jurnal Farmasi Universitas Padjadjaran*.
- Nagao, M. A. (2011). *Farm and Forestry Production and Marketing Profile for Macadamia nut (Macadamia integrifolia and M.tetraphylla)*. Permanent Agriculture Resources (PAR).
- Nagao, M. A., & Hirae, H. H. (1992). Macadamia: cultivation and physiology. *Critical Rev. in Plant Sci.*, 10(5), 441470.of Medicine.
- Orwa, C., Mutua, R. Kindit, R. Jamnadass, & A. Simons. (2009). *Agroforestry Database: A Tree Species Reference and Selection Guide version 4.0*. *World Agroforestry Center ICRAF, Nairobi, KE*.

- Pramono, A. A., & E. Y. Rustam. 2017. Perubahan fisik, fisiologis dan biokimia benih *Michelia champaca* pada Berbagai Tingkat Kemasakan. Prosiding Seminar Nasional Biodiversity Indonesia 3(3): 368-375.
- Priestley, A. (1986). Seed Aging : Implications for Seed Storage and Persistence In The Soil - Cornell University.
- Purnomo, H. (1995). *Aktifitas Air dan Peranannya dalam Pengawetan Pangan*. UI-Press, Jakarta.
- Robi'in (2007). Perbedaan bahan kemasan dan lama penyimpanan dan pengaruhnya terhadap kadar benih jagung dalam ruang simpan terbuka. Buletin Teknik Pertanian, 12, 7 – 9.
- Ryan, S. (2006). Queensland nut tree macadamia integrifolia there are seven Macadamia. *Ecosystem Conservation Branch, EPA*.
- Sadjad, S. (1977). Penyimpanan benih-benih tanaman pangan. Bahan kuliah Latihan Pola Pertanaman LP3-IRRI. Departemen Agronomi IPB. Bogor.
- Sahupala, A. (2010). Pengaruh Suhu Dan Lama Penyimpanan Terhadap *Viabilitas* Benih Merbau (*Intsia bijuga*, OK). *Jurnal Agroforestri*, 5(4).
- Sudarmadji., Suhardi., & Haryono. (2007). *Analisis bahan makanan dan pertanian*. Liberty. Yogyakarta.
- Sudjindro. (1994). Indikasi kemunduran viabilitas oleh dampak guncangan pada benih kenaf (*Hibiscus cannabinus* L.). Disertasi Program Pasca Sarjana. IPB.
- Suheryadi, D. (2002). *Teknik Perkecambahan Biji Makadamia*. Buletin Teknik Pertanian. 7(1):28-29.
- Sukmasari, M., Fatimah, M., & Mahdi, N. (2004). Analisis kimia benih makadamia. *Prosiding Temu Teknis Nasional Tenaga Fungsional Pertanian*, 3, 157–163.
- Sutopo, L. (1998). *Teknologi Benih*. Raja Gafindo Persada. Jakarta.
- Tatipata, A., P. Yudono, A. Purwantoro, & W. Mangoendidjojo. (2004). Kajian aspek fisiologi dan biokimia deteriorasi benih kedelai dalam penyimpanan. *Jurnal Ilmu Pertanian* 11(2):76-87.
- Trawatha, S. E., D. M. Tekrony., & D.F. Hildebrand. (1995). Relationship of soybean seed quality to fatty acid and C6 -aldehyde levels during storage. *Crop.Sci. J.35:1415-1422*.
- Tresniawati, C., E. Murniati & E. Widajati. (2014). Perubahan Fisik, Fisiologi dan Biokimia Selama Pemasakan Benih dan Studi Rekalsitransi Benih Kemiri Sunan. *J. Agron. Indonesia* 42 (1) : 74 –79.

- Wen-Hsiung, K. O. (2009). Nature of slow and quick decline of macadamia trees.
- Widiastuti, V. A., Aisyah, N. I., & Pujiastuti. (2021). Morphology and Economic Value of Macadamia (*Macadamia integrifolia* Maiden and Betche). *Jurnal Berskala Sainstek* 9(4), 153 -159.
- Winarno, F.G. (2004). *Ilmu Pangan dan Gizi*. Jakarta: Gramedia Pustaka Utama. Jakarta.
- Wolfram, C., & F. Spener. (2001). Fatty acids as regulators of lipid metabolism. *Eur. J. Lipid Sci. Technol.* 102:746-762.
- Yenrina, R. (2015). *Metode Analisis Bahan Pangan dan Komponen Bioaktif*. Andalas University Press. Padang.
- Yudono, P. (2012). *Perbenihan Tanaman: Dasar Ilmu, Teknologi dan Pengelolaan*. Gadjah Mada University Press. Yogyakarta. 308 p.
- Yuniarti, N. (2002). Metode Penyimpanan Benih Merbau (*Intsia bijuga* O. Ktze) *Jurnal Manajemen Hutan Tropika*, 8(2).
- Yuniarti, N. D., Syamsuwida & A. Aminah. (2013). Dampak Perubahan Fisiologi dan Biokimia Benih Eboni (*Diospyros celebica* Bakh.) Selama Penyimpanan. *Jurnal Penelitian Hutan Tanaman* 10 (2) : 65-71.
- Yuniarti, N., Nurhasybi, N., & Darwo, D. (2016). Karakteristik Benih Kayu Bawang (*Azadirachta Excelsa* (Jack) Jacobs) Berdasarkan Tingkat Pengeringan dan Ruang Penyimpanan. *Jurnal Penelitian Hutan Tanaman*, 13(2), 105-112.
- Yuniarti, N., Suita, E., Zanzibar, M., & Nurhasybi. (2011). Teknik penanganan benih tanaman hutan. *Prosiding Seminar Hasil- hasil Penelitian Teknologi Perbenihan untuk Meningkatkan Produktivitas Hutan Rakyat Di Provinsi Jawa Tengah*.
- Yuniarti, N., Syamsuwida, D., & Aminah, A. (2008). Pengaruh penurunan kadar air terhadap perubahan fisiologis dan kandungan biokimia benih eboni (*Diospyros celebica* Bakh.). *Jurnal Penelitian Hutan Tanaman*, 5(3), 191-198.