

## DAFTAR PUSTAKA

1. Passeron T. Melasma pathogenesis and influencing factors – an overview of the latest research. *Journal of the European Academy of Dermatology and Venereology*. 2013;27(s1):5–6; doi: 10.1111/jdv.12049.
2. Suryaningsih BE. Melanogenesis and its associated signalings. *Bali Medical Journal*. 2020;9(1):327–331; doi: 10.15562/bmj.v9i1.1796.
3. Mir MM, Jalali S. Prevalence of Skin Diseases: A Community Based Survey. *International Journal of Advances in Medical Sciences*. 2018;3(12):1–3.
4. Adil M, Amin SS, Arif T, Dorjay K, R DR, Bansal R, *et al*. Hyperpigmented skin conditions: a study of pattern and prevalence from a tertiary care hospital of north india. *Int J Curr Adv Res*. 2017;6(4):3562–3565; doi: 10.24327/ijcar.2017.3565.0315.
5. Asditya A, Sukanto H. Studi Retrospektif: Profil Pasien Melasma (Profile of Melasma Patients: A Retrospective Study). *Berkala Ilmu Kesehatan Kulit dan Kelamin*. 2017;29(3):220–228.
6. Salim YF, Yenny SW, Lestari S. Insidens Melasma di Poliklinik Kulit dan Kelamin RSUP dr. M. Djamil Padang Tahun 2012-2015. *Jurnal Kesehatan Andalas*. 2018;7:71; doi: 10.25077/jka.v7i0.831.
7. Elias PM, Menon G, Wetzel BK, Williams JW. Evidence that stress to the epidermal barrier influenced the development of pigmentation in humans. *Pigment Cell Melanoma Res*. 2009;22(4):420–434; doi: 10.1111/j.1755-148X.2009.00588.x.
8. Gao Y, Jia X, Wang M, Hua Y, Zheng H, Xiang W, *et al*. Melanocyte activation and skin barrier disruption induced in melasma patients after 1064 nm Nd:YAG laser treatment. *Lasers Med Sci*. 2019;34(4):767–771; doi: 10.1007/s10103-018-2658-7.
9. Lee DJ, Lee J, Ha J, Park KC, Ortonne JP, Kang HY, *et al*. Defective barrier function in melasma skin. *Journal of the European Academy of Dermatology and Venereology*. 2012;26(12):1533–1537; doi: 10.1111/j.1468-3083.2011.04337.x.
10. Kim EJ, Jin X-J, Kim YK, Oh IK, Kim JE, Park CH, *et al*. UV decreases the synthesis of free fatty acids and triglycerides in the epidermis of human skin in vivo, contributing to development of skin photoaging. *J Dermatol Sci*. 2010;57(1):19–26; doi: 10.1016/j.jdermsci.2009.10.008.
11. Xu J, lu H, Luo H, Hu Y, Chen Y, Xie B, *et al*. Tape stripping and lipidomics reveal skin surface lipid abnormality in female melasma. *Pigment Cell Melanoma Res*. 2021;34(6):1105–1111; doi: 10.1111/pcmr.12984.
12. Liu F. The application of non-invasive physiometry in different clinical type of melasma and its clinical significance. *Journal of Dermatology and Venereology*. 2012.
13. Syamsinar S, Kusumaningrum N, Febriana SA, Winarni DRA. Fungsi Barrier Kulit pada Pasien Melasma. *Media Dermato Venereologica Indonesiana*. 2019;45(3); doi: 10.33820/mdvi.v45i3.3.

14. Sarkar R, Garg V, Chugh S. Newer and upcoming therapies for melasma. *Indian J Dermatol Venereol Leprol.* 2012;78(4):417; doi: 10.4103/0378-6323.98071.
15. Sarkar R, Arora P, Garg Kv. Cosmeceuticals for hyperpigmentation: What is available? *J Cutan Aesthet Surg.* 2013;6(1):4; doi: 10.4103/0974-2077.110089.
16. Draelos ZD. The Art and Science of New Advances in Cosmeceuticals. *Clin Plast Surg.* 2011;38(3):397–407; doi: 10.1016/j.cps.2011.02.002.
17. Yenny SW. Comparison of the Use of 5% Methimazole Cream with 4% Kojic Acid in Melasma Treatment. *Turkish Journal of Dermatology.* 2018;12(4):167–171; doi: 10.4274/tdd.3640.
18. Deering RW, Chen J, Sun J, Ma H, Dubert J, Barja JL, *et al.* Acyl Dehydrotyrosines, Tyrosinase Inhibitors from the Marine Bacterium *Thalassotalea* sp. PP2-459. *J Nat Prod.* 2016;79(2):447–450; doi: 10.1021/acs.jnatprod.5b00972.
19. Peguet-Navarro J, Dezutter-Dambuyant C, Buetler T, Leclaire J, Smola H, Blum S, *et al.* Supplementation with oral probiotic bacteria protects human cutaneous immune homeostasis after UV exposure-double blind, randomized, placebo controlled clinical trial. *Eur J Dermatol.* 2008;18(5):504–11; doi: 10.1684/ejd.2008.0496.
20. Surono IS. Indonesian Dadih. In: *Fermented Milk and Dairy Products.* (Puniya AK. ed). CRC Press. 2015; pp. 377–399.
21. Wirawati CU, Sudarwanto MB, Lukman DW, Wintarsih I, Srihanto EA. Diversity of lactic acid bacteria in dadih produced by either back-slopping or spontaneous fermentation from two different regions of West Sumatra, Indonesia. *Vet World.* 2019;12(6):823–829; doi: 10.14202/vetworld.2019.823-829.
22. Venema K, Surono IS. Microbiota composition of dadih - a traditional fermented buffalo milk of West Sumatra. *Lett Appl Microbiol.* 2019;68(3):234–240; doi: 10.1111/lam.13107.
23. Gueniche A, Philippe D, Bastien P, Reuteler G, Blum S, Castiel-Higounenc I, *et al.* Randomised double-blind placebo-controlled study of the effect of *Lactobacillus paracasei* NCC 2461 on skin reactivity. *Benef Microbes.* 2014;5(2):137–145; doi: 10.3920/BM2013.0001.
24. Montero-Vilchez T, Segura-Fernández-Nogueras M-V, Pérez-Rodríguez I, Soler-Gongora M, Martínez-Lopez A, Fernández-González A, *et al.* Skin Barrier Function in Psoriasis and Atopic Dermatitis: Transepidermal Water Loss and Temperature as Useful Tools to Assess Disease Severity. *J Clin Med.* 2021;10(2):359; doi: 10.3390/jcm10020359.
25. Cannavò SP, Guarneri F, Giuffrida R, Aragona E, Guarneri C. Evaluation of cutaneous surface parameters in psoriatic patients. *Skin Research and Technology.* 2017;23(1):41–47; doi: 10.1111/srt.12299.
26. Gidado IM, Qassem M, Triantis IF, Kyriacou PA. Review of Advances in the Measurement of Skin Hydration Based on Sensing of Optical and Electrical Tissue Properties. *Sensors.* 2022;22(19):7151; doi: 10.3390/s22197151.

27. Green M, Feschuk AM, Kashetsky N, Maibach HI. "Normal" TEWL-how can it be defined? A systematic review. *Exp Dermatol*. 2022;31(10):1618–1631; doi: 10.1111/exd.14635.
28. Alexander H, Brown S, Danby S, Flohr C. Research Techniques Made Simple: Transepidermal Water Loss Measurement as a Research Tool. *Journal of Investigative Dermatology*. 2018;138(11):2295-2300.e1; doi: 10.1016/j.jid.2018.09.001.
29. Akdeniz M, Gabriel S, Lichterfeld-Kottner A, Blume-Peytavi U, Kottner J. Transepidermal water loss in healthy adults: a systematic review and meta-analysis update. *British Journal of Dermatology*. 2018;179(5):1049–1055; doi: 10.1111/bjd.17025.
30. Kim JE, Chang SE, Yeo UC, Haw S, Kim IH. Histopathological study of the treatment of melasma lesions using a low-fluence Q-switched 1064-nm neodymium:yttrium-aluminium-garnet laser. *Clin Exp Dermatol*. 2013;38(2):167–171; doi: 10.1111/j.1365-2230.2012.04473.x.
31. Castanedo-Cázares JP, Cortés-García JD, Pérez-Coronado G, Hernández-Blanco D, Torres-Alvarez B. Skin Barrier Function and Its Relationship With IL-17, IL-33, and Filaggrin in Malar Melasma. *Am J Dermatopathol*. 2023;45(5):300–305; doi: 10.1097/DAD.0000000000002418.
32. Yang J, Zeng J, Lu J. Mechanisms of ultraviolet-induced melasma formation: A review. *J Dermatol*. 2022;49(12):1201–1210; doi: 10.1111/1346-8138.16542.
33. Teng Y, Huang Y, Danfeng X, Tao X, Fan Y. The Role of Probiotics in Skin Photoaging and Related Mechanisms: A Review. *Clin Cosmet Investig Dermatol*. 2022;Volume 15:2455–2464; doi: 10.2147/CCID.S388954.
34. Batubara S, Amelia C, Yuneldi AD. Hubungan Lamanya Paparan Sinar Matahari dengan Kejadian Melasma pada Wanita Petugas Penyapu Jalan di Dinas Lingkungan Hidup Kota Batam. *Zona Kedokteran: Program Studi Pendidikan Dokter Universitas Batam*. 2021;11(3):76–82; doi: 10.37776/zked.v11i3.944.
35. Toruan T. Biologi Sistem Pigmentasi Kulit. In: Pigmentasi Kulit. (Wasitaatmadja S. ed) Fakultas Kedokteran Universitas Indonesia: Jakarta. 2015; pp. 1–15.
36. Narayanaswamy R, Ismail IS. Role of Herbal Medicines in Vitiligo Treatment - Current Status and Future Perspectives. *Asian Journal of Pharmaceutical and Clinical Research*. 2018;11(9):19; doi: 10.22159/ajpcr.2018.v11i9.26830.
37. Ostrowski S, Fisher D. Pigmentation and Melanocyte Biology. In: Fitzpatrick's Dermatology. (Kang S, Amagai M, Bruckner A, et al. eds) McGraw-Hill: New York. 2019; pp. 328–350.
38. D'Mello S, Finlay G, Baguley B, et al. Signaling Pathways in Melanogenesis. *Int J Mol Sci*. 2016;17(7):1144; doi: 10.3390/ijms17071144.
39. Chang T-S. Natural Melanogenesis Inhibitors Acting Through the Down-Regulation of Tyrosinase Activity. *Materials*. 2012;5(9):1661–1685; doi: 10.3390/ma5091661.

40. Pillaiyar T, Namasivayam V, Manickam M, Askarian-Amiri M. Inhibitors of Melanogenesis: An Updated Review. *J Med Chem*. 2018;61(17):7395–7418; doi: 10.1021/acs.jmedchem.7b00967.
41. Pillaiyar T, Manickam M, Namasivayam V. Skin whitening agents: medicinal chemistry perspective of tyrosinase inhibitors. *J Enzyme Inhib Med Chem*. 2017;32(1):403–425; doi: 10.1080/14756366.2016.1256882.
42. Dinas Peternakan Sumatera Barat. Pengolahan Dadih Sebagai Makanan Probiotik Spesifik Sumatera Barat. 2007.
43. Bermudez-Brito M, Plaza-Díaz J, Muñoz-Quezada S, Gómez-Llorente C, Gil A. Probiotic Mechanisms of Action. *Ann Nutr Metab*. 2012;61(2):160–174; doi: 10.1159/000342079.
44. Surono IS, Martono PD, Kameo S, et al. Effect of probiotic *L. plantarum* IS-10506 and zinc supplementation on humoral immune response and zinc status of Indonesian pre-school children. *Journal of Trace Elements in Medicine and Biology*. 2014;28(4):465–469; doi: 10.1016/j.jtemb.2014.07.009.
45. Kechagia M, Basoulis D, Konstantopoulou S, Dimitriadi D, Gyftopoulou K, Skarmoutsou N, et al. Health Benefits of Probiotics: A Review. *ISRN Nutr*. 2013;2013:1–7; doi: 10.5402/2013/481651.
46. Hill C, Guarner F, Reid G, Gibson GR, Merenstein DJ, Po B, et al. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nat Rev Gastroenterol Hepatol*. 2014;11(8):506–514; doi: 10.1038/nrgastro.2014.66.
47. Helmizar H, Yuswita E, Putra AE. Analysis of the Nutrients and Microbiological Characteristics of the Indonesian Dadih As a Food Supplementation. *Glob J Health Sci*. 2018;11(1):155; doi: 10.5539/gjhs.v11n1p155.
48. Szántó M, Dózsa A, Antal D, Szabó K, Kemény L, Bai P. Targeting the gut-skin axis—Probiotics as new tools for skin disorder management? *Exp Dermatol*. 2019;28(11):1210–1218; doi: 10.1111/exd.14016.
49. Hanum Z, Sumantri C, P P, Batubara I, Taufik E. Efektivitas Fermentasi Susu Kambing dengan Penambahan *Lactobacillus rhamnosus* SEBAGAI Sebagai Inhibitor Tirosinase (Fermentation Effectivity of Goat Milk added *Lactobacillus rhamnosus* as Tyrosinase Inhibitor). *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*. 2016;10(1):54–57; doi: 10.21157/j.ked.hewan.v10i1.3371.
50. Burger P, Landreau A, Azoulay S, Michel T, Fernandez X. Skin Whitening Cosmetics: Feedback and Challenges in the Development of Natural Skin Lighteners. *Cosmetics*. 2016;3(4):36; doi: 10.3390/cosmetics3040036.
51. Heo I-S, Kim K-S, Yang S-Y, Lee N-H, Lim SD. Physiological Characteristics and Tyrosinase Inhibitory Activity of *Lactobacillus plantarum* M23 Isolated from Raw Milk. *Korean J Food Sci Anim Resour*. 2007;27(4):501–508; doi: 10.5851/kosfa.2007.27.4.501.
52. Lim S-D, Kim K-S. Optimization of Tyrosinase Inhibitory Activity in the Fermented Milk by *Lactobacillus plantarum* M23. *Korean J Food Sci Anim Resour*. 2012;32(5):678–684; doi: 10.5851/kosfa.2012.32.5.678.

53. Kuwaki S, Nakajima N, Tanaka H, Ishihara K. Plant-based Paste Fermented by Lactic Acid Bacteria and Yeast: Functional Analysis and Possibility of Application to Functional Foods. *Biochem Insights*. 2012;5:BCI.S10529; doi: 10.4137/BCI.S10529.
54. Tsai C-C, Chan C-F, Huang W-Y, Lin J-S, Chan P, Liu H-Y, *et al*. Applications of *Lactobacillus rhamnosus* Spent Culture Supernatant in Cosmetic Antioxidation, Whitening and Moisture Retention Applications. *Molecules*. 2013;18(11):14161–14171; doi: 10.3390/molecules181114161.
55. Ra J, Lee DE, Kim SH, Jeong J-W, Ku HK, Kim T-Y, *et al*. Effect of Oral Administration of *Lactobacillus plantarum* HY7714 on Epidermal Hydration in Ultraviolet B-Irradiated Hairless Mice. *J Microbiol Biotechnol*. 2014;24(12):1736–1743; doi: 10.4014/jmb.1408.08023.
56. Karim A, Setyaningrum T, Prakoeswa C. Efek Pemberian *Lactobacillus plantarum* IS-10506 terhadap Indeks Scoring Atopic Dermatitis (SCORAD) Pasien Dermatitis Atopik Dewasa Derajat Ringan-Sedang: Uji Klinis Acak Terkontrol, Tersamar Ganda. *Berkala Ilmu Kesehatan Kulit dan Kelamin*. 2019;185–192.
57. Piyavatin P, Chaichalotornkul S, Nararatwanchai T, Bumrungpert A, Saiwichai T. Synbiotics supplement is effective for Melasma improvement. *J Cosmet Dermatol*. 2021;20(9):2841–2850; doi: 10.1111/jocd.13955.
58. Khurana V, Misri R, Agarwal S, Thole A, Kumar S, Anand T. A randomized, open-label, comparative study of oral tranexamic acid and tranexamic acid microinjections in patients with melasma. *Indian J Dermatol Venereol Leprol*. 2019;85(1):39; doi: 10.4103/ijdv.IJDVL\_801\_16.
59. Suharti N, Linosefa L, Kumala A, Chundrayetti E, Putra A. The Effect of Dadiah Feeding of Breastfeeding Women with Normal Flora of Digestive Tract. In: *Proceedings of the Proceedings of the 1st EAI International Conference on Medical And Health Research, ICoMHER November 13-14th 2018, Padang, West Sumatera, Indonesia EAI*. 2019; doi: 10.4108/eai.13-11-2018.2283649.
60. Noh TK, Choi SJ, Chung BY, Kang JS, Lee JH, Lee MW, *et al*. Inflammatory features of melasma lesions in Asian skin. *J Dermatol*. 2014;41(9):788–794; doi:10.1111/1346-8138.12573.
61. Hosviar V. Efektifitas Dan Keamanan Injeksi Asam Traneksamat Intradermal Sebagai Tata Laksana Ajuvan Melasma Pada Individu Tipe Kulit IV - V: Uji Klinis Acak Terkontrol Tersamar Ganda. *Fakultas Kedokteran UI: Jakarta*. 2021.
62. El-Husseiny R, Rakha N, Sallam M. Efficacy and safety of tranexamic acid 5% cream vs hydroquinone 4% cream in treating melasma: A split-face comparative clinical, histopathological, and antera 3D camera study. *Dermatol Ther*. 2020;33(6); doi: 10.1111/dth.14240.
63. Serena NB, Bruce Smoller G. An Overview on Melasma. *J Pigment Disord*. 2015;2(10); doi: 10.4172/2376-0427.1000216.
64. Jiang J, Akinseye O, Tovar-Garza A, Pandya AG. The effect of melasma on self-esteem: A pilot study. *Int J Womens Dermatol*. 2018;4(1):38–42; doi: 10.1016/j.ijwd.2017.11.003.

65. Trivedi A, Pierson JC. Addressing the average lifespan of skin diseases is critical to good patient care. *Dermatol Online J.* 2018;24(6); doi: 10.5070/D3246040691.
66. Komarova NL, Thalhauser CJ. Calculating Stage Duration Statistics in Multistage Diseases. *PLoS One.* 2011;6(12):e28298; doi: 10.1371/journal.pone.0028298.
67. Suryaningsih BE, Sadewa AH, Wirohadidjojo YW, Soebono H. Association between heterozygote Val92Met MC1R gene polymorphisms with incidence of melasma: a study of Javanese women population in Yogyakarta. *Clin Cosmet Investig Dermatol.* 2019;12:489–495; doi: 10.2147/CCID.S206115.
68. Suryaningsih BE. Characteristics of facial melasma on Javanese women in Yogyakarta, Indonesia. *Journal of Pakistan Association of Dermatologists.* 2018;28(3):306–310.
69. Aishwarya K, Bhagwat PV, John N. Current concepts in melasma - A review article. *Journal of Skin and Sexually Transmitted Diseases.* 2020;2:13; doi: 10.25259/JSSTD\_34\_2019.
70. Marpaung HK, Theresia L. Toruan, Yuli Kurniawati. Comparison of the Effectiveness 3% Tranexamic Acid Cream Versus 4% Hydroquinone Cream for Treatment of Epidermal Type Melasma. *Bioscientia Medicina : Journal of Biomedicine and Translational Research.* 2021;5(2):297–304; doi: 10.32539/bsm.v5i2.221.
71. Grimes PE, Ijaz S, Nashawati R, Kwak D, *et al.* New oral and topical approaches for the treatment of melasma. *Int J Womens Dermatol.* 2019;5(1):30–36; doi: 10.1016/j.ijwd.2018.09.004.
72. Kanechorn Na Ayuthaya P, Niumphradit N, Manosroi A, Nakakes A. Topical 5% tranexamic acid for the treatment of melasma in Asians: A double-blind randomized controlled clinical trial. *Journal of Cosmetic and Laser Therapy.* 2012;14(3):150–154; doi: 10.3109/14764172.2012.685478.
73. Handel AC, Miot LDB, Miot HA. Melasma: a clinical and epidemiological review. *An Bras Dermatol.* 2014;89(5):771–782; doi: 10.1590/abd1806-4841.20143063.
74. Sonthalia S. Etiopathogenesis of Melasma. In: *Melasma: A Monograph* Jaypee Brothers Medical Publishers (P) Ltd. 2015;6–6; doi: 10.5005/jp/books/12401\_4.
75. Berardesca E, Rigoni C, Cantù A, Cameli N, Tedeschi A, Laureti T. Effectiveness of a new cosmetic treatment for melasma. *J Cosmet Dermatol.* 2020;19(7):1684–1690; doi: 10.1111/jocd.13203.
76. Ogbechie-Godec OA, Elbuluk N. Melasma: an Up-to-Date Comprehensive Review. *Dermatol Ther (Heidelb).* 2017;7(3):305–318; doi: 10.1007/s13555-017-0194-1.
77. Gautam M, Patil S, Nadkarni N, Sandhu M, Godse K, Setia M. Histopathological comparison of lesional and perilesional skin in melasma: A cross-sectional analysis. *Indian J Dermatol Venereol Leprol.* 2019;85(4):367; doi: 10.4103/ijdv.IJDVL\_866\_17.

78. Na JI, Choi SY, Yang SH, Choi HR, Kang HY, Park K-C. Effect of tranexamic acid on melasma: a clinical trial with histological evaluation. *Journal of the European Academy of Dermatology and Venereology*. 2013;27(8):1035–1039; doi: 10.1111/j.1468-3083.2012.04464.x.
79. Espósito ACC, Cassiano DP, da Silva CN, Lima PB, Dias JAF, Hassun K, *et al*. Update on Melasma—Part I: Pathogenesis. *Dermatol Ther (Heidelb)*. 2022;12(9):1967–1988; doi: 10.1007/s13555-022-00779-x.
80. Cassiano DP, Espósito ACC, Hassun KM, Lima MMDA, Lima EVA, Miot LDB, *et al*. Histological changes in facial melasma after treatment with triple combination cream with or without oral tranexamic acid and/or microneedling: A randomised clinical trial. *Indian J Dermatol Venereol Leprol*. 2022;88:761; doi: 10.25259/IJDVL\_126\_2021.
81. Maymone MBC, Neamah HH, Wiryasa SA, Patzelt NM, Zancanaro PQ, Vashi NA, *et al*. Sun-protective behaviors in patients with cutaneous hyperpigmentation: A cross-sectional study. *J Am Acad Dermatol*. 2017;76(5):841-846.e2; doi: 10.1016/j.jaad.2016.12.018.
82. Sarkar R, Ghunawat S, Narang I, Verma S, Garg VK, Dua R, *et al*. Role of broad-spectrum sunscreen alone in the improvement of melasma area severity index (MASI) and Melasma Quality of Life Index in melasma. *J Cosmet Dermatol*. 2019;18(4):1066–1073; doi: 10.1111/jocd.12911.
83. Cassiano DP, Espósito ACC, da Silva CN, Lima PB, Dias JAF, Hassun K, *et al*. Update on Melasma—Part II: Treatment. *Dermatol Ther (Heidelb)*. 2022;12(9):1989–2012; doi: 10.1007/s13555-022-00780-4.
84. Addor FAS, Barcaui CB, Gomes EE, Lupi O, Março CR, Miot HA, *et al*. Sunscreen lotions in the dermatological prescription: review of concepts and controversies. *An Bras Dermatol*. 2022;97(2):204–222; doi: 10.1016/j.abd.2021.05.012.
85. Lee A-Y. An updated review of melasma pathogenesis. *Dermatologica Sinica*. 2014;32(4):233–239; doi: 10.1016/j.dsi.2014.09.006.
86. Lee DE, Huh C-S, Ra J, Choi ID, Jeong JW, Kim S-H, *et al*. Clinical Evidence of Effects of *Lactobacillus plantarum* HY7714 on Skin Aging: A Randomized, Double Blind, Placebo-Controlled Study. *J Microbiol Biotechnol*. 2015;25(12):2160–2168; doi: 10.4014/jmb.1509.09021.
87. Alves E, Gregório J, Rijo P, Rosado C, Rodrigues LM. The Impact of Kefir on Epidermal Water Homeostasis in Healthy Human Skin. *Life*. 2022;12(7):1075; doi: 10.3390/life12071075.
88. Bengoa AA, Iraporda C, Garrote GL, Abraham AG. Kefir micro-organisms: their role in grain assembly and health properties of fermented milk. *J Appl Microbiol*. 2019;126(3):686–700; doi: 10.1111/jam.14107.
89. Bengoa AA, Zavala L, Carasi P, Trejo SA, Bronsoms S, Serradel MA, *et al*. Simulated gastrointestinal conditions increase adhesion ability of *Lactobacillus paracasei* strains isolated from kefir to Caco-2 cells and mucin. *Food Research Internacional*. 2018;103:462–467; doi: 10.1016/j.foodres.2017.09.093.

90. Vinderola CG, Duarte J, Thangavel D, Perdigón G, Farnworth E, Matar C, *et al.* Immunomodulating capacity of kefir. *Journal of Dairy Research*. 2005;72(2):195–202; doi: 10.1017/S0022029905000828.
91. Dallas DC, Citerne F, Tian T, Silva VLM, Kalanetra KM, Frese SA, *et al.* Peptidomic analysis reveals proteolytic activity of kefir microorganisms on bovine milk proteins. *Food Chem*. 2016;197:273–284; doi: 10.1016/j.foodchem.2015.10.116.
92. Iraporda C, Errea A, Romanin DE, Cayet D, Pereyra E, Pignataro O, *et al.* Lactate and short chain fatty acids produced by microbial fermentation downregulate proinflammatory responses in intestinal epithelial cells and myeloid cells. *Immunobiology*. 2015;220(10):1161–1169; doi: 10.1016/j.imbio.2015.06.004.
93. Lew L-C, Liong M-T. Bioactives from probiotics for dermal health: functions and benefits. *J Appl Microbiol*. 2013;114(5):1241–1253; doi:10.1111/jam.12137.
94. Huey Chun H, Shao Hua C, Hui Ju K, Shu wen C, She Yun W, Tsong Min C. Antimelanogenic and antioxidant activities of *Bifidobacterium infantis*. *Afr J Microbiol Res*. 2011;5(20):3150–3156; doi: 10.5897/AJMR11.021.
95. Shin M, Truong V-L, Lee M, Kim D, Kim MS, Cho H, *et al.* Investigation of phenyllactic acid as a potent tyrosinase inhibitor produced by probiotics. *Curr Res Food Sci*. 2023;6:100413; doi: 10.1016/j.crfs.2022.100413.
96. Lee S, Park H-O, Yoo W. Anti-Melanogenic and Antioxidant Effects of Cell-Free Supernatant from *Lactobacillus gasseri* BNR17. *Microorganisms*. 2022;10(4):788; doi: 10.3390/microorganisms10040788.
97. Saito Y, Mihara T, Maruyama K, Ueki R, Katsuoka K, Kurata S, *et al.* Effects of intake of *Lactobacillus casei* subsp. *casei* 327 on skin conditions: a randomized, double-blind, placebo-controlled, parallel-group study in women. *Biosci Microbiota Food Health*. 2017;36(3):111–120; doi: 10.12938/bmfh.16-031.
98. Bouilly-Gauthier D, Jeannes C, Maubert Y, Duteil L, Queille-Roussel C, Piccardi N, *et al.* Clinical evidence of benefits of a dietary supplement containing probiotic and carotenoids on ultraviolet-induced skin damage. *British Journal of Dermatology*. 2010;163(3):536–543; doi: 10.1111/j.1365-2133.2010.09888.x.