

DAFTAR PUSTAKA

1. World Health Organization (WHO). Breast Source : GLOBOCAN 2020. 2020.
2. Sung H et al. Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *Ca A Cancer J Clin.* 2021;71(3).
3. World Health Organization (WHO). Indonesia Source : GLOBOCAN 2020. 2020.
4. TIM RSUP M. Djamil. 10 Besar Penyakit Terbanyak per Tahun di RSUP. Dr. M. Djamil Padang. 2023.
5. American Society of Clinical Oncology (ASCO). Breast Cancer. ASCO Found. 2021;1–48.
6. National Comprehensive Cancer Network. Invasive Breast Cancer. 2023.
7. Ashariati A. Manajemen Kanker Payudara Komprehensif. Surabaya; 2019.
8. Kementerian Kesehatan RI. Pedoman Nasional Pelayanan Kedokteran Tata Laksana Kanker Payudara. 2018;
9. Gupta, K., Walton, R., Kataria, S.P. Chemotherapy-Induced Nausea and Vomiting: Pathogenesis, Recommendations, and New Trends. *Cancer Treat Res Commun.* 2021;1–8.
10. Rahmadi M, Kharismawati ID, Purwanto H, Harini I, Suharjono S, Alderman C. Analysis of Antiemetic Premedication Administration Timing on Nausea and Vomiting Incidence among Breast Cancer Patients Receiving Chemotherapy. *Indones J Clin Pharm.* 2020;9(4):298.
11. Sartika L. Kajian Penggunaan Antiemetik pada Pasien Limfoma Non-Hodgkin yang Mendapat Kemoterapi CHOP (Cyclophosphamide, Hydroxydronorubicin, Onvocin, Prednison) di Ruang One Day Care RSUP DR M Djamil. 2024.
12. Al-Salloum H, Al-Harbi H, Abdelazeem A. Effectiveness of antiemetic in reducing chemotherapy-induced nausea and vomiting in adult patients; An oncology center experience. *J Oncol Pharm Pr.* 2023;29(6):1317–25.
13. Rhodes V, McDaniel R. The Index of Nausea, Vomiting, and Retching: a new format of the Index of Nausea and Vomiting. *Oncol Nurs Forum.* 1999;26(5).
14. Juartika W, Harmi P, Fatmadona R. Gambaran Skor INVR (Index of Nausea, Vomiting and Retching) pada CINV (Chemotherapy Induced Nausea and Vomiting) Kanker Payudara di RSUP M Djamil Padang. *J*

- Kesehat Andalas. 2019;8(4).
15. Sagita M. Hubungan Siklus Kemoterapi dengan Kejadian Chemotherapy Induced Nausea and Vomiting (CINV). Ensiklopedia J. 2023;5(3).
 16. Safitri I, Padoli P, Puspitadewi T. Tindakan Mengurangi Mual dan Muntah Klien Kanker yang Menjalani Kemoterapi. J Keperawatan. 2021;15(1):2407–8999.
 17. Sociaty AC. Breasts Cancer Facts & Figures 2019-2020. 2019;
 18. Mayrovitz, HN. Breast Cancer. Brisbane: Exon Publication; 2022.
 19. Łukasiewicz S, Czeczelewski M, Forma A, Baj J, Sitarz R, Stanisławek A. Breast cancer—epidemiology, risk factors, classification, prognostic markers, and current treatment strategies—An updated review. Cancers (Basel). 2021;13(17):1–30.
 20. Liambo, IS., Frisitiohady,A., Malaka, MH. Review: Patofisiologi, Epidemiologi, dan Lini Sel Kanker Payudara. Pharmahuo J Farm Sains, dan Kesehat. 2022;8(1).
 21. Smolarz B, Zadrożna Nowak A, Romanowicz H. Breast Cancer—Epidemiology, Classification, Pathogenesis and Treatment (Review of Literature). Cancers (Basel). 2022;14(10):1–27.
 22. Dapiro J. Pharmacotherapy: A Pathophysiologic Approach, Eleventh Edition. In United State of America: The McGraw-Hill Companies; 2020.
 23. Risnah. Konsep Medis dan Keperawatan pada Gangguan Sistem Onkologi. Irwan M, editor. Makassar: Jariah Publishing Intermedia; 2020.
 24. Anders C, Abramson V, Tan T, Dent R. The Evolution of Triple-Negative Breast Cancer: From Biology to Novel Therapeutics. In: ASCO Educational Book. 2016.
 25. Rahmawati H, Hartono B. Kepaniteraan di Instalasi Radiologi Rumah Sakit. Muhammadiyah Public Heal J. 2021;1(2).
 26. Joseph S, Singh H. Nuclear Medicine PET/CT Breast Cancer Assessment, Protocols, and Interpretation. StatPearls; 2023.
 27. Ardhiansyah A. Kanker Payudara. Airlangga University Press; 2021.
 28. Czajka M, Pfeifer C. Breast Cancer Surgery. In: NCBI bookshelf. StatPearls; 2023.
 29. Hardjono S, Siswandono, Diyah N. Obat Antikanker. Surabaya: Airlangga University Press; 2016.
 30. Katzung B. Basic & Clinical Pharmacology. In: The McGraw-Hill Companies. 12th ed. The McGraw-Hill Companies; 2012.

31. National Comprehensive Cancer Network (NCCN). Breast Cancer. NCCN Clin Pract Guid Oncol (NCCN Guidel. 2024);
32. Sritharan S, Sivalingam N. A comprehensive review on time-tested anticancer drug doxorubicin. Life Sci. 2021;278.
33. Hesketh PJ, Kris MG, Basch E, Bohlke K, Barbour SY, Clark-Snow RA, et al. Antiemetics: ASCO guideline update. J Clin Oncol. 2020;38(24):2782–97.
34. Roila F, Molassiotis A, Herrstedt J, Aapro M, Gralla R, Bruera E, et al. 2016 MASCC and ESMO guideline update for the prevention of chemotherapy- and radiotherapy-induced nausea and vomiting and of nausea and vomiting in advanced cancer patients. Ann Oncol. 2016;27.
35. Lambertini M, Partridge TA. Cyclophosphamide-Free Adjuvant Chemotherapy for the Potential Prevention of Premature Ovarian Insufficiency and Infertility in Young Women With Breast Cancer. JNCI J Natl Cancer Inst. 2021;113(10).
36. Yokoe T et al. Effectiveness of Antiemetic Regimens for Highly Emetogenic Chemotherapy-Induced Nausea and Vomiting: A Systematic Review and Network Meta-Analysis. Oncologist. 2018;347–57.
37. Greenblatt K, Khaddour K. Trastuzumab. In StatPearls Publishing; 2022.
38. Zhong W et al. Mechanisms of Nausea and Vomiting: Current Knowledge and Recent Advances in Intracellular Emetic Signaling Systems. Int J Mol Sci. 2021;22(11).
39. National Comprehensive Cancer Network (NCCN). Antiemesis. NCCN Clin Pract Guid Oncol (NCCN Guidel. 2023);
40. Navari R, Rapoport B. Fast Facts: Chemotherapy-Induced Nausea and Vomiting. Health Press Limited; 2016.
41. Velcheti V, Punekar S. Handbook of Cancer Treatment-Related Symptoms and Toxicities. Punekar S, Velcheti V, editors. Elsevier Health Sciences; 2021.
42. Dapiro J. Pharmacotherapy : A Pathophysiologic Approach, Sixth Edition. In United State of America: The McGraw-Hill Companies; 2005.
43. Tuli H, Aycan M, Sak K. Editorial : Current Aspects in Chemopreventive Strategies. Frontiers in Pharmacology and Frontiers in Oncology; 2021.
44. Theriot J, Wermuth H, Ashurst J. Antiemetic Serotonin 5-HT3 Receptor Blockers. In: StatPearls. 2022.
45. Navari R. Management of Chemotherapy-Induced Nausea and Vomiting. In: New Agents and New Uses of Current Agents. Switzerland: Springer International Publishing; 2016.

46. Nugent C, Falkson S, Terrell J. H2 Blockers. StatPearls Publishing. 2023.
47. Herdeiro M, Roque F, Silva T, Adolfo F. New Insights into the Future of Pharmacoepidemiology and Drug Safety. IntechOpen; 2021.
48. Shinn HK, Lee MH, Moon SY, Hwang S Il, Lee CS, Lim HK, et al. Post-operative nausea and vomiting after gynecologic laparoscopic surgery: Comparison between propofol and sevoflurane. Korean J Anesthesiol. 2011;60(1):36–40.
49. Molassiotis A, Russell W, Hughes J, Breckons M, Lloyd-Williams M, Richardson J, et al. The effectiveness and cost-effectiveness of acupressure for the control and management of chemotherapy-related acute and delayed nausea: Assessment of Nausea in Chemotherapy Research (ANCHoR), a randomised controlled trial. Health Technol Assess (Rockv). 2013;
50. Mirsyad A, Gani A, Karim M, Purnamasari R, Karsa N, Tanra A, et al. Hubungan Usia Pasein dengan Tingkat Stadium Kanker Payudara di RS Ibnu Sina Makassar 2018. J Mhs Kedokt. 2022;2(2):109–15.
51. Obeagu E, Obeagu G. Breast cancer: A review of risk factors and diagnosis. Medicine (Baltimore). 2024;103(3).
52. Łukasiewicz S, Czeczelewski M, Forma A, Baj J, Sitarz R, Stanisławek A. Breast Cancer Epidemiology, Risk Factors, Classification, Prognostic Markers, and Current Treatment Strategies—An Updated Review. Cancers (Basel). 2021;13(17).
53. Sihombing F. Hubungan Tingkat Pendidikan Formal dengan Tingkat Pengetahuan Wanita tentang Kanker Payudara. EMBRIO J Kebidanan. 2020;12(2).
54. Sulviana E, Kurniasari L. Hubungan Antara Usia, Pendidikan, dan Pekerjaan dengan Kejadian Kanker Payudara pada Wanita di Kalimantan Timur. Borneo Student Res. 2021;2(3):1937–43.
55. Raghupathi V, Raghupathi W. The influence of education on health: an empirical assessment of OECD countries for the period 1995–2015. Arch Public Heal. 2020;78(20).
56. Safar F, Rizka A, Khairunnisa. Hubungan Jarak Tempat Tinggal & Pendapatan Penderita Kanker Payudara Terhadap Kepatuhan Menjalani Kemoterapi di Rumah Sakit Umum Cut Meutia Kabupaten Aceh Utara. J Multidisiplin Madani. 2022;2(6):2863–78.
57. Taheri M, Tavakol M, Akbari M, Hashiani A, Abbasi M. Relationship of Socio Economic Status, Income, and Education with the Survival Rate of Breast Cancer: A Meta-Analysis. Iran J Public Heal. 2019;48(8):1428–38.
58. Majem M, Penas R, Virizuela J, Gutiérrez L, Cruz P, Castro R, et al. SEOM Clinical Guideline update for the prevention of chemotherapy-

- induced nausea and vomiting (2021). *Clin Transl Oncol.* 2022;24(4):712–23.
59. Naito Y, Kai Y, Ishikawa T, Fujita T, Uehara K, Doihara H, et al. Chemotherapy-Induced Nausea and Vomiting in Patients with Breast Cancer: a Prospective Cohort Study. *Breast Cancer.* 2020;27(1):122–8.
 60. Boscardin C, Sewell J, Tolsgaard M, Pusic M. How to Use and Report on p-values. *Perpect Med Educ.* 2024;13(1):250–4.
 61. Cascella M, Stones M. Suggestions for Addressing Clinical and Non-Clinical Issues in Palliative Care. IntechOpen; 2021.
 62. Gautam S, Sharma K, Amanat M. Management of Chemotherapy Induced Nausea Vomiting (CINV) in Breast Cancer Patients: An Imperative Factor in Patient Compliance. *J Radiol Nurs.* 2023;42(3):315–20.
 63. Woodrell C, Goldstein N, Morrison R. Evidence-Based Practice of Palliative Medicine. Elsevier Health Sciences; 2023.
 64. Natalia A. Tanda dan Gejala Pasien Kanker Setelah Menjalani Kemoterapi di Rumah Sakit X Makassar. *J Ilm Perawat Manad.* 2020;8(2):78–92.
 65. National Comprehensive Cancer Network (NCCN). Annual Conference : Improving the Quality, Effectiveness, and Efficiency of Cancer Care. NCCN Clin Pract Guid Oncol (NCCN Guidel).
 66. Piechotta V, Adams A, Haque M, Scheckel B, Kreuzberger N, Monsef I, et al. Antiemetics for adults for prevention of nausea and vomiting caused by moderately or highly emetogenic chemotherapy: a network meta-analysis. *Cochrane Database Syst Rev.* 2021;11.
 67. Navari R, Binder G, Molasiotis A, Herrstedt J, Roeland E, Ruddy K, et al. Duration of Chemotherapy Induced Nausea and Vomiting (CINV) as a Predictor of Recurrent CINV in Later Cycles. *Oncologist.* 2022;28(3):208–13.