

DAFTAR PUSTAKA

- Abror, N. A., Andayani, T. M., & Sulistiawaty, E. (2019). Analisis Biaya Penyakit Diabetes Melitus Sebagai Pertimbangan Perencanaan Pembiayaan Kesehatan. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 5(1), 73–83. <https://doi.org/10.22487/j24428744.2019.v5.i1.12071>
- ADA. (2014). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 37(SUPPL.1), 81–90. <https://doi.org/10.2337/dc14-S081>
- ADA. (2018). Lifestyle management: Standards of medical care in Diabetesd2018. *Diabetes Care*, 41(January), S38–S50. <https://doi.org/10.2337/dc18-S004>
- ADA. (2020). 2. Classification and Diagnosis of Diabetes: Standards of Medical Care in Diabetes-2020. *Diabetes Care*, 43(January), S14–S31. <https://doi.org/10.2337/dc20-S002>
- Ahmed, I., & Ishtiaq, S. (2021). Reliability and validity: Importance in Medical Research. *Journal of the Pakistan Medical Association*, 71(10), 2401–2406. <https://doi.org/10.47391/JPMA.06-861>
- Alam, U., Fawwad, A., Shaheen, F., Tahir, B., Basit, A., & Malik, R. A. (2017). Improvement in Neuropathy Specific Quality of Life in Patients with Diabetes after Vitamin D Supplementation. *Journal of Diabetes Research*, 2017. <https://doi.org/10.1155/2017/7928083>
- Alam, U., Riley, D. R., Jugdey, R. S., Azmi, S., Rajbhandari, S., D'Août, K., & Malik, R. A. (2017). Diabetic Neuropathy and Gait: A Review. *Diabetes Therapy*, 8(6), 1253–1264. <https://doi.org/10.1007/s13300-017-0295-y>
- Alrub, A. A., Hyassat, D., Khader, Y. S., Bani-mustafa, R., Younes, N., & Ajlouni, K. (2019). *Factors Associated with Health-Related Quality of Life among Jordanian Patients with Diabetic Foot Ulcer*. 2019. <https://doi.org/10.1155/2019/4706720>
- AlSadrah, S. A. (2019). Impaired quality of life and diabetic foot disease in Saudi patients with type 2 diabetes: A cross-sectional analysis. *SAGE Open Medicine*, 7, 205031211983209. <https://doi.org/10.1177/2050312119832092>
- AlSufyani, M. H., Alzahran, A. M., Allah, A. A., Abdullah, R. I., & Sara Hasan Alzhrani, A. A. A. (2020). Prevalence of painful diabetic peripheral neuropathy and its impact on quality of life among diabetic patients in Western region, Saudi Arabia. *Journal of Family Medicine and Primary Care*, 9(9), 4897–4903. <https://doi.org/10.4103/jfmpc.jfmpc>
- Amalia, Andayani, T., & Yuniarini, E. (2015). Hubungan Komplikasi Diabetes Melitus Terhadap Biaya. *Jurnal Manajemen Dan Pelayanan Farmasi*, 5(3), 159–170.
- Armawi, A. (2016). Kearifan Lokal Batak Toba Dalihan Na Tolu Dan Good Governance Dalam Birokrasi Publik. *Jurnal Filsafat "Wisdom,"* 18(2), 157–166.
- Artino, A. R., La Rochelle, J. S., Dezee, K. J., & Gehlbach, H. (2014). Developing questionnaires for educational research: AMEE Guide No. 87. *Medical Teacher*, 36(6), 463–474. <https://doi.org/10.3109/0142159X.2014.889814>
- Aslam, A., Singh, J., & Rajbhandari, S. M. (2014). The impact of painful diabetic neuropathy on quality of life: An observational study. *Diabetes and Primary Care*, 16(4), 212–219.
- Bahnasy, W. S., El-Heneedy, Y. A. E., El-Seidy, E. A. S., Labib, N. A. A., & Ibrahim, I. S. E. (2018). Sleep disturbances in diabetic peripheral neuropathy patients: a clinical and polysomnographic study. *Egyptian Journal of Neurology, Psychiatry and Neurosurgery*, 54(1). <https://doi.org/10.1186/s41983-018-0024-0>
- Bakaliuk, T. G., Makarchuk, N. R., Stelmakh, H. O., Martynyuk, L. P., Strashko, Y. Y., & Levytska, L. V. (2021). Quality of Life in Patients With Diabetic Polyneuropathy With

- Increased Physical Activity. *Wiadomosci Lekarskie (Warsaw, Poland : 1960)*, 74(6), 1302–1306. <https://doi.org/10.36740/wlek202106102>
- Barrell, K., & Smith, A. G. (2019). Peripheral Neuropathy. *Medical Clinics of North America*, 103(2), 383–397. <https://doi.org/10.1016/j.mcna.2018.10.006>
- Batty, K. E., & Fain, J. A. (2016). Factors Affecting Resilience in Families of Adults With Diabetes. *Diabetes Educator*, 42(3), 291–298. <https://doi.org/10.1177/0145721716637124>
- Becoña, E., Isabel Vázquez, M., Míguez, M. del C., Fernández del Río, E., López-Durán, A., Martínez, Ú., & Piñeiro, B. (2013). Smoking habit profile and health-related quality of life. *Psicothema*, 25(4), 421–426. <https://doi.org/10.7334/psicothema2013.73>
- Benbow, M. (2006). Ethics and wound management. *Journal of Community Nursing*, 20(3).
- Benbow, S. J., Wallymahmed, M. E., & Macfarlane, I. A. (1998). Diabetic peripheral neuropathy and quality of life. *QJM - Monthly Journal of the Association of Physicians*, 91(11), 733–737. <https://doi.org/10.1093/qjmed/91.11.733>
- Berra, K. (2010). Challenges of Changing Lifestyle to Reduce Risk for Cardiovascular Disease. *Journal of Cardiovascular Nursing*, 25(3), 223–227. <https://doi.org/10.1097/JCN.0b013e3181cec7e4>
- Bhattacharyya, S., Kaur, R., Kaur, S., & Amaan Ali, S. (2017). Validity and reliability of a questionnaire: a literature review. *Chronicles of Dental Research*, 6(2), 17–24. <https://pdfs.semanticscholar.org/c40d/9dadc4ab41b4d27d5803556cb6825b325280.pdf>
- Bril, V., & Perkins, B. A. (2002). Validation of the Toronto clinical scoring system for diabetic polyneuropathy. *Diabetes Care*, 25(11), 2048–2052. <https://doi.org/10.2337/diacare.25.11.2048>
- Brown, J. J., Pribesh, S. L., Baskette, K. G., Vinik, A. I., & Colberg, S. R. (2017). A Comparison of Screening Tools for the Early Detection of Peripheral Neuropathy in Adults with and without Type 2 Diabetes. *Journal of Diabetes Research*, 2017, 17–19. <https://doi.org/10.1155/2017/1467213>
- Brown, S. J., Handsaker, J. C., Bowling, F. L., Boulton, A. J. M., & Reeves, N. D. (2015). Diabetic peripheral neuropathy compromises balance during daily activities. *Diabetes Care*, 38(6), 1116–1122. <https://doi.org/10.2337/dc14-1982>
- Bunner, A. E., Wells, C. L., Gonzales, J., Agarwal, U., Bayat, E., & Barnard, N. D. (2015). A dietary intervention for chronic diabetic neuropathy pain: A randomized controlled pilot study. *Nutrition and Diabetes*, 5(5), e158-6. <https://doi.org/10.1038/nutrd.2015.8>
- Çelik, S. B., Can, H., Sözmen, M. K., Sengezer, T., Kaplan, Y. C., Utlu, G., Sener, A., Yilmaz, A. A., & Aygün, O. (2017). Evaluation of the neuropathic pain in the smokers. *Agri*, 29(3), 122–126. <https://doi.org/10.5505/agri.2017.68815>
- Cevik, A. B., Prof, A., Ph, D., Olgun, N., Prof, A., & Ph, D. (2021). The Predictors of Painful Diabetic Neuropathy and Its Effect on Quality of Life. *Pain Management Nursing*, xxxx. <https://doi.org/10.1016/j.pmn.2021.04.002>
- Choi, D., Kim, B. Y., Jung, C. H., Kim, C. H., & Mok, J. O. (2020). Association between sleep quality and painless diabetic peripheral neuropathy assessed by current perception threshold in type 2 diabetes mellitus. *Diabetes and Metabolism Journal*, 44, 358–367. <https://doi.org/10.4093/dmj.2019.0219>
- Chong, S., Ding, D., Byun, R., Comino, E., Bauman, A., & Jalaludin, B. (2017). Lifestyle changes after a diagnosis of type 2 diabetes. *Diabetes Spectrum*, 30(1), 43–50. <https://doi.org/10.2337/ds15-0044>
- Ciliska, D., & Wilson, D. M. C. (1984). Lifestyle Assessment: Helping Patients Change Health

- Behaviors. *Canadian Family Physician*, 30, 1665.
- Clair, C., Cohen, M. J., Eichler, F., Selby, K. J., & Rigotti, N. A. (2015). The Effect of Cigarette Smoking on Diabetic Peripheral Neuropathy: A Systematic Review and Meta-Analysis. *Journal of General Internal Medicine*, 30(8), 1193–1203. <https://doi.org/10.1007/s11606-015-3354-y>
- Cockerham, W. C. (2005). Health lifestyle theory and the convergence of agency and structure. *Journal of Health and Social Behavior*, 46(1), 51–67. <https://doi.org/10.1177/002214650504600105>
- Cockerham, W. C. (2017). Health Lifestyle Theory. *The Wiley-Blackwell Encyclopedia of Social Theory*, 1991, 1–3. <https://doi.org/10.1002/9781118430873.est0160>
- Cockerham, W. C., Rütten, A., & Abel, T. (1997). Conceptualizing contemporary health lifestyles: Moving beyond weber. *Sociological Quarterly*, 38(2), 321–342. <https://doi.org/10.1111/j.1533-8525.1997.tb00480.x>
- Cong, J. Y., Zhao, Y., Xu, Q. Y., Zhong, C. De, & Xing, Q. L. (2012). Health-related quality of life among Tianjin Chinese patients with type 2 diabetes: A cross-sectional survey. *Nursing and Health Sciences*, 14(4), 528–534. <https://doi.org/10.1111/j.1442-2018.2012.00734.x>
- Contreras, I., & Vehi, J. (2018). Artificial intelligence for diabetes management and decision support: Literature review. *Journal of Medical Internet Research*, 20(5), 1–21. <https://doi.org/10.2196/10775>
- D'Egidio, F., Lombardozzi, G., Kacem Ben Haj M'Barek, H. E., Mastroiacovo, G., Alfonsetti, M., & Cimini, A. (2022). The Influence of Dietary Supplementation on Neuropathic Pain. *Life*, 12(8), 1–18. <https://doi.org/10.3390/life12081125>
- Datta, D., Datta, P. P., & Majumdar, K. K. (2015). Original Article Role of Social Interaction on Quality of Life. *National Journal of Medical Research*, 5(4), 290–292.
- Davoudi, M., Rezaei, P., Rajaeiramshah, F., Ahmadi, S. M., & Taheri, A. A. (2021). Predicting the quality of life based on pain dimensions and psychiatric symptoms in patients with Painful diabetic neuropathy: a cross-sectional prevalence study in Iranian patients. *Health and Quality of Life Outcomes*, 19(1), 1–9. <https://doi.org/10.1186/s12955-021-01697-w>
- De Oliveira, C. M. I., Tureck, L. V., Alvares, D., Liu, C., Horimoto, A. R. V. R., Balcells, M., De Oliveira Alvim, R., Krieger, J. E., & Pereira, A. C. (2020). Relationship between marital status and incidence of type 2 diabetes mellitus in a Brazilian rural population: The Baependi Heart Study. *PLoS ONE*, 15(8) (August), 1–10. <https://doi.org/10.1371/journal.pone.0236869>
- Demur, R. D. N. (2018). Hubungan Kualitas Tidur Dengan Kadar Glukosa Darah Pada Pasien Diabetes Mellitus Tipe II. *Prosiding Seminar Kesehatan Perintis E*, 1(1), 2622–2256.
- Dermanovic Dobrota, V., Hrabac, P., Skegro, D., Smiljanic, R., Dobrota, S., Prkacin, I., Brkljacic, N., Peros, K., Tomic, M., Lukinovic-Skudar, V., & Basic Kes, V. (2014). The impact of neuropathic pain and other comorbidities on the quality of life in patients with diabetes. *Health and Quality of Life Outcomes*, 12(1), 1–8. <https://doi.org/10.1186/s12955-014-0171-7>
- Edgerton, D. S., Kraft, G., Smith, M., Farmer, B., Williams, P. E., Coate, K. C., Printz, R. L., O'Brien, R. M., & Cherrington, A. D. (2017). Insulin's direct hepatic effect explains the inhibition of glucose production caused by insulin secretion. *JCI Insight*, 2(6), e91863. <https://doi.org/10.1172/jci.insight.91863>
- Farhud, D. D. (2015). Impact of lifestyle on health. *Iran J Public Health*, 44(11), 1442–1444. <https://doi.org/10.1145/3177148.3180101>

- Farias, A. L. de, Silva, A. S. A. da, Tavares, V. B., Souza, J. de S. e., Silva, H. P. da, Oliveira Bastos, M. do S. C. B. de, & Melo-Neto, J. S. de. (2023). Amazon Amandaba—Prevalence, Risk Factors and Self-Care Perception Associated with Diabetic Peripheral Neuropathy in Patients with Type 2 Diabetes: A Cross-Sectional Study. *Healthcare (Switzerland)*, 11(4). <https://doi.org/10.3390/healthcare11040518>
- Feldman, E. L., Callaghan, B. C., Pop-Busui, R., Zochodne, D. W., Wright, D. E., Bennett, D. L., Bril, V., Russell, J. W., & Viswanathan, V. (2019). Diabetic neuropathy. *Nature Reviews Disease Primers*, 5(1). <https://doi.org/10.1038/s41572-019-0092-1>
- Fisher, L., Tang, T., & Polonsky, W. (2017). Assessing quality of life in diabetes: I. A practical guide to selecting the best instruments and using them wisely. *Diabetes Research and Clinical Practice*, 126, 278–285. <https://doi.org/10.1016/j.diabres.2016.10.018>
- Ghahramani, Z. (2015). Nature. *Nature*, 27, 452–459. https://www.repository.cam.ac.uk/bitstream/handle/1810/248538/Ghahramani_Nature.pdf
- Ghavami, H., Radfar, M., Soheily, S., Shamsi, S. A., & Khalkhali, H. R. (2018). Effect of lifestyle interventions on diabetic peripheral neuropathy in patients with type 2 diabetes, result of a randomized clinical trial. *Agri*, 30(4), 165–170. <https://doi.org/10.5505/agri.2018.45477>
- Girach, A., Julian, T. H., Varrassi, G., Paladini, A., Vadalouka, A., Zis, P., Foundation, P. P., & Tacito, V. (2019). Quality of Life in Painful Peripheral Neuropathies : A Systematic Review. *Hindawi Pain Research and Management*, 2019. <https://doi.org/10.1155/2019/2091960>
- Gode, M., Aga, F., & Hailu, A. (2022). Self-Care Practices Among Adult Type 2 Diabetes Patients With and Without Peripheral Neuropathy: A Cross-Sectional Study at Tertiary Healthcare Settings in Ethiopia. *The Canadian Journal of Nursing Research = Revue Canadienne de Recherche En Sciences Infirmieres*, 54(3), 345–356. <https://doi.org/10.1177/08445621211020653>
- Goldenberg, M., Danovitch, I., & IsHak, W. W. (2014). Quality of life and smoking. *American Journal on Addictions*, 23(6), 540–562. <https://doi.org/10.1111/j.1521-0391.2014.12148.x>
- Gustimigo, Z. P. (2015). Kualitas Tidur Penderita Diabetes Melitus. *Fakultas Kedokteran Universitas Lampung*, 4(8), 133–138.
- Hashimoto, Y., Sakai, R., Ikeda, K., & Fukui, M. (2020). Association between sleep disorder and quality of life in patients with type 2 diabetes: a cross-sectional study. *BMC Endocrine Disorders*, 20(1), 1–8. <https://doi.org/10.1186/s12902-020-00579-4>
- Hayden, J. (2019). Introduction to Health Behavior Theory. In *Introduction to Health Behavior Theory*.
- Hicks, C. W., & Selvin, E. (2019). Epidemiology of Peripheral Neuropathy and Lower Extremity Disease in Diabetes. *Current Diabetes Reports*, 19(10). <https://doi.org/10.1007/s11892-019-1212-8>
- Holmes, C. J., & Hastings, M. K. (2021). The application of exercise training for diabetic peripheral neuropathy. *Journal of Clinical Medicine*, 10(21). <https://doi.org/10.3390/jcm10215042>
- IDF. (2017). IDF Diabetes Atlas Eighth edition 2017. In *International Diabetes Federation. IDF Diabetes Atlas, 8th edn. Brussels, Belgium: International Diabetes Federation*, 2017. <http://www.diabetesatlas.org>. [https://doi.org/http://dx.doi.org/10.1016/S0140-6736\(16\)31679-8](https://doi.org/http://dx.doi.org/10.1016/S0140-6736(16)31679-8)

- Internation Diabetes Federation. (2019). IDF Diabetes Atlas Ninth. In *Dunia : IDF*.
- Iqbal, Z., Azmi, S., Yadav, R., Ferdousi, M., Kumar, M., Cuthbertson, D. J., Lim, J., Malik, R. A., & Alam, U. (2018). Diabetic Peripheral Neuropathy: Epidemiology, Diagnosis, and Pharmacotherapy. *Clinical Therapeutics*, 40(6), 828–849. <https://doi.org/10.1016/j.clinthera.2018.04.001>
- Javanmardifard, S., Heidari, S., Sanjari, M., Yazdanmehr, M., & Shirazi, F. (2020). The relationship between spiritual well-being and hope, and adherence to treatment regimen in patients with diabetes. *Journal of Diabetes and Metabolic Disorders*, 19(2), 941–950. <https://doi.org/10.1007/s40200-020-00586-1>
- Jing, X., Chen, J., Dong, Y., Han, D., Zhao, H., Wang, X., Gao, F., Li, C., Cui, Z., Liu, Y., & Ma, J. (2018). Related factors of quality of life of type 2 diabetes patients: a systematic review and meta-analysis. *Health and Quality of Life Outcomes*, 16(1), 1–14. <https://doi.org/10.1186/s12955-018-1021-9>
- Jonathan H. Turner. (1988). *A Theory of Social Interaction*. Standford University Press.
- Kalechofsky, H. (2016). A Simple Framework for Building Predictive Models. *A Little Data Science Business Guide*, September, 6–17. <http://www.msquared.com/wp-content/uploads/2017/01/A-Simple-Framework-for-Building-Predictive-Models.pdf>
- Karamanakos, G., Costa-Pinel, B., Gilis-Januszewska, A., Velickiene, D., Barrio-Torrell, F., Cos-Claramunt, X., Mestre-Miravet, S., Piwońska-Solska, B., Hubalewska-Dydyczzyk, A., Tuomilehto, J., Liatis, S., & Makrilia, K. (2019). The effectiveness of a community-based, type 2 diabetes prevention programme on healthrelated quality of life. The DEPLAN study. *PLoS ONE*, 14(10), 1–18. <https://doi.org/10.1371/journal.pone.0221467>
- Karmilayanti, Goysal, Y., Basri, M. I., Aulina, S., & Bintang, A. K. (2021). The relationship between the severity of peripheral diabetic neuropathy and sleep quality in type 2 diabetic mellitus patients. *Medicina Clinica Practica*, 4, 100210. <https://doi.org/10.1016/j.mcpsp.2021.100210>
- Kemenkes. (2018). Riskedas 2018. In *Kementrian Kesehatan Republik Indonesia*. <https://doi.org/10.1016/j.mcpsp.2021.100210>
- KEMENKES. (2013). *Riset Kesehatan Dasar (RISKESDAS) 2013*.
- Kemenkes RI. (2015). *Konsensus Pengelolaan Tuberkulosis dan Diabetes melitus (TB-DM) di Indonesia* (p. 51).
- Kementerian Kesehatan RI. (2020). Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020. In *Pusat Data dan Informasi Kementerian Kesehatan RI* (pp. 1–10). <https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/Infodatin-2020-Diabetes-Melitus.pdf>
- Khalili, M., Sabouhi, F., Abazari, P., & Aminorroaya, A. (2016). Comparing the quality of life in insulin recipient and refusal patients with type 2 diabetes. *Iranian Journal of Nursing and Midwifery Research*, 21(4), 351. <https://doi.org/10.4103/1735-9066.185571>
- Khawaja, N., Abu-Shennar, J., Saleh, M., Dahbour, S. S., Khader, Y. S., & Ajlouni, K. M. (2018). The prevalence and risk factors of peripheral neuropathy among patients with type 2 diabetes mellitus; The case of Jordan. *Diabetology and Metabolic Syndrome*, 10(1), 1–10. <https://doi.org/10.1186/s13098-018-0309-6>
- Kimberlin, C. L., & Winterstein, A. G. (2008). Validity and reliability of measurement instruments used in research. *American Journal of Health-System Pharmacy*, 65(23), 2276–2284. <https://doi.org/10.2146/ajhp070364>
- Kitishat, A. R., & Freihat, H. M. (2015). The Role of the Social Relations in Successful Social

- Interactions and Language Acquisition. *Research on Humanities and Social Sciences*, 5(4), 194–198.
- Kong, J. X., Zhu, L., Wang, H. M., Li, Y., Guo, A. Y., Gao, C., Miao, Y. Y., Wang, T., Lu, X. Y., Zhu, H. H., & Patrick, D. L. (2019). Effectiveness of the chronic care model in type 2 diabetes management in a community health service center in China: A group randomized experimental study. *Journal of Diabetes Research*, 2019(Dm). <https://doi.org/10.1155/2019/6516581>
- Kudrnáčová, M., & Kudrnáč, A. (2023). Better sleep, better life? testing the role of sleep on quality of life. *Plos One*, 18(3), e0282085. <https://doi.org/10.1371/journal.pone.0282085>
- Kuhn, M., & Johnson, K. (2013). *Applied Predictive Modeling with Applications in R*. http://appliedpredictivemodeling.com/s/Applied_Predictive_Modeling_in_R.pdf
- Kumari, G., Singh, V., Jhingan, A. K., Chhajer, B., & Dahiya, S. (2018). Effect of lifestyle intervention on medical treatment cost and health-related quality of life in type 2 diabetes mellitus patients. *Biomedical and Pharmacology Journal*, 11(2), 775–787. <https://doi.org/10.13005/bpj/1432>
- Lana, A., Lopez-Garcia, E., & Rodríguez-Artalejo, F. (2015). Consumption of soft drinks and health-related quality of life in the adult population. *European Journal of Clinical Nutrition*, 69(11), 1226–1232. <https://doi.org/10.1038/ejcn.2015.103>
- Lee, C. C., Perkins, B. A., Kayaniyil, S., Harris, S. B., Retnakaran, R., Gerstein, H. C., Zinman, B., & Hanley, A. J. (2015). Peripheral neuropathy and nerve dysfunction in individuals at high risk for type 2 diabetes: The PROMISE cohort. *Diabetes Care*, 38(5), 793–800. <https://doi.org/10.2337/dc14-2585>
- Liu, X., Xu, Y., An, M., & Zeng, Q. (2019). The risk factors for diabetic peripheral neuropathy: A meta-analysis. *PLoS ONE*, 14(2), 1–16. <https://doi.org/10.1371/journal.pone.0212574>
- Lubis, M. N., Joebagio, H., & Pelu, M. (2019). Eksistensi Dalihan Na Tolu Sebagai Kearifan Lokal dan Konstribusinya dalam Pendidikan Karakter. *Jurnal Ekonomi, Sosial & Humaniora*, 1(03), 31–38.
- Lyrakos, G., Hatziagelaki, E., Damigos, D., K, A. P., Bousboulas, S., & Batistaki, C. (2013). Predictors of health-related quality of life in Diabetic Neuropathy type II diabetic patients in Greece. *Health Science Journal*, 7(3), 327–341. <https://doi.org/10.1007/s00402-013-1890-7>
- Malik, R. A., Andag-silva, A., Dejthevaporn, C., Hakim, M., Koh, J. S., Pinzon, R., Sukor, N., Wong, K. S., & Asia, S. (2020). *Diagnosing peripheral neuropathy in South-East Asia : A focus on diabetic neuropathy*. 11(5). <https://doi.org/10.1111/jdi.13269>
- Malik, V. S., Popkin, B. M., Bray, G. A., Després, J. P., & Hu, F. B. (2010). Sugar-sweetened beverages, obesity, type 2 diabetes mellitus, and cardiovascular disease risk. *Circulation*, 121(11), 1356–1364. <https://doi.org/10.1161/CIRCULATIONAHA.109.876185>
- Malini, H., Zahara, S., Lenggogeni, D. P., & Putri, Z. M. (2022). Self-Care and Quality of Life People With Type 2 Diabetes During the Covid-19: Cross-Sectional Study. *Journal of Diabetes and Metabolic Disorders*, 21(1), 785–790. <https://doi.org/10.1007/s40200-022-01055-7>
- Mardastuti, Y., Asmedi, A., & Gofir, A. (2016). Diabetic Neuropathy Symptom-versi Indonesia dan Diabetic Neuropathy Examination-versi Indonesia sebagai Skor Diagnostik. *Berkala Neurosains*, 15(2), 55–65.
- Maxwell, S. K., Barnett, C., Kokoky, S., Leung, J. C., Yu, J. J., Bril, V., & Katzberg, H. D. (2013). Association of social support with quality of life in patients with polyneuropathy. *Journal of the Peripheral Nervous System : JPNS*, 18(1), 37–43.

- <https://doi.org/10.1111/jns5.12005>
- Meijer, J. W. G., Smit, A. J., Sonderen, E. V., Groothoff, J. W., Eisma, W. H., & Links, T. P. (2002). *Symptom scoring systems to diagnose distal polyneuropathy in diabetes: the Diabetic Neuropathy*. 962–965.
- Mildawati, Diani, N., & Wahid, A. (2019). HUBUNGAN USIA , JENIS KELAMIN DAN LAMA MENDERITA DIABETES DENGAN KEJADIAN NEUROPATHY PERIFER DIABETIK (Relationship Between Age , Gender and Duration Of Diabetes Patients With The Incidence Of Diabetic Peripheral Neuropathy). *Caring Nursing Journal*, 3(2), 31–37.
- Moayeri, F., Hsueh, Y. S. (Arthur), Dunt, D., & Clarke, P. (2021). Smoking Cessation and Quality of Life: Insights From Analysis of Longitudinal Australian Data, an Application for Economic Evaluations. *Value in Health*, 24(5), 724–732. <https://doi.org/10.1016/j.jval.2020.11.022>
- Ngiam, K. Y., & Khor, I. W. (2019). Big data and machine learning algorithms for health-care delivery. *The Lancet Oncology*, 20(5), e262–e273. [https://doi.org/10.1016/S1470-2045\(19\)30149-4](https://doi.org/10.1016/S1470-2045(19)30149-4)
- Nilsson, E. (2012). *Aspects of Health-Related Quality of Life*. LiU-Tryck.
- Notoatmodjo, S. (2012). Promosi Kesehatan dan Perilaku Kesehatan. In *Journal of Chemical Information and Modeling*. <https://doi.org/10.1017/CBO9781107415324.004>
- Novita, A., Husna, A., Putranto, R. H., Putri, E. S., & Anwar, S. (2022). Study of Intrinsic and Extrinsic Factors with Diabetes Mellitus Classification. *The Indonesian Journal of Public Health*, 9(2), 18–25.
- O'Connor, L., Imamura, F., Lentjes, M. A. H., Khaw, K. T., Wareham, N. J., & Forouhi, N. G. (2015). Prospective associations and population impact of sweet beverage intake and type 2 diabetes, and effects of substitutions with alternative beverages. *Diabetologia*, 58(7), 1474–1483. <https://doi.org/10.1007/s00125-015-3572-1>
- Ochieng, B. M. (2006). Factors affecting choice of a healthy lifestyle: implications for nurses. *British Journal of Community Nursing*, 11(2), 78–81.
- Okur, M. E., Karantas, I. D., & Siafaka, P. I. (2017). Diabetes mellitus: A review on pathophysiology, current status of oral medications and future perspectives. *Acta Pharmaceutica Scientia*, 55(1), 61–82. <https://doi.org/10.23893/1307-2080.APS.0555>
- Olokoba, A. B., Obateru, O. A., & Olokoba, L. B. (2012). Type 2 diabetes mellitus: A review of current trends. *Oman Medical Journal*, 27(4), 269–273. <https://doi.org/10.5001/omj.2012.68>
- Owczarek, K. (2010). The concept of quality of life. *Acta Neuropsychologica*, 8(3), 166–167. <https://doi.org/10.2298/AOO0403166O>
- Pai, Y. W., Lin, C. H., Lin, S. Y., Lee, I. Te, & Chang, M. H. (2019). Reconfirmation of newly discovered risk factors of diabetic peripheral neuropathy in patients with type 2 diabetes: A case-control study. *PLoS ONE*, 14(7), 1–10. <https://doi.org/10.1371/journal.pone.0220175>
- Papanas, N., & Ziegler, D. (2015). Risk factors and comorbidities in diabetic neuropathy: An update 2015. *Review of Diabetic Studies*, 12(1–2), 48–62. <https://doi.org/10.1900/RDS.2015.12.48>
- Parker E Marilyn. (2009). Nursing Theories and Nursing Practice. In *FA Davis Company* (Vol. 66).
- Patricia Cabrera-Sosoranga, K., Cristina Mesa-Cano, I., Alexis Ramírez-Coronel, A., & Cano Isabel Cristina, M. (2021). Self-Care in the Prevention of Diabetic Peripheral Neuropathy: A Systematic Review. *International Journal of Innovative Science and Research*

- Technology*, 6(3), 1–8. www.ijisrt.com638
- Perkeni. (2015). *KONSENSUS PENGELOLAAN DAN PENCEGAHAN DIABETES MELITUS TIPE 2 DI INDONESIA 2015*.
- Perkeni. (2019). Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2019. In *PB Perkeni*. <https://doi.org/10.7748/NM.2020.E1928>
- Pfannkuche, A., Alhajjar, A., Ming, A., Walter, I., Piehler, C., & Mertens, P. R. (2020). Prevalence and risk factors of diabetic peripheral neuropathy in a diabetics cohort: Register initiative “diabetes and nerves.” *Endocrine and Metabolic Science*, 1(1–2). <https://doi.org/10.1016/j.endmts.2020.100053>
- Picon, A. P., Ortega, N. R. S., Watari, R., Sartor, C., & Sacco, I. C. N. (2012). Classification of the severity of diabetic neuropathy: A new approach taking uncertainties into account using fuzzy logic. *Clinics*, 67(2), 151–156. [https://doi.org/10.6061/clinics/2012\(02\)10](https://doi.org/10.6061/clinics/2012(02)10)
- Popescu, S., Timar, B., Baderca, F., Simu, M., Diaconu, L., Velea, I., & Timar, R. (2016). Age as an independent factor for the development of neuropathy in diabetic patients. *Clinical Interventions in Aging*, 11, 313–318. <https://doi.org/10.2147/CIA.S97295>
- Prochaska, J. (1997). The Transtheoretical Model of Behaviour Change. In *Health Behaviour and Health Education. Theory, Research, and Practice*. <https://doi.org/10.1111/j.1360-0443.2006.01502.x>
- Purwandari, H., & Susanti, S. N. (2017). Hubungan Kepatuhan Diet Dengan Kualitas Hidup Strada. *Jurnal Ilmiah Kesehatan*, 6(2), 16–21.
- Putri, A. M., & Hasneli, Y. (2020). *Faktor-Faktor Yang Mempengaruhi Derajat Keparahan Neuropati Perifer Pada Pasien Diabetes Melitus : Literature Review Factors Associated of Severity of Peripheral Neuropathy Among Diabetes Mellitus Patients : Literature Review Berdasarkan Riset Kesehatan D*.
- Rahman, F. (2019). Analisis Biaya Layanan Diabetes Melitus dengan Komplikasi dan Faktor Penentu Inefisiensi Penanganan Diabetes Melitus di Rawat Inap RSUD Banyuasin Tahun 2015. *Jurnal Farmasi Galenika*, 3(1), 29–41.
- Rahmawati, A., & Hargono, A. (2018). Dominant Factor of Diabetic Neuropathy on Diabetes Mellitus Type 2 Patients. *Jurnal Berkala Epidemiologi*, 6(1), 60. <https://doi.org/10.20473/jbe.v6i12018.60-68>
- Rantung, J., Yetti, K., & Herawati, T. (2015). Hubungan Self-Care Dengan Kualitas Hidup Pasien Diabetes Mellitus (Dm) Di Persatuan Diabetes Indonesia (Persadia) Cabang Cimahi. *Jurnal Skolastik Keperawatan*, 1(01), 38–51. <https://doi.org/10.35974/jsk.v1i01.17>
- Rasoul, A. M., Jalali, R., Abdi, A., Salari, N., Rahimi, M., & Mohammadi, M. (2019). The effect of self-management education through weblogs on the quality of life of diabetic patients. *BMC Medical Informatics and Decision Making*, 19(1), 1–12. <https://doi.org/10.1186/s12911-019-0941-6>
- Ridderstråle, M., Evans, L. M., Jensen, H. H., Bøgelund, M., Jensen, M. M., Ericsson, Å., & Jendle, J. (2016). Estimating the impact of changes in HbA1c, body weight and insulin injection regimen on health related quality-of-life: A time trade off study. *Health and Quality of Life Outcomes*, 14(1), 1–10. <https://doi.org/10.1186/s12955-016-0411-0>
- Ritonga, S. H., Julianda, D. P., & Antoni, A. (2021). Penderita Masalah Kaki Diabetik. *Jurnal Keperawatan Priority*, 4(1), 1–8.
- Rogers, E. M. (1983). Diffusion of innovations third edition. In *An Integrated Approach to Communication Theory and Research, Third Edition*. <https://doi.org/10.4324/9780203710753-35>

- Rubin, R. R., & Peyrot, M. (1999). Quality of life and diabetes. *Diabetes/Metabolism Research and Reviews*, 15(3), 205–218. [https://doi.org/10.1002/\(SICI\)1520-7560\(199905/06\)15:3<205::AID-DMRR29>3.0.CO;2-O](https://doi.org/10.1002/(SICI)1520-7560(199905/06)15:3<205::AID-DMRR29>3.0.CO;2-O)
- Sami, W., Ansari, T., Butt, N. S., Rashid, M., & Hamid, A. (2017). Effect Of Diet Counseling on Type 2 Diabetes Mellitus: A Review. *International Journal of Health Sciences*, 11(2), 65–71. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5426415/pdf/IJHS-11-65.pdf>
- Sartor, C. D., Watari, R., Pássaro, A. C., Picon, A. P., Hasue, R. H., & Sacco, I. C. N. (2012). Effects of a combined strengthening, stretching and functional training program versus usual-care on gait biomechanics and foot function for diabetic neuropathy: A randomized controlled trial. *BMC Musculoskeletal Disorders*, 13(1), 36. <https://doi.org/10.1186/1471-2474-13-36>
- Sharoni, S. K. A., Rahman, H. A., Minhat, H. S., Shariff-Ghazali, S., & Ong, M. H. A. (2018). The effects of self-efficacy enhancing program on foot self-care behaviour of older adults with diabetes: A randomised controlled trial in elderly care facility, Peninsular Malaysia. *PLoS ONE*, 13(3), 1–23. <https://doi.org/10.1371/journal.pone.0192417>
- Sherman, J. J. (2005). The impact of smoking and quitting smoking on patients with diabetes. *Diabetes Spectrum*, 18(4), 202–208. <https://doi.org/10.2337/diaspect.18.4.202>
- Shmueli, G. (2010). To explain or to predict? *Statistical Science*, 25(3), 289–310. <https://doi.org/10.1214/10-STS330>
- Smith, S., Normahani, P., Lane, T., Hohenschurz-Schmidt, D., Oliver, N., & Davies, A. H. (2022). Prevention and Management Strategies for Diabetic Neuropathy. *Life*, 12(8), 1–28. <https://doi.org/10.3390/life12081185>
- Sohail, S., Qadir, A., Ashraf, A., Ashraf, S. J., Serafi, S., & Hussain, Z. (2017). Prevalence of risk factors promoting diabetic neuropathy. *International of Biological Research*, 5(1), 1–5.
- Sonalika Gogia, C. R. R. (2017). Prevalence and Risk Factors for Peripheral Neuropathy among Type 2 Diabetes Mellitus Patients at a Tertiary Care Hospital in Coastal Karnataka. *Indian Journal of Endocrinology and Metabolism*, 21(5), 665–669. https://doi.org/10.4103/ijem.IJEM_665_17
- Sothornwit, J., Srisawasdi, G., Suwannakin, A., & Sriwijitkamol, A. (2018). Decreased health-related quality of life in patients with diabetic foot problems. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 11, 35–43. <https://doi.org/10.2147/DMSO.S154304>
- Stino, A. M., & Smith, A. G. (2017). Peripheral neuropathy in prediabetes and the metabolic syndrome. *Journal of Diabetes Investigation*, 8(5), 646–655. <https://doi.org/10.1111/jdi.12650>
- Storz, M. A., & Küster, O. (2020). Plant-based diets and diabetic neuropathy: A systematic review. *Lifestyle Medicine*, 1(1), 1–11. <https://doi.org/10.1002/lim2.6>
- Strom, J. L., & Egede, L. E. (2012). The Impact of Social Support on Outcomes in Adult Patients with Type 2 Diabetes: A Systematic Review. *NIH Public Access*, 12(6), 769–781. <https://doi.org/10.1007/s11892-012-0317-0>
- Su, J. bin, Zhao, L. hua, Zhang, X. lin, Cai, H. li, Huang, H. yan, Xu, F., Chen, T., & Wang, X. qin. (2018). HbA1c variability and diabetic peripheral neuropathy in type 2 diabetic patients. *Cardiovascular Diabetology*, 17(1), 1–9. <https://doi.org/10.1186/s12933-018-0693-0>
- Tamir, O., De-Paz, N. S., Dvir, D., & Heymann, A. D. (2018). Comparing assessment of diabetes-related quality of life between patients and their physicians. *Health and Quality of Life Outcomes*, 16(1), 1–9. <https://doi.org/10.1186/s12955-018-1040-6>

- Tang, T. S., Yusuf, F. L. A., Polonsky, W. H., & Fisher, L. (2017). Assessing quality of life in diabetes: II – Deconstructing measures into a simple framework. In *Diabetes Research and Clinical Practice* (Vol. 126). <https://doi.org/10.1016/j.diabres.2016.10.007>
- The InterAct Consortium. (2013). *Consumption of sweet beverages and type 2 diabetes incidence in European adults : results from EPIC-InterAct.* 1520–1530. <https://doi.org/10.1007/s00125-013-2899-8>
- Timar, B., Timar, R., Gaiță, L., Oancea, C., Levai, C., & Lungeanu, D. (2016). The impact of diabetic neuropathy on balance and on the risk of falls in patients with type 2 diabetes mellitus: A cross-sectional study. *PLoS ONE*, 11(4), 1–11. <https://doi.org/10.1371/journal.pone.0154654>
- Timar, B., Timar, R., Schiller, A., Oancea, C., Roman, D., Vlad, M., Balinisteanu, B., & Mazilu, O. (2016). Impact of neuropathy on the adherence to diabetes-related self-care activities: A cross-sectional study. *Patient Preference and Adherence*, 10, 1169–1175. <https://doi.org/10.2147/PPA.S107621>
- Trikkalinou, Aikaterini. Papazafiropoulou, Athanasia K. Melidonis, A. (2017). Diabetes and quality of life. *World Journal of Diabetes*, 8(4), 120–129. <https://doi.org/10.1016/j.jrevinf.2015.02.017>
- Vaarama, M. (2009). Care-related quality of life in old age. *European Journal of Ageing*, 6(2), 113–125. <https://doi.org/10.1007/s10433-009-0115-y>
- Venkataraman, K., Tai, B. C., Khoo, E. Y. H., Tavintharan, S., Chandran, K., Hwang, S. W., Phua, M. S. L. A., Wee, H. L., Koh, G. C. H., & Tai, E. S. (2019). Short-term strength and balance training does not improve quality of life but improves functional status in individuals with diabetic peripheral neuropathy: a randomised controlled trial. *Diabetologia*, 62(12), 2200–2210. <https://doi.org/10.1007/s00125-019-04979-7>
- Vinik, E. J., Hayes, R. P., Oglesby, A., Bastyr, E., Barlow, P., Ford-Molvik, S. L., & Vinik, A. I. (2005). The development and validation of the Norfolk QOL-DN, a new measure of patients' perception of the effects of diabetes and diabetic neuropathy. *Diabetes Technology and Therapeutics*, 7(3), 497–508. <https://doi.org/10.1089/dia.2005.7.497>
- Vinik, E. J., Vinik, A. I., Paulson, J. F., Merkies, I. S. J., Packman, J., Grogan, D. R., & Coelho, T. (2014). Norfolk QOL-DN: Validation of a patient reported outcome measure in transthyretin familial amyloid polyneuropathy. *Journal of the Peripheral Nervous System*, 19(2), 104–114. <https://doi.org/10.1111/jns.12059>
- Walsh, F. (2021). Family resilience: A dynamic systemic framework. *Multisystemic Resilience: Adaptation and Transformation in Contexts of Change*, 255–270. <https://doi.org/10.1093/oso/9780190095888.003.0015>
- WHO. (2016). Global Report on Diabetes. In *Isbn* (Vol. 978).
- WHO. (2020). World Health Statistics 2020: Monitoring Health for the SDGs Sustainable Development Goals. In *WHO* (Vol. 8, Issue 75). WHO. <https://doi.org/10.1016/j.jnc.2020.125798%0Ahttps://doi.org/10.1016/j.smr.2020.02.002%0Ahttp://www.ncbi.nlm.nih.gov/pubmed/810049%0Ahttp://doi.wiley.com/10.1002/anie.197505391%0Ahttp://www.sciencedirect.com/science/article/pii/B9780857090409500205%0Ahttp://www.ncbi.nlm.nih.gov/pmc/articles/PMC7200000/>
- WHO QOL. (1998). WHO Quality of Life Scale (WHOQOL). *Psychological Medicine*, 28(3), 551–558.
- Wichit, N., Mnatzaganian, G., Courtney, M., Schulz, P., & Johnson, M. (2017). Randomized controlled trial of a family-oriented self-management program to improve self-efficacy,

- glycemic control and quality of life among Thai individuals with Type 2 diabetes. *Diabetes Research and Clinical Practice*, 123, 37–48. <https://doi.org/10.1016/j.diabres.2016.11.013>
- Wiebe, D. J., Helgeson, V., & Berg, C. A. (2016). The social context of managing diabetes across the life span. *American Psychologist*, 71(7), 526–538. <https://doi.org/10.1037/a0040355>
- Wojtkiewicz, D. M., Saunders, J., Domeshek, L., Novak, C. B., Kaskutas, V., & Mackinnon, S. E. (2015). Social impact of peripheral nerve injuries. *Hand*, 10(2), 161–167. <https://doi.org/10.1007/s11552-014-9692-0>
- Yang, Z., Chen, R., Zhang, Y., Huang, Y., Hong, T., Sun, F., Ji, L., & Zhan, S. (2014). Cd010974. 3. <https://doi.org/10.1002/14651858.CD010974.www.cochranelibrary.com>
- Yohanna, A. (2020). The influence of social media on social interactions among students. *Indonesian Journal of Social Sciences*, 12(2), 34. <https://doi.org/10.20473/ijss.v12i2.22907>
- Yokobayashi, K., Kawachi, I., Kondo, K., Kondo, N., Nagamine, Y., Tani, Y., Shirai, K., Tazuma, S., Kondo, K., Hanazato, M., Hikichi, H., Miyaguni, Y., Sasaki, Y., Nagamine, Y., Ashida, T., Kondo, N., Takagi, D., Tani, Y., Aida, J., ... Hayashi, T. (2017). Association between social relationship and glycemic control among older Japanese: JAGES cross-sectional study. *PLoS ONE*, 12(1), 1–12. <https://doi.org/10.1371/journal.pone.0169904>
- Young, T. (2017). Back to basics: Understanding moisture-associated skin damage. *Wounds UK*.
- Yusoff, M. S. B. (2019). ABC of Response Process Validation and Face Validity Index Calculation. *Education in Medicine Journal*, 11(3), 55–61. <https://doi.org/10.21315/eimj2019.11.3.6>
- Zamanzadeh, V., Ghahramanian, A., Rassouli, M., Abbaszadeh, A., Alavi-Majd, H., & Nikanfar, A.-R. (2015). Design and Implementation Content Validity Study: Development of an instrument for measuring Patient-Centered Communication. *Journal of Caring Sciences*, 4(2), 165–178. <https://doi.org/10.15171/jcs.2015.017>
- Zhang, P., Lou, P., Chang, G., Chen, P., Zhang, L., Li, T., & Qiao, C. (2016). Combined effects of sleep quality and depression on quality of life in patients with type 2 diabetes. *BMC Family Practice*, 17(1), 1–7. <https://doi.org/10.1186/s12875-016-0435-x>

