

KEPUSTAKAAN

- [1] A. Jaya and Syamsir., "Kinerja Permukaan Bahan Isolasi Low Density Polyethylene (LDPE)," *Logitech: Logika Teknologi*, 2018.
- [2] N. T. Pratiwi, Hermawan., and A. Syakur, "Analisis Pengaruh Coating Terhadap Sudut Kontak, Arus Bocor, Dan THD Pada Isolator Polimer 20 kV Kondisi Terkontaminasi," *TRANSIENT*, vol. 4, 2015.
- [3] Aulia., E. P. Walidi, and Darwison., "The Effect of Silica Content to Partial Discharge Characteristic of Low-Density Polyethene and Natural Rubber Blend as The Electrical Insulator," *TELKOMNIKA Telecommunication, Computing, Electronics and Control*, vol. 19, p. 631~637, 2021, doi: DOI: 10.12928.
- [4] Jumari., J. Sinaga, and S. Zega, "Studi Pengaruh Kontaminasi Polusi Udara Pada Isolator Tegangan Menengah 20 kV Pada PT Pln (Persero) Unit Pelaksana Pelayanan Pelanggan (UP3) Medan," *JURNAL TEKNOLOGI ENERGI UDA*, vol. 9, pp. 31-43, 2020.
- [5] Aulia., R. Alfajri, E. P. Walidi, and Novizon., "Pengaruh Partikel Nanosilika Terhadap Sifat Tolak Air Bahan Isolasi Bionanokomposit," *Jurnal Nasional Teknik Elektro*, vol. 9, 2020, doi: <https://doi.org/10.25077/jnte.v9n2.716.2020>.
- [6] A. Syakur, Hermawan., Sarjiya., and H. Berahim, "Analisis Sifat Hidrofobik Permukaan HDPE Berdasarkan Nilai Total Harmonic Distortion," *TELKOMNIKA*, vol. 7, 2009, doi: <http://doi.org/10.12928/telkonnika.v7i2.583>.
- [7] W. D. Callister Jr and D. G. Rethwisch, *Fundamentals of Materials Science and Engineering*. 2020.
- [8] Aulia *et al.*, "The Tensile Properties of Alumina and Silica Bionanocomposite Material for High Voltage Insulation," *IOP Conference Series: Materials Science and Engineering*, vol. 602, no. 1, p. 012010, 2019/08/01 2019, doi: 10.1088/1757-899X/602/1/012010.
- [9] D. Triwibawa, "Analisis Pengaruh Kondisi Permukaan Terhadap Unjuk Kerja Isolator Bionanokomposit 20 kV," *Teknik Elektro*, Universitas Andalas, Padang, 2024.
- [10] R. A. Saktia, "Analisa Hidrofobisitas dan Jejak Permukaan Pada Sampel Isolator Bionanokomposit Polimer," *Teknik Elektro*, Universitas Andalas, Padang, 2019.
- [11] M. T. Nazir *et al.*, "Physical, Thermal and Partial Discharge Evaluation of Nano Alumina Filled Silicone Rubber in an Inclined Plane Test," *CSEE Journal of Power and Energy Systems*, vol. 8, no. 4, pp. 1242-1249, 2022, doi: 10.17775/CSEEJPES.2020.01190.
- [12] V. Gustiana and B. Sirait, "Analisa Perhitungan Distribusi Tegangan dan Arus Bocor pada Isolator Rantai," *Journal of Electrical Engineering, Energy, and Information Technology (J3EIT)*, vol. 9, no. 2, 2021, 2021.
- [13] A. Indah, S. A. Hulukati, and Y. Malago, "Rancang Bangun Sistem Monitoring Arus Bocor Isolator," *Electrician : Jurnal Rekayasa dan Teknologi Elektro*, vol. 16, no. 1, pp. 110-115, 01/26 2022. [Online]. Available: <https://electrician.unila.ac.id/index.php/ojs/article/view/2242>.

- [14] W. Prasetya and A. Mahdi Manggala, "Analisis Kelayakan Elektrikal Material Resin Epoksi Silane Sebagai Material Isolator Tumpu Dengan Desain Dua Sirip Terpisah," *ELECTRON Jurnal Ilmiah Teknik Elektro*, vol. 3, no. 2, pp. 79 – 88, 11/30 2022, doi: 10.33019/electron.v3i2.30.
- [15] J. E. Santo, M. Suyanto, and S. Subandi, "Analisis Pengujian Bahan Isolasi Resin Epoksi dengan Pengisian Silika Dari Abu Sekam Padi," *Jurnal Elektrikal*, vol. 6, no. 1, pp. 17-25, 10/15 2019. [Online]. Available: <https://ejournal.akprind.ac.id/index.php/elektrikal/article/view/2131>.
- [16] I. ADRIYAN, "Pengaruh Penyaringan Minyak Terhadap Tembus Pada Gabungan Bahan Minyak-LDPE Yang Disebabkan Oleh Peluahan Sebagian Dengan Panjang Celah 0.5mm," 2014.
- [17] S. Puspitasari, "Kajian Modifikasi Kimia Secara Kopolimerisasi Cangkok Pada Pembuatan Karet Alam Termoplastik," *Warta Perkaretan*, vol. 34, pp. 65 - 76, 2015.
- [18] M. Izadi, "Natural Rubber- Carbon Nanotubes Composites, Recent Advances and Challenges for Electrical Applications," *2016 IEEE International Conference on Automatic Control and Intelligent Systems (I2CACIS)*, pp. 61-65, 2016.
- [19] A. F. S. Budiman, "Recent developments in natural rubber prices," (in English), *Consultation on Agricultural Commodity Price Problem, Rome*, 2003.
- [20] A. I. Husna and T. M. Habibah, "Pra Rancangan Pabrik Linear Low Density Polyethylene (Ldpe) Dengan Proses Polimerisasi Fase Gas Dengan Kapasitas 330.000 Ton/Tahun," 2021.
- [21] X. Chen and M. Andersson, "AC and DC pre-stressed electrical trees in LDPE and its aluminum oxide nanocomposites," *IEEE Transactions on Dielectrics and Electrical Insulation*, pp. 1506-1514, 2016, doi: DOI: 10.1109/TDEI.2016.005622.
- [22] W. Pratiwi *et al.*, "Pelapisan Alumina pada Stainless Steel dengan Teknik Electrophoretic Deposition: Pengaruh Rapat Arus," vol. 01, 12/21 2016.
- [23] R. Monica, J. Subaer, and I. Andi, "Studi Tentang Pengaruh Nanopartikel Zno (Seng Oksida) terhadap Kuat Tekan Geopolimer Berbahan Dasar Metakaolin," *Jurnal Sains dan Pendidikan Fisika*, vol. 11, no. 3, pp. 286-291, 2015 2015, doi: 10.35580/jspf.v11i3.1754.
- [24] B. Yulianto, *Material Nano Untuk Aplikasi Sensor Lingkungan, Kesehatan dan Energi*. Bandung: Institut Teknologi Bandung, 2019.
- [25] A. Azzahra, E. Hayati, and R. Rodiansono, "Catalytic hydrogenation of stearic acid to 1-octadecanol using supported bimetallic Pd–Sn(3.0)/ γ -Al₂O₃ catalyst," *Jurnal Kimia Sains dan Aplikasi*, vol. 25, pp. 71-78, 02/28 2022, doi: 10.14710/jksa.25.2.71-78.
- [26] K. Rokade and G. Mali, "Biodegradation of n-cyclohexyl benzothiazole-2-sulfenamide by Pseudomonas desmolyticum NCIM 2112," *Journal of Microbiology and Biotechnology Research*, vol. 5, pp. 28-33, 01/01 2015.
- [27] A. Artiningsih, "Studi Penentuan Kandungan Sulfur (Sulphur Analysis) Dalam Batubara Pada PT Geoservices Samarinda Kalimantan Timur," *Jurnal Geomine*, vol. 2, 08/31 2015, doi: 10.33536/jg.v2i1.25.
- [28] A. I. Pratiwi and M. Asri, "Analisis Tegangan Tembus Dan Hidrofobisitas Isolator Nano Komposit Resin Epoksi Dan SiO₂," *Jambura Journal of*

- Electrical and Electronics Engineering*, vol. 3, no. 2, 2021, doi: <https://doi.org/10.37905/jjee.v3i2.10763>.
- [29] A. Syakur, D. I. Susilawati, and Hermawan., "Analisa Arus Bocor Permukaan Bahan Isolasi Resin Epoksi Silane Menggunakan Metode Pengukuran Inclined-Plane Tracking," 2012.
- [30] W. A. R. Amiruddin, S. Manjang, and I. Kitta, "Simulasi Karakteristik Arus Bocor Dan Sifat Hidrofobik Ke Lapisan Polusi Permukaan Isolator Polimer Silicone Rubber," *Jurnal Eksitasi Departemen Teknik Elektro*, vol. 1, 2022.
- [31] M. H. Setiawan, "Pengaruh Temperatur Terhadap Karakteristik Peluahan Sebagian Bahan Isolasi Bionanokomposit," *Teknik Elektro*, Universitas Andalas, 2018.
- [32] A. A. Estévez-Bén, A. Alvarez-Diazcomas, G. Macias-Bobadilla, and J. Rodríguez-Reséndiz, "Leakage Current Reduction in Single-Phase Grid-Connected Inverters—A Review," *Applied Sciences*, vol. 10, no. 7, p. 2384, 2020. [Online]. Available: <https://www.mdpi.com/2076-3417/10/7/2384>.
- [33] M. T. Prasetyo and A. Solichan, "Efektifitas Pemanfaatan Pasir Pantai Berkalsium Sebagai Material Pengisi Bahan Isolasi Resin Epoksi Untuk Isolator Listrik," *UNIMUS*, 2014.
- [34] M. Fairus, M. Hafiz, N. S. Mansor, M. Kamarol, and M. Jaafar, "Comparative study of SiR/EPDM containing nano-alumina and titanium dioxides in electrical surface tracking," *IEEE Transactions on Dielectrics and Electrical Insulation*, vol. 24, no. 5, pp. 2901-2910, 2017, doi: 10.1109/TDEI.2017.006414.

