


SKRIPSI

**HUBUNGAN TINGKAT DEPRESI DENGAN
IDE BUNUH DIRI PADA REMAJA
DI SMAN 9 PADANG**



**NADYA ARISTA WIDYA FATIN
2211316016**

Pembimbing

- 1. Dr. Ns. Dewi Eka Putri., M.Kep, Sp.Kep.J**
- 2. Ns. Mahathir., M.Kep.,Sp.Kep.Kom**

**FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
2024**

FAKULTAS KEPERAWATAN
UNIVERSITAS ANDALAS
2024

Nama : Nadya Arista Widya Fatin
NIM : 2211316016

HUBUNGAN TINGKAT DEPRESI DENGAN IDE BUNUH DIRI PADA REMAJA DI SMAN 9 PADANG

ABSTRAK

Ide bunuh diri merupakan fenomena yang sangat serius yang dapat berisikan pemikiran mengenai perencanaan, perilaku dan hasil tentang bunuh diri, kematian, serta perilaku yang merugikan diri sendiri. Data World Health Organization (WHO) pada tahun 2019 secara global remaja mempunyai pengalaman ide bunuh diri. United Nations International Children's Emergency Fund (UNICEF) menyatakan gangguan depresi merupakan gangguan mental yang paling sering terjadi pada remaja dan merupakan faktor risiko munculnya ide bunuh diri. Tujuan pada penelitian ini yaitu untuk mengetahui hubungan antara tingkat depresi dan ide unhu diri pada remaja di SMA N 9 Padang, Penelitian ini merupakan penelitian analitik menggunakan desain cross sectional. Penelitian ini dilakukan pada 18-19 Juli 2024 menggunakan teknik proportional stratified random sampling. Analisa bivariat menggunakan uji statistik chi-square. Alat ukur yang digunakan adalah The Beck Depression Inventory-II (BDI-II) dan Beck Scale For Suicide Ideation (BSSI). Sampel pada penelitian ini sebanyak 269 orang, dengan hasil sebagian besar sampel berjenis kelamin perempuan dengan usia sebagian besar responden yaitu 16 tahun, sebagian besar sampel mengalami depresi ringan-berat (73,6%), dan sebagian besar dari reponden memiliki frekuensi ide bunuh diri rendah-tinggi (68%). Dari uji satistik diperoleh p-value sebesar 0,000 ($p < 0,005$) yang artinya terdapat hubungan yang signifikan antara tingkat depresi dengan ide bunuh diri pada remaja di SMA N 9 Padang. Masih adanya remaja yang mengalami depresi perlu menjadi perhatian khusus bagi orang tua dan sekolah. Perlu adanya peningkatan bimbingan konseling disekolah dan pengawasan lebih dari orang tua.

Kata kunci : Depresi, Ide Bunuh Diri, Remaja

Daftar Pustaka : 49 (2010-2024)

NURSING FACULTY
ANDALAS UNIVERSITY
2024

Name : Nadya Arista Widya Fatin
NIM 2211316016

**THE RELATIONSHIP OF THE LEVEL OF DEPRESSION WITH
SUICIDE IDEAS IN TEENAGERS
AT SMAN 9 PADANG**

ABSTRACT

Suicidal ideation is a very serious phenomenon that can include thoughts about planning, behavior and outcomes regarding suicide, death, as well as self-harming behavior. Data from the World Health Organization (WHO) in 2019 globally, teenagers experienced suicidal ideation. The United Nations International Children's Emergency Fund (UNICEF) states that depressive disorders are the most common mental disorders in adolescents and are a risk factor for suicidal ideation. The aim of this research is to determine the relationship between the level of depression and self-esteem in adolescents at 9 Padang State High School. This research is an analytical research using a cross sectional design. This research was conducted on 18-19 July 2024 using a proportional stratified random sampling technique. Bivariate analysis uses the chi-square statistical test. The measuring instruments used are The Beck Depression Inventory-II (BDI-II) and Beck Scale For Suicide Ideation (BSSI). The sample in this study was 269 people, with the results that the majority of the sample was female with the age of most respondents being 16 years, the majority of the sample experienced mild depression (73,6%), and the majority of respondents had a low-high frequency of suicidal ideation (68%). From the statistical test, a p-value was obtained of 0.000 ($p < 0.005$), which means that there is a significant relationship between the level of depression and suicidal ideation in teenagers at 9 Padang State High School. The existence of teenagers who experience depression needs special attention for parents and schools. There needs to be increased counseling guidance in schools and more supervision from parents.

Keywords : Depression, Suicidal Ideation, Adolescents
Bibliography :49 (2010-2024)