

## DAFTAR PUSTAKA

- Anwar., & Kenry, M.C. (2007). Variability in Reproduction of Four Populations of *Meloidogyne incognita* on Six Cultivars of Cotton. *Journal Nematology* 39.
- Agrios, G.N. (1996). Plant Pathology. Second Edition. New York: Academic Press
- Bailey, J. A., Deverall, B. J. (1983). The Dynamics of Host Defence. New York: Academic. 233 pp.
- Badan Pusat Statistik. (2023). Produktivitas Tomat Indonesia Menurut Provinsi (Ton/ha). *Badan Pusat Statistik Indonesia.2019-2022*. Sumatera Barat. Katalog BPS.
- Bernadus, T., & Wahyu, W. (2002). Bertanam Tomat. Agromedia Pustaka. Jakarta.
- Brown, J.F., & Colbran, R.C. (1980). Nematodes as Plant Parasites. Plant Protector Australian. Vice Chancellors Committee. Melbourne: Printed and Bound by Hedges Bell. Pty Ltd.
- Cook., & Evans. (1987). Resistance and Tolerance. Principles and Practice of Nematode Control in Crops. Brown RH, Kerry BR, editor. Australia: Academic Press.
- Darmawan, A., & E. Pasandaran. (2000). Dinamics of Vegetable Production, Distribution and Consumption in Indonesia Asia Vegetable Research and Development Center Publication.
- Djafaruddin. (2000). Dasar-Dasar Pengendalian Penyakit Tanaman. Bumi Aksara. Jakarta.
- Dropkin, V.H. (1991). *Pengantar Nematologi Tumbuhan Ed ke-2*. Supratoyo, editor. Terjemahan dari Introduction to Plant Nematology. Gajah Mada University Press, Yogyakarta.
- Dropkin, V.H. (1969). The necrotic reaction of tomatoes and other host resistance to *Meloidogyne*: reversal by temperature. *Phytopatology*. 59: 1631-1637.
- Duncan, L.W. & J.W. Noling. (1988). Agricultural Sustainability and Nematode Integrated Pest Management. In: K.R. Barker, G.A. Pederson, and G.L. Windham. *Plant and Nematode Interaction*. American Society of Agronomy, Inc. Wisconsin, USA, p: 267 – 268.
- Fan, D. F., & MacLachlan, G. A., (1967). *Plant Physiol.*, 42, 114.

- Firmansah, Ramdan. (2008). Effectiveness of Endophyte and Phylloplon Bacteria Of *Mucuna pruriens* Linn Leaves in Promoting Plant Growth and Suppressing Leaf Spot Disease (*Cercospora sp.*) on Peanut (*Aravhis hypogaea L.*).
- Gharabadiyan, F., Jamali, S., & Yazdi, A.A. (2012). Weed Hosts Of RootKnot Nematodes In Tomato Fields. *Journal Of Plant Protection Research*.
- Giebel, J. 1974. Biochemical mechanisms of plant resistance to nematodes: A review. *Jurnal nematologi*. 6: 175-184.
- Hadioeganda, W.W., Sasser, J.N. 1982. Resistance of tomato, bean, southern pea and garden pea cultivars to root-knot nematodes based on host suitability. *Plant Disease*. 66 (2): 145-150.
- Hanum, C. (2008). *Teknik Budidaya Tanaman*. Jakarta: Departemen Pendidikan Nasional.
- Hersanti. (2004). Penujian Keefektifan Ekstrak Daun Bunga Pukul Empat (*Mirabilis jalapa*) dalam Menginduksi Ketahanan Sistemik Tanaman Cabai terhadap Serangan *Cucumber Mosaic Virus* (CMV). Pustaka Unpad.
- Jaiswal, I.R.K., Singh, K.P., & Mishra, R.K. (2011). A Technique for The Detection of Soil Infestation with Rice Root-Knot Nematoda, *Meloidogyne graminicola* at farmer's field. *Acad J PlantSci*. 4 (4):110–113.
- Kamran, M, Anwar, S.A, Javed, M, Khan, S.A. (2011). Evulation of Tomato Genotypes Against *Meloidogyne incognita* Infection. Pakistan.
- Kaplan *et al.* 1980. Association of glyceollin with the incompatible response of roots to *Meloidogyne incognita*. *Plant Pathology*. 16: 309-318.
- Karavina, C., Chihiya, J., Tigere, T.A. & Musango, R. (2009). Assessing the Effects of Fermentation Time on Tomato (*Lycopersicum esculentum* Mill.) Seed Viability. *Journal of Sustainable Development in Africa*. 10(4): 106- 112.
- KarsSEN, G.M. (2006). Plant Nematology. CABI Publishing, P:59-90
- Khotimah, N., Nyoman, W., & Made, S. (2020). Perkembangan Populasi Nematoda Bengkak Akar (*Meloidogynespp.*) dan Tingkat Kerusakan Pada Beberapa Tanaman Familia Solanaceae. Bali: Universitas Udayana.
- Kosuge, T. (1969). The Role of Phenolics in Host Response to Infection. *Annual Review Phytopathology* 7: 195 – 222.
- Luc, M., Sikora, R. A., & Bridge, J. (2001). *Nematoda Parasit Tumbuhan di Pertanian Subtropik dan Tropik*. Ed ke-2. Supraptoyo, penerjemah. Yogyakarta (ID): Gadjah Mada University Press. Terjemahan dari: *Plant Parasitic Nematodes in Subtropical and Tropical Agriculture*.

- Luc, M., Sikora, R.A., & Bridge, J. (2005). Plant Parasitic Nematoda in Subtropical and Tropical Agriculture and Edition. Wallingford (GB): CAB International.
- Mai, W.F. (1985). Plant-Parasitic Nematodes: Their Threat to Agriculture. An Advanced Treatise on Meloidogyne Volume I: Biology adn Control. Sasser JN, Carter CC, editor. *Departement of Plant Pathology*: North Caroline State University.
- Maskar, & Gafur, S. (2006). Budidaya Tomat Agro Inovasi. Balai Pengkajian Teknologi Pertanian Sulawesi Tengah: Sulawesi Tengah.
- Morrissey, John. P., Osburn., Anne, E. & Fungal Resistance to Plant Antibiotics as a Mechanism of Pathogenesis. (1999). Microbiology and Molecular Biology Reviews. 708-724
- Mustika, I. (2005). Konsepsi dan Strategi Pengendalian Nematoda Parasit Tanaman Perkebunan di Indonesia. *Prespektif*. 4(1):20-35.
- Negretti, R.R.D., Manica.Berto, R., Agostinetto, D., Thurmer, L., and Gomes, C.B. (2014). Host Suitability of Weeds and Forage Species to Root-knot Nematoda *Meloidogyne graminicola* as a Function of Irrigation Management. *Planta Daninha*. 32(3):555-561.
- Nurkamila, M. (2017), Ketahanan Beberapa Varietas Tomat Terhadap Nematoda Bengkak Akar (*Meloidogyne spp.*). [Skripsi]. Fakultas Pertanian, Institut Pertanian Bogor.
- Paxton, J.D. (1980). A new working definition of the term “phytoalexin”. *Plant Disease*. Rep 64: 734.
- Panggeso, J. (2010). Analisa Kerapatan Populasi Nematoda Parasitik pada Tanaman Tomat (*Lycopersicum esculentum* Mill.) asal Kabupaten Sigi Biromaru. *J. Agroland* 7(3): 198-204.
- Pradana, A.P., D. Putri, & A. Munif. (2014) Analisis Populasi Nematoda Parasit Pada Lahan Tanaman Tomat Dengan Sistem Tanam Monokultur dan Polikultur. *Prosiding Seminar Nasional PFI*. Bogor: IPB. 6:23-27.
- Prasasti, W. D. (2012).Strategi Pengendalian Penyakit Nematoda Bengkak Akar (*Meloidogyne spp.*) pada Tanaman Tomat (*Solanum lycopersicum L.*).yogyakarta (ID): UGM Press.
- Purwati, E., & Khairunisa. (2007). Budidaya Tomat Dataran Rendah dengan Varietas Unggul serta Tahan Hama dan Penyakit. Jakarta: Penebar Swadaya.
- Prasasti, W.D. (2012). Makalah Seminar Umum Strategi Pegendalian Nematoda Bengkak Akar (*Meloidogyne spp.*) pada Tanaman Tomat (*Solanum lycopersicum*). Jurusan Budidaya Pertanian Fakultas Pertanian Universitas Gadjah Mada.

- Rahmawati, I.S., Endah, D.H, & Sri, D. (2011). Pengaruh perlakuan Konsentrasi Kalsium Klorida ( $\text{CaCl}_2$ ) dan Lama Penyimpanan terhadap kadar asam askorbat buah tomat (*Lycopersicum esculentum* Mill.). *Buletin Anatomi dan Fisiologi*, XIX (1): 62-70.
- Rhodes, J. M. & L. S. C. Wooltorton. (1978). The Biosynthesis of Phenolic Compounds in Wounded Plant Storage Tissues. In : Günter Kahl. *Biochemistry of Wounded Tissue*. Walter de Gruyter & Co., Berlin – New York, p: 243.
- Rohde, R.A. (1972). Expression o f Resistance in Plants to Nematodes. *Annual Review of Phytopathology* 10: 233 - 252.
- Sagala, A. (2009). Respon Pertumbuhan dan Produksi Tomat (*Solanum lycopersicum* Mill) dengan Pemberian Unsur Hara Makro-Mikro dan Blontong. [Skripsi].Fakultas Pertanian Universitas Sumatra Utara.
- Semangun, H. (2000). *Penyakit-penyakit Tanaman Hortikultura di Indonesia*. Gadjah Mada University Press. Yogyakarta.
- Singh, N., & Z. A. Siddiqui. (2012). Inoculation of Tomato with *Ralstonia solanacearum*, *Xanthomonas campestris*, and *Meloidogyne javanica*. *International Journal of Vegetable Science*. 18 (1):78-86.
- Soekarto, (1996). *Buku Pegangan Kuliah Mahasiswa Mata Kuliah Fitonematologi (Nematoda Bengkak Akar, Meloidogyne spp.)*. Jurusan Ilmu Hama dan Penyakit Tumbuhan Fakultas Pertanian. Universitas Jember. Jember.
- Subhan, N., Nurtika., & N., Gunadi. (2009). Respon Tanaman Tomat terhadap Penggunaan Pupuk Majemuk NPK 15-15-15 pada Tanah Latosol pada Musim Kemarau. *Jurnal Hortikultura*. 19(1): 40-48.
- Sudirman., & Pasorong., M.E.P. (2008). Pengaruh Jenis dan Dosis Nematisida terhadap Aktifitas *Meloidogyne javanica*. *CropAgro*. 1(2): 123-129.
- Suganda, Tarkus. (2008). Penginduksian Resistensi Tanaman Kacang Tanah terhadap Penyakit Karat (*Puccinia arachidis* Speg.) dengan Pengaplikasian Asam Salisilat, Asam Asetat Etilendiamintetra, Kitin Asal Kulit Udang, Air Perasan Daun Melati, dan Dikalium hidrogen fosfat.
- Susila, A.D. (2006). Panduan Budidaya Tanaman Sayuran. Departemen Agronomi dan Hortikultura, Fakultas Pertanian IPB.
- Sutariati, G.A.K., Rakian, T.C., Agustina., Sopacua, N., Lamudi., and Haq, M. (2014). Kajian Potensi Rizobakteri Pemacu Pertumbuhan Tanaman yang Diisolasi dari Rizosfer Padi Sehat. *Jurnal Agroteknos*. 4 (2): 71-77.

- Syukur, M., Saputra, H.E., & Hermanto, R. (2015). Bertanaman Tomat di Musim Hujan Penebar Swadaya: Jakarta.
- Taylor, A.L. & J.N. Sasser. (1978). Biologi, Identification And Control Of Root Knot Nematodes (*Meloidogyne* spp.) North Carolina State University Graphics. USA.
- Tian, B., J. Yang, & K. Zhang. (2007). Bacteria used in the biological control of plant-parasitic nematodes: populations, mechanisms facton, and future prospects. *FEMS Microbiol Ecol.* 61 : 197–213.
- Tombe, Mesak. (2009). Meningkatkan Antibodi Tanaman Melalui Teknologi Imunisasi. Balai Penelitian Tanaman Obat dan Aromatik.
- Trisnawati, Y, & Setiawan, A.I. (2005). Tomat Budidaya Secara Komersial. Penebar Swadaya. Jakarta.
- Van, Vuurde, J.W.L. & M.E. Requanto. (2005). Endophyte management as tool optimize plant quality  
<http://www.Ag.aubum.edu/m/lowen/argentina/script> van manuscript/van vuur. Hmtl.
- Wallace HR. 1973. Nematode Ecology and Plant Disease. Edward Arnold. London: 228 hal.
- Wardojo, S., D. D. B., Karsono & H. Heroetadji. (1987). Ketahanan Beberapa Varietas Tanaman Tomat Terhadap Serangan *Meloidogyne incognita*. Prosiding Seminar Ilmiah Ilmu Penyakit Tumbuhan dan Kongres Nasional IX. 366-373p. Perhimpunan Fitopatologi Indonesia. Surabaya.
- Wartapa, A., Effendi, Y, & Sukadi. (2009). Pengaturan Jumlah Cabang Utama dan Penjarangan Buah Terhadap Hasil dan Mutu Benih Tomat Varietas Kaliung (*Lycopericum esculentum* Mill). *Jurnal Ilmu-ilmu Pertanian.* 5(2): 150-162.
- Whitehead, A.G. (1998). Plant Nematode Control. CAB International, London.
- Widmer, T.L, and Abawi GS. (2000). Mechanism of Suppression of *Meloidogyne hapla* and Its Damage by A Green Manure of Sudan Grass. *Plant Disease.* 84: 562- 568.
- Wijayanti, E., & A.D. Susila.. (2013). Pertumbuhan dan Produksi Dua Varietas Tomat (*Lycopersicum esculentum* Mill.) secara Hidroponik dengan Berbagai Komposisi Media Tanam. *Bul. Agrohorti.* 1(1) : 104-112
- Williamson, V.M & Umar, A. (2006). Nematode Resistance in Plants: The Battle Underground, *Trends Genet.* 22(7):396–403.
- Wiriyanta, W.T.B. (2004).Bertanam Tomat. Agromedia Pustaka. Jakarta.

- Winarto, W.P. (2004). Manfaat Tanaman Sayur untuk Mengatasi Berbagai Penyakit. Agromedia pustaka. Jakarta.
- Winarto. (2015). Nematologi Tumbuhan. Padang. Minangkabau Press.
- Winarto., Trizelia. & Liswarni, Y. (2019). Eksplorasi Jamur Antagonis Terhadap Nematoda Bengkak Akar (*Meloidogyne spp.*) dari Rizosfer Tanaman Tomat. *Pros Sem Nas Masy Biodiv Indon.*5: 194-198.
- Yanti, Y., Astuti, F.F., Habazar, T., & Nasution, C.R. (2017). Screening of Rhizobacteria from Rhizosphere of Healthy Chili to Control Bacterial Wilt Disease and to Promote Growth and Yield of Chili. *Jurnal Biodiversitas.* 18 (1): 1-9.
- Yanti, Y., & Hamid, H. (2020). *Kompendium Hama dan Penyakit Tanaman Tomat.* Indomedia Pustaka.
- Yanti, Y., Hamid, H., Reflin., & Yaherwandi. (2020). Eksplorasi Cyanobacteria dan Rizobakteri untuk Pengendalian Hama dan Penyakit serta Meningkatkan Pertumbuhan dan Hasil Tanaman Tomat secara *In Planta*. Laporan Penelitian Percepatan Guru Besar No:T/1/UN.1617/PP.Pangan-KRP2GB/LPPM/2020. Lembaga Penelitian dan Pengabdian Universitas Andalas.