

## DAFTAR PUSTAKA

- Abdel-Mageed, H.M., El Aziz, A.E.A., Raouf, B.M.A., Mohamed, S.A., and Nada, D. 2022. Antioxidant-biocompatible and stable catalase-based gelatin–alginate hydrogel scaffold with thermal wound healing capability: immobilization and delivery approach. *3 Biotech* 12(73): 1 – 12. <https://doi.org/10.1007/s13205-022-03131-4>
- Agarwal, R.S, Sohal, R.S. 1996. Relationship between susceptibility to protein oxidation, aging, and maximum life span potential of different species. *Exp Gerontol* 31:365–372.
- Agra, I. K. R., Pires, L. L. S., Carvalho, P. S. M., Silva-Filho, E. A., Smaniotto, S., & Barreto, E. 2013. Evaluation of wound healing and antimicrobial properties of aqueous extract from *Bowdichia virgilioides* stem barks in mice. *Anais Da Academia Brasileira de Ciências* 85(3): 945–954. <https://doi.org/10.1590/s0001-37652013005000049>
- Ahmad, S. U., Binti Aladdin, N.-A., Jamal, J. A., Shuid, A. N., & Mohamed, I. N. 2021. Evaluation of Wound-Healing and Antioxidant Effects of *Marantodes pumilum* (Blume) Kuntze in an Excision Wound Model. *Molecules* 26(1), 228. <https://doi.org/10.3390/molecules26010228>
- Al-Hassan, J. M., Afzal, M., Oommen, S., Yuan Fang Liu, & Pace-Asciak, C. 2022. Oxysterols in catfish skin secretions (*Arius bilineatus*, Val.) exhibit anti-cancer properties. *Frontiers in Pharmacology*, 13. <https://doi.org/10.3389/fphar.2022.1001067>
- Ali, J., Khan, A., Kotta, S., Ansari, S., Sharma, R., & Kumar, A. 2013. Formulation development, optimization and evaluation of aloe vera gel for wound healing. *Pharmacognosy Magazine* 9(36), 6. <https://doi.org/10.4103/0973-1296.117849>
- Ali, M.T., Ashari, M.F., Wijaya, S.P.R., Lestari E., and Wijayanti, R. 2018. Evaluation of wound healing effect of eel mucus ointment (*Belutidine*) in mice by incision model. *Journal of Natural Remedies* 18(1): 1 – 9.
- Amfotis, M.L., Suarni, N.M.R., and Arpiwi, N.L. 2021. Penyembuhan luka sayat pada kulit tikus putih (*Rattus norvegicus*) yang diberi ekstrak daun kirinyuh (*Chromolaena odorata*). *Jurnal Metamorfosa* 9(1): 139 – 151.
- Amrati, F.E.-Z., Chebaibi, M., Galvão de Azevedo, R., Conte, R., Slighoua, M., Mssillou, I., Kiokias, S., de Freitas Gomes, A., Soares Pontes, G., and Boust, D. 2023. Phenolic composition, wound healing, antinociceptive,

and anticancer effects of *Caralluma europaea* extracts. *Molecules* 28(1780): 1 – 22. <https://doi.org/10.3390/molecules28041780>

Amrati, F.E.-Z., Slighoua, M., Mssillou, I., Chebaibi, M., Galvão de Azevedo, R., Boukhira, S., Moslova, K., Al Kamaly, O., Saleh, A., Correa de Oliveira, A. 2023. Lipids Fraction from *Caralluma europaea* (Guss.): MicroTOF and HPLC Analyses and Exploration of Its Antioxidant, Cytotoxic, Anti-Inflammatory, and Wound Healing Effects. *Separations* 10(172): 1 – 16. <https://doi.org/10.3390/separations10030172>

Arnott, J. A., & Planey, S. L. 2012. The influence of lipophilicity in drug discovery and design. *Expert Opinion on Drug Discovery* 7(10): 863–875. <https://doi.org/10.1517/17460441.2012.714363>

Atta, S.A., Ibrahim, A.M., and Megahed, F.A.K. 2021. In-vitro anticancer and antioxidant activities of *eremina desertorum* (Forsskal, 1775) snail mucin. *Asian Pacific Journal of Cancer Prevention* 22(11): 3467 – 3474. DOI:10.31557/APJCP.2021.22.11.3467

Ayal, G., Belay, A., and Kahaliw, W. 2019. Evaluation of wound healing and anti-inflammatory activity of the leaves of *Calpurnia aurea* (Ait.) Benth (fabaceae) in mice. *Wound Medicine* 25: 1 – 9.

Ayala A, Muñoz M, Argüelles S. 2014. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxid Med Cell Longev* (112): 21 – 28.

Azizi, A., Zoladl, M., Shirazi, H.G., Askarian, S., and Kavyani, H. 2017. Assessing the combined effects of Olive leaf extract and Aloe beyond normal saline 2<sup>nd</sup> degree burn healing in male rats. *International Journal of Advances Biotechnology and Research* 8(4): 226 – 236.

Azzahrah, N.F., Jamaluddin, A.W., Adikurniawan, Y.M. 2019. Efektivitas patch sederhana dari ekstrak daun kayu jawa (*Lannea coromandelica* (Houtt.) Merr.) terhadap penyembuhan luka sayat pada tikus (*Rattus norvegicus*). *As-Syifaa Jurnal Farmasi* 11(2): 169 – 180.

Baliño, P., Gómez-Cadenas, A., López-Malo, D., Romero, F. J., & Muriach, M. 2019. Is There A Role for Abscisic Acid, A Proven Anti-Inflammatory Agent, in the Treatment of Ischemic Retinopathies? *Antioxidants*, 8(4), 104. <https://doi.org/10.3390/antiox8040104>

Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N., Bourne, P. E. 2000. The Protein Data Bank. *Nucleic Acids Res* 28 (1), 235–242. <https://doi.org/10.1093/nar/28.1.235>.

- Birk D.E., Bruckner P. 2015. Collagen Suprastructures. *Collagen. Springer*: 185-205
- Boraldi, F., Lofaro, F.D, Accorsi, A., Ross, E., and Malagoli, D. 2018. Toward the molecular deciphering of *Pomacea canaliculata* immunity: first proteomic analysis of circulating hemocytes. *Proteomics* 19 (1800314): 1 – 5. DOI: 10.1002/pmic.201800314
- Boshra, Y.R., Mostafa, Y.A., Hamed, A.N.E., Desoukey, S.Y., and Fahim, J.R. 2023. Wound healing potential of *Narcissus pseudonarcissus* L. bulbs supported with chemical and molecular docking investigations. *South African Journal of Botany* 157: 490 – 501.
- Brown, M. B., Turner, R., & Lim, S.T. 2011. Topical Product Formulation Development. 255–286. <https://doi.org/10.1002/9781118140505.ch14>
- Burjanadze T.V. 2000. New analysis of the Phylogenetic Change of Collagen Thermostability. *Biopolymers* 53: 523-528.
- C Jelenko, Wheeler, M. L., Anderson, A. P., Callaway, B. D., & McKinley, J. C. 1975. Studies in Burns. *Annals of Surgery* 182(5): 562–566. <https://doi.org/10.1097/0000658-197511000-00005>
- C, S., S., D. K., Rangunathan, V., Tiwari, P., A., S., & P, B. D. 2020. Molecular docking, validation, dynamics simulations, and pharmacokinetic prediction of natural compounds against the SARS-CoV-2 main-protease. *Journal of Biomolecular Structure and Dynamics*, 1–27. <https://doi.org/10.1080/07391102.2020.1815584>
- Cañedo-Dorantes, L.; Cañedo-Ayala, M. 2019. Skin acute wound healing: A comprehensive review. *Int. J. Inflamm.* 2019, 3706315.
- Carpenter, T.S., Kirshner, D.A., Lau, E.Y., Wong, S.E., Nilmeier, J.P., Lightstone, F.C. 2014. A method to predict blood-brain barrier permeability of drug-like compounds using molecular dynamics simulations. *Biophys J* 107(3):630-641. <https://doi.org/10.1016/j.bpj.2014.06.024>
- Chang, S.-J., Sartika, D., Fan, G.-Y., Cherng, J.-H., & Wang, Y.-W. 2020. Animal Models of Burn Wound Management. *IntechOpen*. doi: 10.5772/intechopen.89188
- Chen, L., and DiPietro, L.A. 2017. Toll-like receptor function in acute wounds. *Adv. Wound Care* 6: 344–355.



- Chen, L., Guo, S., Ranzer, M.J., and DiPietro, L.A. 2013. Toll-like receptor 4 has an essential role in early skin wound healing. *J. Investig. Dermatol* 133: 258–267.
- Chen, Z., Shing-Yi Sean Wu, Su, W.-Y., Lin, Y.-C., Lee, Y.-H., Wu, W., Chen, C.-H., & Wen, Z.-H. 2016. *Anti-inflammatory and burn injury wound healing properties of the shell of Haliotis diversicolor*. 16(1). <https://doi.org/10.1186/s12906-016-1473-6>
- Cheng, W., Deng, D., Zhigang, C., Ziqing, Y., Jianhua, W. 2020. Study in the therapeutic effect of chitosan wound dressing for burn wound. *Prog Mod Biomed* 20(7): 1389 – 1392.
- Chi, Y., Yin, H., Chen, X., Hu, Q., Liu, W., Feng, L., & Chai, J. 2021. Effect of precise partial scab removal on the repair of deep partial-thickness burn wounds in children: a retrospective study. *Translational Pediatrics* 10(11): 3014–3022. <https://doi.org/10.21037/tp-21-500>
- Chicharro-Alcántara, D., Rubio-Zaragoza, M., Damiá-Giménez, E., Carrillo-Poveda, J.M., Cuervo-Serrato, B., Peláez-Gorrea, P., and Sopena-Juncosa, J.J. 2018. Platelet rich plasma: New Insights for cutaneous wound healing management. *J. Funct. Biomater.* 9: 10.
- Chong, D.L.W., Trinder, S., Labelle, M., Rodriguez-Justo, M., Hughes, S., Holmes, A.M., Scotton, C.J., and Porter, J.C. 2020. Platelet-derived transforming growth factor- $\alpha$  promotes keratinocyte proliferation in cutaneous wound healing. *J. Tissue Eng. Regen. Med* 14: 645–649.
- Cilia, G. and Fratini, F., 2018. Antimicrobial properties of terrestrial snail and slug mucus. *Journal Of Complementary & Integrative Medicine* 15(3): 1 – 10. <https://doi.org/10.1515/jcim-2017-0168>.
- Cogliati B, Vinken M, Silva TC, Araújo CMM, Aloia TPA, Chaible LM, Mori CMC, Dagli MLZ. 2015. Connexin 43 deficiency accelerates skin wound healing and extracellular matrix remodeling in mice. *J Dermatol Sci.* 79(1): 50 – 56 . doi: 10.1016/j.jdermsci.2015.03.019. Epub 2015 Apr 9. PMID: 25900674; PMCID: PMC4450104.
- Cook, K. A., Martinez-Lozano, E., Sheridan, R., Rodriguez, E. K., Nazarian, A., & Grinstaff, M. W. 2022. Hydrogels for the management of second-degree burns: currently available options and future promise. *Burns & Trauma* 10. <https://doi.org/10.1093/burnst/tkac047>
- Criollo-Mendoza, M. S., Contreras-Angulo, L. A., Leyva-López, N., Gutiérrez-Grijalva, E. P., Jiménez-Ortega, L. A., & Heredia, J. B. 2023. Wound

Healing Properties of Natural Products: Mechanisms of Action. *Molecules*, 28(2), 598. <https://doi.org/10.3390/molecules28020598>

Cui, T., Yu, J., Wang, C., Chen, S., Li, Q., Guo, K., Qing, R., Wang, G., & Ren, J. 2022. Micro-Gel Ensembles for Accelerated Healing of Chronic Wound via pH Regulation. *Advanced Science*, 9(22), 2201254. <https://doi.org/10.1002/advs.202201254>

Czubak K., Żbikowska H. 2014. Struktura, funkcja i znaczenie biomedyczne kolagenów. *Annales Academiae Medicae Silesiensis* 68: 245 – 254.

Del Amo, C.; Perez-Valle, A.; Perez-Zabala, E.; Perez-Del-Pecho, K.; Larrazabal, A.; Basterretxea, A.; Bully, P.; Andia, I. 2020. Wound Dressing Selection Is Critical to Enhance Platelet-Rich Fibrin Activities in Wound Care. *Int. J. Mol. Sci* 21: 624.

Dhanalakshmi, M., Sruthi, D., Jinuraj, K. R., Das, K., Dave, S., Andal, N. M., & Das, J. 2023. Mannose: a potential saccharide candidate in disease management. *Medicinal chemistry research : an international journal for rapid communications on design and mechanisms of action of biologically active agents*, 32(3): 391–408. <https://doi.org/10.1007/s00044-023-03015-z>

Dharshan, K.S. 2018. Docking Studies for Assessment of Wound Healing Potential of Dalethyne Derivatives: An in Silico Approach. *Computational Biology and Bioinformatics* 6(2): 36 – 50.

Dinas Peternakan dan Kesehatan Hewan Sumatera Barat. 2024. Panduan: Profil Sel Darah Putih Tikus. Pemerintah Provinsi Sumatera Barat.

Domene C., Jorgensen C., Wajid Abbasi S. 2016. A perspective on structural and computational work on collagen. *Physical Chemistry Chemical Physics* 18: 24802-24811.

Ead, J. K., & Armstrong, D. G. 2023. Granulocyte-macrophage colony-stimulating factor: Conductor of the wound healing orchestra? *International Wound Journal*. <https://doi.org/10.1111/iwj.13919>

Elbially, Z.I., Atiba, A., Abdelnaby, A., Al-Hawary, I.I., Elsheshway, A., El-Serehy, H.A., Abdel-Daim, M.M., Fadl, S.E., and Assar, D.H. 2020. Collagen extract obtained from Nile tilapia (*Oreochromis niloticus* L.) skin accelerates wound healing in rat model via up regulating VEGF, bFGF, and  $\alpha$ -SMA genes expression. *BMC Veterinary Research* 16(352)

Elbuckley, S.A, Sorour, N.M, Tayel, A.A, and Abbas, R.N. 2022. Oak gall extract: molecular docking of wound healing and control of the skin pathogens *Staphylococcus aureus* and *Candida albicans*. *Intl J Agric Biol* 27:154–164

- Eldridge, L. 2022. *Blood disorders: Types and function of white blood cells (WBCs)*. Verywellhealth. Sited 25 July 2023 23:18 WIB on <https://www.verywellhealth.com/understanding-white-blood-cells-and-counts-2249217>
- Ellis, S.; Lin, E.J.; Tartar, D. Immunology of wound healing. *Curr. Dermatol. Rep.* 2018, 7, 350–358.
- Emmerson, E., Campbell, L., Davies, F. C. J., Ross, N. L., Ashcroft, G. S., Krust, A., Chambon, P., & Hardman, M. J. 2012. Insulin-Like Growth Factor-1 Promotes Wound Healing in Estrogen-Deprived Mice: New Insights into Cutaneous IGF-1R/ER $\alpha$  Cross Talk. *Journal of Investigative Dermatology*, 132(12), 2838–2848. <https://doi.org/10.1038/jid.2012.228>
- Etim, L., Aleruchi, C. and Obande, G., 2016. Antibacterial properties of snail mucus on bacteria isolated from patients with wound infection. *British Microbiology Research Journal* 11(2): 1–9. <https://doi.org/10.9734/BMRJ/2016/21731>
- Etulain, J. 2018. Platelets in wound healing and regenerative medicine. *Platelets* 29: 556–568.
- Fahimi, S., Abdollahi, M., Mortazavi, S. A., Hajimehdipoor, H., Hajimehdipoor, H., Abdolghaffari, A. H., & Rezvanfar, M. A. 2015. Wound healing activity of a traditionally used poly herbal product in a burn wound model in rats. *Iranian Red Crescent Medical Journal*, 17(9). <https://doi.org/10.5812/ircmj.19960>
- Fajriyah, S., Shoviantara, F., Kayati, B.N., Khairani, S., and Agustina, L. 2020. Uji iritasi gel lendir bekicot (*Achatina fulica*) secara histopatologi. *Jurnal Wiyata* 7(2): 147 – 157.
- Fauziah, Y. 2021. Uji aktivitas antibakteri lendir bekicot (*Achatina fulica*) terhadap bakteri staphylococcus epidermidis. *Program Studi Laboratorium Medis Kendari* 4(1): 25 – 33.
- Fiege, H., Voges, H.-W., Hamamoto, T., Umemura, S., Iwata, T., Miki, H., Fujita, Y., Buysch, H.-J., Garbe, D., & Paulus, W. 2000. Phenol Derivatives. *Ullmann's Encyclopedia of Industrial Chemistry*. [https://doi.org/10.1002/14356007.a19\\_313](https://doi.org/10.1002/14356007.a19_313)
- Forestryana, D., Hayati, A., and Putri, A.N. 2022. Formulation and evaluation of natural gel containing extract of *Pandanus amaryllifolius* R. using various gelling agents. *Borneo Journal of Pharmacy* 5(4): 345 – 356. DOI: <https://doi.org/10.33084/bjop.v5i4.1411>



- Gobbi, S., Hu, Q., Foschi, G., Catanzaro, E., Federica Belluti, Rampa, A., Fimognari, C., Hartmann, R. W., & Bisi, A. (2019). Benzophenones as xanthone-open model CYP11B1 inhibitors potentially useful for promoting wound healing. *Bioorganic Chemistry*, 86, 401–409. <https://doi.org/10.1016/j.bioorg.2019.01.066>
- Gomes Júnior, A., Islam, M. T., Nicolau, L. A. D., de Souza, L. K. M., Araújo, T. de S., Lopes de Oliveira, G. A., de Melo Nogueira, K., da Silva Lopes, L., Medeiros, J.-V. R., Mubarak, M. S., & Melo-Cavalcante, A. A. C. 2020. Anti-Inflammatory, Antinociceptive, and Antioxidant Properties of Anacardic Acid in Experimental Models. *ACS Omega*, 5(31), 19506–19515. <https://doi.org/10.1021/acsomega.0c01775>
- Gondokesumo, M.E., Sumitro, S.B., Handono, K., Pardjianto, B., Widowati, W., and Utomo, D.H. 2020. A computational study to predict wound healing agents from the peel of the mangosteen (*Garcinia mangostana* L.) extract. *Int. J. BIO Automation* 24(3): 265 – 276.
- Guangli, M., & Cheng, Y. 2006. Predicting Caco-2 permeability using support vector machine and chemistry development kit. *J Pharm Pharmaceut Sci* 9(2): 210–221.
- Gugliandolo, E., Macri, F., Fusco, R., Siracusa, R., D'Amico, R., Cordaro, M., Peritore, A.F., Impellizzeri, D., Genovese, T., Cuzzocrea, S., Paola, R.D., Licata, P., and Crupi, R. 2021. The protective effect of snail secretion filtrate in an experimental model of excisional wounds in mice. *Vet. Sci* 8 (167): 1 – 11. <https://doi.org/10.3390/vetsci8080167>
- Hadisi, Z., Nourmohammadi, J., and Nassiri, S.M. 2018. The antibacterial and anti-inflammatory investigation of Lawsonia Inermis-gelatin-starch nanofibrous dressing in burn wound. *International Journal of Biological Macromolecules* 107: 2008 – 2019. <https://doi.org/10.1016/j.ijbiomac.2017.10.061>
- Haris, A., Arisanty, A., Prayitno, S. 2022. Formulasi Dan Uji Efek Penyembuhan Luka Bakar Sediaan Gel Ekstrak Daun Kedondong Hutan (*Spondias pinnata* L) Kombinasi Dengan Madu Terhadap Kelinci (*Oryctolagus cuniculus*). *Fito Medicine: Journal Pharmacy and Sciences* 14(1): 48 – 55.
- Harti, A.S., Murhayati, A., and Sulisetyawati, S.D. 2015. Biopreparasi lendir bekicot (*Achatina fulica*) menggunakan membran kitosan sebagai kasa pembalut untuk penyembuhan luka. *Seminar Nasional XII Pendidikan Biologi FKIP UNS*: 923 – 929.

- Harti, A.S., Sulisetyawati, S.D., Murharyati, A., and Oktariani, M. 2016. The effectiveness of snail slime and chitosan in wound healing. *International Journal of Pharma Medicine and Biological Sciences* 5(1): 76 – 81.
- Heyer, W. R., dkk, 1994. Measuring and Monitoring Biological Diversity, Standard Methods for Amphibians. Smithsonian Institution Press Washington and London. Hlm 60-66, 84-92
- Holswade, E. and A. Kondapalli 2013. *Pomacea canaliculata* (On-line). Animal Diversity Web. Accessed April 27, 2023 at [https://animaldiversity.org/accounts/Pomacea\\_canaliculata/](https://animaldiversity.org/accounts/Pomacea_canaliculata/)
- Horton, J.W. 2003. Free radicals and lipid peroxidation mediated injury in burn trauma: the role of antioxidant therapy. *Toxicology* 189:75-88.
- Hu, Z., Yang, P., Zhou, C., Li, S., & Hong, P. 2017. Marine collagen peptides from the skin of Nile Tilapia (*Oreochromis niloticus*): Characterization and wound healing evaluation. *Marine Drugs*, 15(4). <https://doi.org/10.3390/md15040102>
- Iii, C. J., Wheeler, M. L., & Scott, T. H .J. 1972. Studies in burns. XI. Ethyl linoleate: the water-holding lipid of skin b. Effects on in vivo burn eschar. *The Journal of Trauma: Injury, Infection, and Critical Care* 12(11): 974 – 978.
- Ismed, F., Desti, W.N., Arifa, N., Rustini, R., & Putra, D.P. 2021. TLC-Bioautographic and LC-MS/MS Detection of Antimicrobial Compounds from Four Semipolar Extracts of Cladonia Species. *Advances in Health Sciences Research* 40: 49 – 59.
- Jeschke, M.G., van Baar, M.E., Choudhry, M.A., Chung, K.K., Gibran, N.S., and Logsetty, S. 2020. Burn injury. *Nature Reviews Disease Primers* 6(11): 1 – 25. doi: 10.1038/s41572-020-0145-5
- Ji, Y., Yang, S., Zhou, K., Roccliffe, H. R., Pellicoro, A., Cash, J. L., Wang, R., Li, C., & Huang, Z. 2022. Deep-learning approach for automated thickness measurement of epithelial tissue and scab using optical coherence tomography. *Journal of Biomedical Optics*, 27(1), 015002. <https://doi.org/10.1117/1.JBO.27.1.015002>
- Jimi, S., Saporov, A., and Takagi, S. 2021. Cellular and molecular mechanisms at the proliferation stage in wound healing: From scarring to tissue regeneration. *Front. Cell Dev. Biol* 9: 267.



- Jones, A., & Vaughan, D. 2005. Hydrogel dressings in the management of a variety of wound types: A review. *Journal of Orthopaedic Nursing* 9: S1–S11. [https://doi.org/10.1016/s1361-3111\(05\)80001-9](https://doi.org/10.1016/s1361-3111(05)80001-9)
- Kaihena, M. and Luarwan, W.T. 2021. Penyembuhan luka bakar tikus *Rattus norvegicus* pasca diberi gel ekstrak etanol daun cengkeh (*Syzygium aromaticum* L.). *Jurnal Kalwedo Sains (KASA)* 2(1): 34 – 41.
- Kao, C.C., Garner, W.L. 2000. Acute burns. *Plast Reconstr Surg* 105: 2482 -2493.
- Kemendes. 2019. *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Luka Bakar*. Keputusan Menteri Kesehatan RI No.01.07/MENKES/555/2019.
- Kim, Y., Sim, W.-J., Lee, J., & Lim, T.-G. 2022. Snail mucin is a functional food ingredient for skin. *Journal of Functional Foods*, 92, 105053. <https://doi.org/10.1016/j.jff.2022.105053>
- Ko, G.-A., & Kim Cho, S. 2018. Ethyl linoleate inhibits  $\alpha$ -MSH-induced melanogenesis through Akt/GSK3 $\beta$ / $\beta$ -catenin signal pathway. *The Korean Journal of Physiology & Pharmacology* 22(1): 53. <https://doi.org/10.4196/kjpp.2018.22.1.53>
- Komalamisra, C., Nuamtanong, S., and Dekumyoy, P. 2009. *Pila ampullacea* and *Pomacea canaliculata*, as new paratenic hosts of *Gnathostoma spinigerum*. *Southeast Asian J Trop Med Public Health* 40(2): 243 – 246.
- Komi, D.E.A., Khomtchouk, K., Santa Maria, P.L. 2020. A review of the contribution of mast cells in wound healing: Involved molecular and cellular mechanisms. *Clin. Rev. Allergy Immunol* 58, 298–312.
- Korkmaz, H.I., Krijnen, P.A.J., Ulrich, M.M.W., de Jong, E., van Zuijlen, P.P.M., Niessen, H.W.M. 2017. The role of complement in the acute phase response after burns. *Burns J. Int. Soc. Burn Inj.* 43, 1390–1399.
- Kumar, R., Sharma, A., Alexiou, A., Bilgrami, A. L., Kamal, M. A., & Ashraf, G. M. 2022. DeePred-BBB: A Blood Brain Barrier Permeability Prediction Model With Improved Accuracy. *Frontiers in Neuroscience*, 16. <https://doi.org/10.3389/fnins.2022.858126>
- Kurniati, S., Batubara, L., Wikanta, E.R., and Johan, A. 2020. The effect of jengkol seed (*Archidendron pauciflorum*) extract to plasma mda level due to deep second degree burn wound in sprague dawley rats. *Diponegoro Medical Journal* 9(3): 246 – 251.
- Kurniawati, F., Yuniastuti, A., Susanti, R., and Nugrahaningsih, W.H. 2021. Identifikasi senyawa bioaktif *Moringa oleifera* sebagai antiinflamasi

melalui ligan pada toll-like receptor signaling pathway untuk prediksi pencegahan stunting secara in silico. *Prosiding Semnas Biologi ke-9*: 285 – 291.

Lacaniño, D.A.G., Nombre, M.A.V., Pineda, E.L., Roldan, H.J.L., and Yee, A.J.E. 2019. Wound healing property of *Pomacea canaliculata* (Ampullariidae) mucin on sprague-dawley rats. *Research Expo* 2019.

Land, W.G. 2020. Use of DAMPs and SAMPs as therapeutic targets or therapeutics: A note of caution. *Mol. Diagn. Ther* 24: 251–262.

Latifa, K.I. 2015 Skripsi, *Profil Kadar MDA (Malondialdehyde) padatikus yang diberikan ekstrak herba Thymi (Thymus vulgaris L)*. Fakultas Farmasi Universitas Muhammadiyah Surakarta.

Lee, H., Jang, J.-H., & Kim, S.-J. 2021. Malonic acid suppresses lipopolysaccharide-induced BV2 microglia cell activation by inhibiting the p38 MAPK/NF- $\kappa$ B pathway. *Animal Cells and Systems* 25(2): 110–118. <https://doi.org/10.1080/19768354.2021.1901781>

Li, H.-H., Hao, R.-L., Wu, S.-S., Guo, P.-C., Chen, C.-J., Pan, L.-P., & Ni, H. 2011. Occurrence, function and potential medicinal applications of the phytohormone abscisic acid in animals and humans. *Biochemical Pharmacology* 82(7): 701–712. <https://doi.org/10.1016/j.bcp.2011.06.042>

Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. 2001. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews* 46(1-3): 3–26. [https://doi.org/10.1016/s0169-409x\(00\)00129-0](https://doi.org/10.1016/s0169-409x(00)00129-0)

Liu, Q., Zhao, L.L., Yang, S., Zhang, J.E., Zhao, N.Q., Wu, H., He, Z., Yan, T.M., and Guo, J. 2016. Regeneration of excised shell by the invasive apple snail *Pomacea canaliculata*. *Marine and Freshwater Behaviour and Physiology*: 1 – 13. <http://dx.doi.org/10.1080/10236244.2016.1261455>

Mahoney, J., Ponticello, M., Nelson, E., & Ratz, R. 2007. Topical misoprostol and wound healing in rats. *Wounds : a compendium of clinical research and practice* 19(12): 334–339.

Makrantonaki, E., Ganceviciene, R., & Zouboulis, C. C. 2011. An update on the role of the sebaceous gland in the pathogenesis of acne. *Dermato-Endocrinology*, 3(1), 41–49. <https://doi.org/10.4161/derm.3.1.13900>

Maouia, A., Rebetz, J., Kapur, R., and Semple, J.W. 2020. The immune nature of platelets revisited. *Transfus. Med. Rev* 34: 209–220.

- Meister, A., Anderson, M.E., and Glutathione. 1983. *Ann Rev Biochem* 52:711-60.
- Meyer M. 2019. Processing of collagen based biometrerrials and the resulting materials properties. *BioMedical Engineering OnLine*
- Meyerholz, D. K., Piester, T. L., Sokolich, J. C., Zamba, G. K., & Light, T. D. 2009. Morphological parameters for assessment of burn severity in an acute burn injury rat model. *International journal of experimental pathology*, 90(1), 26–33. <https://doi.org/10.1111/j.1365-2613.2008.00617.x>
- Mi, Y., Zhong, L., Lu, S., Hu, P., Pan, Y., Ma, X., Yan, B., Wei, Z., and Yang, G. 2021. Quercetin promotes cutaneous wound healing in mice through Wnt/ $\beta$ -catenin signaling pathway. *Journal of Ethnopharmacology* 290: 1 – 13.
- Moen, I., Ugland, H., Strömberg, N., Sjöström, E., Karlson, A., Ringstad, L., Bysell, H., Amiry-Moghaddam, M., & Haglerød, C. 2018. Development of a novel in situ gelling skin dressing: Delivering high levels of dissolved oxygen at pH 5.5. *Health Science Reports*, 1(7), e57. <https://doi.org/10.1002/hsr2.57>
- Mokhtar, N.A., Tap, F.M., Talib, S.Z.A., Khairudin, N.A. 2021. Docking study for assessment of wound healing potential of isosakuratenin isolated from *Chromolaena odorata*: An Insilico approach. *IOP Publishing* 1051(012078): 1 – 9.
- Mondal, S., Ghosh, D., Ganapaty, S., Reddy, M.S., and Ramakrishna, K. 2016. Evaluation of healing potential of *Achyranthes aspera* L. (Amaranthaceae) seeds in excision, incision, dead space and burn wound model-an in-vivo study. *Pharmacogn. J.* 8(3): 300 – 307.
- Muguregowda, H.T., Kumar, P., and Govindarama, P.U.E. 2018. Wound healing potential of intermittent negative pressure under limited access dressing in burn patients: biochemical and histopathological study. *World J Plast Surg* 7(1): 58 – 66.
- Mulder, P. P. G., Vlig, M., Fasse, E., Stoop, M. M., Pijpe, A., van Zuijlen, P. P. M., Joosten, I., Boekema, B. K. H. L., & Koenen, H. J. P. M. 2022. Burn-injured skin is marked by a prolonged local acute inflammatory response of innate immune cells and pro-inflammatory cytokines. *Frontiers in immunology*, 13, 1034420. <https://doi.org/10.3389/fimmu.2022.1034420>
- Mulder, P.P.G., Vlig, M., Boekema, B.K.H.L., Stoop, M.M., Pijpe, A., Zuijlen, P.P.M., Jong, E., Cranenbroek, B., Joosten, I., Koenen, H.J.P.M., and Ulrich, M.M.W. 2021. Persistent systemic inflammation in patients with severe burn injury is accompanied by influx of immature neutrophils and



shifts in t cell subsets and cytokine profiles. *Frontiers in Immunology* 11: 1 – 13.

Mulianto, N. 2020. Malondialdehid sebagai penanda stres oksidatif pada berbagai penyakit kulit. *CDK-282* 47(1): 39 – 45.

Mulyanti, Yana, D., and Salima, R. 2022. Uji efektivitas pestisida nabati terhadap mortalitas hama keong mas (*Pomacea canaliculata*). *G-Tech: Jurnal Teknologi Terapan* 6(2): 119 – 126.

Munir, M., Shah, S.N.H., Almas, U., Khan, F.A., Zaidi, A., Bukhari, S.M., and Murtaza, G. 2021. An assessment of the wound healing potential of a herbal gel containing an *Azadirachta indica* leaf extract. *Veterinarni Medicina* 66(3): 99 – 109. <https://doi.org/10.17221/46/2020-VETMED>

Myers, P., R. Espinosa, C. S. Parr, T. Jones, G. S. Hammond, and T. A. Dewey. 2023. *The Animal Diversity Web* (online). Accessed at <https://animaldiversity.org>.

Nadeak, V and Siregar, A.Z. 2019. Penggunaan atraktan daun talas dengan variasi pestisida nabati terhadap populasi keong mas (Mollusca: Ampullariidae) pada padi di Sumatera Utara. *Jurnal Agroteknologi* 9(2): 6 – 11.

Nantarat, N., Tragoolpua, Y., and Gunama, P. 2019. Antibacterial activity of the mucus extract from the giant African snail (*Lissachatina fulica*) and golden apple snail (*Pomacea canaliculata*) against pathogenic bacteria causing skin diseases. *Tropical Natural History* 19(2): 103 – 112.

Nascimento, A. P., & Costa, A. M. A. 2006. Overweight induced by high-fat diet delays rat cutaneous wound healing. *British Journal of Nutrition*, 96(6), 1069–1077. <https://doi.org/10.1017/bjn20061955>

Nguyen, V.-L., Truong, C.-T., Nguyen, B. C. Q., Vo, T.-N. V., Dao, T.-T., Nguyen, V.-D., Trinh, D.-T. T., Huynh, H. K., & Bui, C.-B. 2017. Anti-inflammatory and wound healing activities of calophyllolide isolated from *Calophyllum inophyllum* Linn. *PLOS ONE*, 12(10), e0185674. <https://doi.org/10.1371/journal.pone.0185674>

Niczyporuk, M. 2018. Rat skin as an experimental model in medicine. *Progress in Health Sciences* 8(2): 223–228. <https://doi.org/10.5604/01.3001.0012.8351>

Nirgiotis, J. G., Hennessey, P. J., Thomas Black, C., & Andrassy, R. J. 1991. Low-fat, high-carbohydrate diets improve wound healing and increase protein levels in surgically stressed rats. *Journal of Pediatric Surgery*, 26(8), 925–929. [https://doi.org/10.1016/0022-3468\(91\)90838-k](https://doi.org/10.1016/0022-3468(91)90838-k)



- Nugroho, R.T., Saputra, G., Aini, A.N., Dewia, A.A.I., and Tarigan, I.L. 2022. Ointment formulation from collagen extract of tilapia fish skin (*Oreochromis niloticus*) for healing burns in *Mus musculus*. *Pharmaceutical Journal Indonesia* 8(1): 9 – 15.
- Nurman, S., Yulia, R., Irmayanti, Noor, E., & Candra Sunarti, T. 2019. The Optimization of Gel Preparations Using the Active Compounds of Arabica Coffee Ground Nanoparticles. *Scientia Pharmaceutica* 87(4): 32. <https://doi.org/10.3390/scipharm87040032>
- Oluwole, D. O., Coleman, L., Buchanan, W., Chen, T., La Ragione, R. M., & Liu, L. X. 2022. Antibiotics-Free Compounds for Chronic Wound Healing. *Pharmaceutics*, 14(5), 1021. <https://doi.org/10.3390/pharmaceutics14051021>
- Omanakuttan, A., Nambiar, J., Harris, R. M., Bose, C., Pandurangan, N., Varghese, R. K., Kumar, G. B., Tainer, J. A., Banerji, A., Perry, J. J., & Nair, B. G. 2012. Anacardic acid inhibits the catalytic activity of matrix metalloproteinase-2 and matrix metalloproteinase-9. *Molecular pharmacology*, 82(4), 614–622. <https://doi.org/10.1124/mol.112.079020>
- Opneja, A., Kapoor, S., Stavrou, E.X. 2019. Contribution of platelets, the coagulation and fibrinolytic systems to cutaneous wound healing. *Thromb. Res.* 179, 56–63.
- Osuka, A., Ishihara, T., Shimizu, K., Shintani, A., Ogura, H., and Ueyama, M. 2019. Natural kinetics of blood cells following major burn: Impact of early decreases in white blood cells and platelets as prognostic markers of mortality. *Burns* 45: 1901 – 1907. Abdullahi, A., Nik, S.A., and Jeschke, M.G. 2014. Animal models in burn research. *Cell Mol Life Sci* 71(17): 3241–3255. doi:10.1007/s00018-014-1612-5.
- Pace, C. N., Fu, H., Fryar, K. L., Landua, J., Trevino, S. R., Schell, D., Thurkill, R. L., Imura, S., Scholtz, J. M., Gajiwala, K., Sevcik, J., Urbanikova, L., Myers, J. K., Takano, K., Hebert, E. J., Shirley, B. A., & Grimsley, G. R. 2014. Contribution of hydrogen bonds to protein stability. *Protein Science : A Publication of the Protein Society* 23(5): 652–661. <https://doi.org/10.1002/pro.2449>
- Papaiordanou, F., de-Oliveira, G.P., Hexel, D., and Vattimo, A.C.A. 2021. Collagen and skin: from the structure to scientific evidence of oral supplementation. *Surgical and Cosmetic Dermatology* 14: 1 – 8.
- Park, S. Y., Seetharaman, R., Ko, M. J., Kim, D. Y., Kim, T. H., Yoon, M. K., Kwak, J. H., Lee, S. J., Bae, Y. S., & Choi, Y. W. 2014. Ethyl linoleate from garlic attenuates lipopolysaccharide-induced pro-inflammatory cytokine

production by inducing heme oxygenase-1 in RAW264.7 cells. *International Immunopharmacology* 19(2): 253–261.  
<https://doi.org/10.1016/j.intimp.2014.01.017>

Pastar, I., Stojadinovic, O., Yin, N. C., Ramirez, H., Nusbaum, A. G., Sawaya, A., Patel, S. B., Khalid, L., Isseroff, R. R., & Tomic-Canic, M. (2014). Epithelialization in Wound Healing: A Comprehensive Review. *Advances in Wound Care*, 3(7), 445–464. <https://doi.org/10.1089/wound.2013.0473>

Patry, J., & Blanchette, V. 2017. Enzymatic debridement with collagenase in wounds and ulcers: a systematic review and meta-analysis. *International wound journal*, 14(6), 1055–1065. <https://doi.org/10.1111/iwj.12760>

Philippe, A.S., Murielle, M., Corrine, S., Marjorie, F., Nathalie, H.B., Anthony, B.R., Wassim, R., and Lee, A. 2019. Cell therapies for skin regeneration: an overview of 40 years of experience in burn units. *Swiss Medical Weekly* 149: 1 – 7.

Phrompanya, P., Suriyaruean, N., Nantarat, N., Saenphet, S., Tragoolpua, Y., & Saenphet, K. 2023. Biological properties of mucus from land snails (*Lissachatina fulica*) and freshwater snails (*Pomacea canaliculata*) and histochemical study of mucous cells in their foot. *PeerJ*, 11, e15827. <https://doi.org/10.7717/peerj.15827>

Piipponen, M., Li, D., and Landén, N.X. 2020. The immune functions of keratinocytes in skin wound healing. *Int. J. Mol. Sci* 21: 8790.

Porter, K. A., Desta, I., Kozakov, D., & Vajda, S. 2019. What method to use for protein–protein docking? *Current Opinion in Structural Biology*, 55, 1–7. <https://doi.org/10.1016/j.sbi.2018.12.010>

Prasetyo, N.F., Kepel, B.J., Bodhi, W., Fatimawati, Manampiring, A., and Budiarmo, F. 2021. Molecular docking terhadap senyawa isoeleutherin dan isoeleutherol sebagai penghambat pertumbuhan SARS-COV-2. *eBiomedik* 9(1): 101 – 106. DOI: <https://doi.org/10.35790/ebm.9.1.2021.31809>

Prinyakupt J, Pluempitiwiriwawej C. 2015. Segmentation of white blood cells and comparison of cell morphology by linear and naïve Bayes classifiers. *Biomed Eng Online*. 2015 Jun 30;14:63. doi: 10.1186/s12938-015-0037-1. PMID: 26123131; PMCID: PMC4485641.

Putra, A.S.S., Rahardjo, Hasan, C.Y., & Pangestinarsih, T.W. 2021. Effect of Concentration Differences of Snail Mucus Gel (*Achatina Fulica*) on Collagen Density and Wound Closure Rate in Wistar Rat Skin Punch Biopsy Wounds. *Journal of International Dental and Medical Research* 14(2): 574 – 580.

- Rahman, K. 2007. Studies on free radicals, antioxidants and co-factors. *Clin Interv Aging* 2: 219–236.
- Ramírez, D., & Caballero, J. 2018. Is It Reliable to Take the Molecular Docking Top Scoring Position as the Best Solution without Considering Available Structural Data? *Molecules* 23(5): 1038. <https://doi.org/10.3390/molecules23051038>
- Rani, M., Nicholson, S.E., Zhang, Q., and Schwacha, M.G. 2017. Damage-associated molecular patterns (DAMPs) released after burn are associated with inflammation and monocyte activation. *Burns J. Int. Soc. Burn Inj* 43: 297–303.
- Razyieva, K., Kim, Y., Zharkinbekov, Z., Kassymbek, K., Jimi, S., and Saparov, A. 2021. Immunology of acute and chronic wound healing. *Biomolecules* 11(5): 1 – 25.
- Reilly, David M., Jennifer Lozano. 2021. Skin collagen through the lifestages: importance for skin health and beauty. *Plastic and Aesthetic Research* 8(2): 1 - 24. <http://dx.doi.org/10.20517/2347-9264.2020.153>
- Ren, Q., Chan, K.W., Huang, H., Wang, Z., Fang, X., Guo, C., Li, F., Zhang, L., Yao, Y., Chen, Z. 2020. Platelet-derived alphagranules are associated with inflammation in patients with NK/T-cell lymphoma-associated hemophagocytic syndrome. *Cytokine* 126(154878).
- Rinatha, E., Ulfa, A.M., & Tutik, T. 2023. Stability Testing and Determination of Sun Protection Factor (SPF) Value in Gel Formulation Combining Moringa oleifera L. Leaf Extract with Citrus aurantifolia Peel. *Jurnal Fitofarmaka Indonesia* 10(3): 53 – 60. Doi: 10.33096/jffi.v10i3.1000
- Riviere, J. E., & Brooks, J. D. 2010. Predicting Skin Permeability from Complex Chemical Mixtures: Dependency of Quantitative Structure Permeation Relationships on Biology of Skin Model Used. *Toxicological Sciences* 119(1), 224–232. <https://doi.org/10.1093/toxsci/kfq317>
- Rodrigues, M., Kosaric, N., Bonham, C.A., and Gurtner, G.C. 2019. Wound healing: A cellular perspective. *Physiol. Rev* 99: 665–706.
- Rubina, M. P. Khrisnan, A. M., Basheer, R., Safeer, M., Soumya, V. 2020. Assessment of Staining Quality of Curcumin as a Substitute for Eosin in Hematoxyline and Eosin Staining in Histopathology. *Journal of Research in Medical and Dental Science*, 8(5), 146–150.
- Safaruddin, Safitrim N.A.A., Yuliana, B., and Firman, I. 2019. Formulasi gel lendir ikan gabus (*Channa striata*) dan uji efektivitas sebagai obat luka bakar pada

kelinci (*Oryctolagus cuniculus*). Seminar Nasional Sains, Teknologi, Dan Sosial Humaniora UIT: 1 – 7.

Safitri, F. I., Nawangsari, D., & Febrina, D. 2021. Overview: Application of Carbopol 940 in Gel. [www.atlantis-Press.com](http://www.atlantis-Press.com); Atlantis Press. <https://doi.org/10.2991/ahsr.k.210127.018>

Sani, F., Samudra, A.G., and Mayora, E.O. 2018. Formulasi dan uji aktivitas gel lendir belut (*Monopterus albus*) sebagai penyembuh luka bakar. *Jurnal Ilmiah Ibnu Sina* 3(2): 186 – 194.

Saputra, K., Sutriyono, S., & Brata, B. 2018. Populasi dan distribusi keong mas (*Pomacea canaliculata* L.) sebagai sumber pakan ternak pada ekosistem persawahan di Kota Bengkulu. *Jurnal Sain Peternakan Indonesia*, 13(2), 189–201. <https://doi.org/10.31186/jspi.id.13.2.189-201>

Sasaki, J., Cottam, G.L, and Baxter, C.R. 1983. Lipid peroxidation following thermal injury. *J Burn Care Rehab* 4:251-4.

Scoffin, K. 2014. *Hematology analyzers- from complete blood counts to cell morphology*. Labcompare. Sited July 2023 on <https://www.labcompare.com/10-Featured-Articles/162042-Hematology-Analyzers-From-Complete-Blood-Counts-to-Cell-Morphology/>

Sen, S., Hsei, L., Tran, N., Romanowski, K., Palmieri, T., Greenhalgh, D., & Cho, K. 2019. Early clinical complete blood count changes in severe burn injuries. *Burns* 45(1): 97–102. <https://doi.org/10.1016/j.burns.2018.09.004>

Sharda, A.; Flaumenhaft, R. 2018. The life cycle of platelet granules. *F1000Research* 7: 236.

Shebab, N.G., Abu-Gharbieh, E., and Almasri, I.M. 2022. Chemical composition, docking simulations and burn wound healing effect of *Micromeria fruticosa* extract and its isolated flavonoidal compound. *Pak. J. Pharm. Sci* 35(2): 507 – 517.

Shimadzu. 2019. *Fundamental Guide to Liquid Chromatography Mass Spectrometry (LCMS)*. Shimadzu Corporation.

Shoviantari, F., Fajriyah, S., Agustin, E., and Khairani, S. 2021. Aktivitas gel lendir bekicot (*Achatina fulica*) sebagai penyembuhan luka sayat. *As-Syifaa Jurnal Farmasi* 13(1): 12 – 19.

Silalahi, J. and Surbakti, C. 2015. Burn wound healing activity of hydrolyzed virgin coconut oil. *International Journal of PharmTech Research* 8(1): 67 – 73.



- Silva, J. R., Burger, B., Kühl, C. M. C., Candreva, T., dos Anjos, M. B. P., & Rodrigues, H. G. 2018. Wound Healing and Omega-6 Fatty Acids: From Inflammation to Repair. *Mediators of Inflammation*, 2018, 1–17. <https://doi.org/10.1155/2018/2503950>
- Silva, J.P., Dhal, S., Garcia, M., Chan, A., Costa, C., Gama, M., and Green, M.M. 2015. Improved burn wound healing by the antimicrobial peptide LLKKK18 released from conjugates with dextrin embedded in a carbopol gel. *Acta Biomaterialia* 26: 249 – 262. <http://dx.doi.org/10.1016/j.actbio.2015.07.043>
- Slatter, D.A, Bolton, C.H, and Bailey, A.J. 2000. The importance of lipid-derived malondialdehyde in diabetes mellitus. *Diabetologia* 43: 550-7.
- Slighoua, M., Chebaibi, M., Mahdi, I., Amrati, F.E.-z., Conte, R., Cordero, M.A.W., Alotaibi, A., Saghrouchni, H., Agour, A., Zair, T., Bari, A., and Bousta, D. 2022. The LC-MS/MS Identification and Analgesic and Wound Healing Activities of *Lavandula officinalis* Chaix: In Vivo and In Silico Approaches. *Plants* 11(3222): 1 – 16. <https://doi.org/10.3390/plants11233222>
- Soejanto, A.S. 2017. Pemberian krim ekstrak metanolik buah delima merah (*Punica granatum*) menghambat penurunan jumlah kolagen dermis kulit mencit (*Mus musculus*) yang dipapar sinar ultraviolet B. E-JURNAL Indonesian Journal of Anti Aging Medicine 1(1): 1 – 9.
- Song, Y., Cui, Y., Hao, L., Zhu J., Yi, J., Kang, Q., Huang, J. and Lu, J. 2021. Wound-healing activity of glycoproteins from white jade snail (*Achatina fulica*) on experimentally burned mice. *International Journal of Biological Macromolecules* 175: 313 – 321. <https://doi.org/10.1016/j.ijbiomac.2021.01.193>
- Stampfer, H.G., Gabb, G.M., Dimmitt, S.B. 2019. Why maximum tolerated dose? *Br J Clin Pharmacol.* 85(10): 2213-2217. <https://doi.org/10.1111/bcp.14032>
- Suntoro, S. H. 1983. *Metode Pewarnaan Histologi dan Histokimia*. Bhratara Karya Aksara. Jakarta
- Swindell, W. R., Bojanowski, K., Singh, P., Randhawa, M., & Chaudhuri, R. K. 2023. Bakuchiol and Ethyl (Linoleate/Oleate) Synergistically Modulate Endocannabinoid Tone in Keratinocytes and Repress Inflammatory Pathway mRNAs. *JID Innovations* 3(3): 100178–100178. <https://doi.org/10.1016/j.xjidi.2022.100178>
- Tachapuripunya, V., Roytrakul, S., Chumnanpuen, P., and E-kobon, T. 2021. Unveiling putative functions of mucus proteins and their tryptic peptides in

seven gastropod species using comparative proteomics and machine learning-based bioinformatics predictions. *Molecules* 26 (3475): 1 – 18. <https://doi.org/10.3390/molecules26113475>

Tao, P., Liu, J., Li, Y., Zhang, T., Wang, F., Chang, L., Li, C., Ge, X., Zuo, T., Lu, S., Ruan, Y., Yang, Z., & Xu, P. 2023. Damaged collagen detected by collagen hybridizing peptide as efficient diagnosis marker for early hepatic fibrosis. *Biochimica et Biophysica Acta. Gene Regulatory Mechanisms*, 1866(2), 194928–194928. <https://doi.org/10.1016/j.bbagr.2023.194928>

Thomas, L., Mathew, S., and Johnson, S. 2020. In-silico prediction of role of chitosan, chondroitin sulphate and agar in process of wound healing towards scaffold development. *Informatics in Medicine Unlocked* 20(100406): 1 – 7.

Tigner A, Ibrahim SA, Murray IV. Histology, White Blood Cell. [Updated 2022 Nov 14]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2023 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK563148/>

Trapella, C., Rizzo, R., Gallo, S., Alogna, A., Bortolotti, D., Casciano, F., Zauli, G., Secchiero, P., and Voltan, R. 2018. HelixComplex snail mucus exhibits pro-survival, proliferative and promigration effects on mammalian fibroblasts. *Scientific Reports* 8 (17665): 1 – 10. DOI:10.1038/s41598-018-35816-3

Trinh, X.-T., Long, N.-V., Van Anh, L. T., Nga, P. T., Giang, N. N., Chien, P. N., Nam, S.-Y., & Heo, C.-Y. 2022. A Comprehensive Review of Natural Compounds for Wound Healing: Targeting Bioactivity Perspective. *International Journal of Molecular Sciences*, 23(17), 9573. <https://doi.org/10.3390/ijms23179573>

Ulagesan, S., Sankaranarayanan, K., and Kuppasamy, A. 2017. Functional characterisation of bioactive peptide derived from terrestrial snail *Cryptozona bistrialis* and its wound-healing property in normal and diabetic-induced Wistar albino rats. *International Wound Journal* 15(3): 350 – 362.

van der Pol, E., Mudde, Y. D., Coumans, F. a. W., van Leeuwen, T. G., Sturk, A., & Nieuwland, R. 2016. Wound scabs protect regenerating tissue against harmful ultraviolet radiation. *Medical Hypotheses*, 96, 39–41. <https://doi.org/10.1016/j.mehy.2016.09.011>

Veber, D. F., Johnson, S. R., Cheng, H.-Y., Smith, B. R., Ward, K. W., & Kopple, K. D. 2002. Molecular Properties That Influence the Oral Bioavailability of

Drug Candidates. *Journal of Medicinal Chemistry* 45(12): 2615–2623.  
<https://doi.org/10.1021/jm020017n>

Venkatachalam, H., Nayak, Y., and Jayashree, B.S. 2012. Evaluation of the antioxidant activity of novel synthetic chalcones and flavonols. *International Journal of Chemical Engineering and Applications* 3(3): 216 – 221.

Wahyuningsih, S., Syamsu, A.S.I., Awaluddin, N., and Andriawan, R. 2021. Burns wound healing activity of extract gel formula of lidah buaya (*Aloe vera*) and senggani leaf (*Melastoma polyanthum*). *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)* 7(1): 10 – 16. DOI: 10.22487/j24428744.2021.v7.i1.15251

Wang, Q., Jiang, J., and Gao, L. 2021. Nanozyme-based medicine for enzymatic therapy: progress and challenges. *Biomed Mater* 16(4) <https://doi.org/10.1088/1748-605X/abe7b4>

Weaver, A. J., Jr, Brandenburg, K. S., Smith, B. W., & Leung, K. P. 2020. Comparative Analysis of the Host Response in a Rat Model of Deep-Partial and Full-Thickness Burn Wounds With *Pseudomonas aeruginosa* Infection. *Frontiers in cellular and infection microbiology*, 9, 466. <https://doi.org/10.3389/fcimb.2019.00466>

WHO. 2018. *Burns*. Diakses 31 Maret 2023 <https://www.who.int/news-room/fact-sheets/detail/burns>

Wilgus, T.A. 2018. Alerting the body to tissue injury: The role of alarmins and DAMPs in cutaneous wound healing. *Curr. Pathobiol. Rep* 6: 55–60.

Wilkinson, H.N., and Hardman, M. 2020. J. Wound healing: Cellular mechanisms and pathological outcomes. *Open Biol* 10: 200223.

Xu, J., Zhang, S., Wu, T., Fang, X., and Zhao, L. 2022. Discovery of TGFBR1 (ALK5) as a potential drug target of quercetin glycoside derivatives (QGDs) by reverse molecular docking and molecular dynamics simulation. *Biophysical Chemistry* 281: 1 – 9.

Yakupu, A., Zhang, J., Dong, W., Song, F., Dong, J, and Lu, S. 2022. The epidemiological characteristic and trends of burns globally. *BMC Public Health* 22: 1596

Yao, Y., Zhang, A., Yuan, C., Chen, X., and Liu, Y. 2021. Recent trends on burn wound care: hydrogel dressings and scaffolds. *Biomater Sci* 9: 4523 – 4540.

- Yekti, E., Bukhari, A., Jafar, N., and Thaha, R. 2018. Measurement of malondialdehyde (mda) as a good indicator of lipid peroxidation. *International Journal of Allied Medical Sciences and Clinical Research* 6(4): 1 – 3.
- Yip, W. L. 2014. Influence of oxygen on wound healing. *International Wound Journal*, 12(6), 620–624. <https://doi.org/10.1111/iwj.12324>
- Yuliana, B., Sartini, Djide, N., and Djabir, Y.Y. 2022. Wound healing effect of snakehead fish (*Channa striata*) mucus containing transdermal patch. *Journal of Applied Pharmaceutical Science* 12(7): 171 – 183. DOI: 10.7324/JAPS.2022.120717
- Zaetun, S., Dewi, L.B.K., Wiadnya, I.B.R., and Srigede, L. 2017. Profil kadar MDA (malondialdehyde) sebagai penanda kerusakan seluler akibat radikal bebas pada tikus yang diberikan air beroksigen. *Jurnal Analis Medika Bio Sains* 4(2): 63 – 68.
- Zahir, M. 1963. Effect of Scabs on the Rate of Epidermal Regeneration in the Skin Wounds of Guinea Pigs. *Nature*, 199(4897), 1013–1014. <https://doi.org/10.1038/1991013a0>
- Zeng, R., Deng, J., Dang, L., & Yu, X. 2021. Correlation between the structure and skin permeability of compounds. *Scientific Reports* 11(1). <https://doi.org/10.1038/s41598-021-89587-5>
- Zhao, J., Chen, L., Shu, B., Tang, J., Zhang, L., Xie, J., Qi, S., & Xu, Y. 2014. Granulocyte/Macrophage Colony-Stimulating Factor Influences Angiogenesis by Regulating the Coordinated Expression of VEGF and the Ang/Tie System. *PLoS ONE*, 9(3), e92691. <https://doi.org/10.1371/journal.pone.0092691>
- Zhao, K., Shi, N., Sa, Z., Wang, H.X., Lu, C.H., Xu, X.Y. 2020. Text mining and analysis of treatise on febrile diseases based on natural language processing. *World J Tradit Chin Med* 6(1):67-73.
- Zhu, W., Chen, Z., Li, Q., Tan, G., & Hu, G. 2016. Inhibitors of 11 $\beta$ -Hydroxylase (CYP11B1) for Treating Diseases Related to Excess Cortisol. *Current Medicinal Chemistry*, 23(6), 623–633. <https://doi.org/10.2174/0929867323666160122114947>