

## DAFTAR PUSTAKA

- Asadujzaman, M., Mishuk, A. U., Hossain, M. A., & Karmakar, U. K. (2014). Medicinal potential of *Passiflora foetida* L. plant extracts: biological and pharmacological activities. *Journal of Integrative Medicine*, 12(2), 121–126. [https://doi.org/10.1016/S2095-4964\(14\)60017-0](https://doi.org/10.1016/S2095-4964(14)60017-0)
- Bernacci, L. C., Soares-Scott, M. D., Junqueira, N. T. V., Passos, I. R. D. S., & Meletti, L. M. M. (2008). *Passiflora edulis* Sims : The correct taxonomic way to cite the yellow passion fruit (and of others colors). *Revista Brasileira de Fruticultura*, 30(2), 566–576. <https://doi.org/10.1590/s010029452008000200053>
- BMKG. (2024). Data Iklim Sumatera Barat. <https://dataonline.bmkg.go.id/> (Diakses 4 Juni 2024 Pukul 15.00 WIB).
- Bruckner, C. H., Casali, V. W. D., Moraes, C. F., Regazzi, A. J., & Silva, E.A.M. (1995). Self-incompatibility in passion fruit (*Passiflora edulis* Sims). *Acta Horticulturae, The Hague*, 370, 45-57.
- Bullant, C. & Gallais. (1998). Xenia effects in maize with normal endosperm:importance and stability. *Journal Crop Science*, 39,1517-1525.
- Bullant, C., Gallais, A., Matthys-Rochon. E., & Priul. J.L. (2000). Xenia in maize with normal endosperm: II kernel growth and enzyme activities grain filling. *Journal Crop Science*, 40, 182-189.
- Cabin, R. J., Evans, A. S., Jennings, D. L., Marshall, D. L., Mitchell, R. J., & Sher, A. A. (1996). Using bud pollinations to avoid self-incompatibility: implications from studies of three mustards. *Canadian Journal of Botany*, Ottawa, 74, 285-289.
- Carr M.K.V. (2013). The water relations and irrigation requirements of passion fruit (*Passiflora edulis* Sims). A review. *Experimental Agriculture*, 49(4), 585-596. <https://doi.org/10.1017/S0014479713000240>
- Chen, Q., Zhang, Z., Qin, Z., & Jiang, Y. (1996). Study on the selection of male plants for Jinkui kiwifruit, and pollen xenia. *China Fruits*, 2,23-24.
- Chóez-Guaranda, I., Ortega, A., Miranda, M., & Manzano, P. (2017). Chemical composition of essential oils of *Passiflora edulis* f. *flavicarpa* agroindustrial waste. *Emirates Journal of Food and Agriculture*, 29(6), 458–462. <https://doi.org/10.9755/ejfa.2016-10-1542>
- Cleves, J.A., Jarma, A.J., & Puentes, G.A. (2012). Maracuyá (*Passiflora edulis* f. *flavicarpa* y f. *purpurea* L.). 682-700.
- De Giovanni, R., & Bernacci, L. C. (2015). Progressively approaching the distribution of *Passiflora ischnoclada* (Passifloraceae) from a single

- occurrence record. *Check List*, 11(4), 1717. <https://doi.org/10.15560/11.4.1717>
- Debes P V., Fraser DJ, McBride MC, Hutchings JA. (2013). Multigenerational hybridisation and its consequences for maternal effects in Atlantic salmon. *Heredity (Edinb)*. 111(3):238–247. <https://doi.org/10.1038/hdy.2013.43>.
- Denney, J.O. (1992). Xenia includes metaxenia. *Journal of Horticultural Science*, 27, 722—728.
- Deng, L., Wang, T., Hu, J., Yang, X., Yao, Y., Jin, Z., Huang, Z., Sun, G., Xiong, B., Liao, L., & Wang, Z. (2022). Effects of Pollen Sources on Fruit Set and Fruit Characteristics of ‘Fengtangli’ Plum (*Prunus salicina* Lindl.) Based on Microscopic and Transcriptomic Analysis. *International Journal Moleculer Science*. 23(1), 29-59. <https://doi.org/10.3390/ijms232112959>
- Diggle, P. K., Abrahamson, N. J., Baker, R. L., Barnes, M. G., Koontz, T. L., Lay, C. R., Marshall, D. L. (2010). Dynamics of maternal and paternal effects on embryo and seed development in wild radish (*Raphanus sativus*). *Annals of Botany*, 106(2), 309–319. <https://doi.org/10.1093/aob/mcq110>.
- Do Rêgo, M. M., Bruckner, C. H., Da Silva, E. A. M., Finger, F. L., De Siqueira, D. L., & Fernandes, A. A. (1999). Self-incompatibility in passion fruit: Evidence of two locus genetic control. *Theoretical and Applied Genetics*, 98(3–4), 564-568. <https://doi.org/10.1007/s001220051105>
- Ehlenfeldt, M. K. (2003). Investigations of metaxenia in northern highbush blueberry (*Vaccinium corymbosum* L.) cultivars. *J. American Pomological Society*. 57(1):26.
- Faleiro, F.G., Junqueira, N.T.V., de Jesus, O.N., Cenci, S.A., Machado, C.F., Rosa, R.C.C., Costa, A.M., Junqueira, K.P. & Junghans, T.G. (2020). Maracuyá: *Passiflora edulis* Sims.15-29.
- Farag, K.M., Elsabagh, A.S. & Elashry, H.A. (2012). Fruit characteristics of "Zaghoul" date palm in relation to metaxenic influences of used pollinator. *American-Eurasian Journal of Agricultural & Environmental Science*, 12 (7), 842-855.
- Fauza, H., Sutoyo, & Putri, N. E. (2015). Status keberadaan plasma nutfah markisa ungu (*Passiflora edulis*) di Alahan Panjang, Kabupaten Solok, Sumatera Barat. In *Prosiding Seminar Nasional Biodiversitas Indonesia* (Vol. 1, pp. 1559–1564). <https://doi.org/10.13057/psnmbi/m010703>
- Fischer, G. & Miranda, D. (2020). Review on the ecophysiology of important Andean fruits: *Passiflora* L. *Revista Facultad Nacional Agronomia*. 74(2), 9471-9481. <https://doi.org/10.15446/rfnam.v74n2.91828>
- Gaaliche. B., Trad. M., & Mars. M. (2011). Effect of pollination intensity, frequency and pollen source on fig (*Ficus carica* L.) productivity and fruit

- quality. *Scientia Horticulturae*, 130, 737-742. <https://doi.org/10.1016/j.scienta.2011.08.032>
- Gehring, J. L., & Delph, L. F. (2006). Effects of reduced source-sink ratio on the cost of reproduction in females of *Silene latifolia*. *International Journal of Plant Sciences*, 167(4), 843–851. <https://doi.org/10.1086/503784>.
- Gharaghani, A., Soloklui, A. A. G., Oraguzie, N., & Zare, D. (2017). Pollen Source Influences Fruit Quality, Aril Properties, and Seed Characteristics in Pomegranate. *International Journal of Fruit Science*. 17(3), 333–348. <https://doi.org/10.1080/15538362.2017.1318733>
- Goldsworthy, R.P. & Fisher, N.M. (1992). *The Physiology of Tropical Field Crop*. Diterjemahkan oleh Tohari. 1998. Fisiologi Tanaman Budidaya Tropik. Gajah Mada University Press. Yogyakarta.
- Hajjar, R., & Hodgkin, T. (2007). The use of wild relatives in crop improvement: A survey of developments over the last 20 years. *Euphytica*, 156(1–2), 1–13. <https://doi.org/10.1007/s10681-0079363-0>
- Hariyanti, I. D., Soegianto, A., & Sugiharto, A. N. (2014). Efek Xenia Pada Beberapa Persilangan Jagung Manis (*Zea mays* L. Saccharata) Terhadap Karakter Biji. *Jurnal Produksi Tanaman*. 2(6), 517-523.
- Hazra, P., Samsul. H.A., Sikder. D., & Peter. K.V. 2007. Breeding tomato (*Lycopersicum esculentum* Mill.) resistant to high temperature stress. *International Journal of Plant Breeding*. 1(1), 31-40.
- Hasenstein, K. H., & Zawada, M. S. (2001). Auxin modification of the incompatibility response in *Theobroma cacao*. *Physiologia Plantarum, Copenhagem*, v.112, p.113-118.
- Hayati, P.K.D. (2021). Markisa Manis dari Marapi. [Majalah Trubus Edisi 619].
- Hérika, C., Madureira., Telma, N., Santana, P., Maura, D.C., Denise, E. K., Marcos, V.V., Oliveira, D., Leandro, D.M., Gonçalo, A.D., Souza, F. (2014). Self-incompatibility in passion fruit: cellular responses in incompatible pollinations. *Biologia*, 69(5), 574-584. doi: 10.2478/S11756-014-0353-0
- Hutabarat, R. C., Tarigan, R., Barus, S., & Nasution, F. (2016). Karakterisasi morfologi dan anatomi markisa F1 di kebun percobaan Berastagi. *Jurnal Hortikultura*, 26(2), 189–196.
- Ikhsan, M. A. R., Rosalina, Y., & Susanti, L. (2019). Effect of Citrit Acid and Packaging Type on Quality Change of Kalamansi Juice During Room Temperature Storage. *Jurnal Agroindustri*, 8(2), 139–149. <https://doi.org/10.31186/j.agroind.8.2.139-149>
- Ingale, A. G., & Hivrale, A. U. (2010). Pharmacological studies of *Passiflora* sp . and their bioactive compounds. *African Journal of Plant Science*, 4(10),

- 417–426.
- Ismal, G. (1983). Penggunaan Metoda Jumlah Panas untuk Menentukan Umur Jagung serta Penelaahan Pertumbuhan dan Produksinya pada Beberapa Lokasi dan Jenis Tanah. [Disertasi]. Bogor. Program Pasca Sarjana Institut Pertanian Bogor.
- Ismail, M., Halimah, L.S., Hengky, N., Sudarsono, S. (2016). Xenia negatively affecting kopyor nut yield in Kalianda Tall kopyor and Pati Dwarf kopyor coconuts. *Emirates Journal of Food and Agriculture*. 28(9), 644-652
- Istianto, M., Hermanto, C., Yufdhi, P. M., Prabawati, S., & Pratikno, S. (2015). *Profil Komoditas Buah Nusantara*. Jakarta. IAARD Press.
- Junior, J. S. D. L., Bruckner, C. H., & Carneiro, P. C. S. (2016). First report of Phytophthora nicotianae causing root rot of soursop in Northeastern Brazil. *Revista Brasileira de Fruticultura*, 38(4). <https://doi.org/10.1590/0100-29452016>
- Kahriman, F., Serment, M., Haslak, M., and Kang, M.S. (2017). Pollen effect (xenia) for evaluating breeding materials in maize. *Journal of Genetics*. 49. 217-234.
- Karsinah, Silalahi, F.H., & Manshur. A. (2007). Eksplorasi dan Karakterisasi Plasma Nutfah Tanaman Markisa. *Jurnal Hortikultura*, 17(4), 297-306.
- Karsinah, Hutabarat, R. C., & Manshur, A. (2010). Markisa asam (*Passiflora edulis* Sims), Buah eksotik kaya manfaat. *IPTEK Hortikultura*, 6(6), 30–35.
- Kumar, K., & B. Das. 1996. Studies on xenia in almond (*Prunus dulcis* (Miller) DA Webb). *Journal of Horticultural Sciences*. 71(4), 545–549.
- Kusumastuty, I. (2014). Sari Buah Markisa Ungu Mencegah Peningkatan Mda Serum Tikus Dengan Diet Aterogenik. *Indonesian Journal of Human Nutrition*. 1(1), 50 – 56
- Kuswandi., Marta, N., Hayati, P.K.D. (2021). Markisa Manis Asal Sumani. [Majalah Trubus Edisi 616].
- Liu, Y. 2008. A novel mechanism for xenia. *HortScience*, 43(3), 706.
- Lee, S. H., Hong, M. Y., Kim, S., Lee, J. S., Kim, B. D., Min, B. H., Baek, N. K., & Chung, Y. Y. (2001). Controlling self-incompatibility by CO<sub>2</sub> Gas treatment in *Brassica campestris*: structural alteration of papillae cell and differential gene expression by increased CO<sub>2</sub> gas. *Molecules and Cells*, New York, 11, 186-191.
- Macoris, M. S., Janzantti, N. S., Garruti, D. dos S., & Monteiro, M. (2011). Volatile compounds from organic and conventional passion fruit (*Passiflora edulis* f. *flavicarpa*) pulp. *Ciência e Tecnologia de Alimentos*, 31(2), 430–435. <https://doi.org/10.1590/s0101-20612011000200023>

- Madureira, H. C., Pereira, T. N. S., Da Cunha, M., Klein, D. E., de Oliveira, M. V. V., de Mattos, L., & de Souza Filho, G. A. (2014). Self-incompatibility in passion fruit: Cellular responses in incompatible pollinations. *Biologia (Poland)*, 69(5), 574–584. <https://doi.org/10.2478/s11756-014-0353-0>
- Marpaung, A. E., Karsinah, & Karo, B. B. (2016). Karakterisasi dan evaluasi markisa asam hibrid hasil persilangan markisa asam ungu dan merah (*Passiflora* sp.). *Jurnal Hortikultura*, 26(2), 163–170.
- Martins, K. C., Pereira, T. N. S., Souza, S. A. M., Rodrigues, R., & do Amaral Junior, A. T. (2015). Crossability and evaluation of incompatibility barriers in crosses between *Capsicum* species. *Crop Breeding and Applied Biotechnology*, 15(3), 139–145. <https://doi.org/10.1590/198470332015v15n3a25>
- Martins, M. R., Oliveira, J. C., Mauro, A. O., & Silva, P. C. (2003). Assessment of populations of sweet passion fruit (*Passiflora alata* Curtis) obtained from open pollination. *Revista Brasileira de Fruticultura*, 25(1), 111–114.
- Mendoza, C. H. G., Cerón-Souza, I., & Arango, L. V. (2018). Agronomic evaluation of a colombian passion fruit (*Passiflora edulis* sims) germplasm collection. *Agronomy Research*, 16(4), 1649–1659. <https://doi.org/10.15159/AR.18.190>
- Mezzonato-Pires, A. C., Mendonça, C. B. F., Milward-de-Azevedo, M. A., & Gonçalves-Esteves, V. (2017). Distribution extensions for species of the *Passiflora* subgenus *Astrophea* (DC.) masters from Brasil (*Passifloraceae* s.s.). *Check List*, 13(5), 467–473. <https://doi.org/10.15560/13.5.467>
- Militaru, M. and Butac, M. 2015. Effect of Metaxenia on the Fruit Quality of Scab Resistant Apple Varieties. *Agricultural Science Procedia*, 6, 151-156.
- Mizrahi, Y., Mouyal, J. Nerd, A. & Sitrit, Y. (2004). Metaxenia in the vine cacti *Hylocereus polyrhizus* and *Selenicereus* spp. *Ann. Bot.*, 93:469–472
- Munir, M., Al-Hajhoj, M.R., Ghazzawy, H.S., Sallam, A.M., Al-Bahigan, A.M., & Al-Muiweed, M.A. (2020). A comparative study of pollination methods effect on the changes in fruit yield and quality of date palm cultivar Khalas. *Asian Journal of Agriculture and Biology*. 8(2), 147-157.
- Nagur, T., Oswalt, D.L., & Singh, F. (1991). A Glossary for crop improvement. Skill development series No:1, International Crops Research Institute for the Semi -Arid Tropics Patancheru, Andhra Pradesh, 35, 324-502.
- Ocampo, John, d'Eeckenbrugge, G. C., & Jarvis, A. (2010). Distribution of the genus *Passiflora* L. Diversity in Colombia and its potential as an indicator for biodiversity management in the coffee growing zone. *Diversity*, 2(11), 1158–1180. <https://doi.org/10.3390/d2111158>
- Ocampo Pérez, J., & Coppens d'Eeckenbrugge, G. (2017). Morphological characterization in the genus *Passiflora* L.: an approach to understanding its

- complex variability. *Plant Systematics and Evolution*, 303(4), 531–558. <https://doi.org/10.1007/s00606-017-1390-2>
- Ocampo, J., Rodríguez, A., & Parra, M. (2020). Gulupa: *Passiflora edulis* f. *edulis* Sims. 139-157.
- Oktavian. A. (2023). *Pemberian Berbagai Jenis Pupuk N, P dan K terhadap Pertumbuhan dan Hasil Tanaman Markisa Passiflora Edulis F. Flavicarpa* Deg. Universitas Andalas.
- Patel, S. S., Soni, H., Mishra, K., & Singhai, A. K. (2011). Recent updates on the genus *Passiflora* : A review. *International Journal of Research In Phytochemical And Pharmacological Sciences*, 1(1), 1–16.
- Piotto, F. A., Batagin-Piotto, K.D., de Almeida, M., & Oliveira, G.C.X. (2013). Interspecific xenia and metaxenia in seeds and fruits of tomato. *Journal of Scientific Agriculture*, 70(2), 102–10
- Poespodarsono, S. (1998). *Dasar-dasar Ilmu Pemuliaan Tanaman*. IPB Press, Bogor
- Pourghayoumi, M., D. Bakhshi, M. Rahemi, and M. Jafari. (2012). Effect of pollen source on quantitative and qualitative characteristics of dried figs (*Ficus carica* L.) cvs. ‘Payves’ and ‘Sabz’ in Kazerun–Iran. *Sciences Horticultural*. 147:98–104.
- Pozzi, F.I., Pratta,G.R.,Acuna,C.A. and Felitti, S.A. (2019). Xenia in bahiagrass: Gene expression at initial seed formation. *Seed Sci. Res.*, 29:29–37.
- Rahemi, M. (1998). Effects of pollen sources on fruit characteristics of ‘Shahani’ date. *Iran Agricultural Research*, 17,169–174.
- Rahemi, M., and Mojedad, D. (2000). Effect of pollen source on nut and kernel characteristics of hazelnut. V Int. Congr. Hazelnut 556, 371–376.
- Ramaiya, S. D., Bujang, J. S., & Zakaria, M. H. (2014). Genetic diversity in passiflora species assessed by morphological and ITS sequence analysis. *Scientific World Journal*, ID 589313. <https://doi.org/10.1155/2014/598313>
- Rego, M. M., Bruckner, C. H., Silva, E. A. M., Finger, F. L., Siqueira, D. L., & Fernandes, A. A. (1999). Self-incompatibility in passion fruit: evidence of two locus genetic control. *Theoretical and Applied Genetics, Ribeirão Preto*, 98, 564-568.
- Rego, M. M., Rego, E. R., Bruckner, C. H., Finger, F. L., & Otoni, W. C. (2013). Overcoming self incompatibility in Passion Fruit by double pollination in anthesis stages. *Acta Horticulturae, The Hague*, 1000, 533-536.
- Rendón, J. S., Ocampo, J., & Urrea, R. (2013). Study of pollination and floral biology of *Passiflora edulis* f. *edulis* Sims. as a basis for pre-breeding. *Acta Agronómica*, 62(3), 232–241. <https://doi.org/10.15446/acag>

- Riazi, G., and Rahemi, M. (1994). The effects of various pollen on growth and development of *Pistacia vera* L. nuts. *I Int. Symp. Pistachio* 419, 67–72.
- Rome, M., & D'Eeckenbrugge, G. C. (2017). Delimitation of the series Laurifoliae in the genus Passiflora (*Passifloraceae*). *Phytotaxa*, 309(3), 245–252. <https://doi.org/10.11646/phytotaxa.309.3.5>
- Rudnicki, M., de Oliveira, M.R., Pereira, T.V., Reginatto, F.H., Dalpizzol, F. & Moreira, J.C.F. (2007). Antioxidant and antiglycation properties of *Passiflora alata* and *Passiflora edulis* extracts. *Food Chemistry* 100: 719–724.
- Rukmana, R. (2003). *Usaha Tani Markisa*. Kanisius, Yogyakarta
- Sabir, A. (2015). Xenia and metaxenia in grapes: Differences in berry and seed characteristics of maternal grape cv.'Narince'(*Vitis vinifera* L.) as influenced by different pollen sources. *Plant Biol.* 17(2), 567–573.
- Sakalem, M. E., Negri, G., & Tabach, R. (2012). Chemical composition of hydroethanolic extracts from five species of the Passiflora genus. *Brasilian Journal of Pharmacognosy*, 22(6), 1219–1232. <https://doi.org/10.1590/S0102-695X2012005000108>
- Sanchez-Perez, R., Arrazola, G. Martin, M. L., Grane, N. & Dicenta, F. (2012). Influence of the pollinizer in the amygdalin content of almonds. *Sciences Horticultural*, 139:62–65.
- Sari. I. A., & Susilo. A. W. (2011). Indikasi Pengaruh Xenia pada Tanaman Kakao (*Theobroma cacao* L.). *Pelita Perkebunan*, 27(3), 181-190
- Sazima, M., & Sazima, I. (1987). Additional observations on *Passiflora mucronata*, the bat-pollinated passion flower. *Ciência e Cultura*, 39(3), 310–312.
- Seppälä, O., & Langeloh, L. (2016). Estimating genetic and maternal effects determining variation in immune function of a mixed-mating snail. *PLoS One*. 11(8):1–14. <https://doi.org/10.1371/journal.pone.0161584>.
- Setiawati, R. & Bafdal, N. (2020). Dampak Kualitas Air Tanah terhadap Kualitas Melon (*Cucumis melo* L.). *Agrotekma*. 4(2), 83 – 94
- Shafique, M., Khan, A., Malik, A., Shahid, M. Rajwana, I., Saleem, B., Amin, M. & Ahmad, I. (2011). Influence of pollen source and pollination frequency on fruit drop, yield and quality of date palm (*Phoenix dactylifera* L.) cv. Dhakki. *Pakistan Journal of Botany*, 43(2), 831-839.
- Sharan Patel, S. (2009). Morphology and pharmacology of *Passiflora edulis*: A review. *Journal of Herbal Medicine and Toxicology*, 3(1), 1–6. <https://www.researchgate.net/publication/228485208>

- Silva J. G. B., Rocha, L. F., Amaral, F. H. C., Andrade, M. L., Falcao N. R., & Cavalcante, I. H. L. (2010). Laranja-da-terra: fruta citrica potencial para o Piaui. *Semina: Ciencias Agrarias*, 31, 557-562.
- Sun, W., Pan, Q., Liu, Z., Meng, Y., Zhang, T., Wang, H., & Zeng, X. (2005). Overcoming self-incompatibility in *Eruca sativa* by chemical treatment of stigmas. *Plant Genetic Resources*, Wallingford, 3,13-18.
- Sunarto. (1997). *Pemuliaan Tanaman*. Semarang. IKIP Semarang Press. 53 hal.
- Sunarwati, D., & Yoza, R. (2010). Seminar Nasional Program dan Strategi Pengembangan Buah Nusantara. *Seminar Nasional Program Dan Strategi Pengembangan Buah Nusantara*, 176–189.
- Sutoyo, Hayati, P. K. D., Irawan, M., Kuswandi, & Marta, N. (2023). Characterization of *Passiflora edulis* accessions with sweet taste potential in Padang. *Earth and Environmental Science*. <https://doi:10.1088/1755-1315/1160/1/012008>
- Syukur, M., S. Sujiprihati, dan R. Yunianti. (2015). *Teknik Pemuliaan Tanaman*. Penebar Swadaya. Jakarta.
- Syukur, M., S. Sujiprihati, dan R. Yunianti. (2018). *Teknik Pemuliaan Tanaman (edisi revisi)*. Penebar Swadaya.
- Tjitosoepomo, G. (2011). *Morfologi Tumbuhan*. Yogyakarta. Gadjah Mada University Press. 226 hal.
- Tresniawati. C., Dani., & Wardiana.E. (2017). Pengaruh Tetua Jantan terhadap Komponen Buah dan Biji Hasil Persilangan Enam Genotipe Kakao Mulia. *J. TIDP*, 4(1), 41-48
- Trihatmojo, H., Soegianto, A., & Sugiharto, A. N. (2017). Efek Pollen Tetua Jantan Pada Persilangan Beberapa Galur Jagung (*Zea mays L.*) Terhadap Penampilan dan Karakter Tongkol. *Jurnal Produksi Tanaman*. 5(2), 208 – 216
- Vazifeshenas, M.R., Tehranifar, A., Davarnejad, G.H., & Nemati, H. (2015). Self and Cross-Pollination Affect Fruit Quality of Iranian Pomegranate ‘Malas-e Yazdi. *Advances in Environmental Biology*, 9(2), 1299-1301
- Verheij, E. W. M., & Coronel, R.E. (1997). *Buah-buahan yang dapat dimakan*. Prosea. Sumberdaya Nabati Asia Tenggara 2. Gramedia Pustaka Utama. Jakarta. 568 hal.
- Viana, A. J. C., Souza, M. M., Araujo, I. S., Corr'ea, R. X. & Ahnert, D. (2010). Genetic diversity in *Passiflora* species determined by morphological and molecular characteristics. *Biologia Plantarum*, 54(3), 535–538.
- Waller, A. E. (1997). Xenia And Other Influences Following Fertilization. *J . The Ohio Journal of Science*. 17 (8), 273 – 284.

Widyasmara, N.I., Kusmiyati, F., & Karno. (2018). Efek xenia dan metaxenia pada persilangan tomat ranti dan tomat cherry. *Jurnal Agro Complex*. 2(2), 128-136

Wijaya, S. A., Basuki, N. & Purnamaningsih. S.L. (2015). Pengaruh Waktu Penyerbukan dan Proporsi Bunga Betina dengan Bunga Jantan terhadap Hasil dan Kualitas Benih Mentimun (*Cucumis sativus L*) Hibrida. *Produksi Tanaman*, 3(8), 615-622

Yunita, T.R., Taryono dan Suyadi, M.W. (2015). Pengujian sifat kemampuan menyerbuk silang lima klon kakao (*Theobroma cacao*). Prosiding seminar nasional biodiversitas Indonesia.

Zhang, M.M., Wang, Z.H., Mao, Y.F., Hu, Y.L., Yang, L., Wang, L.L., Zhang, L. L. & Shen, X. (2019). Effects of quince pollen pollination on fruit qualities and phenolic substance contents of apples. *Sciences Horticultural*, 256, 108-628.

Zulfidah, I., & Rahmaniah. (2022). Budidaya Pohon Markisa di Kabupaten Karo. *AFoSJ-LAS*, 2(2), 310-316

