

## DAFTAR PUSTAKA

- (1) Ramadani, Y.; Perikanan, A.; Sambas, P. N.; Perikanan, A.; Sambas, P. N. Pembesaran Ikan Lele Mutiara Dan Lele Sangkuriang Di Balai Benih Ikan Lokal ( BBI ) Kota Pontianak , Provinsi Kalimantan Barat Enlargement of Mutiara Catfish and Sangkuriang Catfish at Balai Benih Ikan Lokal ( BBI ) Kota Pontianak Pengamatan Dilaksanakan . **2023**, 1 (2), 80–88.
- (2) Deswati; Sutopo, J. *Budidaya Lele Berbasis Bioflok*; Plantaxia: Yogyakarta, 2022.
- (3) Deswati, Irwan, Hamzar Suyani, and R. Utilization of Planting Media of Charcoal Coconut Shell and Charcoal Rice Husk in Kale (*Ipomea Reptans Poir*) Cultivation to Reduce Ammonia, Sulfide, Copper, and Zinc Content in Hydroponics System. *Chem. Pharm. Sci.* **2017**, 10 (4), 133–139.
- (4) Khanjani, M. H.; Sharifinia, M.; Hajirezaee, S. Biofloc: A Sustainable Alternative for Improving the Production of Farmed Cyprinid Species. *Aquac. Reports* **2023**, 33 (September), 101748. <https://doi.org/10.1016/j.aqrep.2023.101748>.
- (5) Khanjani, M. H.; Mohammadi, A.; Emerenciano, M. G. C. Microorganisms in Biofloc Aquaculture System. *Aquac. Reports* **2022**, 26 (August), 101300. <https://doi.org/10.1016/j.aqrep.2022.101300>.
- (6) Deswati, D.; Zein, R.; Suparno, S.; Pardi, H. Modified Biofloc Technology and Its Effects on Water Quality and Growth of Catfish. *Sep. Sci. Technol.* **2023**, 58 (5), 944–960. <https://doi.org/10.1080/01496395.2023.2166843>.
- (7) Ekasari, J.; Hanif Azhar, M.; Surawidjaja, E. H.; Nuryati, S.; De Schryver, P.; Bossier, P. Immune Response and Disease Resistance of Shrimp Fed Biofloc Grown on Different Carbon Sources. *Fish Shellfish Immunol.* **2014**, 41 (2), 332–339. <https://doi.org/10.1016/j.fsi.2014.09.004>.
- (8) Gustavo, M.; Emerenciano, C.; Martínez-, M.; Martínez-córdova, L. R.; Martínez-porchas, M. Biofloc Biofloc Technology Technology ( BFT ): ( BFT ): A A Tool Tool for for Water Water Quality Quality Management in Aquaculture Management in Aquaculture Maurício. *Aquaculture* **2017**, No. 5, 91–103.
- (9) Yu, Y. Bin; Choi, J. H.; Lee, J. H.; Jo, A. H.; Lee, K. M.; Kim, J. H. Biofloc Technology in Fish Aquaculture: A Review. *Antioxidants* **2023**, 12 (2), 1–35. <https://doi.org/10.3390/antiox12020398>.
- (10) Adharani, N.; Soewardi, K.; Dhamar Syakti, A.; Hariyadi, S. Water Quality Management Using Bioflocs Technology: Catfish Aquaculture (*Clarias Sp.*). *J. Ilmu Pertan. Indones.* **2016**, 21 (1), 35–40. <https://doi.org/10.18343/jipi.21.1.35>.
- (11) Setiawan, A.; Ariqoh, R.; Tivani, P.; Pipih, L.; Pudjiastuti, I. “Bioflokulasi Sistem” Teknologi Budidaya Lele Tebar Padat Tinggi Dengan Kapasitas 1M<sup>3</sup>/750 Dengan Flock Forming Bacteria. *Inov. Tek. Kim.* **2016**, 1 (1), 45–49.
- (12) Serra, F. P.; Gaona, C. A. P.; Furtado, P. S.; Poersch, L. H.; Wasielesky, W. Use of Different Carbon Sources for the Biofloc System Adopted during the Nursery and Grow-out Culture of *Litopenaeus Vannamei*. *Aquac. Int.* **2015**, 23 (6), 1325–1339. <https://doi.org/10.1007/s10499-015-9887-6>.
- (13) Deswati; Zein, R.; Dwisani, R.; Fitri, W. E.; Putra, A. Biofloc-Based Catfish Cultivation and Its Effect on the Dynamics of Water Quality. **2023**, 16 (6), 3123–3137.
- (14) Meng, L. J.; Hu, X.; Wen, B.; Liu, Y. H.; Luo, G. Z.; Gao, J. Z.; Chen, Z. Z. Microplastics Inhibit Biofloc Formation and Alter Microbial Community Composition and Nitrogen Transformation Function in Aquaculture. *Sci. Total Environ.* **2023**, 866. <https://doi.org/10.1016/j.scitotenv.2022.161362>.
- (15) Faridah, F.; Diana, S.; Yuniati, Y. Budidaya Ikan Lele Dengan Metode Bioflok Pada Peternak Ikan Lele Konvensional. *Caradde J. Pengabd. Kpd. Masy.* **2019**,

- 1 (2), 224–227. <https://doi.org/10.31960/caradde.v1i2.74>.
- (16) Mugwanya, M.; Dawood, M. A. O.; Kimera, F.; Sewilam, H. Biofloc Systems for Sustainable Production of Economically Important Aquatic Species: A Review. *Sustain.* **2021**, *13* (13), 1–15. <https://doi.org/10.3390/su13137255>.
- (17) JAMAL, M. T.; BROOM, M.; AL-MUR, B. A.; AL HARBI, M.; GHANDOURAH, M.; AL OTAIBI, A.; HAQUE, M. F. Biofloc Technology: Emerging Microbial Biotechnology for the Improvement of Aquaculture Productivity. *Polish J. Microbiol.* **2020**, *69* (4), 401–409. <https://doi.org/10.33073/PJM-2020-049>.
- (18) Crab, R.; Defoirdt, T.; Bossier, P.; Verstraete, W. Biofloc Technology in Aquaculture: Beneficial Effects and Future Challenges. *Aquaculture* **2012**, *356–357* (August), 351–356. <https://doi.org/10.1016/j.aquaculture.2012.04.046>.
- (19) Septiani, N.; Maharani, H.; Supono, S. Pemanfaatan Bioflok Dari Limbah Budidaya Lele Dumbo (*Clarias Gariepinus*) Sebagai Pakan Nila (*Oreochromis Niloticus*). *e-Jurnal Rekayasa dan Teknol. Budid. Perair.* **2014**, *2* (2), 267–272.
- (20) R, S.; M, M.; A. Panigrahi, N.; Lalitha; Kumaraja, P. Biofloc Technology For Water Quality Management In Aquaculture.
- (21) Hargreaves, J. A. Biofloc Production Systems for Aquaculture Southern Regional Aquaculture Center. *SRAC Publ.* **2013**, No. 4503, 1–12.
- (22) Bonham, V.; Ng, W.-K. *Clarias* *Batrachus* (Walking Catfish). *CABI Compend.* **2022**. <https://doi.org/10.1079/cabicompendium.88681>.
- (23) Ruherlistyani; Sudaryati, D.; Heriningsih, S. Budidaya Lele Dengan Sistem Kolam Bioflok. *Budid. Lele dengan Sist. Kolam Bioflok* **2017**, 1–36.
- (24) Maniagasi, R.; Tumembouw, S. S.; Mundeng, Y. Analisis Kualitas Fisika Kimia Air Di Areal Budidaya Ikan Danau Tondano Provinsi Sulawesi Utara (Analysis of Physical-Chemical Quality of Waters at Aquaculture Area in Lake Tondano, North Sulawesi Province). *Budid. Perair.* **2013**, *1* (2), 29–37.
- (25) Gunadi, B.; Harris, E.; Supriyono, E.; Budiardi, T.; Penelitian Pemuliaan Ikan Sukamandi, B.; Raya, J.; Subang, S.; Barat, J.; Budidaya Perairan, D.; Perikanan dan Ilmu Kelautan, F.; Pertanian Bogor, I. Ketercernaan Protein Dan Ekskresi Amonia Pada Pemeliharaan Ikan Lele *Clarias Gariepinus* Protein Digestibility and Ammonia Excretion in Catfish *Clarias Gariepinus* Culture. *J. Akuakultur Indones.* **2013**, *12* (1), 62–69.
- (26) Deswati; Febriani, N.; Pardi, H.; Yusuf, Y.; Suyani, H. Applications of Aquaponics on Pakcoy (*Brassica Rapa L*) and Nila Fish (*Oreochromis Niloticus*) to the Concentration of Ammonia, Nitrite and Nitrate. *Orient. J. Chem.* **2018**, *34* (5), 2447–2455. <https://doi.org/10.13005/ojc/340529>.
- (27) Pemerintah Republik Indonesia. Lampiran VI Tentang Baku Mutu Air Nasional - PP Nomor 22 Tahun 2021 Tentang Penyelenggaraan Perlindungan Dan Pengelolaan Lingkungan Hidup. *Sekr. Negara Republik Indones.* **2021**, *1* (078487A).
- (28) Sasongko, A. Ammonia Determination In Bottled Water Using Spectrophotometer : Comparison Between Nessler And Berthelot Methods. *JST (Jurnal Sains dan Teknol.* **2018**, *7* (1), 126–134. <https://doi.org/10.23887/jstundiksha.v7i1.13009>.
- (29) Shariati-Rad, M.; Irandoust, M.; Mohammadi, S. Spectrophotometric Determination of Nitrite in Soil and Water Using Cefixime and Central Composite Design. *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.* **2015**, *149*, 190–195. <https://doi.org/10.1016/j.saa.2015.04.083>.
- (30) Mustofa, A. Kandungan Nitrat Dan Pospat Sebagai Faktor Tingkat Kesuburan Perairan Pantai. *J. Disprotek* **2015**, *6* (1), 13–19.
- (31) Kurniawati, P.; Gusrianti, R.; Dwisiwi, B. B.; Purbaningtiyas, T. E.; Wiyantoko, B. Verification of Spectrophotometric Method for Nitrate Analysis in Water

- Samples. *AIP Conf. Proc.* **2017**, 1911. <https://doi.org/10.1063/1.5016005>.
- (32) Fariyah; Maslukah; Wulandari. Sebaran Horizontal Konsentrasi Nitrat Dan Nitrit Pada Kondisi Pasang Surut Di Perairan Cilauteureun, Garut. *J. Oceanogr.* **2016**, 5 (3), 378–389.
- (33) Sulistyowati, R. Z.; Yanti, I. Penentuan Cr (VI) and SO<sub>4</sub><sup>2-</sup> Menggunakan Spektrofotometri UV-Vis Dalam Sampel Air Sungai Di Dinas Lingkungan Hidup Kota Semarang. *Indones. J. Chem. Res.* **2022**, 6 (2), 51–58. <https://doi.org/10.20885/ijcr.vol6.iss2.art1>.
- (34) Purnama, P.; Kusumaningtyas, D. I. Penentuan Batas Deteksi (Lod) Dan Batas Kuantitasi (Loq) Pada Pengukuran Fosfat (Po<sub>4</sub> -P) Dalam Air Tawar Dengan Metode Asam Askorbat. *BTL* **2013**, 11 (1), 71–75.
- (35) Irianto, E.; Triweko, R. *Eutrofikasi Waduk Dan Danau: Permasalahan, Pemodelan, Dan Upaya Pengendalian*; ITB PRESS, 2019.
- (36) Suharti, T. *Dasar-Dasar Spektrofotometri Uv-Vis Dan Spektrometri Massa Untuk Penentuan Struktur Senyawa Organik*; 2017.
- (37) Lambrou, T. P.; Anastasiou, C. C.; Panayiotou, C. G. A Nephelometric Turbidity System for Monitoring Residential Drinking Water Quality. *Lect. Notes Inst. Comput. Sci. Soc. Telecommun. Eng.* **2010**, 29 LNICST, 43–55. [https://doi.org/10.1007/978-3-642-11870-8\\_4](https://doi.org/10.1007/978-3-642-11870-8_4).
- (38) Lestari, L. C.; Widyaswari, A.; Zulhan, A. Ms. Penentuan Kadar Sulfat Menggunakan Turbidimetri. *J. Teor. dan Apl. Fis.* **2013**, 1 (2), 1–4.
- (39) Munthe, I.; Isa, M.; Winaruddin; Sulasmi, Herrialfian, dan R. Protein Content Analysis of Depik (*Rasbora Tawarensis*) In Laut Tawar Lake Aceh Tengah. *J. Med. Vet.* **2016**, 10 (1), 67–69.
- (40) Syafruddin; Hasan, H.; Amin, F. Analisis Kadar Protein Pada Ikan Lele (*Clarias Batrachus*) Yang Beredar Di Pasar Tradisional Di Kabupaten Gowa Dengan Menggunakan Metode Kjeldahl. *J. Farm.* **2016**, 13 (2), 77–87.
- (41) BSNI. Penentua Kadar Protein Metode Kjeldahl Total Pada Produk Perikanan. SNI 01-2354.4-2006. *SNI* **2006**, 1–6.
- (42) Yunarty; Kurniaji, A.; Usman, A. Z.; Wahid, E.; Rama, K. Pertumbuhan Dan Konsumsi Pakan Ikan Nila (*Oreochromis Niloticus*) Yang Dipelihara Pada Kepadatan Berbeda Dengan Sistem Bioflok. *J. Sains Akuakultur Trop.* **2021**, 5 (2), 197–203.
- (43) Deswati; Tetra, O. N.; Syafrizayanti; Yusuf, Y.; Suparno; Pardi, H. Dynamics and Fluctuations of Ammonia, Nitrite and Nitrate in the Utilization of Tilapia Cultivation Waste in Aquaponics-NFT (Nutrient Film Technique) Based on Biofloc. *AACL Bioflux* **2023**, 16 (3), 1254–1265.
- (44) Badan Standarisasi Nasional Indonesia. Air Dan Air Limbah – Bagian 31 : Cara Uji Kadar Fosfat Dengan Spektrofotometer Secara Asam Askorbat. SNI 06-6989.31-2005. *SNI* **2021**, 1–27.
- (45) BSNI. Air Dan Air Limbah – Bagian 20 : Cara Uji Sulfat, SO<sub>4</sub><sup>2-</sup> Secara Turbidimetri. SNI 06-6989.20-2004 Air. *SNI* **2004**, No. SNI 06-6989.20-2004, 1–5.
- (46) BSNI. Cara Uji Nitrit (NO<sub>2</sub> \_N) Secara Spektrofotometri. SNI 06-6989.9-2004. *SNI* **2004**, No. 2, 13.
- (47) SNI. *Cara Uji Air Minum Dalam Kemasan*. SNI 01- 3554-2006; 2006.
- (48) BSNI. Pengujian Kadar Amonium Dalam Air. SNI 06-2479-1991. *SNI* **1991**, 2479.
- (49) Ispitasari, R.; Haryanti, H. Pengaruh Waktu Destilasi Terhadap Ketepatan Uji Protein Kasar Pada Metode Kjeldahl Dalam Bahan Pakan Ternak Berprotein Tinggi. *Indones. J. Lab.* **2022**, 5 (1), 38. <https://doi.org/10.22146/ijl.v0i0.73468>.
- (50) Dilmli, A.; Refes, W.; Meknachi, A. Effects of c/n Ratio on Water Quality, Growth

- Performance, Digestive Enzyme Activity and Antioxidant Status of Nile Tilapia *Oreochromis Niloticus* (Linnaeus, 1758) in Biofloc Based Culture System. *Turkish J. Fish. Aquat. Sci.* **2022**, 22 (1). <https://doi.org/10.4194/TRJFAS19754>.
- (51) Singh, M. K.; Maurya, A.; Kumar, S. *Bioaugmentation for the Treatment of Waterborne Pathogen Contamination Water*; Elsevier, 2020. <https://doi.org/10.1016/B978-0-12-818783-8.00010-4>.
- (52) Salin, K. R.; Vinh, N. T. Biofloc Technology in Aquaculture. *Front. Aquac. Biotechnol.* **2022**, 7 (6), 69–88. <https://doi.org/10.1016/B978-0-323-91240-2.00017-8>.
- (53) Alfiansah, Y. R.; Harder, J.; Slater, M. J.; Gärdes, A. Addition of Molasses Ameliorates Water and Bio-Floc Quality in Shrimp Pond Water. *Trop. Life Sci. Res.* **2022**, 33 (1), 121–141. <https://doi.org/10.21315/tlsr2022.33.1.8>.
- (54) Miao, S.; Sun, L.; Bu, H.; Zhu, J.; Chen, G. Effect of Molasses Addition at C:N Ratio of 20:1 on the Water Quality and Growth Performance of Giant Freshwater Prawn (*Macrobrachium Rosenbergi*). *Aquac. Int.* **2017**, 25 (4), 1409–1425. <https://doi.org/10.1007/s10499-017-0124-3>.
- (55) Nurdin, S. Ptimasi Pembentukan Bioflok Dari *Chaetoceros* Sp., *Thalassiosira* Sp. Dan Bakteri Probiotik Melalui Variasi Salinitas Secara In Vitro. *Bionature* **2018**, 18 (2), 140–151. <https://doi.org/10.35580/bionature.v18i2.6145>.
- (56) Lengyel, Z. L.; Nyiri, L. An Automatic Aeration Control System for Biosynthetic Processes. *Biotechnol. Bioeng.* **1965**, 7 (1), 91–100. <https://doi.org/10.1002/bit.260070120>.
- (57) McCusker, S.; Warberg, M. B.; Davies, S. J.; Valente, C. de S.; Johnson, M. P.; Cooney, R.; Wan, A. H. L. Biofloc Technology as Part of a Sustainable Aquaculture System: A Review on the Status and Innovations for Its Expansion. *Aquac. Fish Fish.* **2023**, 3 (4), 331–352. <https://doi.org/10.1002/aff2.108>.
- (58) Ghimire, R. R.; Ghimire, A.; Karki, D.; Basyal, D.; Rai, K. B. Determination of Ammonia Level and Its Protein Conversion in the Water of Biofloc Fish Farming Technology. *Prithvi Acad. J.* **2023**, 6 (May), 11–20. <https://doi.org/10.3126/paj.v6i1.54572>.
- (59) Mustapha, M.; Akinshola, F. Ammonia Concentrations in Different Aquaculture Holding Tanks. *West African J. Appl. Ecol.* **2016**, 24 (1), 1–8.
- (60) Hastuti, Y. P. Nitrifikasi Dan Denitrifikasi Di Tambak Nitrification and Denitrification in Pond. *J. Akuakultur Indones.* **2011**, 1 (1), 89–98.
- (61) Deswati; Tetra, O. N.; Zein, R.; Sutopo, J. *Flokponik, Integrasi Akuakultur Berbasis Bioflok Dengan Hidroponik*; Plantaxia: Yogyakarta, 2022.
- (62) Deswati, D.; Yani, E.; Safni, S.; Norita Tetra, O.; Pardi, H. Development Methods in Aquaponics Systems Using Biofloc to Improve Water Quality (Ammonia, Nitrite, Nitrate) and Growth of Tilapia and Samhong Mustard. *Int. J. Environ. Anal. Chem.* **2022**, 102 (19), 7824–7834. <https://doi.org/10.1080/03067319.2020.1839437>.
- (63) Mansour, W. A. A.; Abdelsalam, N. R.; Tanekhy, M.; Khaled, A. A.; Mansour, A. T. Toxicity, Inflammatory and Antioxidant Genes Expression, and Physiological Changes of Green Synthesis Silver Nanoparticles on Nile Tilapia (*Oreochromis Niloticus*) Fingerlings. *Comp. Biochem. Physiol. Part - C Toxicol. Pharmacol.* **2021**, 247 (March), 109068. <https://doi.org/10.1016/j.cbpc.2021.109068>.
- (64) Titiresmi; Sopiah, N. Teknologi Biofilter Untuk Pengolahan Limbah Ammonia. *J. Tek. Lingkungan.* **2016**, 7 (2), 173–179.
- (65) Schram, E.; Roques, J. A. C.; Abbink, W.; Yokohama, Y.; Spanings, T.; de Vries, P.; Bierman, S.; van de Vis, H.; Flik, G. The Impact of Elevated Water Nitrate Concentration on Physiology, Growth and Feed Intake of African Catfish *Clarias Gariepinus* (Burchell 1822). *Aquac. Res.* **2014**, 45 (9), 1499–1511.

- <https://doi.org/10.1111/are.12098>.
- (66) Madireddy, I.; Brayboy, L. Effects of Protein Concentration in Fish Feed on Physical and Chemical Water Pollution. *J. Student Res.* **2023**, *11* (1), 1–10. <https://doi.org/10.47611/jsrhs.v11i1.2393>.
- (67) Deswati, D.; Safni, S.; Khairiyah, K.; Yani, E.; Yusuf, Y.; Pardi, H. Biofloc Technology: Water Quality (PH, Temperature, DO, COD, BOD) in a Flood & Drain Aquaponic System. *Int. J. Environ. Anal. Chem.* **2022**, *102* (18), 6835–6844. <https://doi.org/10.1080/03067319.2020.1817428>.
- (68) Sutamihardja, R.; Azizah, M.; Hardini, Y. Studi Dinamika Senyawa Fosfat Dalam Kualitas Air Sungai Ciliwung Hulu Kota Bogor. *J. Sains Nat.* **2018**, *8* (1), 43. <https://doi.org/10.31938/jsn.v8i1.114>.
- (69) Usharani, K.; Lakshmanaperumalsamy, P. Bio-Treatment of Phosphate from Synthetic Wastewater Using *Pseudomonas* Sp YLW-7. *J. Appl. Sci. Environ. Manag.* **2010**, *14* (2). <https://doi.org/10.4314/jasem.v14i2.57867>.
- (70) Rahman, M. Dinamika Kualitas Air Dan Kecenderungan Perubahannya Untuk Pengelolaan Budidaya Perikanan Karamba Berbasis Daya Dukung Perairan Di Sub-Das Riam Kanan. *Pros. Semin. Nas. Lahan Basah* **2017**, *3* (1), 1028–1037.
- (71) Hlordzi, V.; Kuebutornye, F. K. A.; Afriyie, G.; Abarike, E. D.; Lu, Y.; Chi, S.; Anokyewaa, M. A. The Use of *Bacillus* Species in Maintenance of Water Quality in Aquaculture: A Review. *Aquac. Reports* **2020**, *18*, 100503. <https://doi.org/10.1016/j.aqrep.2020.100503>.
- (72) Zhang, M.; Fang, L. Phosphorus Accumulation and Eutrophication in Feed-Supply Freshwater Fishponds. *J. Environ. Sci. (China)* **2006**, *18* (4), 816–821.
- (73) Well Management Section. Sulfate in Well Water. *Dep. Heal. Minnesota* **2022**.
- (74) Boyd, C. Hydrogen Sulfide Toxic, But Manageable. *Glob. Aquac. Advocate* **2014**, *17* (2), 34–36.
- (75) Emerenciano, M.; Gaxiola, G.; Cuzon, G. Biofloc Technology (BFT): A Review for Aquaculture Application and Animal Food Industry. *Intech* **2013**, *11*, 13.
- (76) Hu, X.; Meng, L. J.; Liu, H. D.; Guo, Y. S.; Liu, W. C.; Tan, H. X.; Luo, G. Z. Impacts of Nile Tilapia (*Oreochromis Niloticus*) Exposed to Microplastics in Bioflocs System. *Sci. Total Environ.* **2023**, *901* (July). <https://doi.org/10.1016/j.scitotenv.2023.165921>.
- (77) Xu, W. J.; Pan, L. Q.; Zhao, D. H.; Huang, J. Preliminary Investigation into the Contribution of Bioflocs on Protein Nutrition of *Litopenaeus Vannamei* Fed with Different Dietary Protein Levels in Zero-Water Exchange Culture Tanks. *Aquaculture* **2012**, *350–353*, 147–153. <https://doi.org/10.1016/j.aquaculture.2012.04.003>.
- (78) Avnimelech, Y. Carbon/Nitrogen Ratio as a Control Element in Aquaculture Systems. *Aquaculture* **2009**, *176* (3–4), 227–235. [https://doi.org/10.1016/S0044-8486\(99\)00085-X](https://doi.org/10.1016/S0044-8486(99)00085-X).
- (79) Hari, B.; Madhusoodana Kurup, B.; Varghese, J. T.; Schrama, J. W.; Verdegem, M. C. J. The Effect of Carbohydrate Addition on Water Quality and the Nitrogen Budget in Extensive Shrimp Culture Systems. *Aquaculture* **2006**, *252* (2–4), 248–263. <https://doi.org/10.1016/j.aquaculture.2005.06.044>.
- (80) Megahed, M. E. The Effect of Microbial Biofloc on Water Quality, Survival and Growth of the Green Tiger Shrimp (*Penaeus Semisulcatus*) Fed with Different Crude Protein Levels. I: Sustainable Solution to the Dependency on Fish Oil, Fishmeal and Environmental Problems. *J. Arab. Aquac. Soc.* **2010**, *5* (2), 119–142.
- (81) Handajani, H.; Widodo, W. Nutrisi Ikan. *Univ. Muhammadiyah Malang. Malang* **2010**, 271.
- (82) De Schryver, P.; Boon, N.; Verstraete, W.; Bossier, P. The Biology and

- Biotechnology behind Bioflocs. In *Biofloc technology-a practical guide book*; 2012; pp 199–216.
- (83) Arief, M. The Use Of Different Probiotic In Commercial Feed Toward Growth Of Protein Retention And Coarse Fiber In Tilapia (*Oreochromis Sp.*). **2013**, *1* (2), 88–98.
- (84) Delgado, A.; Arroyo López, F. N.; Brito, D.; Peres, C.; Fevereiro, P.; Garrido-Fernández, A. Optimum Bacteriocin Production by *Lactobacillus Plantarum* 17.2b Requires Absence of NaCl and Apparently Follows a Mixed Metabolite Kinetics. *J. Biotechnol.* **2007**, *130* (2), 193–201. <https://doi.org/10.1016/j.jbiotec.2007.01.041>.
- (85) Gatesoupe. The Use of Probiotics in Aquaculture F.J. *J. Appl. Microbiol.* **1999**, *119* (4), 147–165. <https://doi.org/10.1111/jam.12886>.
- (86) Pérez-Fuentes, J. A.; Pérez-Rostro, C. I.; Hernández-Vergara, M. P.; Monroy-Dosta, M. del C. Variation of the Bacterial Composition of Biofloc and the Intestine of Nile Tilapia *Oreochromis Niloticus*, Cultivated Using Biofloc Technology, Supplied Different Feed Rations. *Aquac. Res.* **2018**, *49* (11), 3658–3668. <https://doi.org/10.1111/are.13834>.
- (87) Anand, P. S. S.; Kohli, M. P. S.; Kumar, S.; Sundaray, J. K.; Roy, S. D.; Venkateshwarlu, G.; Sinha, A.; Pailan, G. H. Effect of Dietary Supplementation of Biofloc on Growth Performance and Digestive Enzyme Activities in *Penaeus Monodon*. *Aquaculture* **2014**, *418–419*, 108–115. <https://doi.org/10.1016/j.aquaculture.2013.09.051>.
- (88) Putri, F. S.; Hasan, Z.; Haetam, K. Pengaruh Pemberian Bakteri Probiotik Pada Pelet Yang Mengandung Kaliandra (*Calliandracalothyrsus*) Terhadap Pertumbuhan Benih Ikan Nila (*Oreochromis Niloticus*). *J. Perikan. dan Kelaut.* **2012**, *3* (4), 283–291.
- (89) Deswati; Tetra, O. N.; Yusuf, Y.; Dewi, P.; Pardi, H. Application of FLOCponics to Improve Water Quality (Phosphate, Sulphate, Calcium, Potassium). *AACL Bioflux* **2023**, *16* (1), 483–495.
- (90) Ekasari, J.; Angela, D.; Waluyo, S. H.; Bachtiar, T.; Surawidjaja, E. H.; Bossier, P.; De Schryver, P. The Size of Biofloc Determines the Nutritional Composition and the Nitrogen Recovery by Aquaculture Animals. *Aquaculture* **2014**, *426–427* (December 2021), 105–111. <https://doi.org/10.1016/j.aquaculture.2014.01.023>.

