

DAFTAR PUSTAKA

1. Hunter DJ, Bierma-Zeinstra S. Osteoarthritis. *The Lancet*. 2019;393(10182):1745–59.
2. Jin Z, Wang D, Zhang H, Liang J, Feng X, Zhao J, et al. Incidence trend of five common musculoskeletal disorders from 1990 to 2017 at the global, regional and national level: Results from the global burden of disease study 2017. *Annals of the Rheumatic Diseases*. 2020;79(8):1014–22.
3. Quicke JG, Conaghan PG, Corp N, Peat G. Osteoarthritis year in review 2021: epidemiology & therapy. *Osteoarthritis and Cartilage*. 2022;30(2):196–206.
4. Vina ER, Kwoh CK. Epidemiology of osteoarthritis: literature update. *Current Opinion in Rheumatology*. 2018;30(2):160–7.
5. Chen JH, Lin X, Bu C, Zhang X. Role of advanced glycation end products in mobility and considerations in possible dietary and nutritional intervention strategies. *Nutr Metab (Lond)*. 18;15(1):72.
6. Kemenkes R. Hasil Utama RISKESDAS 2018. Kementerian Kesehatan Republik Indonesia; 2018.
7. Primorac D, Molnar V, Rod E, Jeleč Ž, Čukelj F, Matišić V, et al. Knee osteoarthritis: A review of pathogenesis and state-of-the-art non-operative therapeutic considerations. *Genes*. 2020;11(8):854.
8. Sinusas K. Osteoarthritis: Diagnosis and treatment. *Am Fam Physician*. 2012;85:49–56.
9. Williams V, Ying S, Stahlman S. Update: Osteoarthritis and spondylosis, active component, U.S. Armed Forces, 2016–2020. *MSMR*. 2021;28(12):2–13.
10. Singh S, Bajorek B. Defining ‘elderly’ in clinical practice guidelines for pharmacotherapy. *Pharmacy Practice (Internet)*. 2014;12(4):0–0.
11. Palazzo C, Nguyen C, Lefevre-Colau MM, Rannou F, Poiraudou S. Risk factors and burden of osteoarthritis. *Annals of Physical and Rehabilitation Medicine*. 2016;59(3):134–8.
12. Chang K, Albright JA, Testa EJ, Balboni AB, Daniels AH, Cohen E. Sarcopenia is associated with an increased risk of postoperative complications following total hip arthroplasty for osteoarthritis. *Biology*. 2023;12(2):295.

13. Cruz-Jentoft AJ, Sayer AA. Sarcopenia. *The Lancet*. 2019;393(10191):2636–46.
14. Zhang K, Jiang X, Zeng L ting, Qiao H, Chen C, Cao X kun, et al. Association between sarcopenia and symptomatic knee osteoarthritis in middle-aged and elderly adults: data from CHARLS. 2022.
15. Molnar V, Matišić V, Kodvanj I, Bjelica R, Jeleč Ž, Hudetz D, et al. Cytokines and chemokines involved in osteoarthritis pathogenesis. *IJMS*. 2021;22(17):9208.
16. Cruz-Almeida Y, Aguirre M, Sorenson HL, Tighe P, Wallet SM, Riley JL. Age differences in cytokine expression under conditions of health using experimental pain models. *Experimental Gerontology*. 2015;72:150–6.
17. Dela H. Hubungan antara kadar tumor necrosis factor-alpha dan interleukin-I serum dengan kerusakan sendi pada pasien osteoarthritis genu. [Padang]: Universitas Andalas; 2022.
18. Harlaar J, Macri EM, Wesseling M. Osteoarthritis year in review 2021: mechanics. *Osteoarthritis and Cartilage*. 2022;30(5):663–70.
19. Wang P, Song J, Qian D. CTX-II and YKL-40 in early diagnosis and treatment evaluation of osteoarthritis. *Exp Ther Med*. 2019;17(1):423–31.
20. Arunrukthavon P, Heebthamai D, Benchasiriluck P, Chaluay S, Chotaphuti T, Khuangsirikul S. Can urinary CTX-II be a biomarker for knee osteoarthritis? *Arthroplasty*. 2020;2(1):6.
21. Cheng H, Hao B, Sun J, Yin M. C-terminal cross-linked telopeptides of type II collagen as biomarker for radiological knee osteoarthritis: A meta-analysis. *CARTILAGE*. 2020;11(4):512–20.
22. Chisari E, Yaghmour KM, Khan WS. The effects of TNF- α inhibition on cartilage: a systematic review of preclinical studies. *Osteoarthritis and Cartilage*. 2020;28(5):708–18.
23. Nguyen L, Sharma A, Chakraborty C, Saibaba B, Ahn ME, Lee SS. Review of prospects of biological fluid biomarkers in osteoarthritis. *IJMS*. 2017;18(3):601.
24. Felson DT, Hodgson R. Identifying and Treating Pre-Clinical and Early Osteoarthritis. *Rheum Dis Clin North Am*. 2014 Nov;40(4):699–710.
25. Rosa SC, Gonçalves J, Judas F, Mobasher A, Lopes C, Mendes AF. Impaired glucose transporter-1 degradation and increased glucose transport and

oxidative stress in response to high glucose in chondrocytes from osteoarthritic versus normal human cartilage. *Arthritis Res Ther.* 2009;11(3):R80.

26. Sharma L. Osteoarthritis of the knee. Solomon CG, editor. *N Engl J Med.* 2021;384(1):51–9.
27. Poole AR, Kobayashi M, Yasuda T, Lavery S, Mwale F, Kojima T, et al. Type II collagen degradation and its regulation in articular cartilage in osteoarthritis. *Annals of the Rheumatic Diseases.* 2002;61(2):78–81.
28. Hügle T, Geurts J. What drives osteoarthritis? synovial versus subchondral bone pathology. *Rheumatology.* 2016;56:1461–71.
29. Seidman A, Limaiem F. *Synovial Fluid Analysis.* StatPearls Publishing; 2022.
30. Kohn MD, Sassoos AA, Fernando ND. Classifications in brief: Kellgren-Lawrence classification of osteoarthritis. *Clinical Orthopaedics & Related Research.* 2016;474(8):1886–93.
31. Allen KD, Thoma LM, Golightly YM. Epidemiology of osteoarthritis. *Osteoarthritis and Cartilage.* 2022;30(2):184–95.
32. He Y, Li Z, Alexander PG, Ocasio-Nieves BD, Yocum L, Lin H, et al. Pathogenesis of osteoarthritis: Risk factors, regulatory pathways in chondrocytes, and experimental models. *Biology.* 2020;9(8):194.
33. Silverwood V, Blagojevic-Bucknall M, Jinks C, Jordan JL, Protheroe J, Jordan KP. Current evidence on risk factors for knee osteoarthritis in older adults: A systematic review and meta-analysis. *Osteoarthritis and Cartilage.* 2015;23(4):507–15.
34. Sellam J. Osteoarthritis: Pathogenesis, clinical aspects and diagnosis. *Annals of the Rheumatic Disease.* 2009;444–63.
35. Abhishek A, Doherty M. Diagnosis and clinical presentation of osteoarthritis. *Rheumatic Disease Clinics of North America.* 2013;39(1):45–66.
36. Felson D. Osteoarthritis of the knee. *N Engl J Med.* 2013;354:841–8.
37. Kolasinski SL, Neogi T, Hochberg MC, Oatis C, Guyatt G, Block J, et al. 2019 American College of Rheumatology/arthritis foundation guideline for the management of osteoarthritis of the hand, hip, and knee. *Arthritis & Rheumatology.* 2020;72(2):220–33.
38. Kalim H, Alwi I. *Diagnosis dan penatalaksanaan osteoarthritis.* 1st ed. Jakarta: PB-IRA; 2014.

39. Adwan M. Euler textbook on rheumatic diseases. Saudi Medical Journal. 2015;36:1503.
40. Hidayat R, Suryana B, Wijaya L, Ariane A, Hellmi R, Adnan E, et al. Diagnosis dan pengelolaan osteoarthritis (lutut, tangan, dan panggul). Jakarta: Perhimpunan Reumatologi Indonesia; 2021.
41. Glyn-Jones S, Palmer AJR, Agricola R, Price AJ, Vincent TL, Weinans H, et al. Osteoarthritis. The Lancet. 2015;386(9991):376–87.
42. Loeser RF, Collins JA, Diekman BO. Ageing and the pathogenesis of osteoarthritis. Nat Rev Rheumatol. 2016;12(7):412–20.
43. Sell J, Nasir M, Courchesne C. Osteoarthritis: Rapid evidence review. Am Fam Physician. 2021;103:553–8.
44. Kong H, Wang XQ, Zhang XA. Exercise for osteoarthritis: A literature review of pathology and mechanism. Front Aging Neurosci. 2022;14:1–20.
45. Martel-Pelletier J, Barr AJ, Cicuttini FM, Conaghan PG, Cooper C, Goldring MB, et al. Osteoarthritis. Nat Rev Dis Primers. 2016;2(1):16072.
46. Zhang W. Risk factors of knee osteoarthritis – excellent evidence but little has been done. Osteoarthritis and Cartilage. 2010;18(1):1–2.
47. Chow YY, Chin KY. The role of inflammation in the pathogenesis of osteoarthritis. Mediators of Inflammation. 2020;2020:1–19.
48. Culvenor AG, Engen CN, Øiestad BE, Engebretsen L, Risberg MA. Defining the presence of radiographic knee osteoarthritis: a comparison between the Kellgren and Lawrence system and OARSI atlas criteria. Knee Surg Sports Traumatol Arthrosc. 2015;23(12):3532–9.
49. Sokolove J, Lepus CM. Role of inflammation in the pathogenesis of osteoarthritis: latest findings and interpretations. Therapeutic Advances in Musculoskeletal. 2013;5(2):77–94.
50. Lv Z, Yang YX, Li J, Fei Y, Guo H, Sun Z, et al. Molecular classification of knee osteoarthritis. Front Cell Dev Biol. 2021;9:725568.
51. Kumar A, Arshad M, Singh A, Khan H, Swaroop S. Association of cytokine TNF- α in development of osteoarthritis: A comprehensive study. Journal of Ecophysiology and Occupational Health. 2018;18(3 & 4):117–21.
52. Ok SM, Lee SM, Park HR, Jeong SH, Ko CC, Kim YI. Concentrations of CTX I, CTX II, DPD, and PYD in the urine as a biomarker for the diagnosis of

temporomandibular joint osteoarthritis: A preliminary study. *CRANIO®*. 2018;36(6):366–72.

53. Bai B, Li Y. Combined detection of serum CTX-II and COMP concentrations in osteoarthritis model rabbits: an effective technique for early diagnosis and estimation of disease severity. *J Orthop Surg Res*. 2016;11(1):149.
54. Fillit H, Rockwood K, Young J. Brocklehurst's textbook of geriatric medicine and gerontology. 8th ed. Elsevier; 2017.
55. Soiza R, Donaldson A, Myint P. Soluble biological markers in osteoarthritis. *Ther Adv Vaccines*. 2018;9(6):259–61.
56. Aryana I. Sarkopenia pada lansia: Problem diagnosis dan tatalaksana. 2021;
57. Valdes AM, Stocks J. Osteoarthritis and ageing. *EMJ*. 2018;3(1):116–23.
58. Hügle T, Geurts J, Nüesch C, Müller-Gerbl M, Valderrabano V. Aging and osteoarthritis: An inevitable encounter? *Journal of Aging Research*. 2012;2012:1–7.
59. Twarda-Clapa A, Olczak A, Białkowska AM, Koziolkiewicz M. Advanced glycation end-products (AGEs): Formation, chemistry, classification, receptors, and diseases related to AGEs. *Cells*. 2022;11(8):1312.
60. Khalid M, Petroianu G, Adem A. Advanced glycation end products and diabetes mellitus: Mechanisms and perspectives. *Biomolecules*. 2022;12(4):542.
61. Chaudhuri J, Bains Y, Guha S, Kahn A, Hall D, Bose N, et al. The role of advanced glycation end products in aging and metabolic diseases: Bridging association and causality. *Cell Metabolism*. 2018;28(3):337–52.
62. He CP, Chen C, Jiang XC, Li H, Zhu LX, Wang PX, et al. The role of AGEs in pathogenesis of cartilage destruction in osteoarthritis. *Bone & Joint Research*. 2022;11(5):292–300.
63. Bani NA, Hassan MZ, Razak Faculty of Technology and Informatics, Universiti Teknologi Malaysia, Jalan Sultan Yahya Petra, Kuala Lumpur, 54100, MALAYSIA, Mad Kaidi H, Razak Faculty of Technology and Informatics, Universiti Teknologi Malaysia, Jalan Sultan Yahya Petra, Kuala Lumpur, 54100, MALAYSIA, Mohd Hashim NF, et al. Assessment of health status of the elderly and pre-elderly at a Malaysia Elderly Care Centre. *IJIE*. 2018;10(7).

64. Astriana K. Validitas pengukuran rentang lengan, tinggi lutut, dan panjang ulna sebagai prediktor indeks massa tubuh lanjut usia. [Surakarta]: Universitas Sebelas Maret; 2016.
65. Kementerian Kesehatan Republik Indonesia. Peraturan menteri kesehatan nomor 25 tahun 2016 tentang rencana aksi nasional kesehatan lanjut usia tahun 2016-2019. Jakarta: Kementerian Kesehatan Republik Indonesia; 2016.
66. Yuan G, Masuko-Hongo K, Kato T, Nishioka K. Immunologic intervention in the pathogenesis of osteoarthritis. *Arthritis & Rheumatism*. 2003;48(3):602–11.
67. Jørgensen AEM, Kjær M, Heinemeier KM. The effect of aging and mechanical loading on the metabolism of articular cartilage. *J Rheumatol*. 2017;44(4):410–7.
68. Sacitharan PK, Vincent TL. Cellular ageing mechanisms in osteoarthritis. *Mamm Genome*. 2016;27(7–8):421–9.
69. Duclos ME, Roualdes O, Cararo R, Rousseau JC, Roger T, Hartmann DJ. Significance of the serum CTX-II level in an osteoarthritis animal model: a 5-month longitudinal study. *Osteoarthritis and Cartilage*. 2010;18(11):1467–76.
70. Seok H, Choi SJ, Yoon JH, Song GG, Won JU, Kim JH, et al. The association between osteoarthritis and occupational clusters in the korean population: A nationwide study. Lammi MJ, editor. *PLoS ONE*. 2017;12(1):e0170229.
71. Ahmad IW, Rahmawati LD, Wardhana TH. Demographic profile, clinical and analysis of osteoarthritis patients in Surabaya. *BHSJ*. 2018;1(1):34.
72. Li G, Wu W, Zhang X, Huang Y, Wen Y, Li X, et al. Serum levels of tumor necrosis factor alpha in patients with IgA nephropathy are closely associated with disease severity. *BMC Nephrol*. 2018;19(1):326.
73. Idriss N, Gamal R, Gaber M, El-Hakeim E, Hammam N, Ghandour A, et al. Joint remodeling outcome of serum levels of Dickkopf-1 (DKK1), cartilage oligomeric matrix protein (COMP), and C-telopeptide of type II collagen (CTXII) in rheumatoid arthritis. *cejo*. 2020;45(1):73–9.
74. Cruz-Almeida Y, Sibille KT, Goodin BR, Petrov ME, Bartley EJ, Riley JL, et al. Racial and ethnic differences in older adults with knee osteoarthritis. *Arthritis & Rheumatology*. 2014;66(7):1800–10.
75. Wilfong JM, Badley EM, Perruccio AV. Old before their time? The impact of osteoarthritis on younger adults. *Arthritis Care & Research*. 2024;0(0):1–9.

76. Jaiswal A, Goswami K, Haldar P, Salve H, Singh U. Prevalence of knee osteoarthritis, its determinants, and impact on the quality of life in elderly persons in rural Ballabgarh, Haryana. *J Family Med Prim Care*. 2021;10(1):354.
77. Rosita PE, Kurniawati PM, Utomo DN. Profile of age, gender, and body mass index in patient with knee osteoarthritis in Surabaya. *SPMRJ*. 2021;3(1):23.
78. Peshkova M, Lychagin A, Lipina M, Di Matteo B, Anzillotti G, Ronzoni F, et al. Gender-related aspects in osteoarthritis development and progression: A review. *IJMS*. 2022;23(5):2767.
79. Santosa YPP, Wartiningsih M, Sasono B. Relation between body mass index and knee osteoarthritis in pre-Elderly to elderly at orthopedic poly of Dr. Mohamad Soewandhie Regional Public Hospital Surabaya. *International Journal of Advanced Health Science and Technology*. 2024;4(1):25–31.
80. Cubukcu D, Sarsan A, Alkan H. Relationships between Pain, Function and Radiographic Findings in Osteoarthritis of the Knee: A Cross-Sectional Study. *Arthritis*. 2012;2012:984060.
81. Yan Z, Cardinal BJ. Increasing Asian International College Students' Physical Activity Behavior: A Review of the Youth Physical Activity Promotion Model. *Health Educator*. 2013;45(1):35–45.
82. Loeser RF. The role of aging in the development of osteoarthritis. *Transactions of the American Clinical and Climatological Association*. 2017;128:44–50.
83. Yao Q, Wu X, Tao C, Gong W, Chen M, Qu M, et al. Osteoarthritis: pathogenic signaling pathways and therapeutic targets. *Sig Transduct Target Ther*. 2023 Feb 3;8(1):1–31.
84. Sananta P, Firladi HA, Widasmara D, Fuzianingsih EN. Age and knee osteoarthritis severity relationship in Indonesian Secondary Referral Hospital. *JBK*. 2022;8(2):124.
85. Ingrid A Szilagy, Jan H Waarsing, Dieuwke Schiphof, Joyce B J van Meurs, Sita M A Bierma-Zeinstra, Towards sex-specific osteoarthritis risk models: evaluation of risk factors for knee osteoarthritis in males and females, *Rheumatology*, Volume 61, Issue 2, February 2022, Pages 648–657.
86. Dong, Y., Yan, Y., Zhou, J. *et al*. Evidence on risk factors for knee osteoarthritis in middle-older aged: a systematic review and meta analysis. *J Orthop Surg Res* **18**, 634 (2023).

87. Hame SL, Alexander RA. Knee osteoarthritis in women. *Curr Rev Musculoskelet Med*. 2013;6(2):182–7.
88. Cooper C, McAlindon T, Coggon D, Egger P, Dieppe P. Occupational activity and osteoarthritis of the knee. *Annals of the Rheumatic Diseases*. 1994;53(2):90–3.
89. Keith T. Palmer, Occupational activities and osteoarthritis of the knee, *British Medical Bulletin*, Volume 102, Issue 1, June 2012, Pages 147–170,
90. Seidler, A., Lüben, L., Hegewald, J. *et al*. Dose-response relationship between cumulative physical workload and osteoarthritis of the hip – a meta-analysis applying an external reference population for exposure assignment. *BMC Musculoskelet Disord* **19**, 182 (2018).
91. Klußmann, A., Gebhardt, H., Liebers, F. *et al*. Individual and occupational risk factors for knee osteoarthritis – Study protocol of a case control study. *BMC Musculoskelet Disord* **9**, 26 (2018).
92. Callahan LF, Cleveland RJ, Allen KD, Golightly Y. Racial/ethnic, socioeconomic, and geographic disparities in the epidemiology of knee and hip osteoarthritis. *Rheumatic Disease Clinics of North America*. 2021;47(1):1–20.
93. Gusnedi, Umi Fahmida, Ratna Djuwita, Fiastuti Witjaksono, Murdani Abdullah. Food-based recommendations for Minangkabau women of reproductive age with dyslipidemia. *Asia Pacific Journal of Clinical Nutrition*. 2019;28(2):310–20.
94. Shumnalieva R, Kotov G, Monov S. Obesity-related knee osteoarthritis—Current concepts. *Life*. 2023;13(8):1650.
95. Ganvir SD, Zambare BR. Prevalence and identification of risk factors for knee osteoarthritis among elderly men and women. *Sch J App Med Sci*. 2013;1(6):700–3.
96. Daniel Quintero, MD, Jean Jose, DO, MS, Eric Kholodovsky et al. Ethnicity and Knee Osteoarthritis: A comparative analysis of pain, function, and pain catastrophizing between South Florida Hispanic and Non-Hispanic Adults, 13 May 2024.
97. Di, J., Bai, J., Zhang, J. *et al*. Regional disparities, age-related changes and sex-related differences in knee osteoarthritis. *BMC Musculoskelet Disord* **25**, 66 (2024).
98. Zheng H, Chen C. Body mass index and risk of knee osteoarthritis: systematic review and meta-analysis of prospective studies. *BMJ Open*. 2015;5(12):e007568.

99. Syafaatin N, Sari DJE, Suminar E, Widiharti W. The correlation between age and body mass index and the incidence of osteoarthritis in the elderly at outpatient unit of PKU Muhammadiyah Sekapuk Hospital. *IVRJ*. 2022;2(1):179.
100. Pierre Raynald J, Martel-Pelletier J, Berthiaume M, Labonté F, Beaudoin G, De Guise JA, et al. Quantitative magnetic resonance imaging evaluation of knee osteoarthritis progression over two years and correlation with clinical symptoms and radiologic changes. *Arthritis & Rheumatism*. 2004;50(2):476–87.
101. Thahira, Y. M., Latief, N. J., Kuswardhana, N. H., Sam, N. a. D. P., & Amba, N. E. G. (2024). Insiden Osteoarthritis Genu Tahun 2018 – 2022. *FAKUMI MEDICAL JOURNAL Jurnal Mahasiswa Kedokteran*, 4(3), 231–238.
102. N. Kapitan, J., Rante, S., & Tallo, S. (2020). HUBUNGAN OBESITAS DENGAN DERAJAT OSTEOARTRITIS GENU PADA LANSIA DI RSUD PROF. Dr. W. Z. JOHANNES KUPANG. *Cendana Medical Journal*, 8(1), 506–511
103. Satake Y, Izumi M, Aso K, Igarashi Y, Sasaki N, Ikeuchi M. Comparison of predisposing factors between pain on walking and pain at rest in patients with knee osteoarthritis. *JPR*. 2021;14:1113–8.
104. Liu C, Gao G, Qin X, Deng C, Shen X. Correlation analysis of C-terminal telopeptide of collagen type II and Interleukin-1 β for early diagnosis of knee osteoarthritis. *Orthopaedic Surgery*. 2020;12(1):286–94.
105. Larsson S, Englund M, Struglics A, Lohmander LS. Interleukin-6 and tumor necrosis factor α in synovial fluid are associated with progression of radiographic knee osteoarthritis in subjects with previous meniscectomy. *Osteoarthritis and Cartilage*. 2015;23(11):1906–14.
106. Lee, Y. R., Briggs, M. T., Kuliwaba, J. S., Jagiello, J., Anderson, P. H., & Hoffmann, P. (2023). Complex-Type N-Glycans Are Associated with Cartilage Degeneration within Different Loading Sites of the Tibial Plateau for Knee Osteoarthritis Patients. *Journal of Proteome Research*, 22(8), 2694–2702
107. Steenkamp W, Rachuene PA, Dey R, Mzaiyiya NL, Ramasuvha BE. The correlation between clinical and radiological severity of osteoarthritis of the knee. *SICOT J*. 2022;8:14. doi: 10.1051/sicotj/2022014
108. Sananta, P., Pratama, W. F., Widasmara, D., & Fuzianingsih, E. N. (2023). Body Mass Index and Knee Osteoarthritis: A Retrospective Cross-Sectional Study in Baptis Hospital, Batu City. *Jurnal Ilmiah Kedokteran Wijaya Kusuma*, 12(1)

109. Stannus O, Jones G, Cicuttini F, Parameswaran V, Quinn S, Burgess J, et al. Circulating levels of IL-6 and TNF- α are associated with knee radiographic osteoarthritis and knee cartilage loss in older adults. *Osteoarthritis and Cartilage*. 2010;18(11):1441–7.
110. Mohammed M, Hamadi S, Jasim G. Impact of metabolic factors on the incidence and intensity of knee osteoarthritis in a sample of Iraqi patients. *Journal of Global Pharma Technology*. 2018 Jan 1;10:971–80.
111. Nascimento CMC, Zazzetta MS, Gomes GAO, Orlandi FS, Gramani-Say K, Vasilceac FA, et al. Higher levels of tumor necrosis factor β are associated with frailty in socially vulnerable community-dwelling older adults. *BMC Geriatr*. 2018 Nov 6;18:268.
112. Hassan MH, Elsadek AAM, Mahmoud MA, Elsadek BEM. Vitamin D Receptor Gene Polymorphisms and Risk of Knee Osteoarthritis: Possible Correlations with TNF- α , Macrophage Migration Inhibitory Factor, and 25-Hydroxycholecalciferol Status. *Biochem Genet*. 2022 Apr 1;60(2):611–28.
113. Sato M, Takemura M, Shinohe R, Shimizu K. Serum cytokine concentrations in a patient with rheumatoid arthritis on etanercept therapy who subsequently developed pneumocystis pneumonia: a case report. *Case Rep Rheumatol*. 2011;2011:185657.
114. Wei G, Lu K, Umar M, Zhu Z, Lu WW, Speakman JR, et al. Risk of metabolic abnormalities in osteoarthritis: a new perspective to understand its pathological mechanisms. *Bone Res*. 2023 Dec 6;11(1):63.
115. Liu C, Gao G, Qin X, Deng C, Shen X. Correlation Analysis of C-terminal telopeptide of collagen type II and Interleukin-1 β for Early Diagnosis of Knee Osteoarthritis. *Orthop Surg*. 2019 Dec 16;12(1):286–94.
116. Xin L, Wu Z, Qu Q, Wang R, Tang J, Chen L. Comparative study of CTX-II, Zn²⁺, and Ca²⁺ from the urine for knee osteoarthritis patients and healthy individuals. *Medicine (Baltimore)*. 2017 Aug 11;96(32):e7593.
117. Teichtahl AJ, Wluka AE, Wang Y, Urquhart DM, Hanna FS, Berry PA, et al. Occupational activity is associated with knee cartilage morphology in females. *Maturitas*. 2010;66(1):72–6.
118. Noriega-González D, Caballero-García A, Roche E, Álvarez-Mon M, Córdova A. Inflammatory process on knee osteoarthritis in cyclists. *JCM*. 2023;12(11):3703.
119. Hassany AE, Tharwat S, Mansour M, Enein AF. TNF- α in the serum and synovial fluid of patients with rheumatoid arthritis: correlation with

sonographic parameters: a cross-sectional study. *Egyptian Rheumatology and Rehabilitation*. 2024 May 7;51(1):22.

120. Jalmas D. Hubungan antara Kadar Tumor Necrosis Factor- α (TNF- α) dan Interleukin-1(IL-1) Serum dengan Kerusakan Sendi pada Pasien Osteoarthritis Genu [Thesis]. [Padang]: Universitas Andalas; 2022.
 121. Mouritzen U. Cartilage turnover assessed with a newly developed assay measuring collagen type II degradation products: influence of age, sex, menopause, hormone replacement therapy, and body mass index. *Annals of the Rheumatic Diseases*. 2003;62(4):332–6.
 122. Karsdal M, Byrjalsen I, Bay-Jensen A, Henriksen K, Riis B, Christiansen C. Biochemical markers identify influences on bone and cartilage degradation in osteoarthritis - the effect of sex, Kellgren-Lawrence (KL) score, Body Mass Index (BMI), oral salmon calcitonin (sCT) treatment and diurnal variation. *BMC Musculoskelet Disord*. 2010;11(1):125.
 123. Kalai E, Bahlous A, Charni N, Bouzid K, Sahli H, Chelly M, et al. Increased urinary type II collagen C-telopeptide levels in Tunisian patients with knee osteoarthritis. *Clin Lab*. 2012;58:209–15.
 124. Luo Y, He Y, Karsdal M, Bay-Jensen AC. Serological CTX-II does not measure the same as urinary CTX-II. *Osteoarthritis and Cartilage Open*. 2020 Sep 1;2(3):100082.
- Severino RM, Jorge PB, Martinelli MO, de Lima MV, Severino NR, Duarte Junior A. Analysis on the serum levels of the biomarker CTX-II in professional indoor soccer players over the course of one season. *Rev Bras Ortop*. 2015 Apr 16;50(3):331–5

