

## DAFTAR PUSTAKA

- Alam S.M., Shamshad, S., Naqvi, M., & Ansari, R. (1999). *Impact of Soil pH on Nutrient Uptake by Crop Plants*. <https://doi.org/10.1201/9780824746728.ch3>
- Alif. (2017). *Kiat sukses budidaya cabai rawit*. Bio Genesis. Yogyakarta. 158 Hal
- Aiswarya, J., Mariammal, K., & Veerappan, L. (2023). Plant Nutrient Deficiency Detection and Classification - A Review. *2023 5th International Conference on Inventive Research in Computing Applications (ICIRCA)*, 796–802. <https://doi.org/10.1109/ICIRCA57980.2023.10220778>.
- Ariyanti, M. i. Dewi, Y. Maxiselly, Y. C. (2018). The Growth Of Oil Palm ( *Elaeis guineensis* Jacq . ) Seedling with Different Plant Media And Watering Interval. *Pen. Kelapa Sawit*, 26(1), 11–22.
- Aryanti. (2020). Membran Polimer sebagai Media Pengendali Pelepasan Pupuk Nitrogen Tugas Makalah Teknologi Membran Industrial Membran Polimer sebagai Media Pengendali Pelepasan Pupuk Nitrogen. *ResearchGate*, 1–10.
- Aryanto, D. R., & Saraswati, I. (2021). Monitoring System of Humidity Environmental on Chilli Red Green House Aeroponic System. *ATLANTIS PRESS*, 9, 9–12.
- Bai, C., Ma, G., Cai, W., & Ma, C. (2019). Independent and combined effects of daytime heat stress and night-time recovery determine thermal performance. *Company of Biologists*, 8, 1–7. <https://doi.org/10.1242/bio.038141>
- Badan Pusat Statistik, (2024) diakses dari <http://www.bps.go.id/>, diakses pada tanggal 30 Mei 2024 pada jam 07.00 WIB.
- Badan Pangan Nasional (Bapanas), (2024) diakses dari <https://badanpangan.go.id/blog/post/nfa-siap-menjaga-stabilitas-pasokan-dan-harga-pangan-di-masa-perayaan-nataru-2024> pada tanggal 10 Juli 2024 jam 15.29 WIB.
- Balai Penelitian Tanaman Sayuran. (2011). Teknologi Budidaya Cabai Rawit. <http://balitsa.litbang.pertanian.go.id/ind/images/Isi%20poster/MP-12%20Budidaya%20cabai%20rawit.pdf>. (19 Juni 2023).
- Bakker, J. C. (1989). The effects of air humidity on flowering, fruit set, seed set and fruit growth of glasshouse sweet pepper (*Capsicum annuum* L.). *Scientia Horticulturae*, 40(1), 1–8. [https://doi.org/https://doi.org/10.1016/0304-4238\(89\)90002-2](https://doi.org/https://doi.org/10.1016/0304-4238(89)90002-2)
- Bergonzi, S., & Albani, M. C. (2011). Reproductive competence from an annual and a perennial perspective. *Of Experimental Botany*, 62(13), 4415–4422.

<https://doi.org/10.1093/jxb/err192>

- Berita Sampit (2023). Resmi di Launching, Pupuk Mampan™ CRF bisa Tingkatkan Buah Sawit hingga 30 Persen. Diakses pada 16 Juni 2023, dari <https://beritasampit.co.id/2023/02/10/resmi-di-launching-pupuk-mampan-crf-bisa-tingkatkan-buah-sawit-hingga-30-persen/>
- Bobby, A. N., Ihuoma, N. F., & Peter, E. (2020). Evaluation Of Saponification Value , Iodine Value , Peroxide Value and Free Fatty Acid Level of Essential Oil of Cayenne Pepper ( *Capsicum annum* ). *Engineering Applied Sciences and Technology*, 5(2), 14–16.
- Borges, R., Prevot, V., Forano, C., & Wypych, F. (2016). Design and Kinetic Study of Sustainable Potential Slow-Release Fertilizer Obtained by Mechanochemical Activation of Clay Minerals and Potassium Monohydrogen Phosphate. *Industrial & Engineering Chemistry Research*, 56, 708–716. <https://doi.org/10.1021/acs.iecr.6b04378>
- Buckman, H. O. dan N. C. Brady. (1982). Ilmu Tanah. In *Bhratara Karya Aksara. Jakarta*.
- Dewi, A., & Nurhidayati, T. (2014). Pengaruh Inokulan Bakteri Penambat Nitrogen , Pertumbuhan Tanaman Cabai Rawit. *Sains Dan Seni Pomits*, 3(2), 44–48.
- Ferrarezi, R. S., Lin, X., Neira, A. C. G., Zambon, F. T., Hu, H., Wang, X., Huang, J., & Wang, M. (2022). Substrate pH Influences the Nutrient Absorption and Rhizosphere Microbiome of Huanglongbing-Affected Grapefruit Plants. *Frontiers*, 13, 1–17. <https://doi.org/10.3389/fpls.2022.856937>
- Gardner, F. P., Pearce, R. B., & Mitchell, R. L. (1991). Fisiologi Tanaman Budidaya. UI-Press.
- Gilang, A., R. (2024). *Respon Pertumbuhan dan Hasil Tanaman Padi ( Oryza sativa L.) Metode Sri Dengan Pengaplikasian Fungi Mikoriza Arbuskular*. Universitas Andalas. 1-53 halaman.
- Hai-yan, W. E. I., Zhi-feng, C., Zhi-peng, X., Lei, Z., Qiu-yuan, L. I. U., Zhen-zhen, Z., & Yan, J. (2018). Effects of slow or controlled release fertilizer types and fertilization modes on yield and quality of rice. *Journal of Integrative Agriculture*, 17(10), 2222–2234. [https://doi.org/10.1016/S2095-3119\(18\)62052-0](https://doi.org/10.1016/S2095-3119(18)62052-0)
- Hapsari, R. Indradewa, D. Ambarwati, E. (2017). Pengaruh Pengurangan Jumlah Cabang dan Jumlah Buah terhadap Pertumbuhan dan Hasil Tomat ( *Solanum lycopersicum L.* ). *Vegetalika*, 6(3), 37–49.
- Hardjowigeno, (2003). Klasifikasi Tanah dan Pedogenesis. *Akademika Pressindo: Jakarta*. 250 hal

- Harpenas, A., & Dermawan, R. (2010). *Budidaya cabai unggul*. PT Niaga Swadaya.
- Hermansyah, Y. S. dan E. Inoria (2009). Penggunaan Pupuk Daun dan Manipulasi Jumlah Cabang yang ditinggalkan pada Panen Kedua Tanaman Nillam. *Akta Agrosia*, 12(2), 194–203.
- Jamil, (2012). Menanam sayuran di pekarangan. Balai Pengkajian Teknologi Pertanian (BPTP). Medan Sumatera Utara.
- Jannah, M. (2022). Temperature Critical Threshold for Yield in Chili Pepper (*Capsicum annuum* L.). *Sabrao Journal of Breeding and Genetics*. <https://doi.org/doi:10.54910/sabrao2022.54.3.15>
- Jaya Wirawana Manurung (2023). Masuk Indonesia, pupuk Mampan™ CRF pertama launching di Kotim. Diakses pada 24 Mei 2023, dari <https://kalteng.antaranews.com/berita/619110/masuk-indonesia-pupuk-mampan-crf-launching-perdana-di-kotim>
- Jing, P., Wang, D., Zhu, C., Chen, J., & Esteban, R. (2016). Plant Physiological , Morphological and Yield-Related Responses to Night Temperature Changes across Different Species and Plant Functional Types. *Frontiers*, 7(November), 1–19. <https://doi.org/10.3389/fpls.2016.01774>
- Khan, A. Z., Ali, B., Afzal, M., Wahab, S., Khalil, S. K., Amin, N., Ping, Q., Qiaojing, T., & Zhou, W. (2015). Effects of Sulfur and Urease Coated Controlled Release Urea on Dry Matter Yield , N Uptake and Grain Quality of Rice. *Animal & Plant Sciences*, 25(3), 679–685.
- Kim, K., Yoon, S., Kwon, H., & Choi, Y. (2020). Effects of treatment agents during acid washing and pH neutralization on the fertility of heavy metal-impacted dredged marine sediment as plant-growing soil. *Environmental Pollution*, 267, 115466. <https://doi.org/https://doi.org/10.1016/j.envpol.2020.115466>
- Koryati, T., Mazlina, M., & Mujiburrahim, M. (2021). Peranan Pemupukan pada Pertumbuhan Bibit Karet di Polybag. *Jurnal Penelitian Bidang Ilmu Pertanian*, 19(1), 26-32.
- Landis, T. D. and R. K. Dumroese (2009). *Nursery manual for native plants: A guide for tribal nurseries - Volume 1: Nursery management*. Agriculture Handbook.
- Liferdi, L. (2010). Efek Pemberian Fosfor terhadap Pertumbuhan dan Status Hara pada Bibit Manggis. *Hort.*, 20(1), 18–26.
- Lutfiah I., S., S. Pratiwi. (2020). Pengaruh Dosis Nitrogen terhadap Pertumbuhan dan Hasil Tanaman Terung Ungu (*Solanum melongena* L. var. Hibrida F1 Antaboga). *Agroteknologi Merdeka Pasuruan*, 5(1), 1–6.

- Made, N., & Ernawati, L. (2022). Pengaruh Pemberian Pupuk P dan K dengan Dosis yang Berbeda terhadap Kualitas Buah Melon (*Cucumis melo* L.). *Ilmiah Mahasiswa Agrokomplek*, 1(1), 48–56.
- Manurung, J. W. (2023). *Masuk Indonesia, Pupuk Mampan™ CRF launching perdana di Kotim*. Berita Sampit.
- Mohd Syafiq Nasmi (2023). Masuk Indonesia, pupuk Mampan™ CRF pertama launching di Kotim. Diakses pada 16 Juni 2023, dari <https://kalteng.antaranews.com/berita/619110/masuk-indonesia-pupuk-mampan-crf-launching-perdana-di-kotim>
- Morgan, K. T., Cushman, K. E., & Sato, S. (2009). Release Mechanisms for Slow- and Controlled- release Fertilizers and Strategies for Their Use in Vegetable Production. *HorTechnology*, 19(1), 10–12.
- Nawangsih. (2003). *Cabai Hot Beauty*. Penebar Swadaya. Jakarta
- Nazir, M., Syakur & Muyassir. (2017). Mapping Soil Acidity and Analysis of Lime Requirement InDistrict of Pidie District Keumala. *Ilmiah Mahasiswa Pertanian Unsyiah*, 2(1), 21–30.
- Needham J., I. L. (1940). Terminology of Relative Growth-Rates. *Nature*, 146, 618.
- Noor, I., Finalis, E. R., Tjahjono, E. W., & Suratno, H. (2022). Development of Controlled Release Fertilizer ( CRF ) Synthetic Fertilizer Formula for Shallots ( *Allium cepa* ). *Vegetalika*, 11(3), 196–206.
- Permatasari A, Gubali H, N. (2023). Pengaruh Kerapatan Naungan terhadap Pertumbuhan dan Hasil Dua Varietas Tanaman Pakcoy (*Brassica rapa* L. ) Thele. *JATT*, 12(1), 1–9.
- Ponggawa, V. V, Makal, J. F., & Lumbu, R. (2018). Pemodelan Sistem Kontrol untuk Budidaya Tanaman Cabai. *Teknologi Infrastruktur Berkelanjutan*, 1(1), 25–37.
- Purwono, (2003). *Budidaya Cabai Rawit Dalam Pot*. Tim Lentera. Jakarta. 63 Hal
- Putri, A. R., Hamdani, J. S., & Mubarak, S. (2023). Pengaruh Pupuk *Controlled Release Fertilizer* terhadap Pertumbuhan dan Hasil Tanaman Cabai Merah Besar ( *Capsicum annum* L. ). *Agrikultura 2023*, 34(3), 509–518.
- Qiao, D., Liu, H., Yu, L., Bao, X., Simon, G. P., Petinakis, E., & Chen, L. (2016). Preparation and characterization of slow-release fertilizer encapsulated by starch-based superabsorbent polymer. *Carbohydrate Polymers*, 147, 146–154. <https://doi.org/10.1016/j.carbpol.2016.04.010>

- Renate, D., Pratama, F., Yuliati, K., & Priyanto, G. (2014). Kinetic Model of Capsaicin Degradation on Red Chilli Paste at Various Storage Temperature. *AGRITECH*, 34(3), 330–336.
- Rosdiana, M. Asaad. Dan Z. Mantau (2011). Teknologi Budidaya Cabai Rawit, Balai Pengkajian Teknologi Gorontalo, Gorontalo. 36 hlm.
- Rosjidi, M., Saputra, H., Wahyudi, I., Setyorini, D., Widowati, L. R. (2018). *Controlled Release Fertilizer ( Crf ) Used For Plant Of Red Onion*. 12(Desember), 191–196.
- Rustandi. (2013). Panen Besar Cabai Dalam Pot, Jakarta: Publisng Langit
- Safei, M., Rahmi, A., Jannah, N., Pertanian, F., & Samarinda, U. A. (2014). Pertumbuhan dan Hasil Tanaman Terung (*Solanum Melongena L.*) Varietas Mustang F-1. *AGRIFOR*, XIII(D), 59–66.
- Safira, E. U. (2011). Jurus Sukses Bertanam 20 Sayuran di Pekarangan Rumah. Klaten. 53.
- Setyobudi, L., Soelistyono, R., Pertanian, J. B., Pertanian, F., Malang, U. B., & Timur, J. (2013). The Study of Light ' S Interception of Peanut (*Arachis hypogaea L.*) Between Melinjo Plants At Several Plant Spacing. *Produksi Tanaman*, 1(4), 333–341.
- Sholiha. (2017). *Analisis Risiko dan Pendapatan Usahatani Cabai Merah (Capsicum annum) di Kecamatan Kedondong Kabupaten Pesawaran*. Universitas Lampung. 1-82 halaman.
- Soekartawi. 1995. *Analisis Usahatani*. Raja Grafindo Persada. Jakarta
- Sujitno, E., M. Dianawati. (2015). “Produksi panen berbagai varietas unggul baru cabai rawit (*Capsicum frutescens L*) di lahan kering Kabupaten Garut, Jawa Barat”. Dalam Jurnal Biodiv Indon. Vol. 1. No. 4 Hal. 874-877
- Suriana, N. (2012). Cabai Kiat dan Berkhasiat. Yogyakarta: C. V Andi Offset
- Suryaningrum R., E. Purwanto, S. (2016). Growth Analysis of Some Soybean Varieties Under Different Drought Stress Intensity. *Agrosains*, 18(2), 33–37.
- Syofiani, R. Putri, D. Karjunita, N. (2020). Karakteristik Sifat Tanah Sebagai Faktor Penentu Potensi Pertanian Di Nagari Silokek Kawasan Geopark Nasional Characteristics. *Agrium*, 17(1), 1–6.
- Syukur, M. (2013). Cabai Prospek Bisnis dan Teknologi Mancanegara. Bogor: Swadaya.
- Syukur, M., Suwarno, W. B., Pascasarjana, S., Pertanian, I., & Pertanian, F. (2020). Parametric Stability Analysis for Yield of Chili (*Capsicum frutescens L.*) in

- Four Lowland Environments. *J. Agron. Indonesia*, 48(3), 258–267.
- Tan, F., & Swain, S. M. (2006). Genetics of flower initiation and development in annual and perennial plants. *Physiologia Plantarum*, 128, 8–17. <https://doi.org/10.1111/j.1399-3054.2006.00724>.
- Tian, D., & Niu, S. (2015). A global analysis of soil acidification caused by nitrogen addition. *Environmental Research Letters*, 10(2), 1–11. <https://doi.org/10.1088/1748-9326/10/2/024019>
- Tjandra E. (2011). Panen Cabai Rawit di *Polybag*. Cahaya Atma, Yogyakarta
- Try K., Deddy W. P., Dwie R. S., Jajuk H., Danner S., Sri R. (2021). Fisiologi Tumbuhan. Medan: Yayasan Kita Menulis.
- Universitas Putra Malaysia (UPM), Mesra Alam. (2008). “Pemberian Pupuk Terkontrol Mampan™ CRF”, <https://www.diversatechfertilizer.com/>, diakses pada 10 Februari 2023 pukul 10.50 WIB.
- Varitas. net (2013). Diakses dari <https://varitas.net>, diakses pada tanggal 22 Juni 2023 pada jam 09.00 WIB.
- Wang, C., Lv, J., Coulter, J. A., Xie, J., Yu, J., Li, J., & Zhang, J. (2020). Slow-Release Fertilizer Improves the Growth , Quality , and Nutrient Utilization of Wintering Chinese Chives ( *Allium tuberosum* Rottler ex Spreng .). *Agronomy*, 10(3), 1–19. <https://doi.org/10.3390/agronomy10030381>
- Wahyudi, I., & Topan, M. (2011). *Panen Cabai di pekarangan rumah*. AgroMedia.
- Widyaswari, E., Santosa, M., Maghfoer , D., M. (2017). Analisis Pertumbuhan Dua Varietas Tanaman Padi ( *Oryza sativa* L .) pada Berbagai Perlakuan Pemupukan. *Biotropika*, 5(3), 73–77.
- Williams, W. A., Loomis, R. S., & Lepley, C. R. (1965). Vegetative Growth of Corn as Affected by Population Density . II . Components of Growth , Net Assimilation Rate and Leaf-Area Index 1. *CROP SCIENCE*, 10, 215–219.
- Xiaoyu, N., W. Yuezin, W. Zhengyan, W. Lin, Q. Guannan, Y. Lixiang. (2013). A novel slow-release urea fertilizer: physical and chemical analysis of its struture and study of its release mechanism. *Biosystem Engineering*, 115:274-282.
- Yusuf, F., Hadie, J., & Fadly, M. (2017). Respon Tanaman Kedelai Terhadap Serapan Hara Npk Pupuk Daun Yang Diberikan Melalui Akar Dan Daun Pada Tanah Gambut Dan Podsolik. *Daun*, 4(1), 17–28.
- Zalfadya, D., Gubali, H., & Ilahude, Z. (2022). Pengaruh Abu Sekam Padi dan Pupuk Za terhadap Pertumbuhan dan Hasil Tanaman Cabai Rawit (*Capsicum frutescens* L.). *Lahan Pertanian Tropis*, 1(1), 22–27.

Zhao, X. Q., Shen, R. F., Ryan, P., Kaiser, B. N., & Gioia, F. Di. (2018). Aluminum – Nitrogen Interactions in the Soil – Plant System. *Frontiers*, 9(June), 1–15. <https://doi.org/10.3389/fpls.2018.00807>

