

## DAFTAR PUSTAKA

- Adarme-Vega, T.C., Thomas-Hall, S.R., Lim, D.K.Y., Schenk, P.M., 2014. Effects of long chain fatty acid synthesis and associated gene expression in microalga *Tetraselmis* sp. *Mar. Drugs* 12, 3381–3398. <https://doi.org/10.3390/md12063381>
- Allewalt, J.P., Revsbech, N.P., Slack, K., Ward, D.M., 2006. Effect of Temperature and Light on Growth of and Photosynthesis by. *Appl. Environ. Microbiol.* 72, 544–550. <https://doi.org/10.1128/AEM.72.1.544>
- Ami Ben-amotz, Adriana Katz, and M.A., 1982. Accumulation of beta-carotene in halotolerant algae: Purification and characterization of beta-carotene-rich globules from *Dunaliella bardawil* (Chlorophyceae). *J. Phycol.* 18: 529-537.
- Andersen, R.A.; Kawachi, M., 2005. Traditional Microalgae Isolation Techniques 83.
- Andersen, R.A. and M.K., 2005. No Title, in: Traditional Microalgae Isolation Techniques in Handbook of Algal Culturing Techniques. pp. 83–100.
- Antón, J., Oren, A., Benlloch, S., Rodríguez-Valera, F., Amann, R., Rosselló-Mora, R., 2002. *Salinibacter ruber* gen. nov., sp. nov., a novel, extremely halophilic member of the Bacteria from saltern crystallizer ponds. *Int. J. Syst. Evol. Microbiol.* 52, 485–491. <https://doi.org/10.1099/00207713-52-2-485>
- Asker, D., Awad, T.S., Beppu, T., 2012. Chapter 3. Isol. Charact. Divers. Nov. Radiotolerant Carotenoid-Producing Bact. 21. <https://doi.org/10.1007/978-1-61779-879-5>
- Asker, D., Ohta, Y., 1999. 29. Production of canthaxanthin by extremely halophilic bacteria. *J. Biosci. Bioeng.* 88, 617–621.
- Bohne, F., Linden, H., 2002. Regulation of carotenoid biosynthesis genes in response to light in *Chlamydomonas reinhardtii* 1579, 26–34.
- Borowitzka, M.A., Huisman, J.M., Osborn, A., 1991. Culture of the astaxanthin-producing green alga *Haematococcus pluvialis* 1. Effects of nutrients on growth and cell type. *J. Appl. Phycol.* 3, 295–304.

<https://doi.org/10.1007/BF02392882>

Bothe, H.; Schmitz, O.; Yates, M.G.; Newton, W.E. 4, 2010. Nitrogen Fixation and Hydrogen Metabolism in Cyanobacteria 74, 529–551. <https://doi.org/10.1128/MMBR.00033-10>

Capa-Robles, W., Paniagua-Michel, J., Soto, J.O., 2009. The biosynthesis and accumulation of  $\beta$ -carotene in *Dunaliella salina* proceed via the glyceraldehyde 3-phosphate/pyruvate pathway. *Nat. Prod. Res.* 23, 1021–1028. <https://doi.org/10.1080/14786410802689689>

Cardozo, K.H.M., Guaratini, T., Barros, M.P., Falcão, V.R., Tonon, A.P., Lopes, N.P., Campos, S., Torres, M.A., Souza, A.O., Colepicolo, P., Pinto, E., 2007. Metabolites from algae with economical impact. *Comp. Biochem. Physiol. - C Toxicol. Pharmacol.* 146, 60–78. <https://doi.org/10.1016/j.cbpc.2006.05.007>

Chisti, Y., 2007. Biodiesel from microalgae. *Biotechnol. Adv.* 25, 294–306. <https://doi.org/10.1016/j.biotechadv.2007.02.001>

Coates, R.C; Trentacoste, E; Gerwick, W., 2013. Handbook of Microalgal Culture, Bioactive and Novel Chemicals from Microalgae in Handbook of Microalgal Culture.

Couso, I., Vila, M., Vígara, J., Cordero, B.F., Vargas, Á., Rodríguez, H., León, R., 2012. Synthesis of carotenoids and regulation of the carotenoid biosynthesis pathway in response to high light stress in the unicellular microalga *Chlamydomonas reinhardtii* Synthesis of carotenoids and regulation of the carotenoid biosynthesis pathway in respon 0262, 37–41. <https://doi.org/10.1080/09670262.2012.692816>

Cunningham, F.X., Gantt, E., 1998. Genes And Enzymes Of Carotenoid Biosynthesis In Plants.

Dean, A.P., Sigee, D.C., Estrada, B., Pittman, J.K., 2010. Using FTIR spectroscopy for rapid determination of lipid accumulation in response to nitrogen limitation in freshwater microalgae. *Bioresour. Technol.* 101, 4499–4507. <https://doi.org/10.1016/j.biortech.2010.01.065>

Goldman, J.C., Carpenter, E.J., 1974. A kinetic approach to the effect of

- temperature on algal growth. *Limnol. Oceanogr.* 19, 756–766.
- Granéli, E., Salomon, P.S., 2010. Factors influencing allelopathy and toxicity in *prymnesium parvum*. *J. Am. Water Resour. Assoc.* 46, 108–120. <https://doi.org/10.1111/j.1752-1688.2009.00395.x>
- Griffiths, R.I., Thomson, B.C., James, P., Bell, T., Bailey, M., Whiteley, A.S., 2011. The bacterial biogeography of British soils. *Environ. Microbiol.* 13, 1642–1654. <https://doi.org/10.1111/j.1462-2920.2011.02480.x>
- Grünewald, K., Eckert, M., Hirschberg, J., Hagen, C., 2000. Phytoene Desaturase Is Localized Exclusively in the Chloroplast and Up-Regulated at the mRNA Level during Accumulation of Secondary Carotenoids in *Haematococcus pluvialis* (Volvocales, Chlorophyceae). *Plant Physiol.* 122, 1261–1268. <https://doi.org/10.1104/pp.122.4.1261>
- Hadiyanto and Maulana, A., 2012. Mikroalga Sumber Pangan Dan Energi Masa Depan.
- Hanada, S., Kawase, Y., Hiraishi, a, Takaichi, S., Matsuura, K., Shimada, K., Nagashima, K. V, 1997. *Porphyrobacter tepidarius* sp. nov., a moderately thermophilic aerobic photosynthetic bacterium isolated from a hot spring. *Int. J. Syst. Bacteriol.* 47, 408–413. <https://doi.org/10.1099/00207713-47-2-408>
- Jahnke, L.S., 1999. Massive carotenoid accumulation in *Dunaliella bardawil* induced by ultraviolet-A radiation. *J. Photochem. Photobiol. B Biol.* 48, 68–74. [https://doi.org/10.1016/S1011-1344\(99\)00012-3](https://doi.org/10.1016/S1011-1344(99)00012-3)
- Johannes, B., 2005. Genome-Based Examination of Chlorophyll and Carotenoid Biosynthesis in *Chlamydomonas reinhardtii* 1 [ w ] 138, 490–515. <https://doi.org/10.1104/pp.104.056069.490>
- Kee, M., Iqram, M., Uemura, Y., Wei, J., Gek, C., Teong, K., Chyuan, H., 2017. Cultivation of *Chlorella vulgaris* using nutrients source from domestic wastewater for biodiesel production : Growth condition and kinetic studies. *Renew. Energy* 103, 197–207. <https://doi.org/10.1016/j.renene.2016.11.032>
- Lannan, E., 2011. Scale-up of algae growth system to cleanse wastewater and produce oils for biodiesel production 115.

- Leduy, A. and N.T., 1977. An Improved Method for Optical Density Measurement of the Semimicroscopic Blue Green Alga *Spirulina maxima*. *Biotechnol. Bioeng.* X, 1219–1224.
- Li, Y., Horsman, M., Wang, B., Wu, N., Lan, C.Q., 2008. Effects of nitrogen sources on cell growth and lipid accumulation of green alga *Neochloris oleoabundans*. *Appl. Microbiol. Biotechnol.* 81, 629–636. <https://doi.org/10.1007/s00253-008-1681-1>
- Li, Z., Wakao, S., Fischer, B.B., Niyogi, K.K., 2009. Sensing and Responding to Excess Light. *Annu. Rev. Plant Biol.* 60, 239–260. <https://doi.org/10.1146/annurev.arplant.58.032806.103844>
- Liang, Y., Beardall, J., Heraud, P., 2006. Effects of nitrogen source and UV radiation on the growth, chlorophyll fluorescence and fatty acid composition of *Phaeodactylum tricornutum* and *Chaetoceros muelleri* (Bacillariophyceae) 82, 161–172. <https://doi.org/10.1016/j.jphotobiol.2005.11.002>
- Lutnaes, B.F., Strand, Å., Pétursdóttir, S.K., Liaaen-Jensen, S., 2004. Carotenoids of thermophilic bacteria - *Rhodothermus marinus* from submarine Icelandic hot springs. *Biochem. Syst. Ecol.* 32, 455–468. <https://doi.org/10.1016/j.bse.2003.09.005>
- Martins, A.P., Junior, O.N., Colepicolo, P., Yokoya, N.S., 2011. Effects of nitrate and phosphate availabilities on growth, photosynthesis and pigment and protein contents in colour strains of *Hypnea musciformis* (Wulfen in Jacqu.) J.V. Lamour. (Gigartinales, Rhodophyta). *Brazilian J. Pharmacogn.* 21, 340–348. <https://doi.org/10.1590/S0102-695X2011005000078>
- Michel, J.p.; Soto, J.O.; Ruiz, M., 2012. Pathways of Carotenoid Biosynthesis in Bacteria and Microalgae, in: *Pathways of Carotenoid Biosynthesis in Bacteria and Microalgae*. p. 1.
- Miller, N., Sampson, J., Candeias, L., Bramley, P., Rice-Evans, C., 1996. Antioxidant activities of carotenes and xanthophylls. *FEBS Lett.* 384, 240–242.
- Minhas, A.K., Hodgson, P., Barrow, C.J., Adholeya, A., 2016. A review on the assessment of stress conditions for simultaneous production of microalgal

- lipids and carotenoids. *Front. Microbiol.* 7, 1–19.  
<https://doi.org/10.3389/fmicb.2016.00546>
- Nisar, N., Li, L., Lu, S., Khin, N.C., Pogson, B.J., 2014. Carotenoid Metabolism in Plants. <https://doi.org/10.1016/j.molp.2014.12.007>
- Niyogi, K.K., 2009. Chapter 23 – Photoprotection and High Light Responses. *Chlamydomonas Sourceb.* 847–870. <https://doi.org/10.1016/B978-0-12-370873-1.00031-9>
- Padovan, M., Genoni, F., Leofanti, G., Petrini, G., Trezza, G., Zecchina, A., 1991. Study on titanium silicalite synthesis. *Stud. Surf. Sci. Catal.* 63, 431–438. [https://doi.org/10.1016/S0167-2991\(08\)64605-4](https://doi.org/10.1016/S0167-2991(08)64605-4)
- Paliwal, C., Ghosh, T., George, B., Pancha, I., Maurya, R., Chokshi, K., Ghosh, A., Mishra, S., 2016. Microalgal carotenoids: Potential nutraceutical compounds with chemotaxonomic importance. *ALGAL* 15, 24–31. <https://doi.org/10.1016/j.algal.2016.01.017>
- Paliwal, C., Mitra, M., Bhayani, K., Sv, V.B., Ghosh, T., 2017. Abiotic stresses as tools for metabolites in microalgae. *Abiotic Stress. as tools Metab. microalgae Chetan.*
- Paliwal, C., Pancha, I., Ghosh, T., Maurya, R., Chokshi, K., Vamsi Bharadwaj, S. V., Ram, S., Mishra, S., 2015. Selective carotenoid accumulation by varying nutrient media and salinity in *Synechocystis* sp. CCNM 2501. *Bioresour. Technol.* 197, 363–368. <https://doi.org/10.1016/j.biortech.2015.08.122>
- Pandit, P.R., Fulekar, M.H., Karuna, M.S.L., 2017. Effect of salinity stress on growth, lipid productivity, fatty acid composition, and biodiesel properties in *Acutodesmus obliquus* and *Chlorella vulgaris*. *Environ. Sci. Pollut. Res.* 24, 13437–13451. <https://doi.org/10.1007/s11356-017-8875-y>
- Paniagua-Michel, J., Capa-Robles, W., Olmos-Soto, J., Gutierrez-Millan, L.E., 2009. The carotenogenesis pathway via the isoprenoid- $\beta$ -carotene interference approach in a new strain of *Dunaliella salina* isolated from Baja California Mexico. *Mar. Drugs* 7, 45–56. <https://doi.org/10.3390/md7010045>
- Publishers, E.S., Conservation, E., Power, E., Co, D., 1992. Carbon dioxide fixation by a unicellular green alga 25, 261–267.

- Ramos, A.A., Marques, A.R., Rodrigues, M., Henriques, N., Baumgartner, A., Castilho, R., Brenig, B., Varela, J.C., 2009. Molecular and functional characterization of a cDNA encoding 4-hydroxy-3-methylbut-2-enyl diphosphate reductase from *Dunaliella salina*. *J. Plant Physiol.* 166, 968–977. <https://doi.org/10.1016/j.jplph.2008.11.008>
- Richlen, M. L. and Barber, P.H., 2005. A technique for the rapid extraction of microalgal DNA from single live and preserved cells 688–691. <https://doi.org/10.1111/j.1471-8286.2005.01032.x>
- Sekatresna, W., Dharma, A., Zein, R., Chaidir, Z., 2016. Identification of Blue-Green Algae Uncultured *Oscillatoria* sp IPOME-4 Isolated from Local Industry Effluent with The Potential as  $\beta$ -Carotene Feedstock 8, 110–117.
- Stafsnes, M.H., Josefsen, K.D., Kildahl-Andersen, G., Valla, S., Ellingsen, T.E., Bruheim, P., 2010. Isolation and characterization of marine pigmented bacteria from Norwegian coastal waters and screening for carotenoids with UVA-blue light absorbing properties. *J. Microbiol.* 48, 16–23. <https://doi.org/10.1007/s12275-009-0118-6>
- Štenclová, B.L., Doc, S., Jan, R., Ph, D., 2013. Systematic revision of the family Oocystaceae.
- Stoyneva, M.P.; Descy, J.P.; Vyverman, W., 2007. Green algae in Lake Tanganyika : is morphological variation a response to seasonal changes ? 7–16. <https://doi.org/10.1007/s10750-006-0428-1>
- Strand, A., Shivaji, S., Liaaen-Jensen, S., 1997. Bacterial carotenoids 55. C50-carotenoids 25. Revised structures of carotenoids associated with membranes in psychrotrophic *Micrococcus roseus*. *Biochem. Syst. Ecol.* 25, 547–552. [https://doi.org/10.1016/S0305-1978\(97\)00039-2](https://doi.org/10.1016/S0305-1978(97)00039-2)
- Takaichi, S., Oh-oka, H., Maoka, T., Jung, D.O., Madigan, M.T., 2003. Novel carotenoid glucoside esters from alkaliphilic heliobacteria. *Arch. Microbiol.* 179, 95–100. <https://doi.org/10.1007/s00203-002-0504-5>
- Talling, J.F., 2010. Potassium – a non-limiting nutrient in fresh waters ? 97–104. <https://doi.org/10.1608/FRJ-3.2.1>
- Tran, D., Haven, J., Qiu, W.G., Polle, J.E.W., 2009. An update on carotenoid

biosynthesis in algae: Phylogenetic evidence for the existence of two classes of phytoene synthase. *Planta* 229, 723–729. <https://doi.org/10.1007/s00425-008-0866-2>

Ugwu, C.U., Aoyagi, H., Uchiyama, H., 2008. Photobioreactors for mass cultivation of algae. *Bioresour. Technol.* 99, 4021–4028. <https://doi.org/10.1016/j.biortech.2007.01.046>

Vidhyavathi, R., Venkatachalam, L., Sarada, R., Ravishankar, G.A., 2008. Regulation of carotenoid biosynthetic genes expression and carotenoid accumulation in the green alga *Haematococcus pluvialis* under nutrient stress conditions 59, 1409–1418. <https://doi.org/10.1093/jxb/ern048>

Wang, B., Lan, C.Q., 2011. Biomass production and nitrogen and phosphorus removal by the green alga *Neochloris oleoabundans* in simulated wastewater and secondary municipal wastewater effluent. *Bioresour. Technol.* 102, 5639–5644. <https://doi.org/10.1016/j.biortech.2011.02.054>

Yamano, Y., Sakai, Y., Hara, M., Ito, M., 2002. Carotenoids and related polyenes. Part 9. Total synthesis of thermozeaxanthin and thermocryptoxanthin and the stabilizing effect of thermozeaxanthin on liposomes. *J. Chem. Soc. Perkin 1* 2, 2006–2013. <https://doi.org/10.1039/b204011p>

Yokoyama, A., Sandmann, G., Hoshino, T., Adachi, K., Sakai, M., Shizuri, Y., 1995. Thermozeaxanthins, new carotenoid-glycoside-esters from thermophilic eubacterium *thermus thermophilus*. *Tetrahedron Lett.* 36, 4901–4904. [https://doi.org/10.1016/00404-0399\(50\)0881C](https://doi.org/10.1016/00404-0399(50)0881C)