

## **DAFTAR KEPUSTAKAAN**

- Akanksha. A., Prasad. A., Sukumaran. R. K., Nampoothiri. M. K., Pandey. A., Rao. S. S., and Binod. P. (2014). Dilute acid pretreatment and enzymatic hydrolysis of shorgum biomass for sugar recovery – a statistical approach. *Indian Journal of Experimental Biology*, 52 : 1082 – 1089.
- Bemiller, J. and Whistler, R. (2009). *Starch : Chemistry and technology third edition*. Academic Press. United States of America. pp. 200 – 209.
- Dabonne. S., Yahaya. K., Pamphile. K. B., Philomene. Z., and mpolie. G. T. (2013). Xylanasic and amylasic activities of some microorganisms in the digestive exudate of termites (Macrotermes Subhyalinus and Macrotermes bellicosus). *Scientific Journal of Biological Sciences* 2 (12) : 244 - 255.
- Damat, Haryadi, Marsono. Y., Cahyanto. M. N. (2008). Effect of pH and Butyric Anhydride Concentration during Butirilisation of Arrowroot Starch. *Agritech*, 28 (2).
- Djaafar. T. F., Sarjiman dan Arlynna. B. P. (2010). Pengembangan budi daya tanaman garut dan teknologi pengolahannya untuk mendukung ketahanan pangan. *Jurnal Litbang Pertanian*. 29, (1).
- Erianti, L. 2004. Kajian Hidrolisis Pati Garut Menggunakan Enzim  $\alpha$  – amylase dan Kombinasi Enzim  $\alpha$  – amylase dan Pullulanase dalam Proses Produksi Siklodekstrin. IPB, Bogor.
- Femi – Ola, T. O. and Olowe, B. M. (2011). Characterization of alpha amylase from *Bacillus substilis* BS5 isolated from Amitermes evuncifer silvestri. *Research Journal of Microbiology* 6 (2) : 140 – 146.
- Fessenden, R. J., Fessenden, J.S (1999), *Kimia Organik*, Jilid 1, Edisi ketiga, Penerbit Erlangga, Jakarta.
- Hamelinck.C.N., Geertjevan.H., and Andre' P.C.F. (2004). Ethanol from lignocellulosic biomass : techno – economic performance in short-, middle-, and long – term. *Biomass and bioenergy* 28, 384 – 410.
- Hashem. M., Abdel. N. A., Maysa. M. A. A. (2013). Optimization of fermentation conditions for ethanol production by new thermotolerant yeast strain of

- kluyveromyces .sp.* African Journal of Microbiology Research. 7 (37). 4550 – 4561.
- Hung, Xu.Z and Fang. (2014). Pretreatment Methods of Bioethanol Production. *Appl Biochem Biotechnol.*
- Hmidet.N., Ali.N.E., Haddar.A., Kanou.S., Alya.S., and Nasri.M. (2009). Alkaline proteases and thermostable  $\alpha$  – amylase co – produced by bacillus licheniformis nh1: characterization and potential application as detergent additive. *Biochem Eng. J* 47, 71 – 79.
- Jayalakshmi.N, and Mahalakshmi.S. (2016). Amylase, cellulose, xylanase production from a novel bacterial isolate Achromobacter xylosoxidans isolated from marine environment. *International Journal of advanced Research in Biological Science3*, 223 – 230.
- Kumar. S., Duhan. J. S., Surekha and Gahlawat. S. K. (2014). Production of ethanol from tuberous plant (sweet potato) using Saccharomyces cereviceae MTCC – 170. Afr. J. Biotechnol. 13 : 2874 – 2883.
- Lehninger. A. L., Nelson. D. L. and Cox. M. M. 2005. Lehninger principles of biochemistry, 1. WH Freeman and Co, New York, US.
- Lima. TdA, Pontual. EV, Dornelles. LP, Amorim. PK, Sa.RA, Coelho. LCBB, Napoleao. TH, Paiva. PMG, (2014). Digestive enzymes from workers and soldiers of termite Nasutitermes corniger. *Comparative Biochemistry and Physiology*, 176, 1 – 8.
- Lingga. P., Sarwono. B., Rahardji. F., Rahardja. P. C., Afriastini. J. J., Wudianto. R., dan Apriadi. W. H. (1989). Bertanam umbi – umbian. Panebar swadaya, Jakarta.
- Maiti, Sangrila.S, and Tushar.K. (2013). Cellulase Production by Bacteria : A Review. British Microbiology research Journal 3, 235 – 258.
- Marsono, Y. (2002). Indeks glisemik umbi-umbian. Makalah Seminar Nasional Industri Pangan, Perhimpunan Ahli Teknologi Pangan Indonesia, Surabaya 10–11 Oktober 2002.
- Matteotti. C., Bauwens. J., Brasseur. C., Tarayre. C., Thonart. P., Destain. S., et al. Identification and characterization of a new xylanase from gram – positive

- bacteria isolated from termite gut (*Reticulitermes santonensis*). Protein Expr purify 2012 ; 83 ; 117 -27.
- Maurice. M. L. (2011). A study to determine the optimal operating conditions to convert cellulosic biomass into ethanol during enzymatic hydrolysis and microbial fermentation. Shanghai Jiao Tong University. 1 – 42.
- McEwen.S.E, Slaytor.M and O'brien.R.W. (1980). Cellobiase Activity in Three Species of Australian Termites. *Insect Biochem* 10, 563 – 567.
- McNair, H. M. dan Bonelli, E. C. (1988). Dasar Kromatografi Gas. Terjemahan Penenrbit ITB, Bandung.
- Moshi. A. P., Hosea. K. M. M., Elisante. E., Mshandete. A. M., and Nges. I. A. (2014). Production of bioethanol from wild cassava *manihot glaziovii* through various combinations of hydrolysis and fermentation in stirred tank bioreactors. *British Biotechnology journal*, 5 (3) : 123 – 139.
- Nelson. S. (1994). A photometric adaptation of the somogyi method for the determination of glucose. *J. Biol. Chem.* 153, 375 – 380.
- Ni. J., Takuda. G., Takehera. M., Watanabe. H. Heterologous expression and enzymatic characterization of beta – glucosidase from the drywood – eating termite, *Neotermes koshunensis*. *Appl Entomol Zool* 2007b ; 42 : 457 – 63.
- Ningsih. D. S., Julia. Z. R., Hilmi. L., Darmi. L. (2013). Rayap Kayu (I Noor. E. (2008). Garut starch hydrolysis by enzimatis for forming cyclodextrin. *Jurnal Ilmu Pertanian Indonesia*, 13 92) : 90 – 94.
- Novia., Windarti.A., Rosmawati. (2014). Pembuatan bioethanol dari jerami padi dengan metoda ozonolisis – *Simultaneous Saccharification and Fermentation* (SSF). *Jurnal Teknik Kimia* 3, 42 – 43.
- Pausisca.I.E. (2013). Optimasi produksi bioethanol dari tepung garut dengan sumber khamir komersil. *Jurnal Teknobiologi* 1, 1 – 3.
- Poedjiadi. A dan Supriyanti. T. F. M. (2006). Dasar – dasar biokimia. Jakarta : UI Press.
- Rouland. C., Civitas. A., Renox. J., and Petek. F. (1998). Purification and properties of cellulases from the termite *Macrotermes mulleri* (Termitidae,

- Macrotermitidae) and its symbiotic fungus Termitomyces. sp. Comp. Biochem. Physiol. 91 B (3) : 449 – 458.
- Rukmana, Rahman dan Yuyun Yuniarsih. (2000). Teknologi Tepat Guna Aneka Olahan Ubi Kayu. Kanisius. Yogyakarta.
- Segel. IH. (1975). Biochemical calculations 2<sup>nd</sup> edition. California.
- Smith., Joseph.A. (2007). *Cellulolytic and Xylanolytic Gut Enzyme Activity Patterns In Major Subterranean Termite Pests.* (Dissertation), University of Florida.
- Sudarmadji. S., Haryono. B., dan Suhardji. (1997). *Prosedur analisis untuk bahan makanan dan pertanian.* Liberty. Yogyakarta.
- Sun. Y and Cheng. J. J. (2005). Dilute acid pretreatment of rye straw and bermudagrass for ethanol production. Biosource Technology, 96, 1599 – 1606.
- Taggar.M.S. (2015). Insect cellulolytic enzymes :*Novel sources for degradation of lignocellulosic biomass journal of applied and natural sience* 7, 623 – 630.
- Takuda. G., Watanabe. H., Hojo. M., Fujita. A., Makiyah. M., Miyagi. M., et al. Cellulolytic environment in the midgut of the wood – feeding higher termite. *Nasutitermes takasogoensis.* J insect physiol 2012 ; 58 : 157 – 54.
- Thorne. B. L., Haverty. M. I. (2000). Nest growth and survivorship in three species of neotropical *Nasutitermes* (Isoptera : Termitidae). *Environ Entomol* 29 (2) : 256 – 264.
- Volk. W. A., and Wheeler. M. F. (1988). Mikrobiologi Dasar. Jilid 1. Adisoemarto. S., Penerjemah. Erlangga. Jakarta. Terjemahan dari : Basic Microbiology 5\* Ed, hal 77.
- Watanabe. H., and Takuda, G. (2010). Cellulolytic Systems in Insects. Ann. Rev. entomol 55, 609 – 632.
- Zhou.J.Q, Qin. L., Li.W.C., Zhang.J., Bao.J., Huang.Y.D., Bing – Zhi.L., and Yuang.Y.J. (2015). Simultaneous saccharification and co – fermentation of dry diluted and pretreated corn stover at ligh dry matter loading : Overcoming the inhibitors by non – tolerant yeast. *Bioresourc technology* 198, 39 – 46.