

DAFTAR PUSTAKA

- Abbas, S. M. 2013. The influence of biostimulants on the growth and on the biochemical composition of vicia faba CV. Giza 3 beans. *Romanian Biotechnological Letters*, 18(2), 8061– 8068.
- Aboyami YA. 2008. Comparative growth and grain yield responses of early and late soybean maturity group to induced soil moisture stress at different growth stages. *World J Agric Sci*. 4(1):71-78.
- Adisti, J. putri, Suwirnen, & Idris, M. (2023). The Effect of Asiatic pennyworth (*Centella asiatica* (L.) Urb.) Extract with Several Types of Solvents as a Biostimulant on the Growth of Pagoda Mustard (*Brassica rapa* var. *narinosa* L.). 11(1), 54–61. <https://doi.org/10.25077/jbioua.11.1.54-61.2023>.
- Ambika, S., & Sujatha, K. (2016). Organic seaweed nano powder effect on growth and yield attributes of pigeonpea. *Legume Research - an International Journal*, 40(OFF), 731–734. <https://doi.org/10.18805/lr.v0iof.4481>.
- anjum, S., Ashraf, U., Zohaib, A., Tanveer, M., Naeem, M., Ali., Tabassum, T., & Nazir, U. (2017). Growth and development responses of crop plants under drought stress: a review. *Zemdirbyste-agriculture*, 104, 267-276. <https://doi.org/10.13080/Z-a.2017.104.034>.
- Atteya, A. K. G., & Amer, H. M. (2018). Influence of seaweed extract and amino acids on growth, productivity and chemical constituents of hibiscus *sabdariffa* L. plants. *Bioscience Research*, 15(2). [https://www.isisn.org/BR15\(2\)2018/772-791-15\(2\)2018BR18-133.pdf](https://www.isisn.org/BR15(2)2018/772-791-15(2)2018BR18-133.pdf)
- Aziez, A. F., Indradewa, D., Yudhono, P., & Hanudin, E. (2014). Kehijauan daun, kadar khlorofil, dan laju fotosintesis varietas lokal dan varietas unggul padi sawah yang dibudidayakan secara organik kaitannya terhadap hasil dan komponen hasil. *Agrineca*, 14(2). <https://doi.org/10.36728/afp.v14i2.28>
- Badami K, A. Azmeri. 2011. Identifikasi varian somaklonal toleran kekeringan pada populasi jagung hasil seleksi in vitro dengan PEG. *Agrovior* 4.1
- Basile, B., Y. Roupael, G. Colla, S. Soppelsa, dan C. Andreotti. 2020. Appraisal of emerging crop management opportunities in fruit trees, grapevines and berry crops facilitated by the application of biostimulants. *Scientia Horticultura*, 267: 109330.
- Buntoro, B. H., Rogomulyo, R., & Trisnowa, S. (2014). Pengaruh Takaran Pupuk Kandang dan Intensitas Cahaya Terhadap Pertumbuhan dan Hasil Temu Putih (*Curcuma zedoaria* L.). 3(3), 29–39.

- Calvo, P., Nelson, L., & Kloepper, J. W. (2014). Agricultural uses of plant biostimulants. In *Plant and Soil* (Vol. 383, Issues 1–2). <https://doi.org/10.1007/s11104-014-2131-8>
- Chen, D., Zhou, W., Yang, J., Ao, J., Huang, Y., Shen, D., Jiang, Y., Huang, Z., & Shen, H. (2021). Effects of Seaweed Extracts on the Growth, Physiological Activity, Cane Yield and Sucrose Content of Sugarcane in China. *Frontiers in Plant Science*, 12. <https://doi.org/10.3389/fpls.2021.659130>
- Chen, D., Zhou, W., Yang, J., Ao, J., Huang, Y., Shen, D., Jiang, Y., Huang, Z., & Shen, H. (2021). Effects of Seaweed Extracts on the Growth, Physiological Activity, Cane Yield and Sucrose Content of Sugarcane in China. *Frontiers in Plant Science*, 12. <https://doi.org/10.3389/fpls.2021.659130>.
- Chiaiese, P., Corrado, G., Colla, G., Kyriacou, M. C., & Roupael, Y. (2018). Renewable sources of plant biostimulation: Microalgae as a sustainable means to improve crop performance. In *Frontiers in Plant Science* (Vol. 871). <https://doi.org/10.3389/fpls.2018.01782>
- Chojnacka, K. (2012). Biologically Active Compounds in Seaweed Extracts - the Prospects for the Application. *The Open Conference Proceedings Journal*, 3(1). <https://doi.org/10.2174/1876326x01203020020>
- Cleopatra, Noli, Z. A., Idris, M., Chairul, Suwirman, & Solfiyeni. (2023). Application of *Portulaca oleracea* L. Extract as a Biostimulant with Several Types of Solvents on The Growth of Kale (*Brassica oleracea* var. *achepala*). *Jurnal Biologi Tropis*, 23(4), 715–721. <https://doi.org/10.29303/jbt.v23i4.5711>
- DeSaeger, H., Bartak, A., Eder, E.E., & Kamphuis, J.H. (2016). Memorable experiences in Therapeutic Assessment: Inviting the patient's perspective following a pretreatment randomized controlled trial. *Journal of Personality Assessment*, 98, 472- 479.
- Du Jardin, P. 2012. The Science of Biostimulants, A Bibliography Analysis. Report on Biostimulant. April 2012.
- Dulanlebit, Y. H., & Hernani, H. (2023). Overview of Extraction Methods for Extracting Seaweed and its Applications. *Jurnal Penelitian Pendidikan IPA*, 9(2). <https://doi.org/10.29303/jppipa.v9i2.3053>
- El-Beltagi, H.S., H.I. Mohamed. 2013. Reactive oxygen species, lipid peroxidation and antioxidative defense mechanism. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41:44-57.

- Farooq, M., Wahid, A., Kobayashi, N., Fujita, D., & Basra, S.M.A. (2009). Plant drought stress: Effects, mechanisms, and management. *Agronomy for Sustainable Development*. 29: 185– 212.
- Fitriatin, Betty N., Yuniarti, Anny, Mulyani, Oviyanti, Fauziah, F. S., Tiara, M. D. 2009. Tersedia, Aktivitas Fosfatase, Populasi Mikroorganisme Pelarut Fosfat, Konsentrasi P Tanaman dan Hasil Padi Gogo (*Oryza sativa*. L.) pada Ultisols. *Jurnal Agrikultura*, Vol. 20, No 3.
- Godlewska, K., Michalak, I., Tuhy, L., & Chojnacka, K. (2016). Plant Growth Biostimulants Based on Different Methods of Seaweed Extraction with Water. *BioMed Research International*, 2016. <https://doi.org/10.1155/2016/5973760>
- Goñi O, P Quille & S O'Connell (2018). *Ascophyllum nodosum* extract biostimulants and their role in enhancing tolerance to drought stress in tomato plants. *Plant Physiology and Biochemistry* 126, 63–73.
- Hadi, F., I.J. Zakaria and Z. Syam. 2016. Diversity of Macroalgae in Kasiak Gadang Island Nirwana Beach, Padang – West Sumatera, Indonesia. *The Journal of Tropical Life Science*. Vol. 6, No. 2, pp. 97 – 100.
- Hapsari, S., Yohed, I., Kristianita, R. A., Jadid, N., Aparamarta, H. W., & Gunawan, S. (2022). Phenolic and flavonoid compounds extraction from *Calophyllum inophyllum* leaves. *Arabian Journal of Chemistry*, 15(3). <https://doi.org/10.1016/j.arabjc.2021.103666>.
- Hernani, Marwati, T., & Winarti, C. 2007. Pemilihan Pelarut Pada Pemurnian Ekstrak Lengkuas (*Alpinia galanga*) Secara Ekstraksi . *Jurnal Pascapanen*, 4(1): 1-8.
- India.Rimayani, S., Z.A Noli, Z. Zulfikar, dan A. Bakhtiar. 2022. Effect of Seaweed Extract From Water, Methanol, and Ethanol Extraction as Biostimulant on Growth and Yield of Upland Rice (*Oryza sativa* L.) in Ultisol. *International Journal of Progressive Sciences and Technologies*, 30: 44 -455.
- Kavipriya, R dan T. Nallamuthu. 2012. Effect of Seaweed Liquid Fertilizers on The Biostimulan on Early Seed Germination and Growth Parameters of *Oryza Sativa* L. *Center of Advanced Studies in Botany. INT J CURR SCI* 2012, 3: 15- 20. ISSN 2250-1770, India.
- Kemit, N., I. W. R. Widarta, K. A. Nocianitri. 2016. Pengaruh jenis pelarut terhadap kandungan senyawa flavonoid dan aktivitas antioksidan ekstrak daun alpukat (*Persea americana* Mill). *Jurnal ITEPA*. 5(2): 130 – 141.
- Khan, W, U.P. Rayirath, S. Subramanian, M.N. Jithesh, P. Rayorath, D.M. Hodges, T.C. Alan,, J.S. Craigie, J. Norrie, B. Prithiviraj. 2009. Seaweed Extracts as

Biostimulants of Plant Growth and Development. *Journal of Plant Growth Regulator*. 28:386–399.

- Kocira, A., Ćwieca, M., Kocira, S., Z³otek, U., Jakubczyk, A., (2016). Enhancement of yield, nutritional and nutraceutical properties of two common bean cultivars following the application of seaweed extract (*Ecklonia maxima*). *Saudi J. Biol. Sci.*, <https://doi.org/10.1016/j.sjbs.2016.01.039>.
- Krawczuk, A., Huyghebaert, B., Rabier, F., Parafiniuk, S., Przywara, A., Koszel, M., Lorencowicz, E., & Kocira, S. (2023). The Technical Parameters of Seaweed Biostimulant Spray Application as a Factor in the Economic Viability of Soybean Production. *Applied Sciences (Switzerland)*, 13(2). <https://doi.org/10.3390/app13021051>
- Kron AP, Souza GM, Ribeiro RV. 2008. Water deficiency at different developmental stages of *Glycine max* can improve drought tolerance. *Bragantia Campinas*. 1(67):43-49.
- Kusvuran, S., H.Y. Dasgan and K. Abak, 2011. Responses of different melon genotypes to drought stress. *Yüzüncü Yıl Univ. J. Agric. Sci.*, 21: 209–219.
- Lambers, H., Chapin III, F.S. and Pons, T.L., 2008. *Plant Physiological Ecology*; Springer: New York, NY, USA
- Li, Y., He, N., Hou, J., Xu, L., Liu, C., Zhang, J., Wang, Q., Zhang, X., & Wu, X. (2018). Factors influencing leaf chlorophyll content in natural forests at the biome scale. *Frontiers in Ecology and Evolution*, 6(JUN). <https://doi.org/10.3389/fevo.2018.00064>
- Lynch JP, Brown KM. 2012. New roots for agriculture: exploiting the root phenome. *Phil Trans R Soc B*. 367: 1598–1604.
- Mahmoud, S.H. et al., 2019. Utilization of seaweed (*Sargassum vulgare*) extract to enhance growth, yield and nutritional quality of red radish plants. *Annals of Agricultural Sciences*, 64(2), pp.167–175. <https://doi.org/10.1016/j.aos.2019.11.002>.
- Masitah, M., Pribadi, T., Pratama, M. I., Harrist, R. F., Sari, P. A., Dianita, F., & Setiawan, V. K. (2023). ANALISIS KANDUNGAN METABOLIK SEKUNDER PADA DAUN KENIKIR (*Cosmos Caudatus* Kunth.) DENGAN PELARUT METANOL, ETANOL, DAN ETIL ASETAT. *BIOEDUKASI (Jurnal Pendidikan Biologi)*, 14(2). <https://doi.org/10.24127/bioedukasi.v14i2.7805>.
- Mathobo, R, Marais, D, & Steyn, J. (2017). The effect of drought stress on yield, leaf gaseous exchange, and chlorophyll fluorescence of dry beans (*Phaseolus vulgaris* L.) *Agr Water Manage*.180:118–125.

- Matysiak, K., Kaczmarek, S. and Krawczyk, R. 2011. Influence of Seaweed Extracts and Mixture of Humic Acid Fulvic Acids on Germination and Growth of *Zea mays* L. *Acta Sci Pol Agri* 10:33-45 p.
- Meyer, B.S., 2020. Plant-water relations. AccessScience. McGraw-Hill Education. <https://doi:10.1036/10978542.525300>
- Mustamu YA. 2009. Seleksi kedelai generasi F4 terhadap intensitas cahaya rendah di dua lingkungan. Pasca Sarjana Institut Pertanian Bogor.
- Noli, Z. A., & Azwar, M. (2021). Effects of *Sargassum crassifolium* Extract Formula as Biostimulant on Growth and Yield of *Glycine max* L. Merrill. *Jurnal Biologi Tropis*, 21(3). <https://doi.org/10.29303/jbt.v21i3.2842>
- Noli, Z. A., Aliyyanti, P., & Mansyurdin. (2022). Study the Effect of *P. minor* Seaweed Crude Extract as a Biostimulant on Soybean. *Pakistan Journal of Biological Sciences*, 25(1). <https://doi.org/10.3923/PJBS.2022.23.28>
- Noli, Z. A., Suwirmen, Aisyah, & Aliyyanti, P. (2021). Effect of liquid seaweed extracts as biostimulant on vegetative growth of soybean. *IOP Conference Series: Earth and Environmental Science*, 759(1), 1–9. <https://doi.org/10.1088/1755-1315/759/1/012029>.
- Noli, Z. A., Suwirmen, S., Izmiarti, I., Oktavia, R., & Aliyyanti, P. (2021). Respon Padi Gogo (*Oryza sativa* L.) terhadap Pemberian Biostimulan dari Ekstrak Rumput Laut *Padina minor*. *Bioscientist: Jurnal Ilmiah Biologi*, 9(2). <https://doi.org/10.33394/bioscientist.v9i2.4249>
- Noli, Z.A., Suwirmen, Aisyah, and P. Aliyyanti. 2021. Effect of Liquid Seaweed Extracts as Biostimulant on Vegetative Growth of Soybean. *IOP Conf. Series: Earth and Enviromental Science* 759.
- Novita, M., M. I. Sulaiman, dan S. Yura. 2016. Pengaruh jenis pelarut terhadap aktivitas antioksidan dan kandungan fenol beberapa jenis bayam dan sayuran lain. *Jurnal Ilmiah Mahasiswa Pertanian Unsyiah*. 1(1):935-940.
- Pati, U. K., & Chowdhury, A. (2015). A Comparison of Phytotoxic Potential among the Crude Extracts from *Parthenium hysterophorus* L. Extracted with Solvents of Increasing Polarity. *International Letters of Natural Sciences*, 33. <https://doi.org/10.18052/www.scipress.com/ilns.33.73>
- Prasetyo, B. H. dan D.A. Suriadikarta. 2006. Karakteristik, Potensi, Dan Teknologi Pengelolaan Tanah Ultisol Untuk Pengembangan Pertanian Lahan Kering Di Indonesia *Jurnal Litbang Pertanian*, 25(2).
- Puspa Yani, N. K. L., Nastiti, K., & Noval, N. (2023). Pengaruh Perbedaan Jenis Pelarut Terhadap Kadar Flavonoid Total Ekstrak Daun Sirsak (*Annona*

muricata L.). Jurnal Surya Medika, 9(1).
<https://doi.org/10.33084/jsm.v9i1.5131>.

Rimayani, S., Aneloi Noli, Z., Zulfikar, & Bakhtiar, A. (2022). Effect of Seaweed Extract from Water, Methanol, and Ethanol Extraction as Biostimulant on Growth and Yield of Upland Rice (*Oryza sativa* L.) in Ultisol. *International Journal of Progressive Sciences and Technologies (IJPSAT)*, 30(2).
<https://ijpsat.org/index.php/ijpsat/article/view/4031>

Rivai, H., Putra, R. Y., & Krisyanella. 2012. Penentuan Pengaruh Jenis Pelarut Pengekstrak Terhadap Perolehan Kadar Senyawa Fenolat Dan Aktifitas Antioksidan Dari Daun Jambu Biji (*Psidium guajava* L.). *Jurnal Farmasi Higea*, 4(1): 16- 23.

Santari, P. T., & Hatta, M. (2023). Pemberian Mikoriza dan Biostimulan Ekstrak Rumput Laut terhadap Pertumbuhan dan Hasil Jagung di Rasau Jaya, Kalimantan Barat. *Agrikultura*, 34(1).
<https://doi.org/10.24198/agrikultura.v34i1.43075>.

Sasadara, M. M. V., & Wiranata, I. G. (2022). Pengaruh Pelarut dan Metode Ekstraksi terhadap Kandungan Metabolit Sekunder dan Nilai IC50 Ekstrak Umbi Bit (*Beta vulgaris* L.). *Usadha*, 2(1).
<https://doi.org/10.36733/usadha.v2i1.5277>.

Seleiman, M. F., Al-Suhaibani, N., Ali, N., Akmal, M., Alotaibi, M., Refay, Y., Dindaroglu, T., Abdul-Wajid, H. H., & Battaglia, M. L. (2021). Drought stress impacts on plants and different approaches to alleviate its adverse effects. In *Plants* (Vol. 10, Issue 2). <https://doi.org/10.3390/plants10020259>.

Sutharsan, S., Nishanthi, S., & Srikrishnah, S. (2014). Effects of Foliar Application of Seaweed (*Sargassum crassifolium*) Liquid Extract on the Performance of *Lycopersicon esculentum* Mill. In Sandy Regosol of Batticaloa District Sri Lanka. *J. Agric. & Environ. Sci.*, 14(12), 1386–1396.
<https://doi.org/10.5829/idosi.aejaes.2014.14.12.1828>

Suwirmen, S., Noli, Z. A., & Rukmini, T. (2022). Aplikasi Ekstrak *Padina minor* dan *Centella asiatica* sebagai Biostimulan terhadap Pertumbuhan Tanaman Kedelai (*Glycine max* (L.) Merr.). *Bioscientist: Jurnal Ilmiah Biologi*, 10(1). <https://doi.org/10.33394/bioscientist.v10i1.4654>.

Truong, D. H., Nguyen, D. H., Ta, N. T. A., Bui, A. V., Do, T. H., & Nguyen, H. C. (2019). Evaluation of the use of different solvents for phytochemical constituents, antioxidants, and in vitro anti-inflammatory activities of *severinia buxifolia*. *Journal of Food Quality*, 2019.
<https://doi.org/10.1155/2019/8178294>.

- Vgarte, R.A., Sharp, G. and Moore, B. (2006). Changes in the brown seaweed *Ascophyllum nodosum* plant morphology and biomass produced by cutter rake harvests in southern New Brunswick. *Canadian Journal of Applied Phycology*, 18: 351 – 359.
- Wang, X., Guo, Y., Zhou, J., & Sun, G. (2017). Structural changes of poplar wood lignin after supercritical pretreatment using carbon dioxide and ethanol-water as co-solvents. *RSC Advances*, 7(14). <https://doi.org/10.1039/C6RA26122A>.
- Widiastuti, E., & Latifah, E. (2016). Keragaan Pertumbuhan dan Biomassa Varietas Kedelai (*Glycine max* (L)) di Lahan Sawah dengan Aplikasi Pupuk Organik Cair (Growth. *Jurnal Ilmu Pertanian Indonesia*, 21(2), 90–97. <https://doi.org/10.18343/jipi.21.2.90>.
- Wijekoon, M. M. J. O., Bhat, R., & Karim, A. A. (2011). Effect of extraction solvents on the phenolic compounds and antioxidant activities of bunga kantan (*Etlingera elatior* Jack.) inflorescence. *Journal of Food Composition and Analysis*, 24(4–5). <https://doi.org/10.1016/j.jfca.2010.09.018>.
- Xu Chenping & Leskovar Daniel I (2015). Effects of *A. nodosum* seaweed extracts on spinach growth, physiology and nutrition value under drought stress. *Scientia Horticulturae* 183, 39– 47.
- Yang X, Lu M, Wang Y, Wang Y, Liu Z, Chen S. 2021. Response Mechanism of Plants to Drought Stress. *Horticulturae*. 7(3):50. <https://doi.org/10.3390/horticulturae7030050>.
- Yao, Y., Wang, X., Chen, B., Zhang, M., & Ma, J. (2020). Seaweed Extract Improved Yields, Leaf Photosynthesis, Ripening Time, and Net Returns of Tomato (*Solanum lycopersicum* Mill.). *ACS Omega*, 5(8), 4242–4249. <https://doi.org/10.1021/acsomega.9b04155>.
- Yuswi, N. C. 2017. Ekstraksi Antioksidan Bawang Dayak (*Eleutherine palmifolia*) Dengan Metode Ultrasonic Bath (Kajian Jenis Pelarut Dan Lama Ekstraksi). *Jurnal Pangan dan Agroindustri*, 5(1): 71-78