

DAFTAR PUSTAKA

- (1) Sun, L.; Feng, C.; Chen, L.; Huang, S. Dielectric Relaxation in Layer-Structured SrBi₂-XNd XNb₂O₉ Ceramics (x = 0, 0.05, 0.2, 0.35). *Journal of the American Ceramic Society* **2007**, *90* (1), 322–326. <https://doi.org/10.1111/j.1551-2916.2006.01405.x>.
- (2) Zulhadjri, Z.; Amir, F. Q.; Mahmud, M.; Septiani, U.; Arief, S. Struktur Dan Sifat Dielektrik Senyawa Aurivillius CaBi₃LaTi₄O₁₅ Yang Disintesis Dengan Teknik Hidrotermal. *Jurnal Riset Kimia* **2020**, *11* (1), 9–15. <https://doi.org/10.25077/jrk.v11i1.343>.
- (3) Wendari, T. P.; Arief, S.; Mufti, N.; Insani, A.; Baas, J.; Blake, G. R.; Zulhadjri. Structure-Property Relationships in the Lanthanide-Substituted PbBi₂Nb₂O₉ Aurivillius Phase Synthesized by the Molten Salt Method. *J Alloys Compd* **2021**, *860*. <https://doi.org/10.1016/j.jallcom.2020.158440>.
- (4) Axelsson, A. K.; le Goupil, F.; Valant, M.; Alford, N. M. N. Electrocaloric Effect in Lead-Free Aurivillius Relaxor Ferroelectric Ceramics. *Acta Mater* **2017**, *124*, 120–126. <https://doi.org/10.1016/j.actamat.2016.11.001>.
- (5) Axelsson, A. K.; le Goupil, F.; Valant, M.; Alford, N. M. N. Electrocaloric Effect in Lead-Free Aurivillius Relaxor Ferroelectric Ceramics. *Acta Mater* **2017**, *124*, 120–126. <https://doi.org/10.1016/j.actamat.2016.11.001>.
- (6) Zulhadjri; Wendari, T. P.; Ramadhani, R.; Putri, Y. E.; Imelda. La³⁺ Substitution Induced Structural Transformation in CaBi₄Ti₄O₁₅ Aurivillius Phases: Synthesis, Morphology, Dielectric and Optical Properties. *Ceram Int* **2021**, *47* (16), 23549–23557. <https://doi.org/10.1016/j.ceramint.2021.05.072>.
- (7) Sun, H.; Wu, Y.; Xie, X.; Lu, Y.; Yao, T.; Zhong, J.; Chen, X. Ferroelectric, Magnetic, and Optical Properties of Aurivillius Compound Bi₅FeTi_{2.5}Co_{0.5}O₁₅. *Journal of Materiomics* **2018**, *4* (4), 353–359. <https://doi.org/10.1016/j.jmat.2018.09.005>.
- (8) Vijatovic Petrovic, M. M.; Bobic, J. D. Perovskite and Aurivillius: Types of Ferroelectric Metal Oxides. In *Magnetic, Ferroelectric, and Multiferroic Metal Oxides*; Elsevier, **2018**; pp 35–49. <https://doi.org/10.1016/B978-0-12-811180-2.00002-5>.
- (9) Sun, S.; Yin, X. Progress and Perspectives on Aurivillius-type Layered Ferroelectric Oxides in Binary Bi₄Ti₃O₁₂-BiFeO₃ System for Multifunc-

- Tional Applications. *Crystals*. MDPI AG January 1, 2021, pp 1–35. <https://doi.org/10.3390/cryst11010023>.
- (10) Suárez, D. Y.; Reaney, I. M.; Lee, W. E. *Relation between Tolerance Factor and Tc in Aurivillius Compounds*. *Materials Research* 2001, 3139–3149.
- (11) Macquart, R.; Kennedy, B. J.; Hunter, B. A.; Howard, C. J. *High-Temperature Structural Studies of PbBi₂M₂O₉ (M = Nb and Ta)*. *Journal Of Physics: Condensed Matter* **2002**; Vol. 14. <http://iopscience.iop.org/0953-8984/14/34/314>.
- (12) Gu, Y.; Kim, M.; Kim, H. S.; Lim, D. H. Synthesis and Characterization of Fe Doped Aurivillius-Phase PbBi₂Nb₂O₉ Perovskite and Their Photocatalytic Activity on the Degradation of Methylene Blue. *Catalysts* **2023**, 13 (2). <https://doi.org/10.3390/catal13020399>.
- (13) Rerak, M.; Makowska, J.; Osińska, K.; Goryczka, T.; Zawada, A.; Adamczyk-Habrajska, M. The Effect of Pr Doping Contents on the Structural, Microstructure and Dielectric Properties of BaBi₂Nb₂O₉ Aurivillius Ceramics. *Materials* **2022**, 15 (16). <https://doi.org/10.3390/ma15165790>.
- (14) Wendari, T. P.; Arief, S.; Mufti, N.; Insani, A.; Baas, J.; Blake, G. R.; Zulhadjri. Structural and Multiferroic Properties in Double-Layer Aurivillius Phase Pb_{0.4}Bi_{2.1}La_{0.5}Nb_{1.7}Mn_{0.3}O₉ Prepared by Molten Salt Method. *J Alloys Compd* **2020**, 820. <https://doi.org/10.1016/j.jallcom.2019.153145>.
- (15) Whatmore, R. Ferroelectric Materials. In *Springer Handbooks*; Springer, 2017; p 1. https://doi.org/10.1007/978-3-319-48933-9_26.
- (16) Shi, Y.; Pu, Y.; Zhang, Q.; Li, J.; Guo, L. Dielectric and Multiferroic Properties of Two-Layered SrBi₂Nb₂-XFexO₉ Aurivillius Compounds. *Ceram Int* **2018**, 44, S61–S64. <https://doi.org/10.1016/j.ceramint.2018.08.251>.
- (17) Saeed, N.; Malen, J. A.; Chamanzar, M.; Krishnamurti, R. Experimental Correlation of Thermal Conductivity with Dielectric Properties of Wood and Wood-Based Materials: Possibilities for Rapid in-Situ Building Energy Evaluation. *Journal of Building Engineering* **2022**, 50. <https://doi.org/10.1016/j.job.2022.104178>.
- (18) Palneedi, H.; Peddigari, M.; Hwang, G. T.; Jeong, D. Y.; Ryu, J. High-Performance Dielectric Ceramic Films for Energy Storage Capacitors:

- Progress and Outlook. *Advanced Functional Materials*. Wiley-VCH Verlag October 17, 2018. <https://doi.org/10.1002/adfm.201803665>.
- (19) Hervoche, C. H.; Irvine, J. T. S.; Lightfoot, P. Two High-Temperature Paraelectric Phases in (Formula Presented). *Phys Rev B Condens Matter Mater Phys* **2001**, *64* (10). <https://doi.org/10.1103/PhysRevB.64.100102>.
- (20) Kannan, B. R.; Venkataraman, B. H. Effect of Rare Earth Ion Doping on the Structural, Microstructural and Diffused Phase Transition Characteristics of BaBi₂Nb₂O₉ Relaxor Ferroelectrics. *Ceram Int* **2014**, *40* (PB), 16365–16369. <https://doi.org/10.1016/j.ceramint.2014.07.076>.
- (21) Setasuwon, P.; Kijamnajsak, S. Effects of Starting Materials on Molten Salt Synthesis of Bi₄Ti₃O₁₂. *Adv Mat Res* **2008**, *55–57*, 165–168. <https://doi.org/10.4028/www.scientific.net/amr.55-57.165>.
- (22) Wendari, T. P.; Arief, S.; Mufti, N.; Baas, J.; Blake, G. R.; Zulhadjri. Ratio Effect of Salt Fluxes on Structure, Dielectric and Magnetic Properties of La,Mn-Doped PbBi₂Nb₂O₉ Aurivillius Phase. *Ceram Int* **2020**, *46* (10), 14822–14827. <https://doi.org/10.1016/j.ceramint.2020.03.007>.
- (23) Dwi Wicaksono, D.; Imam Setiawan, N.; Wilopo, W.; Harijoko, A. *Teknik Preparasi Sampel Dalam Analisis Mineralogi Dengan XRD (X-Ray Diffraction) Di Departemen Teknik Geologi, Fakultas Teknik, Universitas Gadjah Mada*.
- (24) Peng, Z.; Zeng, X.; Cao, F.; Yang, X. Microstructure and Impedance Properties of La, Ce Multi-Rare Earth Ions Doped Na_{0.5}Bi_{2.5}Nb₂O₉Aurivillius Type Ceramics. *J Alloys Compd* **2017**, *695*, 626–631. <https://doi.org/10.1016/j.jallcom.2016.11.127>.
- (25) Kimura, T. *Molten Salt Synthesis of Ceramic Powders*. www.intechopen.com.
- (26) Cao, Z. P.; Wang, C. M.; Zhao, T. L.; Yu, S. L.; Wu, H. Z.; Wang, Y. M.; Wang, Q.; Liang, Y.; Wei, Y. N.; Zhang, Y.; Liu, Y.; Tang, X. S. Piezoelectric Properties and Thermal Stabilities of Strontium Bismuth Titanate (SrBi₄Ti₄O₁₅). *Ceram Int* **2015**, *41* (10), 13974–13982. <https://doi.org/10.1016/j.ceramint.2015.07.008>.
- (27) Zulhadjri; Wendari, T. P.; Ramadhani, R.; Putri, Y. E.; Imelda. La³⁺ Substitution Induced Structural Transformation in CaBi₄Ti₄O₁₅ Aurivillius Phases: Synthesis, Morphology, Dielectric and Optical Properties. *Ceram*

- (28) Bosca, M.; Pop, L.; Borodi, G.; Pascuta, P.; Culea, E. XRD and FTIR Structural Investigations of Erbium-Doped Bismuth-Lead-Silver Glasses and Glass Ceramics. *J Alloys Compd* **2009**, *479* (1–2), 579–582. <https://doi.org/10.1016/j.jallcom.2009.01.001>.
- (29) Kitamura, A.; Lee, C. W.; Noguchi, Y.; Miyayama, M. Changes of Polarization Properties with Increasing Temperature in Stoichiometric- and Modified-
SrBi₂Ta₂O₉/
Sub> *Key Eng Mater* **2003**, *248*, 3–6.
<https://doi.org/10.4028/www.scientific.net/KEM.248.3>.
- (30) Zhang, L.; Tang, Z. J. Polaron Relaxation and Variable-Range-Hopping Conductivity in the Giant-Dielectric-Constant Material CaCu₃Ti₄O₁₂. *Phys Rev B Condens Matter Mater Phys* **2004**, *70* (17), 1–6. <https://doi.org/10.1103/PhysRevB.70.174306>.
- (31) Prasanna, R.; Gold-Parker, A.; Leijtens, T.; Conings, B.; Babayigit, A.; Boyen, H. G.; Toney, M. F.; McGehee, M. D. Band Gap Tuning via Lattice Contraction and Octahedral Tilting in Perovskite Materials for Photovoltaics. *J Am Chem Soc* **2017**, *139* (32), 11117–11124. <https://doi.org/10.1021/jacs.7b04981>
- (32) Nan, W.; Li, C.; Zhou, B.; Fu, Q.; Li, D.; Yu, H.; Hu, Z.; Wu, Y. Purification and Improved Photoelectric Properties of Lead-Free Perovskite Cs₃Bi₂Br₉ Crystals. *Crystals* **2023**, *13*, 871. <https://doi.org/10.3390/cryst13060871>
- (33) Xie, X.; Zhou, Z.; Chen, T.; Liang, R.; Dong, X. Enhanced Electrical Properties of NaBi Modified CaBi₂Nb₂O₉-Based Aurivillius Piezoceramics via Structural Distortion. *Ceram Int* **2019**, *45* (5), 5425–5430. <https://doi.org/10.1016/j.ceramint.2018.11.244>
- (34) Dey, K.; Ghosh, D.; Pilot, M.; Pering, S. R.; Roose, B.; Deswal, P.; Senanayak, S. P.; Cameron, P. J.; Islam, S.; Stranks, S. D. Substitution of Lead with Tin Suppresses Ionic Transport in Halide Perovskite Optoelectronics.
- (35) González-Abreu, Y.; Peláiz-Barranco, A.; Suárez-González, L. C.; Guerra, J. D. S. Effects of Polarons and Oxygen Vacancies on Dielectric Relaxation and Electrical Conductivity Behavior in a Lead-Free Relaxor Ferroelectric. *J*

Alloys Compd **2019**, 787, 140–144.
<https://doi.org/10.1016/j.jallcom.2019.02.084>.

- (36) Hamer, C.; Opitz, A. K.; Rupp, G. M.; Fleig, J. Revisiting the Temperature Dependent Ionic Conductivity of Yttria Stabilized Zirconia (YSZ). *J. Electrochem. Soc.* **2017**, 164 (7), F790–F803.
<https://doi.org/10.1149/2.0641707jes>.
- (37) Thomas, J. K., Anderson, M. E., Krause, W. E., & Loye, H. Z. Oxygen Ion Conductivity in a New Class of Layered Bismuth Oxide Compounds. **1992**. MRS Proceedings, 293. doi:10.1557/proc-293-295

