

DAFTAR PUSTAKA

1. Alifiana F, Ranggaini MD, Halim J, Oral DB, Kedokteran F, Universitas G, et al. Efek Sitotoksitas Ekstrak Etanol 70% *Curcuma xanthorrhiza Roxb.* Terhadap Sel RAW 264,7 yang diinduksi Lipopolisakarida (LPS). 2022;4(2):14–9.
2. Osei-Kwarteng M, Gweyi-Onyango JP, Mahunu GK. Roselle (*Hibiscus sabdariffa*) Chemistry, Production, Products, and Utilization. Roselle (*Hibiscus sabdariffa*): Chemistry, Production, Products, and Utilization. 2021. 15–31 hal.
3. Islam A, Jamini TS, Islam M, Yeasmin S, Hasan AK. Fundamental and Applied Agriculture Roselle: A Functional Food with High Nutritional and Medicinal Values. Online) Fund Appl Agric. 2016;1(2):44–9.
4. Serial Data ilmiah Terkini Tumbuhan Obat Rosela (*Hibiscus sabdariffa L.*). 2010.
5. Mahadevan N, Shivali, Kamboj P. *Hibiscus sabdariffa Linn.* -An overview. Nat Prod Radiance. 2009;8(1):77–83.
6. Nurani LH, Widyarini S, Mursyidi A. Uji Sitotoksik Dan Uji Kombinasi Fraksi Etil Asetat Ekstrak Etanol Akar Pasak Bumi (*Eurycoma Longifolia Jack.*) Dan Doksurubisin Pada Sel Limfosit. J Trop Pharm Chem. 2015;3(2):138–47.
7. Khumairoh I, Puspitasari IM. Kultur Sel. Farmaka. 2016;14(2):98–110.
8. Khaghani S, Razi F, Yajloo MM, Paknejad M, Shariftabrizi A, Pasalar P. Selective Cytotoxicity and Apoptogenic Activity of Hibiscus Sabdariffa Aqueous Extract Against MCF-7 Human Breast Cancer Cell Line. J Cancer Ther. 2011;02(03):394–400.
9. Taciak B, Białasek M, Braniewska A, Sas Z, Sawicka P, Kiraga Ł, et al. Evaluation of Phenotypic and Functional Stability of RAW 264.7 Cell Line Through Serial Passages. PLoS One. 2018;13(6):1–13.
10. Rodriguez-Salinas P, Zavala-garcia F, Urias-Orona V, Muy-Rangel D. Chromatic, nutritional and Nutraceutical Properties of Pigmented Native Maize (*Zea mays L.*) Genotypes from the Northeast of Mexico. Arab J Sci Eng. 2020;45:95–112.
11. Kasahara S, Hemmi S. Medical Herbs Index In Indonesia 2nd Ed. PT Eisai Indones. 1995;
12. Dahlia AA, Amin A, Lestari R. Identifikasi Morfologi dan parameter Spesifik Simplisia dan Ekstrak Daun Rosela (*Hibiscus sabdariffa L.*) Asal Kab. Enrekang (Sulawesi Selatan). J Ilm As-Syifaa. 2012;4(2):159–75.
13. Atta S, Seyni H, Bakasso Y, Sarr B, Lona I, Saadou M. Yield Characteristic Variability in Roselle (*Hibiscus sabdariffa L.*). African J Agric Res. 2011;6(6):1371–7.
14. Ali BH, Al Wabel N, Blunden G. Phytochemical, Pharmacological and Toxicological Aspects of *Hibiscus sabdariffa L.*: A review. Phyther Res. 2005;19(5):369–75.
15. Oktaviani T, Megantara S, Kunci K, Rosella ;, Sabdariffa H, Farmakologi A. Aktivitas Farmakologi Ekstrak Rosella (*Hibiscus sabdariffa L.*). Farmaka. 2018;16:345–51.

16. Essa M, Subramanian P. Hibiscus sabdariffa Affects Ammonium Chloride-Induced Hyperammonemic Rats. eCAM. 2007;4(3):321–5.
17. Triyastuti MS, Anwar N. Bioactive Compounds from Purple Roselle Calyx (*Hibiscus sabdariffa L.*) Extract Using Multistage Countercurrent Method. Media Gizi Indones. 30 Januari 2022;17(1):1.
18. Priska M, Peni N, Carvallo L, Ngapa YD. Antosianin dan Pemanfaatannya. Cakra Kim (Indonesian E-Journal Appl Chem. 2018;6(2):79–97.
19. Purbowati, M, Sitoresmi I, Syamsu K, Warsiki E, Sri Rukmini H. Evaluasi Toksisitas, Aktivitas Antibakteri Dan Antioksidan Komponen Bioaktif Rosela Dengan Variasi Jenis Pelarut. J Tek Ind Pert. 2015;25(2):182–9.
20. Suradji SI, Najib A, Ahmad AR. Studi Komparasi Kadar Flavonid Total pada Bunga Rosella Merah (*Hibiscus sabdariffa L.*) Asal Kabupaten Luwu Utara Provinsi Sulawesi Selatan dan Kabupaten Kediri Provinsi Jawa Timur. J Fitofarmaka Indones. 2016;3(2):175–81.
21. Mardiah, Zakaria, Prangdimurti E, Damanik R. Budi Daya dan Pengolahan Rosela Si Merah Segudang Manfaat. PT. Agromedia Pustaka. 2009.
22. Djeussi D., Noumedem J., Seukep J, Fankam A, Voukeng I, Tankeo S, et al. Antibacterial Activities of Selected Edible Plants Extracts Against Multidrug-Resistant Gram-negative Bacteria. BMC Complement Altern Med. 2013;10:164.
23. Borras-Linares I, Fernandez-Arroyo S, Arraez-Roman D, Palmeros-Suarez P., Del Val-Diaz R, Andrade-Gonzalez I. Characterization of Phenolic Compounds, Anthocyanidin, Antioxidant, and Antimicrobial Activity of 25 Varieties of Mexican Roselle (*Hibiscus sabdariffa*). Ind Corps Prod. 2015;69:385–94.
24. Carvajal-Zarrabal O, Maliszewski S., Barrads-Dermitz D. The Consumption of Hibiscus sabdariffa Dried Calyx Ethanolic Extract Reduced Lipid Profile in Rats. Plants Foods Hum Nutr. 2005;60(4):153.
25. Hopkins A, Lamm M, Funk JL, Ritenbaugh C. *Hibiscus sabdariffa L.* in the Treatment of Hypertension and Hyperlipidemia: A Comprehensive Review of Animal and Human Studies. Fitoterapia. 2013;85:84–94.
26. Menkes RI. Peraturan Menteri Kesehatan Republik Indonesia Nomor 6 Tahun 2016 Tentang Formularium Obat Herbal Asli Indonesia. 2016;6(August):128.
27. Daffalah A., Al-Musafa Z. Investigation of the Anti-inflammatory Activity of *Acacia nilotica* and *Hibiscus sabdariffa*. Am J Chin Med. 1996;24:263–9.
28. Farombi E., Ige O. Hypolipidemic and Antioxidant Effects of Ethanolic Extract from Dried Calyx of *Hibiscus sabdariffa* in Alloxan-Induced Diabetic Rats. Fundam Clin Pharmacol. 2007;21:601–9.
29. Tseng T, Wang C, Kao E, Chu H. Hibiscus Protocatechuic Acid Protects Against Oxidative Damage Induced by Tertbutylhydroperoxide in Rat Primary Hepatocytes. Chem-Biol Inter. 1996;101(2):137–48.
30. Onyenekwe PC, Ajani EO, Ameh DA, Gamaniel KS. Antihypertensive Effect of Roselle (*Hibiscus sabdariffa*) Calyx Infusion in Spontaneously Hypertensive Rats and a Comparison of its Toxicity with That in Wistar Rats. Cell Biochem Funct. September 1999;17(3):199–206.
31. Orisakwe OE, Husaini DC, Afonne OJ. Testicular Effects of Sub-Chronic Administration of Hibiscus sabdariffa Calyx Aqueous Extract in Rats.

- Reprod Toxicol. Maret 2004;18(2):295–8.
32. Akindahunsi A., Olaleye M. Toxicological Investigation of Aqueous-methanolic Extract of the Calyces of *Hibiscus sabdariffa L.* J Ethnopharmacol [Internet]. November 2003;89(1):161–4. Tersedia pada: <https://linkinghub.elsevier.com/retrieve/pii/S0378874103002769>
33. . J, Osmeli D, . Y. Kandungan Senyawa Kimia, Uji Toksisitas (*Brine Shrimp Lethality Test*) dan Antioksidan (1,1-diphenyl-2-pikrilhydrazyl) dari Ekstrak Daun Saga (*Abrus precatorius L.*). Makara J Sci. 2010;13(1).
34. Mukhriani. Ekstraksi, Pemisahan Senyawa, dan Identifikasi Senyawa Aktif. J Agripet. 2016;16(2):76.
35. Sarker S, Latif Z, Gray A. Natural Products Isolation. 2nd ed. Sarker S, Latif Z, Gray A, editor. Methods in Biotechnology. Totowa (New Jersey): Humana Press Inc.; 2006. 6–10 hal.
36. Handoyo DLY. Pengaruh Lama Waktu Maserasi (Perendaman) Terhadap Kekentalan Ekstrak Daun Sirih (*Piper Betle*). J Farm Tinctura. 2020;2(1):34–41.
37. Gandjar IG. Kimia Farmasi Analisis. Makassar: Pustaka Pelajar; 2012.
38. Seidel V. Initial and Bulk Reaction. In: Sarker S, Latif Z, Gray A, editor. Natural Products Isolations. 2nd ed. Totowa (New Jersey): Humana Press Inc.; 2006. hal. 31–5.
39. Suwandi DW, Rostinawati T, Muchtaridi M, Subarnas A. In vitro Evaluation of Selligueain An Effects on the Pro-inflammatory Mediators Production in RAW 264.7 Murine Macrophages. J HerbMed Pharmacol. 2021;10(3):313–8.
40. Sittampalam G, Coussens N, Arkin M, Auld D, Austin C, Bejcek B, et al. Assay Guidance Manual. Assay Guid Man. 2016;(Md):305–36.
41. Bahuguna A, Khan I, Bajpai VK, Kang SC. MTT Assay to Evaluate the Cytotoxic Potential of a Drug. Bangladesh J Pharmacol. 2017;12(2):115–8.
42. Ikrom, T.R Denok A, A Reni W, B Bintang P, N Rafika T, Wasito. Studi In Vitro Ekstrak Etanol Daun Kamboja (*Plumeria alba*) sebagai Anti Aeromonas hydrophila. J Sain Vet. 2014;32(1):105–16.
43. Nasional T, Dirjen SK, Riset P, Kemenristekdikti P, Li W, Li N. Uji Sitotoksik dan Anti-Inflamasi Ekstrak Buah Bengkuang (*Pachyrizus erosus (L.) Urb.*) terhadap Sel RAW 264,7 yang Distimulasi Lipopolisakarida. e-Biomedik [Internet]. 2020;8(2):187–95. Tersedia pada: <https://ejournal.unsrat.ac.id/index.php/ebiomedik/article/view/31465>
44. Scott C. Cell culture. Bioprocess Int. 2011;9(SUPPL. 9):24–31.
45. Klingbeil MFG, Herson MR, Cristo EB, dos Santos Pinto D, Yoshito D, Mathor MB. Comparison of Two Cellular Harvesting Methods for Primary Human Oral Culture of Keratinocytes. Cell Tissue Bank. 29 Agustus 2009;10(3):197–204.
46. Rondang Tambun, Harry P. Limbong, Christika Pinem, Ester Manurung. Pengaruh Ukuran Partikel, Waktu Dan Suhu Pada Ekstraksi Fenol Dari Lengkuas Merah. J Tek Kim USU. 2017;5(4):53–6.
47. Oktapiya TR, Pratama NP, Purnamaningsih N. Analisis fitokimia dan kromatografi lapis tipis ekstrak etanol daun rosella (*Hibiscus sabdariffa L.*). Sasambo J Pharm. 2022;3(2):105–10.
48. Sa'adah H, Nurhasnawati H. Perbandingan Pelarut Etanol dan Air pada

- Pembuatan Ekstrak Umbi Bawang Tiwai (*Eleutherine americana Merr*) Menggunakan Metode Maserasi. J Ilm Manuntung. 2017;1(2):149–53.
49. Najib A, Malik A, Ahmad AR, Handayani V, Syarif RA, Waris R. Standardisasi Ekstrak Air Daun Jati Belanda dan Daun Jati Hijau. J Fitofarmaka Indones. 2018;4(2):241–5.
50. Kemenkes RI. Farmakope Herbal Indonesia II. 2017.
51. Pamies D, Bal-Price A, Simeonov A, Tagle D, Allen D, Gerhold D, et al. Good Cell Culture Practice for stem cells and stem-cell-derived models. ALTEX. 2017;34(1):95–132.
52. Stockert JC, Blázquez-Castro A, Cañete M, Horobin RW, Villanueva A. MTT assay for cell viability: Intracellular localization of the formazan product is in lipid droplets. Acta Histochem. Desember 2012;114(8):785–96.
53. ISO 10993-5:2009 Biological Evaluation of Medical Devices. Part 5: Tests for In Vitro Cytotoxicity. Vol. 40, International Organization for Standardization. 2009. 984–989 hal.

