

DAFTAR PUSTAKA

- Ahmad, A., Tandon, S., Xuan, T. D., & Nooreen, Z. (2017). A review on phytoconstituents and biological activities of *Cuscuta* species. *Biomedicine and Pharmacotherapy*, 92(5), 772–795. <https://doi.org/http://dx.doi.org/10.1016/j.biopha.2017.05.124> 0753-3322/©
- Alfa, N., Mustofa, S., Ayu, N., & Irawati. (2019). Likopen , antioksidan eksogen yang bermanfaat bagi fertilitas laki-laki. *Majority*, 8(1), 237–241.
- Anggarani, M. A., Ayuningsih, A. D., Yudianto, E., & Prasodi, B. A. (2019). The composition of water and ash of secang wood's simplicia and secang wood herbal drink powder. *Journal of Physics: Conference Series*, 1417(1). <https://doi.org/10.1088/1742-6596/1417/1/012033>
- Anita, Arisanti, D., & Fatmawati, A. (2018). Isolasi dan identifikasi senyawa flavonoid estrak etanol daun miana (*Coleus Atropurpureus*). *Prosiding Seminar Hasil Penelitian (SNP2M)*, 8(2), 199–203. <https://jurnal.poliupg.ac.id/index.php/snp2m/article/viewFile/846/738>
- Arifin, B., & Ibrahim, S. (2018). Struktur, bioaktivitas dan antioksidan flavonoid. *Jurnal Zarah*, 6(1), 21–29. <https://doi.org/10.31629/zarah.v6i1.313>
- Balasundram, N., Sundram, K., & Samman, S. (2006). Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chemistry*, 99(1), 191–203. <https://doi.org/10.1016/j.foodchem.2005.07.042>
- Ballard, C. R., & Maróstica, M. R. (2019). Health benefits of flavonoids. In *Bioactive Compounds: Health Benefits and Potential Applications*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-814774-0.00010-4>
- Bhawani, S. A., Sulaiman, O., Hashim, R., & Mohamad Ibrahim, M. N. (2010). Thin-layer chromatographic analysis of steroids: A review. *Tropical Journal of Pharmaceutical Research*, 9(3), 301–313. <https://doi.org/10.4314/tjpr.v9i3.56293>
- Caldwell, G. W., Yan, Z., Lang, W., & Masucci, J. A. (2012). The IC50 concept revisited. *Current Topics in Medical Chemistry*, 12, 1282–1290. <https://doi.org/https://doi.org/10.2174/156802612800672844>
- Cyril, A., Esimone, C., Ugwueze, M. E., Anthony, A., & Kanneth, ugwu O. (2020). In vitro susceptibility of clinical isolates of *candida albicans* to. *World Journal of Pharmacy and Pharmaceutical Sciences*, 2(3), 10–18. <https://doi.org/https://www.cabidigitallibrary.org/doi/full/10.5555/20133257820>

- Darkwah, W. K., Koomson, D. A., Miwornunyuie, N., Nkoom, M., Puplampu, J. B., (2020). Ulasan : fitokimia dan khasiat obat *Solanum*. *Informa UK Limited*, 13(1), 498–506. <https://doi.org/https://doi.org/10.1080/26895293.2020.1817799>
- Dhianawaty, D., & Ruslin. (2015). Kandungan total polifenol dan aktivitas antioksidan dari ekstrak metanol akar *Imperata cylindrica* beaur. (Alang-alang). *Majalah Kedokteran Bandung*, 47(1), 60–64. <https://doi.org/10.15395/mkb.v47n1.398>
- Elysa, Sembiring P., B. E. D. (2023). Formulasi dan uji efektivitas sediaan gel ekstrak etanol daun sambung rambat (*Mikhania mikranta*) sebagai antiinflamasi pada tikus putih jantan. 6(1), 501–506. <https://jurnal.uisu.ac.id/index.php/best/article/view/7090/5235>
- Flores-Sánchez, I. J., & Garza-Ortiz, A. (2019). Is there a secondary/specialized metabolism in the genus *Cuscuta* and which is the role of the host plant? In *Phytochemistry Reviews* (Vol. 18, Issue 5). <https://doi.org/10.1007/s11101-019-09649-5>
- Furtado, N. A. J. C., Pirson, L., Edelberg, H., Miranda, L. M., Loira-Pastoriza, C., Preat, V., Larondelle, Y., & André, C. M. (2017). Pentacyclic triterpene bioavailability: An overview of in vitro and in vivo studies. *Molecules*, 22(3), 1–24. <https://doi.org/10.3390/molecules22030400>
- Gabay, O., Sanchez, C., Salvat, C., Chevy, F., Breton, M., Nourissat, G., Wolf, C., Jacques, C., & Berenbaum, F. (2010). Stigmasterol: a phytosterol with potential anti-osteoarthritic properties. *Osteoarthritis and Cartilage*, 18(1), 106–116. <https://doi.org/10.1016/j.joca.2009.08.019>
- García, M. A., Costea, M., Kuzmina, M., & Stefanović, S. (2014). Phylogeny, character evolution, and biogeography of *Cuscuta* (Dodders; Convolvulaceae) inferred from coding plastid and nuclear sequences. *American Journal of Botany*, 101(4), 670–690. <https://doi.org/10.3732/ajb.1300449>
- Gautam, T., Gautam, S. P., Keservani, R. K., & Sharma, A. K. (2015). Phytochemical screening and wound healing potential of *Cuscuta reflexa*. *Journal of Chinese Pharmaceutical Sciences*, 24(5), 292–302. <https://doi.org/10.5246/jcps.2015.05.038>
- Han, N., & Marica, B. (2015). Biologically active triterpenoids and Their cardioprotective and anti- inflammatory effects. *Journal of Bioanalysis & Biomedicine*, 8(2), 12–15. <https://doi.org/10.4172/1948-593x.s12-005>
- Handayani, S., Wirasutisna, K. R., & Insanu, M. (2017). Penapisan fitokimia dan karakterisasi simplisia daun jambu mawar. 5(3), 10–16. <https://doi.org/https://doi.org/10.24252/jfuinam.v5i3.4353>

- Helilusiatiningsih, N., & Soenyoto, E. S. (2020). Analisa senyawa bioaktif antioksidan dan zat gizi terhadap buah terung pokak (*Solanum torvum*) sebagai bahan pangan fungsional. *Buana Sains*, 20(1), 7–19. <https://doi.org/10.33366/bs.v20i1.1892>
- Heriyanto, L. (2010). Komposisi dan kandungan pigmen utama tumbuhan tali putri *Cuscuta australis* R.Br. dan *Cassytha filiformis* L. *Makara of Science Series*, 10(2), 69–75. <https://doi.org/10.7454/mss.v10i2.183>
- Hidalgo, M., Sánchez-Moreno, C., & de Pascual-Teresa, S. (2010). Flavonoid-flavonoid interaction and its effect on their antioxidant activity. *Food Chemistry*, 121(3), 691–696. <https://doi.org/10.1016/j.foodchem.2009.12.097>
- Hidayat, M. A., Fitri, A., & Kuswandi, B. (2017). Scanometry as microplate reader for high throughput method based on DPPH dry reagent for antioxidant assay. *Acta Pharmaceutica Sinica B*, 7(3), 395–400. <https://doi.org/10.1016/j.apsb.2017.02.001>
- Hidayati, N. L. D. (2015). Penelusuran potensi antifertilitas buah takokak (*Solanum torvum* Swartz) melalui skrining fitokimia dan pengaruhnya terhadap siklus estrus tikus putih (*Rattus norvegicus*). *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-Ilmu Keperawatan, Analisis Kesehatan Dan Farmasi*, 11(1), 94. <https://doi.org/10.36465/jkbth.v11i1.49>
- Hong, L., Shen, H., Chen, H., Li, L., Hu, X., Xu, X., Ye, W., & Wang, Z. (2011). The morphology and anatomy of the haustoria of the holoparasitic angiosperm *Cuscuta campestris*. *Pakistan Journal of Botany*, 43(4), 1853–1859.
- Idu, M., Erhabor, J., & Odia, E. A. (2009). Morphological and anatomical studies of the leaf and stem of some medicinal plants: *Stachytarpheta jamaicensis*. *Ethnobotanical Leaflets*, 13, 1417–1442. <https://opensiuc.lib.siu.edu/ebf/vol2009/iss11/9/>
- Jali, P., Samal, I. P., Jena, S., & Mahalik, G. (2021). Morphological and biochemical responses of *Macrotyloma uniflorum* (Lam.) Verdc. to allelopathic effects of *Mikania micrantha* Kunth extracts. *Heliyon*, 7(8), e07822. <https://doi.org/10.1016/j.heliyon.2021.e07822>
- Jang, M. H., Piao, X. L., Kim, J. M., Kwon, S. W., & Park, J. H. (2008). Inhibition of cholinesterase and amyloid- β aggregation by resveratrol oligomers from *Vitis amurensis*. *Phytotherapy Research*, 22(4), 544–549. <https://doi.org/10.1002/ptr>
- Jiang, X., Cao, Y., Jørgensen, L. von G., Strobel, B. W., Hansen, H. C. B., & Cedergreen, N. (2018). Where does the toxicity come from in saponin extract? *Chemosphere*, 204, 243–250. <https://doi.org/10.1016/j.chemosphere.2018.04.044>

- Jose, A. G. R., Abirami, T., Kavitha, V., Sellakilli, R., & Karthikeyan, J. (2018). Green synthesis of silver nanoparticles using *Asystasia gangetica* leaf extract and its antibacterial activity against gram-positive and gram-negative bacteria. *Journal of Pharmacognosy and Phytochemistry*, 7(1), 2453–2457. <https://www.academia.edu/download/87676824/download.pdf>
- Juniati, H. (2023). Uji aktivitas antioksidan gulma meniran (*Phyllanthus niruri* L.) yang berasal dari berbagai ketinggian tempat tumbuh dengan menggunakan metode DPPH. Universitas Andalas.
- Kim, G., & Westwood, J. H. (2015). Macromolecule exchange in *Cuscuta*-host plant interactions. *Current Opinion in Plant Biology*, 26(1), 20–25. <https://doi.org/10.1016/j.pbi.2015.05.012>
- Kumalasari, N. R., Abdullah, L., Khotijah, L., Indriani, I., Janato, F., & Ilman, N. (2019). Pertumbuhan dan produksi stek batang *Asystasia gangetica* pada umur yang berbeda. *Pastura*, 9(1), 15. <https://doi.org/10.24843/pastura.2019.v09.i01.p04>
- Kurmukov, A. G. (2013). Phytochemistry of medicinal plants. *Medicinal Plants of Central Asia: Uzbekistan and Kyrgyzstan*, 1(6), 13–14. https://doi.org/10.1007/978-1-4614-3912-7_4
- Kurniawan, D. (2008). *Regresi linier* (D. Kurniawan (ed.)). <http://ineddeni.wordpress.com>
- Liochev, S. I. (2013). Free radical paradoxes. *Free Radical Biology and Medicine*, 65(12), 232–233. <https://doi.org/10.1016/j.freeradbiomed.2013.06.027>
- Luthfika, M., & Martiwi, I. N. A. (2024). Morphological characters of species members of the *solanaceae* family in menoreh samigaluh hill, Yogyakarta. *Jurnal Biologi Tropis*, 24(1), 42–51. <https://doi.org/10.29303/jbt.v24i1.6298>
- Marrelli, M., Conforti, F., Araniti, F., & Statti, G. A. (2016). Effects of saponins on lipid metabolism: A review of potential health benefits in the treatment of obesity. *Molecules*, 21(10). <https://doi.org/10.3390/molecules21101404>
- Meigaria, K. M., Wayan, M. I., & Martiningsih, N. W. (2016). Skrining fitokimia dan uji aktivitas antioksidan ekstrak aseton daun kelor (*Moringa Oleivera*). 10(1), 1–11. <https://doi.org/https://doi.org/10.23887/wms.v10i2.12659>
- Minarno, E. B. (2016). Analisis kandungan saponin pada daun dan tangkai daun *Carica pubescens*. *El-Hayah*, 5(4), 143. <https://doi.org/10.18860/elha.v5i4.3470>
- Molyneux, P. (2004). The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Songklanakarin Journal of Science and Technology*, 26(2), 211–219. <https://doi.org/10.1287/isre.6.2.144>

- Mythili, S., Sathiaivelu, A., & Sridharan, T. B. (2011). Evaluation of antioxidant activity of *Cassytha filiformis*. *International Journal of Applied Biology and Pharmaceutical Technology*, 2(2), 380–385.
- Nassar, Z. D., Aisha, A. A. F., & Majid, A. M. S. A. (2010). *The pharmacological properties of terpenoids from Sandoricum koetjape*. January 2010.
- Nurit-Silva, K., Costa-Silva, R., Coelho, V. P. M., & de Fátima Agra, M. (2011). A pharmacobotanical study of vegetative organs of *Solanum torvum*. *Revista Brasileira de Farmacognosia*, 21(4), 568–574. <https://doi.org/10.1590/S0102-695X2011005000101>
- Olszowy, M. (2019). What is responsible for antioxidant properties of polyphenolic compounds from plants? *Plant Physiology and Biochemistry*, 144, 135–143. <https://doi.org/10.1016/j.plaphy.2019.09.039>
- Perawati, S., Andriani, L., & Pratiwi, P. (2018). Aktivitas antibakteri ekstrak etanol daun sambung rambat (*Mikania micrantha* K). *Chempublish Journal*, 3(2), 40–45. <https://doi.org/10.22437/chp.v3i2.5554>
- Priska, M., Peni, N., Carvallo, L., & Ngapa, Y. D. (2018). Antosianin dan pemanfaatannya. *Cakra Kimia (Indonesian E-Journal of Applied Chemistry)*, 6(2), 79–97.
- Puspitasari, A. dwi. (2019). Aaktivitas antioksidan perasan jeruk manis (*Citrus sinensis*) dan jeruk purut (*Citrus hystrix*) menggunakan metode ABTS. *Majalah Farmasi Dan Farmakologi*, 23(2), 48–51. <https://doi.org/10.20956/mff.v23i2.6978>
- Qaderi, M. M., Martel, A. B., & Strugnell, C. A. (2023). Environmental factors regulate plant secondary metabolites. *Plants*, 12(3), 1–27. <https://doi.org/10.3390/plants12030447>
- Quiros, A., Sayago-Ayerdi, S., Ayala-Zavala, J. F., Wall, A., De la Rosa, L., Aguilar, G., & Alvarez-Parrilla, E. (2017). *Biological actions of phenolic compounds: chemistry and human health* (125–138). <https://doi.org/10.1002/9781119158042.ch6>
- Rahayu, S., Vifta, R., & Susilo, J. (2021). Uji aktivitas antioksidan ekstrak etanol bunga telang (*Clitoria ternatea* L.) dari Kabupaten Lombok Utara dan Wonosobo menggunakan metode FRAP. *Generics: Journal of Research in Pharmacy*, 1(2), 1–9. <https://doi.org/10.14710/genres.v1i2.9836>
- Ramadhan, A., Hakim, A., & Byna, A. (2023). Identifikasi senyawa terpenoid dari ekstrak etanoldaun krinat (*Rubusmoluccanus* L) dengan metode kromatografi lapis tipis. *Jurnal Surya Medika*, 1(1), 17–19. <https://doi.org/https://doi.org/10.63004/jfs.v1i1.115>

- Rasheed, A., & Qasim, M. (2013). a Review of natural steroids and their applications. *International Journal of Pharmaceutical Sciences and Research*, 4(2), 520–531. www.ijpsr.com
- Rizaldy, M. D., & Nurul, H. (2020). Isolasi senyawa metabolit sekunder dari ekstrak etil asetat daun tanaman pecut kuda (*Stachytarpheta jamaicensis*). *Unesa Journal of Chemistry*, 9(1), 24–29. <https://doi.org/https://doi.org/10.26740/ujc.v9n1.p23-28>
- Samejo, M. Q., Memon, S., Bhanger, M. I., & Khan, K. M. (2013). Isolation and characterization of steroids from *Calligonum polygonoides*. *Journal of Pharmacy Research*, 6(3), 346–349. <https://doi.org/10.1016/j.jopr.2013.03.017>
- Sellers, B., & Langeland, K. (2010). Mile-a-minute (*Mikania micrantha*): A New Weed in South Florida. *Edis*, 10(2), 1–2. <https://doi.org/10.32473/edis-ag338-2010>
- Shafwan, A., Yusuf, N., Dina, H., & Ade, Y. Y. (2021). Activity of ethanol extract *Asystasia gangetica* leaves againts *Escherichia coli*. *The Journal of Biosciences*, 7(3), 121–126. <https://doi.org/https://doi.org/10.24114/jbio.v9i2.48760>
- Shaikh, J. R., & Patil, M. (2020). Qualitative tests for preliminary phytochemical screening: An overview. *International Journal of Chemical Studies*, 8(2), 603–608. <https://doi.org/10.22271/chemi.2020.v8.i2i.8834>
- Shi, Q., Hui, S., Zhang, A. H., Ying, X. H., Li, Y. G., Ying, H., & Jun, W. X. (2014). Natural alkaloids: basic aspects, biological roles, and future perspectives. *Chinese Journal of Natural Medicines*, 12(6), 401–406. [https://doi.org/10.1016/S1875-5364\(14\)60063-7](https://doi.org/10.1016/S1875-5364(14)60063-7)
- Sidhu, A. R., Basit, A., Hayat, A., Mangrio, S., Arain, S., Khalid, T., Mohamed, H. I., & Elhakem, A. (2022). Quality characteristics, phytochemical analysis, and antioxidant of extract *Cuscuta reflexa* (Roxb.). *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 50(3), 1–13. <https://doi.org/10.15835/nbha50312691>
- Siregar, M. (2020). Berbagai manfaat daun bidara (*Ziziphus mauritiana* L) bagi kesehatan di Indonesia. *Jurnal Pandu Husada*, 1(2), 75. <https://doi.org/10.30596/jph.v1i2.4415>
- Solfiyeni, Chairul, & Marpaung Masdalena. (2016). Analisis vegetasi tumbuhan invasif di kawasan cagar alam Lembah anai, Sumatera barat. *Seminar Nasional XIII Pendidikan Biologi FKIP UNS*, 13(1), 743–747. <https://jurnal.uns.ac.id/prosbi/article/view/5898>

- Suhirman, S. (2015). Skrining fitokimia pada beberapa jenis pecut kuda (*Stachytarpheta jamaicensis* L.). *Prosiding Seminar Nasional Swasembada Pangan*, 2(1), 93–97. <https://doi.org/https://doi.org/10.25181/prosemnas.v0i0.516>
- Sunaryo. (2000). Haptotropisme pada Pola Serang Parasit Taliputri. *Jurnal Berita Biologi*, 5(2), 223–229. <https://doi.org/https://doi.org/10.14203/beritabiologi.v5i2.1155>
- Susilowati, D. N., Ginanjar, H., Yuniarti, E., Setyowati, M., & Roostika, I. (2018). Karakterisasi bakteri endofit tanaman purwoceng sebagai penghasil senyawa steroid dan antipatogen. *Jurnal Penelitian Tanaman Industri*, 24(1), 1. <https://doi.org/10.21082/litri.v24n1.2018.1-10>
- Tanruean, K., Kaewnarin, K., Suwannarach, N., & Lumyong, S. (2017). Comparative evaluation of phytochemicals, and antidiabetic and antioxidant activities of *Cuscuta reflexa* grown on different hosts in Northern Thailand. *Natural Product Communications*, 12(1), 51–54. <https://doi.org/10.1177/1934578x1701200114>
- Tapas, A., Sakar, D., & Kakde, R. (2006). Flavonoids as nutraceuticals. *The Science of Flavonoids*, 7(3), 213–238. https://doi.org/10.1007/978-0-387-28822-2_8
- Verma, N., & Shukla, S. (2015). Impact of various factors responsible for fluctuation in plant secondary metabolites. *Journal of Applied Research on Medicinal and Aromatic Plants*, 2(4), 105–113. <https://doi.org/10.1016/j.jarmap.2015.09.002>
- Widodo, N. (2007). Isolasi dan karakterisasi senyawa alkaloid yang terkandung dalam jamur Tiram putih. In *Skripsi Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Negeri Semarang* 3(1). <http://lib.unnes.ac.id/1067/>
- Wijaya, D. P., Paendong, J. E., & Abidjulu, J. (2014). Skrining fitokimia dan uji aktivitas antioksidan dari daun Nasi (*Phrynium capitatum*) dengan Metode DPPH (1,1-difenil-2-pikrilhidrazil). *Jurnal MIPA*, 3(1), 11. <https://doi.org/10.35799/jm.3.1.2014.3899>
- Wiryani, I. A., Sinta Devi, N. N. A. S., Melinda, M. A., & Leliqia, N. P. E. (2023a). Review: Studi kandungan fitokimia dan aktivitas antibakteri takokak (*Solanum torvum* SW.). *Kartika : Jurnal Ilmiah Farmasi*, 8(2), 90–100. <https://doi.org/10.26874/kjif.v8i2.644>
- Wiryani, I. A., Sinta Devi, N. N. A. S., Melinda, M. A., & Leliqia, N. P. E. (2023b). Riview: Studi kandungan fitokimia dan aktivitas antibakteri takokak (*Solanum torvum*). *Kartika : Jurnal Ilmiah Farmasi*, 8(2), 90–100. <https://doi.org/10.26874/kjif.v8i2.644>

- Yulianawati, T. A., & Teguh Isworo, J. (2012). Perubahan kandungan beta karoten, total asam, dan sifat sensorik yoghurt labu kuning berdasarkan lama simpan dan pencahayaan. *Jurnal Pangan Dan Gizi*, 03(06), 37–48. <https://doi.org/https://doi.org/10.26714/jpg.3.1.2012.%25p>
- Yuliningtyas, A. W., Santoso, H., & Syauqi, A. (2019). Uji kandungan senyawa aktif minuman jahe sereh (*Zingiber officinale* and *Cymbopogon citratus*). *Bioscience-Tropic Journal*, 4(2), 1–6. <https://doi.org/https://doi.org/10.33474/e-jbst.v4i2.139>
- Yuniarti, R., Nadia, S., Alamanda, A., Zubir, M., Syahputra, R. A., & Nizam, M. (2020). Characterization, phytochemical screenings and antioxidant activity test of kratom leaf ethanol extract (*Mitragyna speciosa* K.) using DPPH method. *Journal of Physics: Conference Series*, 1462(1), 1–7. <https://doi.org/10.1088/1742-6596/1462/1/012026>

