

DAFTAR PUSTAKA

- Abdenaceur, R., Farida, B. T., Mourad, D., Rima, H., Zahia, O., & Fatma, S. H. (2022). Effective biofertilizer *Trichoderma* spp. isolates with enzymatic activity and metabolites enhancing plant growth. *International Microbiology*, 25(4), 817-829.
- Afandhi, A., Choliq, F. A., Havinda Anggrilika, W. S., & Tarno, H. (2018). Distribution of the endophytic fungi in apple leaves. *Agrivita*, 40(1), 91–100.
- Andriani, D., Seprido, & Ezward, C. (2023). Akta Agrosia Diversity of Endophytic Fungal Community Associated with Local Rice Varieties Commonly Grown in Kuantan Singingi, Riau Province, Indonesia. *Akta Agrosia*. 2023, 26(1), 1–6.
- Anjum, F., & Wright, D. J. (2023). Foliar Residual Toxicity of Insecticides to Brassica Pests and Their Natural Enemies. *Journal of Economic Entomology*, 116(1), 153–159.
- Arsi, A., Pujiastuti, Y., Kusuma, S. S. H., & Gunawan, B. (2020). Eksplorasi, isolasi dan identifikasi Jamur entomopatogen yang menginfeksi serangga hama. *Jurnal Proteksi Tanaman Tropis*, 1(2), 70-76.
- Badan Pusat Statistik (2023). Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi 2018-2022. In <https://www.bps.go.id>. <https://www.bps.go.id>.
- Baehaki, S. E. (1993). *Berbagai Hama Serangga pada Tanaman Padi*. Bandung: Angkasa.
- Baehaki SE, & Mejaya, I. M. J. (2014). Wereng Cokelat sebagai Hama Global Bernilai Ekonomi Tinggi dan Strategi Pengendaliannya. *Iptek Tanaman Pangan*, 9(1), 1–12.
- Bamisile, B. S., Dash, C. K., Akutse, K. S., Keppanan, R., & Wang, L. (2018). Fungal endophytes: beyond herbivore management. *Frontiers in microbiology*, 9, 544.
- Barnett H. L., & Hunter Barry B. (1998). *Illustrated Genera of Imperfect Fungi* (3rd ed.). California: Burges Publishing Company.
- Berini, F., Caccia, S., Franzetti, E., Congiu, T., Marinelli, F., Casartelli, M., & Tettamanti, G. (2016). Effects of *Trichoderma viride* chitinases on the peritrophic matrix of Lepidoptera. *Pest Management Science*, 72(5), 980–989.
- Budi, A. S., Afandhi, A., & Puspitarini, R. D. (2013). Patogenisitas jamur entomopatogen *Beauveria bassiana* balsamo (Deuteromycetes: Moniliales)

pada larva *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae). *Jurnal HPT (Hama Penyakit Tumbuhan)*, 1(1), 57-65.

Branine, M., Bazzicalupo, A., & Branco, S. (2019). Biology and applications of endophytic insect-pathogenic fungi. *PLoS Pathogens*, 15(7), 1–7.

Chaniago, N. (2019). Potensi gen-gen ketahanan cekaman biotik dan abiotik pada padi lokal Indonesia: A Review. *Agriland: Jurnal Ilmu Pertanian*, 7(2), 86-93.

Dara, S. K. (2019). Non-entomopathogenic roles of entomopathogenic fungi in promoting plant health and growth. *Insects*, 10(9), 1–9.

de Andrade, G. A. K., Bezerra, J. D. P., de Vargas, M. V. M., Bernardes, B. M., Goulart, S. N. B., Alves, R. P., Küster, M. C. T., Pereira, A. B., & Victoria, F. de C. (2022). Endophytic fungi from an overlooked plant species: A case study in *Kelissa brasiliensis* (Baker) Ravenna. *Acta Botanica Brasilica*, 36, 1–9.

Divya, S., & Nethaji Mariappan, V. E. (2020). Comparing the efficiency of different pest management modules in rice ecosystem. *Journal of Entomology and Zoology Studies*, 8(4), 121-124.

Donggulo, C. V., Lapanjang, I. M., & Made, U. (2017). Pertumbuhan dan hasil tanaman padi (*Oryza sativa* L) pada berbagai pola jajar legowo dan jarak tanam Agroland: *jurnal ilmu-ilmu Pertanian*, 24(1), 27-35.

Etxebeste, O., & Espeso, E. A. (2020). *Aspergillus nidulans* in the post-genomic era: a top-model filamentous fungus for the study of signaling and homeostasis mechanisms. *International Microbiology*, 23(1), 5-22.

Fajarani, A. D., Afifah, L., & Surjana, T. (2021). Seleksi Media Perbanyakan Cendawan Entomopatogen *Metharizium rileyi* dan Efikasinya Terhadap Hama Kumbang Tepung (*Tribolium castaneum*). *Jurnal Agrotek Indonesia (Indonesian Journal of Agrotech)*, 6(1), 44-53.

Farida, B., Sonia, H., Hakima, M. K., Fatma, B., & Fatma, H. (2018). Histological changes in the larvae of the domestic mosquito *Culex pipiens* treated with the entomopathogenic fungus *Beauveria bassiana*. *Scientific Research and Essays*, 13(1), 1-10.

Firdaus, F., & Haryadi, N. T. (2022). Fluktuasi Populasi Wereng Batang Coklat *Nilaparvata lugens* (Stål) Pada Padi di Desa Sumberagung Kecamatan Sumberbaru Kabupaten Jember. *Jurnal Hama Dan Penyakit Tumbuhan*, 10(2), 46–59.

Gazali Akhmad, & Ilhamiyah. (2022). *Hama Penting Tanaman Utama dan Taktik Pengendaliannya*. Universitas Islam Kalimantan Muhammad Arsyad Al-Banjary, Banjarmasin.

- Gustianingtyas, M., Herlinda, S., & Suwandi, S. (2021). The endophytic fungi from South Sumatra (Indonesia) and their pathogenecity against the new invasive fall armyworm, *spodoptera frugiperda*. *Biodiversitas*, 22(2), 1051–1062.
- Hasanah, N. (2023). *Efektivitas Cendawan Entomopatogen Beauveria bassiana Untuk Pengendalian Hama Kutu daun (Aphis glycines) Pada Tanaman Kedelai Organik*. (Doctoral dissertation, Politeknik Negeri Jember).
- Hendra, Y. (2021). Kemampuan Kolonisasi Berbagai Isolat Cendawan *Beauveria bassiana* (Bals.)Vuill Pada Tanaman Padi Dan Pengaruhnya Terhadap Wereng Batang Coklat (*Nilaparvata lugens* Stal). [Skripsi]. Universitas Andalas: Padang.
- Hendra, Y., Trizelia, & Syahrawati, M. (2022a). Virulensi Empat Isolat *Beauveria bassiana* Bals. Vuill Terhadap Wereng Batang Coklat (*Nilaparvata lugens* Stall.). *Jurnal Pertanian Agros*, 24(2), 552–558.
- Hendra, Y., Trizelia, T., & Syahrawati, M. (2022b). Aplikasi Cendawan Entomopatogen *Beauveria bassiana* (Bals.) pada Tanaman Padi dan Pengaruhnya Terhadap Preferensi Oviposisi Imago Wereng Batang Coklat (*Nilaparvata lugens* Stal). *Proceedings Series on Physical & Formal Sciences*, 4, 475–481.
- Humaidi, F., & Daryanto, D. (2020). Population Dynamics Brown Plant Hopper (*Nilaparvata lugens* (Stal) On Rice Plants In The Outside Area Impact of Sidoarjo MUD. *Journal Of Agricultural Sciece And Agriculture Engineering*, 3(2), 104–113.
- Ihsan, K. A., Afifah, L., Sugoarto, & Kurniati, A. (2023). Virulensi Cendawan Entomopatogen *Beauveria bassiana* Terhadap Wereng Batang Coklat *Nilaparvata lugens* Stal. *Jurnal Agrotech*, 13(1), 63–70.
- Ikedda, R., & Vaughan, D. A. (2004). The distribution of resistance genes to the brown planthopper in rice germplasm. *Rice Gen New*, 8, 125–127.
- Indriyanti, D. R., Wijayanti, D., & Setiati, N. (2021). The effect of *Beauveria bassiana* on the larvae of *Oryctes rhinoceros*. *Journal of Physics: Conference Series*, 1918(5):1-4.
- Irmawan DE. (2007). Kelimpahan dan Keragaman Cendawan Endofit pada Beberapa Varietas Padi Kuningan, Tasik Malaya dan Subang, Jawa Barat. [Skripsi]. Institut Pertanian Bogor. Bogor.
- Isrin, M., & Fauzan, A. (2019). Pengaruh frekuensi dan saat aplikasi *Beauveria bassiana* terhadap wereng batang coklat (*Nilaparvata lugens* Stal) pada tanaman padi (*Oryza sativa* L.). *Biofarm: Jurnal Ilmiah Pertanian*, 14(2), 57-64.
- Jha, P., Kaur, T., Chhabra, I., Panja, A., Paul, S., Kumar, V., & Malik, T. (2023). Endophytic fungi: hidden treasure chest of antimicrobial metabolites

interrelationship of endophytes and metabolites. *Frontiers in Microbiology*, 14 (1227830) : 1-16.

- Jauharlina, J., & Hendrival, H. (2003). Toksisitas (LC50 dan LT50) Jamur Entomopatogen *Beauveria bassiana* (Bals.) Vuill. Terhadap Hama Ulat Grayak (*Spodoptera litura* F.). *Jurnal Agrista*, 7(3), 295-303.
- Jing, S., Zhao, Y., Du, B., Chen, R., Zhu, L., & He, G. (2017). Genomics of interaction between the brown planthopper and rice. *Current Opinion in Insect Science* (19), 82-87.
- Kadja, D. H. (2015). Pengaruh Jenis Pupuk dan Tinggi Genangan Air Terhadap Perkembangan Populasi Wereng Batang Padi Cokelat pada Tanaman Padi. *Ilmu Pertanian*, 18(1), 18–23.
- Karim, H. A., & Aliyah, M. (2018). Evaluasi Penentuan Waktu Tanam Padi (*Oriza sativa* L.) Berdasarkan Analisa Curah Hujan Dan Ketersediaan Air Pada Wilayah Bedungan Sekka-Sekka Kabupaten Polewali Mandar. *AGROVITAL: Jurnal Ilmu Pertanian*, 3(2), 41–46.
- Karimah, A. Z., Siswoyo, T. A., Kim, K. M., & Ubaidillah, M. (2021). Genetic diversity of rice germplasm (*Oryza sativa* L.) of java island, Indonesia. *Journal of Crop Science and Biotechnology*, 24(1), 93–101.
- Kastilong, E. B., Lengkong maxi, & Engka, R. (2022). Uji patogenesitas jamur entomopatogen *Beauveria bassiana* Bals. terhadap walang sangit *Leptocorisa acuta* Thunb. pada tanaman padi. *Cocos*, 14(3), 1-9.
- Keerthi, M. C., Darshan, K., Manjunatha, L., & Reddy, P. V. R. (2022). Status and scope of entomopathogenic fungus, *Beauveria bassiana* in sustainable pest management: A review. *Pest Management in Horticultural Ecosystems*, 28(2), 1–14.
- Kementerian Pertanian. 2021. *Pelepasan calon varietas padi sawah PY-16 sebagai varietas unggul dengan nama Payo Iluk Aso*. Direktorat Jenderal Tanaman Pangan dan Hortikultura, 5 hal. Jakarta.
- Khoiroh, F., Isnawati, & Faizah, U. (2014). Patogenitas Cendawan Entomopatogen (*Lecanicillium lecanii*) sebagai Bioinsektisida untuk Pengendalian Hama Wereng Coklat Secara In Vivo. *LenteraBio*, 3(2), 115–121.
- Lana, M., Simón, O., Velasco, P., Rodríguez, V. M., Caballero, P., & Poveda, J. (2023). First study on the root endophytic fungus *Trichoderma hamatum* as an entomopathogen: Development of a fungal bioinsecticide against cotton leafworm (*Spodoptera littoralis*). *Microbiological Research*, 270, (127334),1-9.
- Liang, X., Chen, L., Lan, X., Liao, G., Feng, L., Li, J., Fan, W., Wang, S., & Liu, J. (2022). Physiological and Population Responses of *Nilaparvata lugens* after Feeding on Drought-Stressed Rice. *Insects*, 13(4), 355.

- Listihani, L., Yuniti, I. G. A. D., Ariati, P. E. P., Pandawani, N. P., Selangga, D. G. W., Temaja, I. G. R. M., Wirya, G. N. A. S., & Sudiarta, I. P. (2023). Beneficial interaction between rice stunt virus and its insect vector *Nilaparvata lugens* Stal based on life table. *Biodiversitas*, 24(8), 4690–4698.
- Lovett, B., & St. Leger, R. J. (2017). The Insect Pathogens. *Microbiology Spectrum*, 5(2), 1–19.
- Mantzoukas, S., & Eliopoulos, P. A. (2020). Endophytic entomopathogenic fungi: A valuable biological control tool against plant pests. *Applied Sciences*, 10(360), 1-13.
- Masyitah, I., Sitepu, S. F., & Safni, I. (2017). Potensi Jamur Entomopatogen untuk Mengendalikan Ulat Grayak *Spodoptera litura* F. pada Tanaman Tembakau In Vivo. *Jurnal Agroekoteknologi*, 5(3), 484–493.
- Mawan, A., Buchori, D., & Triwidodo, H. (2015). Pengaruh cendawan endofit terhadap biologi dan statistik demografi wereng batang cokelat *Nilaparvata lugens* Stál (Hemiptera: Delphacidae). *Jurnal Entomologi Indonesia*, 12(1), 11–19.
- Minarni, E. W., Suyanto, A., & Kartini. (2018). Potensi Parasitoid Telur dalam Mengendalikan Wereng Batang Cokelat (*Nilaparvata lugens* Stal.) Pasca Ledakan Populasi di Kabupaten Banyumas. *Jurnal Perlindungan Tanaman Indonesia*, 22(2), 132-142.
- Mulyani RB, Melhanah, Advianto P, Djaya AA. 2022. Patogenisitas formulasi cair entomopatogen indigenous terhadap nimfa walang sangit (*Leptocorisa acuta* Thunberg). *Akta Agrosia* 25 (1), 5-10.
- Mochida, O. Okada, T. (1979). *Taxonomy and biology of Nilaparvata lugens* (Hom: Delphacidae). Di dalam: Brady NC, editor. *Brown planthopper: Threats to Rice Production in Asia*. Los Banos: IRRI. 21-42 hal.
- Mochizuki, R., Yashiro, T., Sanada-Morimura, S., & Maruyama, A. (2024). Effect of microclimatic temperatures on the development period of 3 rice planthopper species (Hemiptera: Delphacidae): a phenology model based on field observations. *Environmental Entomology*, 20(20), 1–9.
- Nasral, T. J., Syahrawati, M., & Liswarni, Y. (2020). Predation Rate and Functional Response of Camel Groundbeetle (*Ophionea nigrofasciata*) on Several Densities of Brown Planthopper (*Nilaparvata lugens*). *Jurnal Proteksi Tanaman*, 1, 11–20.
- Nelly, N., Syahrawati, M. Y., Hamid, H., Habazar, T., & Gusnia, D. N. (2019). Diversity and characterization of entomopathogenic fungi from rhizosphere of maize plants as potential biological control agents. *Biodiversitas Journal of Biological Diversity*, 20(5).

- Ningrat, M. A., Mual, C. D., & Makabori, Y. Y. (2021). Pertumbuhan dan Hasil Tanaman Padi (*Oryza sativa* L.) pada Berbagai Sistem Tanam di Kampung Desay, Distrik Prafi, Kabupaten Manokwari. *Prosiding Seminar Nasional Pembangunan Dan Pendidikan Vokasi Pertanian*, 2(1), 325–332.
- Ni'mah, Y. K., Afandhi, A., & Choliq, F. A. (2021). Persistensi jamur patogen serangga *Beauveria bassiana* (Balsamo) Vuillemin (Hypocreales: Cordycipitaceae) pada filoplan tanaman sawi (*Brassica rapa* L.). *Jurnal HPT (Hama Penyakit Tumbuhan)*, 9(2), 57-64.
- Niones, J. T., Sharp, R. T., Donayre, D. K. M., Oreiro, E. G. M., Milne, A. E., & Oliva, R. (2022). Dynamics of bacterial blight disease in resistant and susceptible rice varieties. *European Journal of Plant Pathology*, 163(1): 1-17.
- Nurbaeti, B., Diratmaja, I. A., & Putra, S. (2010). *hama wereng coklat (Nilaparvata lugens Stal) dan pengendaliannya* (K. Permadi, Ed.). Balai Pengkajian Teknologi Pertanian Jawa Barat.
- Nuryanto, B. (2018). Pengendalian penyakit tanaman padi berwawasan lingkungan melalui pengelolaan komponen epidemik. *Jurnal Penelitian Dan Pengembangan Pertanian*, 37(1), 1-12.
- Ortega, H. E., Torres-Mendoza, D., & Cubilla-Rios, L. (2020). Patents on endophytic fungi for agriculture and bio-and phytoremediation applications. *Microorganisms*, 8(8), 1-26.
- Pathak, H., Kumar, M., A Molla, K., & Chakraborty, K. (2021). Abiotic stresses in rice production: Impacts and management. *Oryza-An International Journal on Rice*, 58(Special), 103–125.
- Prayogo, Y., Wedanimbi, T., dan Marwoto. 2005. Prospek Cendawan Entomopatogen *Metarhizium anisopliae* untuk Mengendalikan Ulat Grayak *Spodoptera litura* pada Kedelai. *Jurnal Litbang Pertanian*, 24(1):19-26.
- Prisilya, E., Afifah, L., Sugiarto, S., & Kurniati, A. (2023). Uji Efektivitas Aplikasi Cendawan Entomopatogen *Metarhizium anisopliae* Terhadap Mortalitas Wereng Batang Coklat (*Nilaparvata lugens* Stal.). *Jurnal Agroplasma*, 10(2), 776-784.
- Permana, A. (2016). *Dinamika Hama Wereng Batang Coklat (Nilaparvata lugens Stal.) terhadap Faktor Iklim di Kabupaten Karawang, Jawa Barat*.
- Poveda, J. (2021). *Trichoderma* as biocontrol agent against pests: New uses for a mycoparasite. *Biological Control*, 159, 104634.
- Quesada Moraga, E. (2020). Entomopathogenic fungi as endophytes: their broader contribution to IPM and crop production. *Biocontrol Science and Technology*, 30(9), 864-877.

- Ratih, S. I., Karindah, S., & Mudjiono, G. (2014). Pengaruh sistem pengendalian hama terpadu dan konvensional terhadap intensitas serangan penggerek batang padi dan musuh alami pada tanaman padi. *Jurnal HPT (Hama Penyakit Tumbuhan)*, 2(3), 18-27.
- Rafiq, C. M., Rizwan, M., Atta, B., Sabir, A. M., Rizwan, M., Arshad, M., Zeeshan, M., Latif, H., Bin Khalid, U., & Iqbal, S. (2022). Manipulating Rice Planting Geometry and Nutrient Levels has an Effect on Brown Planthopper, *Nilaparvata lugens* (Stål) (Hemiptera: Delphacidae) Incidence. *Pakistan Journal of Zoology*, 54(5), 2373–2379.
- Rondot, Y., & Reineke, A. (2019). Endophytic *Beauveria bassiana* activates expression of defence genes in grapevine and prevents infections by grapevine downy mildew *Plasmopara viticola*. *Plant Pathology*, 68(9), 1719–1731.
- Rosa, E., Ekowati, C. N., Handayani, T. T., Ikhsanudin, A., Apriliani, F., & Arifiyanto, A. (2020). Characterization of entomopathogenic fungi as a natural biological control of american cockroaches (*Periplaneta americana*). *Biodiversitas*, 21(11), 5276–5282.
- Sanjaya, E. M., Tobing, M. C., & Lisnawati, L. (2018). Toksisitas Metabolit Skunder *Penicillium* Sp. Pada Berbagai Media kultur Untuk Mengendalikan *Spodoptera* Sp. In Vitro. *Talenta Conference Series: Agricultural and Natural Resources (ANR)*, 1(1), 131-137.
- Sanogo, S., Pomella, A., Hebbar, P. K., Bailey, B., Costa, J. C. B., Samuels, G. J., & Lumsden, R. D. (2002). Production and germination of conidia of *Trichoderma stromaticum*, a mycoparasite of *Crinipellis pernicioso* on cacao. *Phytopathology*, 92(10), 1032-1037.
- Shi, L., Liu, D., Qiu, L., Jiang, Z., & Zhan, Z. (2023). Evaluation of the Parasitism Capacity of a Thelytoky Egg Parasitoid on a Serious Rice Pest, *Nilaparvata lugens* (Stål). *Animals*, 13(1), 1-11.
- Shin, T. Y., Lee, M. R., Park, S. E., Lee, S. J., Kim, W. J., & Kim, J. S. (2020). Pathogenesis-related genes of entomopathogenic fungi. *Archives of Insect Biochemistry and Physiology*, 105(4), 1-10.
- Sinno, M., Ranesi, M., Gioia, L., d'Errico, G., & Woo, S. L. (2020). Endophytic fungi of tomato and their potential applications for crop improvement. *Agriculture*, 10(12), 587.
- Sitairesmi, T., Wening, R. H., Rakhmi, A. T., Yunani, N., & Untung, S. (2013). Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *Iptek Tanaman Pangan*, 8(1), 22–30.
- Sopialena, Sopian, & Allita, L. D. (2019). Diversitas Jamur Endofit pada Tanaman Padi (*Oryza sativa* L.) dan Potensinya Sebagai Pengendali Hama Endophytic

Fungi Diversity in Rice Plant and their Potential as Pest Control. *Agroekoteknologi Tropika Lembab*, 2(1), 44–49.

- Stuart, A. K. da C., Stuart, R. M., & Pimentel, I. C. (2018). Effect of agrochemicals on endophytic fungi community associated with crops of organic and conventional soybean (*Glycine max* L. Merrill). *Agriculture and Natural Resources*, 52(4), 388–392.
- Sucipto, I., Munif, A., Suryadi, Y., & Tondok, E. T. (2015). Eksplorasi Cendawan Endofit Asal Padi Sawah sebagai Agens Pengendali Penyakit Blas pada Padi Sawah. *Jurnal Fitopatologi Indonesia*, 11(6), 211–218.
- Susandi, Y. N. K., Salaki, C. L., & Fraky Watung, J. (2023). Aplikasi *Metarhizium anisopliae* Dan *Azadirachta indica* A. Juss Untuk Mengendalikan *Nephotettix virescens* D. Sebagai Serangga Vektor Penyakit Tungro Pada Tanaman Padi. *Jurnal Mipa*, 12(2), 68–73.
- Suwarman, Sudarti, Ashar, B.L., Nuzulullia, U., Nirwanita, D., Kulsum, U., Bagariang, W., Darmadi, D., Prasetyaningtiyas, R.A., Gunawan, R. & Faridah, I. (2023). Prakiraan Serangan OPT utama padi, Jagung, Kedelai, dan Akabi di Indonesia MT.2023. Karawang: Balai Besar Organisme Pengganggu Tumbuhan Direktorat Jenderal Tanaman Pangan.
- Syahrawati, M., Arneti, & Desiska, S. (2021a). Controlling Brown Planthopper (*Nilaparvata lugens* STAL) By Joint Predators (*Pardosa pseudoannulata* Boesenberg and Strand and *Verania lineata* Thunberg) Under Competitive Conditions. *Agrikultura Cri Journal*, 1(2), 1–13.
- Syahrawati, M., Hermanda, A., Arneti, A., & Darnetty, D. (2021b). Predation of *Phidippus* sp [Araneae: Salticidae] on *Nilaparvata lugens* [Hemiptera: Delphacidae] at different densities. *IOP Conference Series: Earth and Environmental Science*, 741(1), 1–9.
- Syamsia. (2016). Isolation and Identification of Endophytic Fungus on Local Aromatic Rice Plants of Enrekang. *Jurnal Agrotan*, 22, 61–67.
- Syamsia, S., Idhan, A., Patappari, A., Noerfitryani, N., Rahmi, R., & Rahim, I. (2019). Molecular Identification of Endophytic Fungi from Local Rice and Growth Test on Several Types of Culture Media. *International Journal of Agriculture System*, 7(2), 89–99.
- Tang, J., Liu, X., Ding, Y., Jiang, W., & Xie, J. (2019). Evaluation of *Metarhizium anisopliae* for rice planthopper control and its synergy with selected insecticides. *Crop Protection*, 121, 132–138.
- Taufik, M., Hasan, A., Rahayu, & Khaeruni, A. (2016). Padi Gogo, si Mutiara Pangan. Kendari.

- Triwidodo, H., Listihani, L., & Selangga, D. G. W. (2021). Isolasi cendawan endofit pada tanaman padi serta potensinya sebagai pemacu pertumbuhan tanaman. *Agrovigor: Jurnal Agroekoteknologi*, 14(2), 109–115.
- Trizelia & Nurdin. (2010). Virulence Of Entomopathogenic Fungus *Beauveria bassiana* Isolates to *Crocidolomia Pavonana* F (Lepidoptera: Crambidae)
- Trizelia, Armon, N., & Jailani. (2015). Keanekaragaman cendawan entomopatogen pada rizosfer berbagai tanaman sayuran. *Pros Sem Nas Masy Biodiv Indon*, 998–1004.
- Trizelia, Nelly, N., & Hendrik, A. M. (2017c). Karakterisasi Fisiologi Beberapa Isolat Cendawan Entomopatogen *Beauveria Bassiana* Dan Virulensinya Terhadap *Spodoptera Litura*. *Jurnal Proteksi Tanaman*, 1(1), 10–17.
- Trizelia, Rahma, H., & Martinius. (2017b). Endophytic fungi for chilli pests Potential of endophytic fungi from chilli as bioinsecticides. *JBiopest*, 10(1), 10–16.
- Trizelia., Winarto & Tanjung, A. (2017a). Diversity of endophytic fungi from wheat (*Triticum aestivum*) that potential as bioinsecticides. *Prosiding Seminar Nasional Masyarakat Biodiversitas Indonesia*, 3(3). 433-437.
- Trizelia, Rahma, H., & Martinius. (2021). Endophytic fungi on lepidopteran larvae Selection of endophytic fungi from Shallot That Potential As Entomopathogens on *Tenebrio molitor* and *Spodoptera litura* larvae. *JBiopest*, 14(1), 125–131.
- Trizelia, Rahma, H., & Syahrawati, M. (2023). Diversity of endophytic fungi of rice plants in Padang City, Indonesia, entomopathogenic to brown planthopper (*Nilaparvata lugens*). *Biodiversitas*, 24(4), 2384–2391.
- Trizelia, Rahma, H., & Syahrawati, M. (2024). Virulence of the endophytic fungus, *Trichoderma asperellum*, against the brown planthopper (*Nilaparvata lugens* Stal). *IOP Conference Series: Earth and Environmental Science*, 1346(1), 1–7.
- Trizelia, Sulyanti, E., & Saputra, R. (2020). Kemampuan kolonisasi cendawan endofit *Trichoderma* sp dan *Beauveria bassiana* Pada Tanaman Cabai Dan Pengaruhnya Terhadap Populasi Kutu Daun *Myzus persicae*. *Prosiding Seminar Nasional*, 188–198.
- Trizelia, & Winarto. (2016). Keanekaragaman jenis cendawan entomopatogen endofit pada tanaman kakao (*Theobroma cacao*). *Pros Sem Nas Masy Biodiv Indon*, 2(2), 277–281.
- United States Department of Agriculture (USDA). (2024). *Classification of Oryza sativa L.* <https://plants.sc.egov.usda.gov/>. [Diakses pada 26 Juni 2024].

- Umaru, F. F., & Simarani, K. (2022). Efficacy of Entomopathogenic Fungal Formulations against *Elasmolomus pallens* (Dallas) (Hemiptera: Rhyparochromidae) and Their Extracellular Enzymatic Activities. *Toxins*, 14(9), 1-14.
- Usyati, N., Kurniawati, N., Ruskandar, A., & Rumasa, O. (2018). Populasi Hama dan Musuh Alami pada Tiga Cara Budidaya Padi Sawah di Sukamandi. *Jurnal Agrikultura*, 29(1), 35–42.
- Utama, M. Z. H. 2015. *Budidaya Tanaman pada Lahan Marjinal Kiat Meningkatkan Produksi Padi*. Yogyakarta : ANDI.
- Wiyantono, Utami, D. S., & Ismangil. (2022) . The Effectiveness Test of *Fusarium cf. solani* as Bioinsecticide for Control of Brown Planthopper and Increasing Rice Productivity. *Journal of Plant Protection*, 5(1), 33–37.
- Wiyono, S., Prakoso, B. B., & Santoso, S. (2020). Endophytic fungi play important role in rice protection against brown planthopper, *Nilaparvata lugens* (Stål) (Hemiptera: Delphacidae). *IOP Conference Series: Earth and Environmental Science*, 468(1), 1–7.
- Wu, S. F., Zeng, B., Zheng, C., Mu, X. C., Zhang, Y., Hu, J., Zhang, S., Gao, C. F., & Shen, J. L. (2018). The evolution of insecticide resistance in the brown planthopper (*Nilaparvata lugens* Stål) of China in the period 2012-2016. *Scientific Reports*, 8(4586), 1–11.
- Yakubu, M. N., Ladan, M. A., Deba, F. A., Isma'il, S., Haruna, U. S., Aliyu, H. U., Abdulhameed, A., & Tahir, F. (2022). Biodiversity and virulence characterization of entomopathogenic fungi isolated from soils in different regions of Nigeria. *Egyptian Journal of Biological Pest Control*, 32(93),1-8.
- Yulfani, Y. I. (2021). *Seleksi Cendawan Endofit Dari Beberapa Varietas Tanaman Yang Berperan Sebagai Entomopatogen*. [Skripsi]. Universitas Andalas, Padang.
- Yuliani, & Agustian, A. P. (2020). Kepadatan Populasi dan Intensitas Serangan Wereng Batang Coklat (*Nilaparvata lugens*. Stal) Pada Budidaya Padi Pandanwangi Dengan Penerapan Organik dan Anorganik. *Jurnal Pro-Stek*, 2(1), 49–56.
- Zakaria, L., Yaakop, A. S., Salleh, B., & Zakaria, M. (2010). Endophytic fungi from paddy. *Tropical Life Sciences Research*, 21(1), 101.
- Zakqy, N., & Wiyatiningsih, S. (2023). Diversity of Important Pests and Natural Enemies in Rice Plants. *NST Proceedings*, 82–86.
- Zaynab, M., Fatima, M., Abbas, S., Sharif, Y., Umair, M., Zafar, M. H., & Bahadar, K. (2018). Role of secondary metabolites in plant defense against pathogens. *Microbial pathogenesis*, 124, 198-202.

- Zhang, L., Fasoyin, O. E., Molnár, I., & Xu, Y. (2020). Secondary metabolites from hypocrealean entomopathogenic fungi: Novel bioactive compounds. In *Natural Product Reports*, 37(9), 1181–1206.
- Zhang, Z., Tian, Y., Sui, L., Lu, Y., Cheng, K., Zhao, Y., ... & Shi, W. (2024). First record of *Aspergillus nomiae* as a broad-spectrum entomopathogenic fungus that provides resistance against phytopathogens and insect pests by colonization of plants. *Frontiers in Microbiology*, 14, 1284276.
- Zheng, Y. K., Qiao, X. G., Miao, C. P., Liu, K., Chen, Y. W., Xu, L. H., & Zhao, L. X. (2016). Diversity, distribution and biotechnological potential of endophytic fungi. *Annals of Microbiology*, 66, 529-542.
- Zheng, Y., Liu, Y., Zhang, J., Liu, X., Ju, Z., Shi, H., Mendoza-Mendoza, A., & Zhou, W. (2023). Dual role of endophytic entomopathogenic fungi: induce plant growth and control tomato leafminer *Phthorimaea absoluta*. *Pest Management Science*, 79(11), 4557–4568.
- Zulyusri, & Anugrah, C. (2023). Enrichment: Journal of Multidisciplinary Research and Development Brown Plant Insect (*Nilaparvata lugens*) Pathogen On Rice (*Oryza sativa*). *Enrichment: Journal of Multidisciplinary Research and Development*, 1(3), 82–90.

