

DAFTAR PUSTAKA

- [1] Global Health Briefing Book Progress Report - Global Health Council. 2023.
- [2] Salam MA, Al-Amin MY, Salam MT, Pawar JS, Akhter N, Rabaan AA, et al. Antimicrobial Resistance: A Growing Serious Threat for Global Public Health. *Healthcare*. 2023;11(13):1946.
- [3] Romanescu M, Oprean C, Lombrea A, Badescu B, Teodor A, Constantin GD, et al. Current State of Knowledge Regarding WHO High Priority Pathogens Resistance Mechanisms and Proposed Solutions through Candidates Such as Essential Oils: A Systematic Review. *Int J Mol Sci*. 2023;24(11):9727.
- [4] Mosunova O, Navarro-Muñoz JC, Collemare J. The Biosynthesis of Fungal Secondary Metabolites: From Fundamentals to Biotechnological Applications. In: *Encyclopedia of Mycology*. Elsevier; 2021.
- [5] Sanchez S, Demain AL. Secondary Metabolites. In: *Comprehensive Biotechnology*. Elsevier; 2011.
- [6] Wen J, Okyere SK, Wang S, Wang J, Xie L, Ran Y, et al. Endophytic Fungi: An Effective Alternative Source of Plant-Derived Bioactive Compounds for Pharmacological Studies. *J Fungi*. 2022;8(2):205.
- [7] Halder M, Roychowdhury D, Jha S. A Critical Review on Biotechnological Interventions for Production and Yield Enhancement of Secondary Metabolites in Hairy Root Cultures. In: *Hairy Roots*. Singapore: Springer Singapore; 2018.
- [8] Ogbe AA, Finnie JF, Van Staden J. The role of endophytes in secondary metabolites accumulation in medicinal plants under abiotic stress. *South African J Bot*. 2020;134:126–34.
- [9] Tan RX, Zou WX. Endophytes: A Rich Source of Functional Metabolites. *Nat ProRep*. 2001;11:448–59.
- [10] Pereira CB, de Oliveira DM, Hughes AF, Kohlhoff M, LA Vieira M, Martins Vaz AB, et al. Endophytic fungal compounds active against

Cryptococcus neoformans and *C. gattii*. J Antibiot (Tokyo). 2015;68(7):436–44.

- [11] Liu G, Huo R, Zhai Y, Liu L. New Bioactive Sesquiterpenoids From the Plant Endophytic Fungus *Pestalotiopsis theae*. Front Microbiol. 2021;12.
- [12] Jouda J-B, Tamokou J-D, Mbazoa CD, Douala-Meli C, Sarkar P, Bag PK, et al. Antibacterial and cytotoxic cytochalasins from the endophytic fungus *Phomopsis* sp. harbored in *Garcinia kola* (Heckel) nut. BMC Complement Altern Med. 2016;16(1):462.
- [13] Vo T, Ngo D. The Health Beneficial Properties of *Rhodomyrtus tomentosa* as Potential Functional Food. Biomolecules. 2019;9(2):76.
- [14] Limsuwan S, Kayser O, Voravuthikunchai SP. Antibacterial Activity of *Rhodomyrtus tomentosa* (Aiton) Hassk. Leaf Extract against Clinical Isolates of *Streptococcus pyogenes*. Evidence-Based Complement Altern Med. 2012;2012:1–6.
- [15] Handayani D, Hafiza H, Rustini R, Putra PP, Syafni N. Isolation of endophytic fungi with antimicrobial activity from medicinal plant *Rhodomyrtus tomentosa* (Aiton) Hassk. J Appl Pharm Sci. 2023;13(9):190–6.
- [16] Ningrum LRS. Isolasi Senyawa Antibakteri dari Jamur Endofit *Paecilomyces subglobosus* RTKB7 Asal Tumbuhan Karamunting (*Rhodomyrtus tomentosa* (Aiton) Hassk.) (Skripsi). Univeristas Andalas; 2023.
- [17] Sinaga E, Rahayu SE, Suprihatin, Yenisbar. No TitlePotensi Medisinal Karamunting (*Rhodomyrtus tomentosa*). Jakarta: UNAS Press; 2019.
- [18] Amrullah, Jumiati E, Ismandari T, Williem. Ekologi Karamunting. Aceh: Unsyiah Press; 2021.
- [19] Hermanto C, Indriani NLP, Hadiati S. Keragaman dan Kekayaan Buah Tropika Nusantara. Jakarta: IAARD Press; 2013.
- [20] Abd Hamid H, Sileshi Zeyohannes Roziasyahira M S, Yusoff MM. *Rhodomyrtus tomentosa* : A Phytochemical and Pharmacological Review. Asian J Pharm Clin Res. 2016;10(1):10.
- [21] Chuakul W. Medicinal Plants in the Khok Pho District, Pattani Province

- (Thailand). *Thai J Phytopharm.* 2015;12(2):23–45.
- [22] Lim TK. *Edible Medicinal And Non Medicinal Plants*. Dordrecht: Springer Netherlands; 2012.
- [23] Do T. *Medicine Plants and Remedies of Vietnam*. Hanoi: Thoi Dai publisher; 2011.
- [24] Dachriyanus, Salni, Sargent M V., Skelton BW, Soediro I, Sutisna M, et al. Rhodomyrtone, an antibiotic from *Rhodomyrtus tomentosa*. *Aust J Chem.* 2002;55(3):229–32.
- [25] Voravuthikunchai SP, Dolah S, Charernjiratrakul W. Control of *Bacillus cereus* in Foods by *Rhodomyrtus tomentosa* (Ait.) Hassk. Leaf Extract and Its Purified Compound. *J Food Prot.* 2010;73(10):1907–12.
- [26] Limsuwan S, Hesseling-Meinders A, Voravuthikunchai SP, van Dijl JM, Kayser O. Potential antibiotic and anti-infective effects of rhodomyrtone from *Rhodomyrtus tomentosa* (Aiton) Hassk. on *Streptococcus pyogenes* as revealed by proteomics. *Phytomedicine.* 2011;18(11):934–40.
- [27] Powell C. *Fungi, Bacteria, and Viruses*. United Kingdom: ED Tech Press; 2019.
- [28] Mueller GM, Bills GF, Foster MS. *Biodiversity of Fungi Inventory and Monitoring Methods*. California: Elsevier; 2004.
- [29] Soesanto L, Mugiaستuti E. *Mikroba Endofit*. Yogyakarta: Lily Publisher; 2023.
- [30] Botek M, Ode J La, Purwanti RE, Syarni P, Malarangeng R, Syair. Pengaruh *Paecilomyces* sp. Pada Berbagai Bahan Organik Terhadap Ketahanan dan Produksi Padi Gogo. *2020;2(2):30–6.*
- [31] Rollando. *Senyawa Antibakteri dari Fungi Endofit*. Malang: Seribu Bintang; 2019.
- [32] Heidarian R, Fotouhifar KB, Debets AJM, Aanen DK. Phylogeny of *Paecilomyces*, the causal agent of pistachio and some other trees dieback disease in Iran. *PLoS One.* 2018;13(7):1–14.
- [33] Moreno-Gavíra A, Huertas V, Diánez F, Santos M, Sánchez-Montesinos B. *Paecilomyces* and its importance in the biological control of agricultural pests and diseases. *Plants.* 2020;9(12):1–28.

- [34] Minoda Y. Studies Part on the Amylases Properties of Paecilomyces of Paecilwyces and subglobosus. Mycological. 1968;32.
- [35] Schoch CL, Ciufo S, Domrachev M, Hotton CL, Kannan S, Khovanskaya R, et al. NCBI Taxonomy: a comprehensive update on curation, resources and tools. Database (Oxford). 2020;2:11-15.
- [36] Isaka M, Palasarn S, Kocharin K, Hywel-Jones NL. Comparison of the bioactive secondary metabolites from the scale insect pathogens, Anamorph *Paecilomyces cinnamomeus*, and Teleomorph *Torrubiella luteorstrata*. J Antibiot (Tokyo). 2007;60(9):57–81.
- [37] Yang G, Sandjo L, Yun K, Leutou AS, Kim G-D, Choi HD, et al. Flavusides A and B, Antibacterial Cerebrosides from the Marine-Derived Fungus *Aspergillus flavus*. Chem Pharm Bull. 2011;59(9):1174–7.
- [38] Elbandy M, Shinde P, Hong J, Bae KS. α -Pyrones and Yellow Pigments from the Sponge-Derived Fungus *Paecilomyces lilacinus*. Bull Korean Chem Soc. 2009;30(1):188–92.
- [39] Liu J, Li F, Kim E La, Li JL, Hong J, Bae KS, et al. Antibacterial Polyketides from the Jellyfish Derived Fungus *Paecilomyces variotii*. J Nat Prod. 2011;74(8):1826–9.
- [40] Wang H, Hong J, Yin J, Moon HR, Liu Y, Wei X, et al. Dimeric Octaketide Spiroketals from the Jellyfish Derived Fungus *Paecilomyces variotii* J08NF-1. J Nat Prod. 2015;78(11):2832–6.
- [41] Zhang P, Li X, Wang J, Wang B. Oxepine-Containing Diketopiperazine Alkaloids from the Algal-Derived Endophytic Fungus *Paecilomyces variotii* EN-291. Helv Chim Acta. 2015;98(6):800–4.
- [42] Isaka M, Palasarn S, Lapanun S, Sriklung K. Paecilodepsipeptide A, an Antimalarial and Antitumor Cyclohexadepsipeptide from the Insect Pathogenic Fungus *Paecilomyces cinnamomeus* BCC 9616. J Nat Prod. 2007;70(4):675–8.
- [43] Zheng Y, Zhang J, Wei L, Shi M, Wang J, Huang J. Gunnilactams A–C, Macroyclic Tetralactams from the Mycelial Culture of the Entomogenous Fungus *Paecilomyces gunnii*. J Nat Prod. 2017;80(6):1935–8.
- [44] Dai ZB, Wang X, Li GH. Secondary Metabolites and Their Bioactivities

- Produced by Paecilomyces. *Molecules*. 2020;25(21):1–18.
- [45] Lang G, Blunt JW, Cummings NJ, Cole ALJ, Munro MHG. Paecilosetin, a New Bioactive Fungal Metabolite from a New Zealand Isolate of *Paecilomyces farinosus*. *J Nat Prod*. 2005;68(5):810–1.
 - [46] Xu L, Xue J, Zou Y, He S, Wei X. Three New β -Resorcylic Acid Lactones from *Paecilomyces* sp. SC0924. *Chinese J Chem*. 2012;30(6):1273–7.
 - [47] Talontsi F, Nwemeguela Kenla T, Dittrich B, Douanla-Meli C, Laatsch H. Paeciloside A, a New Antimicrobial and Cytotoxic Polyketide from *Paecilomyces* sp. Strain CAFT156. *Planta Med*. 2012;78(10):1020–3.
 - [48] Ayer WA, Craw PA, Nozawa K. ChemInform Abstract: Two 1H-Naphtho(2,3-c)pyran-1-one Metabolites from the Fungus *Paecilomyces variotii*. *ChemInform*. 1991;22(27).
 - [49] Abbas Z, Siddiqui BS, Shahzad S, Sattar S, Begum S, Batool A, et al. Lawsozaheer, a new chromone produced by an endophytic fungus *Paecilomyces variotii* isolated from *Lawsonia Alba* Lam. inhibits the growth of *Staphylococcus aureus*. *Nat Prod Res*. 202;35(22):4448–53.
 - [50] Wen L, Lin Y-C, She Z-G, Du D-S, Chan W-L, Zheng Z-H. Paeciloxanthone, a new cytotoxic xanthone from the marine mangrove fungus *Paecilomyces* sp. (Tree1-7). *J Asian Nat Prod Res*. 2008;10(2):133–7.
 - [51] Cheng Y, Schneider B, Riese U, Schubert B, Li Z, Hamburger M. Farinosones A–C, Neurotrophic Alkaloidal Metabolites from the Entomogenous Deuteromycete *Paecilomyces farinosus*. *J Nat Prod*. 2004;67(11):1854–8.
 - [52] Cheng Y, Schneider B, Riese U, Schubert B, Li Z, Hamburger M. (+)-N - Deoxymilitarinone A, a Neuritogenic Pyridone Alkaloid from the Insect Pathogenic Fungus *Paecilomyces farinosus*. *J Nat Prod*. 2006;69(3):436–8.
 - [53] Tang R, Zhou D, Kimishima A, Setiawan A, Arai M. Selective cytotoxicity of marine-derived fungal metabolite (3S,6S)-3,6-dibenzylpiperazine-2,5-dione against cancer cells adapted to nutrient starvation. *J Antibiot (Tokyo)*. 2020;73(12):873–5.
 - [54] Schmidt K, Riese U, Li Z, Hamburger M. Novel Tetramic Acids and

- Pyridone Alkaloids, Militarinones B, C, and D, from the Insect Pathogenic Fungus *Paecilomyces militaris*. *J Nat Prod.* 2003;66(3):378–83.
- [55] Husien NSM, Gafel RAA, Jaffer ND. A Literature Review on the Separation of Chemical Compounds. *Am Int J Multidiscip Sci Res.* 2018;4(1):22–31.
- [56] Câmara JS, Martins C, Pereira JAM, Perestrelo R, Rocha SM. Chromatographic-Based Platforms as New Avenues for Scientific Progress and Sustainability. *Molecules.* 2022;27(16):1–27.
- [57] Coskun O. Separation Techniques: Chromatography. *North Clin Istanbul.* 2016;3(2):156–60.
- [58] Srivastava N, Singh A, Kumari P, Nishad JH, Gautam VS, Yadav M, et al. Advances in extraction technologies: isolation and purification of bioactive compounds from biological materials. In: *Natural Bioactive Compounds*. Elsevier; 2021.
- [59] Singh M, Patra S, Singh RK. Common techniques and methods for screening of natural products for developing of anticancer drugs. In: *Evolutionary Diversity as a Source for Anticancer Molecules*. Elsevier; 2021.
- [60] Honour JW. Steroid determination Sample preparation. In: *Steroids in the Laboratory and Clinical Practice*. Elsevier; 2023.
- [61] Kumar S, Jyotirmayee K, Sarangi M. Thin layer chromatography: A tool of biotechnology for isolation of bioactive compounds from medicinal plants. *Int J Pharm Sci Rev Res.* 2013;18(1):126–32.
- [62] Tiwari S, Talreja S. Thin Layer Chromatography (TLC) VS. Paper Chromatography: A Review. *Acta Sci Pharm Sci.* 2022;6(9):05–9.
- [63] Archana, B. A, Anubha K. an Overview on Thin Layer Chromatography | International Journal of Pharmaceutical Sciences and Research. *Int J Pharm Sci Res.* 2011:256–67.
- [64] Kowalska T. Botanicals – Its Versatile Potential and Selected Applications. *Molecules.* 2022;27(19):6607.
- [65] Kristanti AN, Aminah NS, Tanjung M, Kurniadi B. *Buku Ajar Fitokimia*. Surabay: Airlangga University Press; 2008.

- [66] Gocan S. Two-Dimensional Thin-Layer Chromatography. *J Liq Chromatogr Relat Technol.* 2004;27(6):1105–13.
- [67] Cieśla Ł, Waksmundzka-Hajnos M. Two-dimensional thin-layer chromatography in the analysis of secondary plant metabolites. *J Chromatogr A.* 2009;1216(7):1035–52.
- [68] Gandjar IG, Rohman A. Spektroskopi Molekuler Untuk Analisis Farmasi. Yogyakarta: Gadjah Mada University Press; 2018.
- [69] Khaldun I. Kimia Analisa Instrumen. Aceh: Syiah Kuala University Press; 2018.
- [70] Pentassuglia S, Agostino V, Tommasi T. EAB—Electroactive Biofilm: A Biotechnological Resource. In: Encyclopedia of Interfacial Chemistry. Elsevier; 2018.
- [71] Nazar M, Hasan M. Spektroskopi Molekul. Aceh: Syiah Kuala University Press; 2018.
- [72] Setianingsih T, Prananto YP. Spektroskopi Inframerah untuk Karcaterisasi Material Anorganik. Surabaya: UB Press; 2020.
- [73] Berthomieu C, Hienerwadel R. Fourier transform infrared (FTIR) spectroscopy. *Photosynth Res.* 2009;101(2–3):157–70.
- [74] Rohman A. Spektroskopi Vibrasional Teori dan Aplikasinya Untuk Analisis Farmasi. Yogyakarta: Gadjah Mada University Press; 2021.
- [75] Ningrum DM. Buku Ajar Kimia Farmasi. Yogyakarta: Penerbit Samudra Biru; 2023.
- [76] Pitt JJ. Liquid Cromatography Mass Spectroscopy. *Clin Biochem Rev.* 2009;30:19–34.
- [77] Harmita K, Harahap Y, Supandi. Liquid Chromatography-Tandem Mass Spectrometry (LC-MS/MS). Jakarta: ISFI Penerbitan; 2019.
- [78] Dwinatrana K. Isolasi dan Elusidasi Struktur Senyawa Antibakteri dari Ekstrak Etil Asetat Jamur *Aspergilus sydowii* DC08 Asal Spons Laut *Dachtylospongia* sp. (Tesis). Universitas Andalas; 2022.
- [79] Abdulkadir W. Antibiotik & Resistensi Antibiotik. Gorontalo: Rizmedia Pustaka Indonesia; 2022.
- [80] Radji M. Mekanisme Aksi Molekuler Antibiotik dan Kemoterapi. Jakarta:

Penerbit Buku Kedokteran EGC; 2018.

- [81] Erkmen O. Isolation and Counting of *Staphylococcus aureus*. In: Microbiological Analysis of Foods and Food Processing Environments. Elsevier; 2022.
- [82] Guo Y, Song G, Sun M, Wang J, Wang Y. Prevalence and Therapies of Antibiotic-Resistance in *Staphylococcus aureus*. *Front Cell Infect Microbiol*. 2020;10:11-20
- [83] Algammal AM, Hetta HF, Elkelish A, Alkhalfah DHH, Hozzein WN, Batiha GE-S, et al. Methicillin-Resistant *Staphylococcus aureus* (MRSA): One Health Perspective Approach to the Bacterium Epidemiology, Virulence Factors, Antibiotic-Resistance, and Zoonotic Impact. *Infect Drug Resist*. 2020;13:3255–65.
- [84] Basavaraju M, Gunashree BS. *Escherichia coli*: An Overview of Main Characteristics. In: *Escherichia coli - Old and New Insights*. Intech Open; 2023.
- [85] Nurhayati LS, Yahdiyani N, Hidayatulloh A. Perbandingan Pengujian Aktivitas Antibakteri Starter Yogurt dengan Metode Difusi Sumuran dan Metode Difusi Cakram. *J Teknol Has Peternak*. 2020;1(2):41.
- [86] Balouiri M, Sadiki M, Ibnsouda SK. Methods for *in vitro* evaluating antimicrobial activity: A review. *J Pharm Anal*. 2016;6(2):71–9.
- [87] Montalvão SIGHM, Singh V, Haque S. Bioassays for Bioactivity Screening. In 2014.
- [88] Cotton GC, Lagesse NR, Parke LS, Meledandri CJ. Antibacterial Nanoparticles. In: Comprehensive Nanoscience and Nanotechnology. Elsevier; 2019.
- [89] Horváth G, Farkas Á, Papp N, Bencsik T, Ács K, Gyergyák K, et al. Natural Substances from Higher Plants as Potential Anti-MRSA Agents. In 2016.
- [90] Kjer J, Debbab A, Aly AH, Proksch P. Methods for isolation of marine-derived endophytic fungi and their bioactive secondary products. *Nat Protoc*. 2010;5(3):479–90.
- [91] Rivai H, Handayani D, Tifani R, Eriadi A, Rasyid R. Screening of

- Antimicrobial and Cytotoxic Activities of Endophytic Fungi Isolated from Mangrove Plant *Rhizophora mucronata* Lam. J Pharm Sci Med. 2018;3(3):9–20.
- [92] Sandrawati N, Hati SP, Yunita F, Putra AE, Ismed F, Tallei TE, et al. Antimicrobial and cytotoxic activities of marine sponge-derived fungal extracts isolated from *Dactylospongia* sp. J Appl Pharm Sci. 2020;10(4):28–33.
- [93] Li S, Liu W, Teng L, Cheng X, Wang Z, Wang C. Metabolites identification of harmane in vitro/in vivo in rats by ultra-performance liquid chromatography combined with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. J Pharm Biomed Anal. 2014;92:53–62.
- [94] Number P, Information P, Specification T, Information S, Information T. Product Information Product Information. Opadry. 1920;(14998):1919–20.
- [95] Silverstein RM, Webster FX. Spectrometric Identification of Organic Compounds. New York:John Wiley and Son Inc; 2017.
- [96] Massbank. MassBank Record: MSBNK-Athens_Univ-AU288002. Massbank.
- [97] Steckel A, Schlosser G. An Organic Chemist's Guide to Electrospray Mass Spectrometric Structure Elucidation. Molecules. 2019;24(3):611.
- [98] Nielsen KF, Smedsgaard J. Fungal metabolite screening: Database of 474 mycotoxins and fungal metabolites for dereplication by standardised liquid chromatography-UV-mass spectrometry methodology. J Chromatogr A. 2003;1002(1–2):111–36.
- [99] Ferraz CAA, de Oliveira Júnior RG, Picot L, da Silva Almeida JRG, Nunes XP. Pre-clinical investigations of β-carboline alkaloids as antidepressant agents: A systematic review. Fitoterapia. 2019;137:104196.
- [100] Khan H, Patel S, Kamal MA. Pharmacological and Toxicological Profile of Harmane-β-Carboline Alkaloid: Friend or Foe. Curr Drug Metab. 2017;18(9):853–7.