

## REFERENCE

- Al-Chzawi, A. A. M. A., Zaitoun, S. T., & Shannag, H. K. (2009). Incidence and geographical distribution of honeybee (*Apis mellifera L.*) pests in Jordan. In *Annales de la Société entomologique de France* (Vol. 45, No. 3, pp. 305-308). Taylor & Francis Group.
- Al-Ghamdi A. A. 1990. Survey of honeybee diseases, pests and predators in Saudi Arabia. MPhil thesis, University of Wales, Cardiff , 171 p.
- Al-Sghair, F. G., Mahklouf, M. F., & Abudaya, E. A. (2019). Species diversity and floristic analysis of the family poaceae in Libya depending on the flora of Libya. *Jurnal Vulpia*, 8(7), 56-76.
- Anderson-Cook, C. M., & Borror, C. M. (2016). The difference between “equivalent” and “not different”. *Quality Engineering*, 28(3), 249-262.
- Ardakani MR. (2004). Ecology. Tehran University Press, 340
- Basari, N., Ramli, S. N., & Mohd Khairi, N. A. S. (2018). Food reward and distance influence the foraging pattern of stingless bee, *Heterotrigona itama*. *Insects*, 9(4), 138.
- Beisel, J. N., Usseglio-Polatera, P., Bachmann, V., & Moreteau, J. C. (2003). A comparative analysis of evenness index sensitivity. *International Review of Hydrobiology: A Journal Covering all Aspects of Limnology and Marine Biology*, 88(1), 3-15.
- Bolton B. (1994). Identification Guide to the Ant Genera of the World. Cambridge, Massachusetts: Harvard University Press.
- Bonev, B., Grieve, S., Herberstein, M. E., Kishore, A. I., Watts, A., & Separovic, F. (2006). Orientational order of Australian spider silks as determined by solid-state NMR. *Biopolymers: Original Research on Biomolecules*, 82(2), 134-143.
- Borror, D. J., Long, D. D., & Triplehorn, C. A. (1981). An Introduction to the Study of Insects.
- Brower, J. E., Zar, J. H., & von Ende, C. N. (1997). Field and Laboratory Method for General Ecology Wm. C.
- Brown, B. V. (1997). Parasitic phorid flies: a previously unrecognized cost to

- aggregation behavior of male stingless bees. *Biotropica*, 29(3), 370-372.
- Camargo, JMF., & Pedro, SRM. (1992). Systematics, Phylogeny and Biogeography of Meliponinae (Hymenoptera, Apidae): A small review. *Apidologie*, 23(1): 509- 522.
- Cepeda, O. I. (2006). Division of labor during brood production in stingless bees with special reference to individual participation. *Apidologie*, 37(2), 175-190.
- Christian W., & Gottsberger G. (2000). Diversity Preys in Crop Pollination. *Crop Science* 40 (5): 1209-1222.
- Contrera, F. A., & Nieh, J. C. (2007). The effect of ambient temperature on forager sound production and thoracic temperature in the stingless bee, *Melipona panamica*. *Behavioral Ecology and Sociobiology*, 61, 887-897.
- Costa, MA., Del Lama MA., Melo, GA., & Sheppard, WS. (2003). The Molecular Phylogeny of Stingless Bees (Apidae, Apinae, Meliponini) was Inferred from the 16S rDNA Sequence of Mitochondria. *Apidologie*, 34(1): 73-84.
- Craig, C. L., Weber, R. S., & Bernard, G. D. (1996). Evolution of predator-prey systems: spider foraging plasticity in response to the visual ecology of prey. *The American Naturalist*, 147(2), 205-229.
- Cuthbertson AGS., Wakefield ME., Powell ME., Marris G., Anderson H., Budge GE., Mathers JJ., Blackburn LF., & Brown MA. (2013). The Small Hive Beetle *Aethina tumida*: A Review of its Biology and Control Measures. *Current Zoology* 59(5), 644–653.
- De Brujin LLM., & Sommeijer MJ. (1997). Colony Foraging in Different Species of Stingless Bees (Apidae, Meliponinae) and the Regulation of Individual Nectar Foraging. *Insect Soc* 44:350- 47.
- Devanesan, S., Premila, K. S., & Shailaja, K. K. (2017). Meliponiculture for Pollination Support, Yield Enhancement and Poverty Eradication. *Biodiversity for Sustainable Development* (pp. 267- 272). New York, USA.
- Divya, K., Amritha, V., & Devanesan, S. (2016). Nest Architecture of Stingless Bees. *Life Sciences*, 5(6), 2035-2038.
- Elitz T., Bruhl CA., Imiyabir Z., & Linsenmair KE. (2003). Nesting and Nest Trees of Stingless Bees (Apidae: Meliponini) in Lowland Dipterocarp Forests in Sabah, Malaysia, with Implications for Forest Management.

- Forest Ecology and Management.* 172: 301-313.
- Erniwati. (2013). Kajian Biologi Lebah tak Bersengat (Apidae : *Trigona*) di Indonesia. *Fauna Indonesia* 12 (1): 29-34.
- Estes J., Crooks K., & Holt R. (2001). Predators Ecological Role of. *Encyclopedia of biodiversity* 4:857-878.
- Fadhilah, R., & Rizkika, K. (2015). Laba Lebah Tanpa Sengat. Jakarta: My Trubus Potential Business.
- Firmalinda, W. (2007). *Diversity and Stratification of Vertical Fruit Nymphalidae Butterflies in the Forest of Education and Research in Biology (HPPB)* [Doctoral dissertation, Dissertation]. Andalas University. Padang.[Indonesian]).
- Folgarait, P. J. (1998). Ant biodiversity and its relationship to ecosystem functioning: a review. *Biodiversity & Conservation*, 7, 1221-1244.
- Ghavami, S., & Amooz, S. G. (2008). Spider (order Araneae) fauna of citrus orchards in northern part of Iran. *Journal of Applied Biological Sciences*, 2(1), 73-76.
- Gopinatha, BN., & Basavarajappa S. (2022). Pests and Predators Interference on the Stingless Bee Population Inhabited at Different Habitats Amidst South-eastern Karnataka, India. *Journal of Entomology and Zoology Studies*.
- Gotelli, N. J., & Colwell, R. K. (2001). Quantifying biodiversity: procedures and pitfalls in the measurement and comparison of species richness. *Ecology letters*, 4(4), 379-391.
- Hashimoto, Y., Yamane, S., & Mohamed, M. (2001). How to design an inventory method for ground-level ants in tropical forests. *Nature and Human Activities*, 6, 25-30.
- Hashimoto Y. (2003). Identification Guide to the Ant Subfamily of Borneo. Tools for Monitoring Soil Biodiversity in the ASEAN Region. Darwin Initiative.
- Heard, T.A. (1989). Propagation of Hives of *Trigona carbonaria* Smith. (Hymenoptera: Apidae). *J. Aust. Ento. Soc.*, 27:303-304.
- Heard, T. A. (1999). The Role of Stingless Bees in Crop Pollination. *Annual review of entomology*, 44(1), 183-206.
- Herwina, H., Salmah, S., Jasmi., Yaherwandi., Mairawita., Janra, MN.,

- Rusdimansya., Christy BY., Sari DA., & G Putri. (2020). West Sumatran Stingless Bees (Hymenoptera: Apidae: Meliponini): What Can be told from its Local Distribution. *Earth and Environmental Science*.
- Herwina, H., Ratni, E., Wellyalina., Jasmi., & Setyaka, V. (2021). Pendampingan Usaha Bukik Nabu (UBUNA) dalam Budidaya Lebah Tanpa Sengat (Galo-Galo) dan Pengembangan Produk Turunannya di Limau Manis, Padang. *Jurnal Warta Andalas*. 28(4), 386-392.
- Herwina, H., Janra, M. N., Salmah, S., Mairawita, M., & Jasmi, J. (2022). Analisis Cepat terhadap Budidaya Galo-Galo (Apidae: Meliponini) di Desa Suntur, Kecamatan Barangin, Kota Sawahlunto. Aksiologi: *Jurnal Pengabdian Kepada Masyarakat*, 6(3), 388-399.
- Hölldobler, B., & Wilson, E. O. (1998). *Journey to the ants: a story of scientific exploration*. Harvard University Press.
- Janra, M., Herwina, H., & Salmah, S. (2020). Identifikasi Potensi Predator dan Hama pada Peternakan Kelulut (Hymenoptera; Apidae; Meliponini; Tetragonula, Lepidotrigona) melalui Pengamatan Cepat di Kabupaten Padang Pariaman, Sumatera Barat. *Jurnal Sumberdaya HAYATI*, 6(2), 67-74.
- Kalshoven LGE. (1981). Pest of Crops in Indonesia. Van der Laan PA, penerjemah. Jakarta: Ichtiar Baru-Van Hoeve. (Terjemahan dari: De Plagen van de Cultuurgewassen in Indonesie).
- Kaspari, M. (2000). Do imported fire ants impact canopy arthropods? Evidence from simple arboreal pitfall traps. *The Southwestern Naturalist*, 118-122.
- Kiatoko, N. (2012). Distribution, Behavioural Biology, Rearing and Pollination Efficiency of Five Stingless Bee Species (Apidae: Meliponinae) in Kakamega forest, Kenya. Ph.d Thesis. Pure and Applied Science of Kenyatte University, Kenya. 140-226 pp.
- Kumar MS., Singh AJAR., & Alagumuthu G. (2012). Traditional Beeskeeping of Lebah tak Bersengat (*Trigona sp.*) by Kani Tribes of Western Ghats, Tamil Nadu, India. *Indian J Tradit Knowledge* 11:342-345.
- Lach, L., Tillberg, C. V., & Suarez, A. V. (2010). Contrasting effects of an invasive ant on a native and an invasive plant. *Biological Invasions*, 12, 3123-3133.

- Lamarkabel Jacobus SA., Victor GS, Wulandari S., & Anang L. (2020). Karakteristik Morfologi dan Morfometrik Lebah Madu Tak Bersengat (Apidae; Melliponinae) pada Koloni di Daerah Pesisir Pulau Ambon. *Jurnal Budidaya Pertanian*, 17(1):28-35.
- Lehmberg L., Dworschak K., & Nico B. (2008). Defensive Behavior and Chemical Deterrence Against Ants in the Stingless Bee Genus *Trigona* (Apidae, Meliponini). *Journal of Apicultural Research* 47:17-21.
- Leonard, F.W. (1983). Investigation on the Fauna Associated with the Pollen Collected by Honeybees, *Apis mellifera*. MSc thesis, University of Maryland, College Park.
- Leonhardt SD., Zeilhofer S., Bluthgen N. &, Schmitt T. (2010). Stingless Bees Use Terpenes as Olfactory Cues to Find Resin Sources. *Chem Senses* 35:603-611.
- Leonhardt SD. (2017). Chemical Ecology of Stingless Bees. *Journal of chemical ecology*. 43(4):385-402.
- MacKinnon J., & Phillips K. (1993). A Field Guide to the Birds of Sumatra, Java and Bali. London: Oxford University Press.
- MacKinnon J., Phillips K., & van Balen S. (2010). Burung-Burung di Sumatera, Jawa, bali dan Kalimantan. Bogor: Puslitbang Biologi-LIPI
- Michener, CD. (1990). Klasifikasi Apidae (Hymenoptera). Buletin Sains Universitas Kansas, 54(4): 75.
- Michener CD. (2007). The Bees of The World. The John Hopkins Univ Pr, Baltimore.
- Mueller-Dombois, D., & Ellenberg, H. (1974). Vegetation types: a consideration of available methods and their suitability for various purposes.
- Narendra, A., Gourmaud, S., & Zeil, J. (2013). Mapping the navigational knowledge of individually foraging ants, *Myrmecia croslandi*. *Proceedings of the Royal Society B: Biological Sciences*, 280(1765), 20130683.
- Nisha, M. M. (2002). Management of Stingless Bee *Trigona iridipennis* Smith (Meliponinae: Apidae) in the homesteads of Kerala. M.Sc (Ag.) thesis, Kerala Agricultural University, Thrissur. pp. 62-63.
- Norgate, M., Boyd-Gerny, S., Simonov, V., Rosa, M. G., Heard, T. A., & Dyer, A.

- G. (2010). Ambient temperature influences Australian native stingless bee (*Trigona carbonaria*) preference for warm nectar. *PloS one*, 5(8), e12000.
- Octaria B. (2007). Keanekaragaman Jenis Kunang-kunang (Coleoptera: Lampyridae) di Hutan Pendidikan dan Penelitian Biologi (HPPB). Skripsi Padang Universitas Andalas.
- Odum, H. T. (1996). Scales of ecological engineering. *Ecological Engineering*, 6(1-3), 7-19.
- Odum, E. P. (1998). *Dasar-Dasar Ekologi*. Diterjemahkan oleh Tjahjono Samingan. Edisi Ketiga. Gadjah Mada University Press. Yogyakarta.
- Pangestika NW. (2016). Additional Nest Structure and Flower Constancy of Stingless Bees (Hymenoptera: Apidae) [Tesis]. Bogor, Indonesia: Institut Pertanian Bogor.
- Pangestika, N. W., Atmowidi, T. & Kahono, S. (2018). Additional Nest Structures and Natural Enemies of Stingless Bees (Hymenoptera: Apidae: Meliponinae). *Jurnal Sumberdaya Hayati*. 4 (2): 42-47.
- Powell, S., & Clark, E. (2004). Combat between large derived societies: a subterranean army ant established as a predator of mature leaf-cutting ant colonies. *Insectes Sociaux*, 51, 342-351.
- Premila KS., Devanesan S., & Shailaja KK. (2013). Reduviid bug *Acanthaspis siva* – a Predator of Honey Bee and Stingless Bee in Kerala. *Insect Environment* 19:197- 198.
- Putra NS., Watiniasih NL., & Suartini M. (2016). Jenis Lebah Trigona (Apidae: Meliponinae) pada Ketinggian Tempat Berbeda di Bali. *Jurnal Simbiosis*. (1)6- 9.
- Putri, D., Herwina, H., Arbain, A., & Handru, A. (2016). Ant species composition in Macaranga spp. trees at a conservation forest of palm oil plantation in West Sumatra, Indonesia. *Journal of Entomology and Zoology Studies*, 4(1), 342-348.
- Raakhee, M. (2000). Bioecology and Management of Stingless Bees (Apidae: Meliponinae). M. Sc.(Ag.) thesis, Kerala Agricultural University, Thrissur, 68.

- Rajkumari P., Sharmah D., Rahman A., & Patgiri P. (2014). Diversity and Distribution Pattern of Hymenopteran Insects in Jorhat District, Assam, India. *International Journal of Science and Research*. 3(12):1938-1941.
- Rasmussen C., (2008). Catalog of the Indo-Malayan/Australasian Stingless Bees (Hymenoptera: Apidae: Meliponini). *Zootaxa* 1935. Magnolia Press.
- Rasmussen, C., & Cameron, SA. (2010). Global Stingless Bee Phylogeny Supports Ancient Divergence, Vicariance, and Long-distance Dispersal. *Biological Journal of the Linnean Society*, 99(1): 206-232.
- Rasmussen C. (2013). Stingless Bees (Hymenoptera: Apidae: Meliponini) of the Indian sub-continent: Diversity, Taxonomy and Current Status of Knowledge. *Zootaxa*. 3647(3):401-402.
- Rohmare, V. B., Rathod, D. M., Dholu, S. G., Parasharya, B. M., & Talmale, S. S. (2015). An inventory of odonates of central Gujarat, India. *Journal of Threatened Taxa*, 7(11), 7805-7811.
- Reyes-González, A., & Zamudio, F. (2020). Competition Interactions Among Stingless Bees (Apidae: Meliponini) for Croton yu catanensis Lundell resins. *International Journal of Tropical Insect Science*, 40(4), 1099–1104.
- Riendriasari, S.D. (2013). *Budidaya Lebah Madu Trigona sp. Mudah dan Murah*. Makalah Seminar Alih Teknologi “Budidaya Lebah Madu Trigona sp.”. Balai Teknologi Hasil Hutan Bukan Kayu. Mataram.
- Rizaldi, Mairawita, Novarino W, Nurainas, Nurdin J & M. Idris. (2018). An Introduction to the Biological Education and Research Forest of Andalas University. Andalas University Press, Padang, Indonesia.
- Rizali A., Bos MM., Buchori D., Yamane S., & Schulze CH. (2008). Ants in Tropical Urban Habitat: The Myrmecofauna in a Densely Populated Area of Bogor, West Java, Indonesia. *HAYATI Journal of Biosciences* 15:77-84.
- Roubik, D. W. (2006). Stingless bee nesting biology. *Apidologie*, 37(2), 124-143.
- Sakagami S F, Inoue T., & Salmah S. (1990). Stingless Bees of Central Sumatra. In: Sakagami SF, Ohgushi RI, Roubik DW. Natural History of Social Wasps and Bees in Equatorial Sumatra (Sapporo (JP): Hokkaido

- University Pr.) pp 125- 137.
- Salatnaya H., Fuah AM., Widodo WD., & Winarno. (2020). Aktivitas *Tetragonula laeviceps* (Hymenoptera: Apidae: Meliponini) pada Perkebunan Pala (*Myrictica fragrans* Hout) Monokultur dan Polikultur di Jawa Barat. *Koli Journal* 1: 14-20.
- Sanjaya, Y., & Dibiyantoro, A. L. (2012). Keragaman serangga pada tanaman cabai (*Capsicum annum*) yang diberi pestisida sintetis versus biopestisida racun laba-laba (*Nephila* sp.). *Jurnal Hama Dan Penyakit Tumbuhan Tropika*, 12(2), 192-199.
- Sari, Y. I., Dahelmi, D., & Herwina, H. (2015). Jenis-Jenis Kumbang Tinja (Coleoptera: Scarabaeidae) di Hutan Pendidikan dan Penelitian Biologi (HPPB) Universitas Andalas, Padang. *Jurnal Biologi UNAND*, 4(3).
- Schultz, T. R. (2000). In search of ant ancestors. *Proceedings of the National Academy of Sciences*, 97(26), 14028-14029.
- Setiyono.J., S. Diniartsih, E.N.R. Oscilata & N.S.Budi. (2017). Dragonflies og Yogyakarta. Jenis Capung Daerah Istimewa Yogyakarta. Indonesia Dragonfly Society, Yogyakarta.
- Shackleton K., Toufailia HA., Balfour NJ., Nascimento FS., Alves DA., Francis L., & Ratnieks W. (2015). Appetite for Self Destruction: Suicidal Biting as a Nest Defense Strategy in *Trigona* Stingless bees. *Behav Ecol Sociobiol* 69:273-281.
- Shannon, C. E., & Weaver, W. (1949). A Mathematical theory of Communication, e University of Illinois Press. *Champaign, IL, USA*.
- Sharma, G., & Sundararaj, R. (2011). Association of ants and honeydew producing sucking pests in Bangalore provenance of sandal (*Santalum album* Linn.). In *Biological Forum-An International Journal* (Vol. 3, No. 2, pp. 62-64).
- Sihombing DTH. (2005). *Ilmu ternak lebah madu*. Yogyakarta: Gajah Mada University Press.
- Silva, A.C., & Gl-Santana, H. R. (2004). Predation of *Apiomerus pillipes* (Fab.) (Hemiptera, Reduviidae, Harpactorinae, Apiomerini) over meliponinae bees (Hymenoptera, Apidae) in the State of Amazonas, Onas, Brazil. *Revista Brasileira de Zoologia*. 21: 769 – 774.

- Simões, D., Noll, F. B., & Zucchi, R. (1996). Duration of *Protopolybia exigua exigua* (de Saussure) nests and related aspects as influenced by phorid fly infestation (Vespidae, Polistinae, Epiponini). *Sociobiology*, 28(1), 121-130.
- Smith, F. G. (1960). Comb foundation: its use for African honeybees. *Bee World*, 41(9), 235-240.
- Smith, K. F., Yabsley, M. J., Sanchez, S., Casey, C. L., Behrens, M. D., & Hernandez, S. M. (2012). Salmonella isolates from wild-caught Tokay geckos (*Gekko gecko*) imported to the US from Indonesia. *Vector-Borne and Zoonotic Diseases*, 12(7), 575-582.
- Smith, B., & Wilson, J. B. (1996). A consumer's guide to evenness indices. *Oikos*, 70-82.
- Strauss U., Human H., Gauthier L., Crewe RM., Dretemann V., & Park CWW. (2013). Seasonal Prevalence of Pathogens and Parasites in the Savannah Honeybee (*Apis mellifera scutellata*). *Invertebrate Pathology* 114:45-52.
- Subyanto., Sulthoni A., Siwi SS., & Lilies C. (1991). *Kunci Determinasi Serangga*. Yogyakarta: UGM.
- Sumoprastowo RM., & Suprapto RA. (1980). *Beternak Lebah Madu Modern*. Jakarta: PT. Bhantara Niaga Media.
- Supeno B., & Erwan. (2016). *Pengenalan Pembelajaran Tentang Lebah Madu (Honey Bees)*. Lombok: Arga Puji Press Mataram Lombok.
- Suprianto., Trianto M., & Alam N. (2020). Karakter Morfologi dan Analisis Daerah Conserved Gen Elongation Factor 1 $\alpha$  (EF1 $\alpha$ ) pada *Lepidotrigona terminate*. *Journal of Biology Science*, 7(2): 30-39.
- Sutrisna, M., Bagus, I., Saskara, N., & Ayu, I. (2020). Prospective analysis of sustainable tourism development in penglipuran village as a tourist village role model in Bali. *Technium Soc. Sci. J.*, 13, 184.
- Syafrizal., Bratawinata AA., Sila M., & Marji D. (2012). Jenis Lebah Kelulut (*Trigona spp.*) di Hutan Pendidikan Lempake. *Mulawarman Scientiffie* 11:11-18.
- Tambunan, G.R., M.U. Tarigan, dan Lisnawita. (2013). Indeks Keanekaragaman Jenis Serangga Pada Pertanaman Kelapa Sawit (*Elaeis guineensis* Jacq.) di

Kebun Helvetia PT Perkebunan Nusantara II. J. Online Agroekoteknologi USU 1 (4):1081-1091.

Triplehorn, C. A., & Johnson, N. F. (2005). Order Hymenoptera. *Borror and DeLong's Introduction to the Study of Insects*, 7th edition. Thomas Brooks/Cole, Belmont, CA, 481-570.

Vijayakumar K., Muthuraman M., & Jayaraj R. (2012). Predation of Stingless Bee (*Trigona iridipennis*: Apidae, Meliponinae) by Centipede (*Scolopendra hardwicki*: Chilopoda: Scolopendramorpha). *International Journal of Advanced Life Sciences* 5:156-159.

Wattanachaiyingcharoen W., & Jongjitvimon T. (2007). First Record of the Predator, *Pahabengkakia piliceps* Miller, 1941 (Reduviidae, Harpactorinae) in the Stingless Bee, *Trigona collina* Smith, 1857 (Apidae, Meliponinae) in Thailand. *The Natural History Journal of Chulalongkorn University* 7:71-74.

Wicaksono, K. P., Suryanto, A., Nugroho, A., Nakagoshi, N., & Kurniawan, N. (2011). Insect as Biological Indicator from Protected to The Disturb Landscape in Central Java Indonesia. *AGRIVITA Journal of Agricultural Science*, 33(1), 75-84.

Wielgoss A, Tscharntke T, Buchori D, Fiala B, Clough Y. (2010). Temperature and a Dominant Dolichorine Ant Species Affect ant Diversity in Indonesian Cacao Plantations. *Agriculture, Ecosystem and Environment* 135:253-259.

Yakobson B. A., Rosenthal C. (1990). The status of bee pests in Israel, p. 213-214 in: Ritter W. (ed) Proceedings of the international symposium on recent research on bee pathology, 5-7 September 1990, Ghent, Belgium. Rijksstation voor Nematologie en Entomologie on behalf of Apimondia, Merelbeke, Belgium.

Yanti, E. (1999). Komposisi dan Struktur Komunitas Laba-laba (Araneae) Permukaan Tanah pada Daerah Hutan dan Semak Belukar di HPPB Unand Padang.

Yazbek R. 1990. Beekeeping in Syria. *Bee World* 71(1): 41-42.