

DAFTAR PUSTAKA

- Adeyemi, E. A., Adebisi, Y. A., & Babatunde, A. O. (2021). Psychosocial impacts of chronic kidney disease and dialysis therapy. *SciMedicine Journal*, 3(2), 129–137. <https://doi.org/10.28991/scimedj-2021-0302-5>
- Adiningrum, N., Andayani, T. M., & Kristina, S. A. (2021). Analisis faktor klinik terhadap kualitas hidup pasien hemodialisis di RSUD dr. Loekmono Hadi Kudus. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 8(1), 29. <https://doi.org/10.20473/jfiki.v8i12021.29-37>
- Aditama & Kusumajaya (2023). Faktor-faktor yang berhubungan dengan kualitas tidur pasien gagal ginjal kronis. *Jurnal Penelitian Perawat Profesional*, 6(1), 109–120.
- Aini, E. N., Isnaini, I., Sukamti, S., & Amalia, L. N. (2018). Pengaruh tingkat pendidikan terhadap tingkat kesejahteraan masyarakat di kelurahan Kesatrian Kota Malang. *Technomedia Journal*, 3(1), 58–72. <https://doi.org/10.33050/tmj.v3i1.333>
- Aisara, S., Azmi, S., Yanni, M. (2018). Gambaran klinis penderita penyakit gagal ginjal kronik yang menjalani hemodialisis di RSUP Dr. M. Djamil Padang: *Jurnal Kesehatan Andalas*: 7(1)
- Almatsier. (2017). *Prinsip dasar ilmu gizi*. Jakarta: PT. Gramedia Pustaka Utama.
- Alshammari, B., Alkubati, S. A., Alrasheeday, A., Pasay-An, E., Edison, J. S., Madkhali, N., Alshammari, F. (2024). Factors influencing fatigue among patients undergoing hemodialysis: A multi-center cross-sectional study. *Libyan Journal of Medicine*, 19(1). <https://doi.org/10.1080/19932820.2023.2301142>

- Anees, M., Batool, S., Imtiaz, M., & Ibrahim, M. (2018). Socio-economic factors affecting quality of life of hemodialysis patients and its effects on mortality. *Pakistan Journal of Medical Sciences*, 34(4), 811–816. <https://doi.org/10.12669/pjms.344.15284>
- Anggraini, S., & Fadila, Z. (2022). Kualitas hidup pasien gagal ginjal kronik dengan dialisis di Asia Tenggara: A systematic review. *Hearty*, 11(1), 77. <https://doi.org/10.32832/hearty.v11i1.7947>
- Anindya, B. (2018). Analisa kualitas hidup pada pasien gagal ginjal kronis dengan anemia diunit hemodialisis di Rsup Dr. Sardjito Yogyakarta
- Arifa, S. I., Azam, M., & Handayani, O. W. K. (2017). Faktor yang berhubungan dengan kejadian penyakit ginjal kronik di Indonesia. *Media Kesehatan Masyarakat Indonesia*, 13(4), 319. <https://doi.org/10.30597/mkmi.v13i4.3155>
- Arikunto, S. (2020). *Prosedur penelitian: Suatu pendekatan praktik* (18th edn). Jakarta: Rineka Cipta.
- Ashing-Giwa, Kimlin Tam. (2005). The contextual model of HRQoL: A paradigm for expanding the HRQoL framework. *Quality of Life Research*, 14(2), 297–307. <https://doi.org/10.1007/s11136-004-0729-7>
- Arifa, S. I., Azam, M., & Handayani, O. W. K. (2017). Faktor yang berhubungan dengan kejadian penyakit ginjal kronik di Indonesia. *Media Kesehatan Masyarakat Indonesia*, 13(4), 319. <https://doi.org/10.30597/mkmi.v13i4.3155>
- Athiutama. Karakteristik dan hubungannya dengan kualitas hidup pasien pasca stroke (2021). *Jurnal Ilmiah Kesehatan Jiwa*, 3(1), Hal 13 - 20, April p-ISSN 2715-6443 e-ISSN 2721-9429

- Atikah, S. N., & Supadmi, W. (2019). Uji validitas kuesioner KDQOL-SFTM versi Indonesia pada pasien penyakit ginjal terminal di RS PKU Muhammadiyah Bantul. *Jurnal Kefarmasian Akfarindo*, 21–30. <https://doi.org/10.37089/jofar.v0i0.65>
- Balitbangkes RI. (2019). Laporan riskesdas 2018 basional.pdf. *Lembaga Penerbit Balitbangkes*. Jakarta: Kementerian Kesehatan RI.
- Bakarman, M. A., Felimban, M. K., Atta, M. M., & Butt, N. S. (2019). The effect of an educational program on quality of life in patients undergoing hemodialysis in western Saudi Arabia. *Saudi Medical Journal*, 40(1), 66–71. <https://doi.org/10.15537/smj.2019.1.23401>
- Baxter. (2024). chronic kidney disease (PGK). *My kidney journey*. Diambil dari <https://apac.mykidneyjourney.com/id/chronic-kidney-disease/ckd-stage-5>
- Bazrafshan, F. D., Darvizeh, Z., & Banijamali, S. S. (2023). The relationship between hemodialysis patients' treatment adherence, procrastination, and difficulty in emotion regulation: A cross-sectional study in southeast Iran. *Frontiers in Psychology*, 13(January), 1–10. <https://doi.org/10.3389/fpsyg.2022.1041912>
- Bello, A. K., Okpechi, I. G., Osman, M. A., Cho, Y., Htay, H., Jha, V., ... Johnson, D. W. (2022). Epidemiology of haemodialysis outcomes. *Nature Reviews Nephrology*, 18(6), 378–395. <https://doi.org/10.1038/s41581-022-00542-7>
- Canaud, B., Kooman, J. P., Selby, N. M., Taal, M. W., Francis, S., Maierhofer, A., ... Kotanko, P. (2020). Dialysis-induced cardiovascular and multiorgan morbidity. *Kidney International Reports*, 5(11), 1856–1869. <https://doi.org/10.1016/j.ekir.2020.08.031>

- Carney, F. E. (2020). The impact of chronic kidney. *Nature reviews*, 16(May), 2020.
- Creswell, J. W., & Creswell, J. D. (2018). *Research design: qualitative, quantitative, and mixed methods approaches* (5th ed.). California: Sage Publication, Inc.
- Dehghan, M., Namjoo, Z., Mohammadi Akbarabadi, F., Fooladi, Z., & Zakeri, M. A. (2021). The relationship between anxiety, stress, spiritual health, and mindfulness among patients undergoing hemodialysis: A survey during the COVID-19 outbreak in Southeast Iran. *Health Science Reports*, 4(4), 1–10. <https://doi.org/10.1002/hsr2.461>
- De Alencar, S. B. V., de Lima, F. M., Dias, L. D. A., Dias, V. D. A., Lessa, A. C., Bezerra, J. M., ... de Petribu, K. C. (2020). Depression and quality of life in older adults on hemodialysis. *Brazilian Journal of Psychiatry*, 42(2), 195–200. <https://doi.org/10.1590/1516-4446-2018-0345>
- Debnath, S., Rueda, R., Bansal, S., Kasinath, B. S., Sharma, K., & Lorenzo, C. (2021). Fatigue characteristics on dialysis and non-dialysis days in patients with chronic kidney failure on maintenance hemodialysis. *BMC Nephrology*, 22(1), 1–9. <https://doi.org/10.1186/s12882-021-02314-0>
- Deshpande, P., Rajan, S., Sudeepthi, Bl., & Abdul Nazir, C. (2011). Patient-reported outcomes: A new era in clinical research. *Perspectives in Clinical Research*, 2(4), 137. <https://doi.org/10.4103/2229-3485.86879>
- Devi, S., & Rahman, S. (2020). The relationship of duration undergoing hemodialysis therapy and the quality of life of patients with chronic kidney disease at the Rasyida kidney hospital. *ARC Journal of Public Health and*

- Community Medicine*, 5(2), 15–21. <https://doi.org/10.20431/2456-0596.0501004>
- Duke, C., Park, K., & Ewing, R. (2020). Chi-square, basic quantitative research methods for urban planners, 133–149. <https://doi.org/10.4324/9780429325021-8>
- Dou, L., Mao, Z., Fu, Q., Chen, G., & Li, S. (2022). Health-related quality of life and its influencing factors in patients with coronary heart disease in China. *Patient Preference and Adherence*, 16(March), 781–795. <https://doi.org/10.2147/PPA.S347681>
- Ekasari, M. F. (2018). *Meningkatkan kualitas hidup*. Malang: Wineka Media.
- Fadhila, S. (2022). Faktor-faktor yang berhubungan dengan kualitas hidup pasien hemodialisis. *I Care Jurnal Keperawatan STIKes Panti Rapih*, 3(1), 73–87.
- Faridah, V. N., Ghozali, M. S., Aris, A., Sholikhah, S., & Ubudiyah, M. (2021). Effect of hemodialysis adequacy on quality of life in older adults with chronic kidney disease. *Indonesian Journal of Community Health Nursing*, 6(1), 28. <https://doi.org/10.20473/ijchn.v6i1.26660>
- Fauziah, N. (2018). *Analisis data menggunakan chi square test di bidang kesehatan masyarakat dan klinis*. (G. P. E. Mulyo, Ed.). Bandung: Politeknik Kesehatan Kemenkes Bandung.
- Farrimond, H. (2013). *Doing ethical research*. New York: Palgrave Macmillan.
- Fletcher, B. R., Damery, S., Aiyegbusi, O. L., Anderson, N., Calvert, M., Cockwell, P., ... Kyte, D. (2022). Symptom burden and health-related quality of life in chronic kidney disease: A global systematic review and meta-analysis. *PLoS Med*, 19(4), e1003954. <https://doi.org/10.1371/journal>

pmed.1003954

- Foreman, K. J., Marquez, N., Dolgert, A., Fukutaki, K., Fullman, N., McGaughey, M., ... Murray, C. J. L. (2018). Forecasting life expectancy, years of life lost, and all-cause and cause-specific mortality for 250 causes of death: reference and alternative scenarios for 2016–40 for 195 countries and territories. *The Lancet*, 392(10159), 2052–2090. [https://doi.org/10.1016/S01406736\(18\)31694-5](https://doi.org/10.1016/S01406736(18)31694-5)
- García-Llana, H., Remor, E., & Selgas, R. (2018). Adhesión al tratamiento, estado emocional y calidad de vida en pacientes con insuficiencia renal crónica en tratamiento con diálisis. *Psicothema*, 25(1), 79–86. <https://doi.org/10.7334/psicothema2018.96>
- Gerogianni, G., & Babatsikou, F. (2019). Chronic kidney disease and hemodialysis: Epidemiological characteristics and psychological disorders. *Perioperative Nursing*, 8, 111–117. <https://doi.org/10.5281/zenodo.3491475>
- Halimah, N., Alhidayat, N. S., & Handayani, D. E. (2022). Karakteristik pasien gagal ginjal kronik dengan continuous ambulatory peritoneal dialysis di RS TK II Pelamonia. *Garuda Pelamonia Jurnal Keperawatan*, 4(1), 14–28.
- Hasan, L. M., Shaheen, D. A. H., El Kannishy, G. A. H., Sayed-Ahmed, N. A. H., & Abd El Wahab, A. M. (2021). Is health-related quality of life associated with adequacy of hemodialysis in chronic kidney disease patients? *BMC Nephrology*, 22(1), 1–12. <https://doi.org/10.1186/s12882-021-02539-z>
- Hasanah, U., Dewi, N. R., Ludiana, L., Pakarti, A. T., & Inayati, A. (2023). Analisis faktor-faktor risiko terjadinya penyakit ginjal kronik pada pasien hemodialisis. *Jurnal Wacana Kesehatan*, 8(2), 96. <https://doi.org/10.52822/>

jwk.v8i2.531

- Hasanuddin, F. (2022). *Adekuasi hemodialisa pasien gagal ginjal kronik* (1 ed.). Jawa Tengah: NEM.
- Himani N, M., & Anjum, F. (2024). *Hemodialysis*. StatPearls. Diambil dari <https://www.ncbi.nlm.nih.gov/books/NBK563296/>
- Hinkle, J. L., & Cheever, K. (2014). *Handbook for brunner & suddarth's textbook of medical-surgical nursing* (The 13th). Philadelphia: Lippincott, Williams & Wilkins.
- Huang, C. W., Wee, P. H., Low, L. L., Koong, Y. L. A., Htay, H., Fan, Q., Seng, J. J. B. (2021). Prevalence and risk factors for elevated anxiety symptoms and anxiety disorders in chronic kidney disease: A systematic review and meta-analysis. *General Hospital Psychiatry*, 69. 27–40. <https://doi.org/10.1016/j.genhosppsych.2020.12.003>
- Irene, I., Yemina, L., & Pangaribuan, S. M. (2022). Kualitas hidup pasien dengan penyakit ginjal kronis dengan terapi hemodialisa di RS PGI Cikini. *Jurnal Keperawatan Cikini*, 3(1), 1–6. <https://doi.org/10.55644/jkc.v3i1.72>
- Ignatovicus, D. D., Workman, M. L., Blair, M., Rebar, C., & Winkelman, C. (2015). *Medical-surgical nursing: Patient-centered collaborative care*.
- Ikhsan I, Wirahmi N, Slamet S (2020). Hubungan aktifitas fisik dengan risiko jatuh pada lansia di wilayah kerja Puskesmas Nusa Indah Kota Bengkulu. *J Nurs Public Heal*. 2020;8(1):48-53. doi:10.37676/jnph.v8i1.1006
- Kanada, R., & Zulkipli. (2024). *Perencanaan pendidikan*. Jakarta: Prenada Media.
- Karuniawati, E., & Supadmi, W. (2016). Kepatuhan penggunaan obat dan kualitas hidup pasien hemodialisa di RS PKU Muhammadiyah Yogyakarta periode

Maret 2015. *Journal of Pharmaceutical Sciences and Community*, 13(02), 73–80. <https://doi.org/10.24071/jpsc.2016.130205>

KDIGO. (2013). Kidney International Supplements. *Clinical practice guideline for the evaluation and management of chronic kidney disease*, 3(1). <https://doi.org/10.3182/20140824-6-za-1003.01333>

KDOQI. (2002). KDOQI clinical practice guidelines for chronic kidney disease: Evaluation, classification, and stratification.

Kim, S., Kwon, M., & Seo, K. (2022). Factors influencing the health-related quality of life of workers according to the type of work. *Healthcare (Switzerland)*, 10(10), 1–9. <https://doi.org/10.3390/healthcare10102066>

Kovesdy, C. P., Furth, S. L., & Zoccali, C. (2017). Obesity and kidney disease: Hidden consequences of the epidemic. *Brazilian Journal of Medical and Biological Research*, 50(5), 1–9. <https://doi.org/10.1590/1414431X20166075>

Kovesdy, Csaba P. (2022). Epidemiology of chronic kidney disease: An update 2022. *Kidney International Supplements*, 12(1), 7–11. <https://doi.org/10.1016/j.kisu.2021.11.003>

Krishnan, A., Teixeira-Pinto, A., Lim, W. H., Howard, K., Chapman, J. R., Castells, A., ... Craig, J. C. (2020). Health-related quality of life in people across the spectrum of CKD. *Kidney International Reports*, 5(12), 2264–2274. <https://doi.org/10.1016/j.ekir.2020.09.028>

Kusniawati, K. (2018). Hubungan kepatuhan menjalani hemodialisis dan dukungan keluarga dengan kualitas hidup pasien gagal ginjal kronik di Ruang Hemodialisa Rumah Sakit Umum Kabupaten Tangerang. *Jurnal Medikes (Media Informasi Kesehatan)*, 5(2), 206-233.

- Larasati, T.A (2017). Kualitas hidup pasien diabetes militus tipe 2 di RS Abdul Moeloek Propinsi Lampung. *Jurnal Kedokteran dan Kesehatan Universitas Lampung*, Vol2., No, 17-20
- Lazuardi, N., Kusuma, H., & Djagad, H. (2017). Support group program pada pasien hemodialisa. *Adi Husada Nursing Journal*, 3(1), 39–43.
- Lim, K. H., & Kwon, G. S. (2023). Factors affecting quality of life in hemodialysis patients. *Journal of the Korean Academy of Fundamentals of Nursing*, 30(1), 1–12. <https://doi.org/10.7739/jkafn.2023.30.1.1>
- Liyanage, T., Toyama, T., Hockham, C., Ninomiya, T., Perkovic, V., Woodward, M., ... Jun, M. (2022). Prevalence of chronic kidney disease in Asia: A systematic review and analysis. *BMJ Global Health*, 7(1), 1–9. <https://doi.org/10.1136/bmjgh-2021-007525>
- Mahato, S. K. S., Apidechkul, T., Sriwongpan, P., Hada, R., Sharma, G. N., Nayak, S. K., ... Wongnuch, P. (2022). Acceptance and accessibility to the early phase COVID-19 vaccination among the healthcare workers and hill tribe population in Thailand. *Scientific Reports*, 12(1), 1–11. Diambil dari <http://dx.doi.org/10.1371/journal.pone.0264959><https://doi.org/10.1186/s12955-022-01986-y>
- Mahayundhari, N., Wiardani, N., & Cintari, L. (2018). Hubungan adekuasi hemodialisis dan status gizi dengan kualitas hidup pasien gagal ginjal kronik yang menjalani hemodialisis di RSUP Sanglah Denpasar. *Jurnal Ilmu Gizi*, 7(4), 156–164.
- Mailani, F. (2017). Kualitas hidup pasien penyakit ginjal kronik yang menjalani hemodialisis: Systematic review. *NERS Jurnal Keperawatan*, 11(1), 1.

<https://doi.org/10.25077/njk.11.1.1-8.2015>

- Maryati, W., Rahayuningrum, I. O., & Hestiana, H. (2023). Ketepatan kode diagnosis chronic kidney disease dalam mendukung kelancaran klaim BPJS di Rumah Sakit. *Indonesian of Health Information Management Journal (INOHIM)*, *11*(1), 43–49. <https://doi.org/10.47007/inohim.v11i1.497>
- Meida Kurniasari, D., Hafan Sutawardana, J., & Kushariyadi, K. (2021). Kepatuhan dalam regimen pengobatan pada pasien chronic kidney disease (CKD) yang menjalani hemodialisa di RSD dr.Soebandi Jember. *Jurnal Ilmiah Ners Indonesia*, *1*(2), 71–83. <https://doi.org/10.22437/jini.v1i2.9529>
- Mohamed, N. A., Eraslan, A., & Kose, S. (2023). The impact of anxiety and depression on the quality of life of hemodialysis patients in a sample from Somalia. *BMC Psychiatry*, *23*(1), 1–9. <https://doi.org/10.1186/s12888-023-05312-8>
- Naryati, Aisyah, Widakdo, G., Nuraenah, Handayani, R., Waluyo, I. K., ... Adelia, A. (2023). *Peningkatan kemampuan adekuasi perawat ruang hemodialisa*.
- National Kidney Foundation. (2024). Kidney failure risk factor: Gender (sex). Diambil dari www.kidney.org
- Nielsen, T. M., Juhl, M. F., Feldt-Rasmussen, B., & Thomsen, T. (2018). Adherence to medication in patients with chronic kidney disease: A systematic review of qualitative research. *Clinical Kidney Journal*, *11*(4), 513–527. <https://doi.org/10.1093/ckj/sfx140>
- Novinka, C., Gea, D., Fadsya, F., Sari, N., Br. Tarigan, R. M., & Nababan, T. (2022). Relationship between hemodialysis adequacy and quality of life of chronic renal failure patients in RSU Royal Prima Medan in 2022. *Jurnal*

Keperawatan Dan Fisioterapi (Jkf), 5(1), 1–8. <https://doi.org/10.35451/jkf.v5i1.1114>

NovoPsych. (2023). Skala penilaian kelelahan (FAS). https://novopsych-com-au.translate.goog/assessments/health/fatigue-assessment-scalefas/?_x_tr_sl=en&_x_tr_tl=id&_x_tr_hl=id&_x_tr_pto=tc

Nursalam. (2017). *Metodologi penelitian ilmu keperawatan: Pendekatan praktis*. Jakarta: Salemba Medika.

Oliveira, A. P. B., Schmidt, D. B., Amatneeks, T. M., Santos, J. C. Dos, Cavallet, L. H. R., & Michel, R. B. (2016). Quality of life in hemodialysis patients and the relationship with mortality, hospitalizations and poor treatment adherence. *Jornal brasileiro de nefrologia : 'orgao oficial de Sociedades Brasileira e Latino-Americana de Nefrologia*, 38(4), 411–420. <https://doi.org/10.5935/0101-2800.20160066>

Ozen, N., Cinar, F. I., Askin, D., Dilek, M. U. T., & Turker, T. (2019). Nonadherence in hemodialysis patients and related factors: A multicenter study. *Journal of Nursing Research*, 27(4), 1–11. <https://doi.org/10.1097/jnr.0000000000000309>

Parekh, A. J., & Ravindra. (2020). Systematic review on quality of life of patients with chronic kidney disease. *International Journal of Psychosocial Rehabilitation*, 24(5), 7432–7444. <https://doi.org/10.37200/ijpr/v24i5/pr2020777>

Pei, M., Aguiar, R., Pagels, A. A., Heimbürger, O., Stenvinkel, P., Bárány, P., ... Qureshi, A. R. (2019). Health-related quality of life as predictor of mortality in end-stage renal disease patients: An observational study. *BMC Nephrology*,

20(1), 1–10. <https://doi.org/10.1186/s12882-019-1318-x>

- Pernefri. (2013). Konsensus nutrisi pada penyakit ginjal kronik. *Journal of Chemical Information and Modeling* (Vol. 53). PT. KALBE FARMA Tbk.
- Polit, D. F., & Beck, C. T. (2017). *Nursing research: Generating and assessing evidence for nursing practice* (10th ed.). Philadelphia: Lippincott Williams & Wilkins.
- Potter, P. A., & Perry, A. G. (2016). *Fundamental of nursing* (9 ed.). Missouri: Elsevier Health Sciences.
- Pereira, P. (2022). Latihan fisik pada penderita penyakit ginjal kronik. *Jojurology & Nephrology*.
- Pratama, (2021). Analisis tingkat pengetahuan dengan kepatuhan dalam menerapkan protokol kesehatan covid-19
- Pretto, C. R., Winkelmann, E. R., Hildebrandt, L. M., Barbosa, D. A., Colet, C. de F., & Stumm, E. M. F. (2020). Quality of life of chronic kidney patients on hemodialysis and related factors. *Revista Latino-Americana de Enfermagem*, 28, 1–11. <https://doi.org/10.1590/1518-8345.3641.3327>
- Priadini, R. P., Handayani, L., & Rosyidah. (2023). Faktor-faktor yang berhubungan dengan kualitas hidup (quality of life) pasien gagal ginjal kronik yang menjalani hemodialisa. *Jurnal Pendidikan Tambusai*, 7(1), 3332–3338.
- Priyanti, D., & Farhana, N. (2018). Perbedaan kualitas hidup pasien gagal ginjal yang bekerja dan tidak bekerja yang menjalani hemodialisis di Yayasan Ginjal Diatrans Indonesia. *INQUIRY Jurnal Ilmiah Psikologi*, 7 (1), 41–47.
- Putri, M. E., Wardhani, U. C., & Sari, I. P. (2023). Hubungan health locus of

control dengan kualitas hidup pada pasien penyakit ginjal kronis yang menjalani hemodialisis di RSUD Raja Ahmad Thabib. *Journal of Clinical Pharmacy and Pharmaceutical Science*, 2(2).

- Ramesh, S., Zalucky, A., Hemmelgarn, B. R., Roberts, D. J., Ahmed, S. B., Wilton, S. B., & Jun, M. (2016). Incidence of sudden cardiac death in adults with end-stage renal disease: A systematic review and meta-analysis. *BMC Nephrology*, 17(1), 78. <https://doi.org/10.1186/s12882-016-0293-8>
- Ratnasari, P. M. D., Yuliawati, A. N., & Dhrik, M. (2022). Analisis hubungan antara tingkat pengetahuan dengan kualitas hidup pasien gagal ginjal kronik. *Pharmacoscript*, 5(2), 136–156. <https://doi.org/10.36423/pharmacoscript.v5i2.964>
- Rosner, R. (2016). Fundamentals of biostatistics. *The American Journal of Tropical Medicine and Hygiene* (8th ed., Vol. 18). Boston: Cengage Learning. <https://doi.org/10.4269/ajtmh.1969.18.479>
- R.AI-Rubaia, Z., A.AI-Ashour, I., & A.AI-Mubarak, Z. (2022). Association between dialysis adequacy and quality of life among hemodialysis patients. *Journal of Positive School Psychology*, 6(5), 1486–1495.
- Rammang, S. (2023). Faktor – faktor yang mempengaruhi kualitas hidup pasien penyakit ginjal kronik yang menjalani hemodialisa literature review. *Jurnal Ilmu Kesehatan Mandira Cendikia*, 2, 77–84.
- Rasyid, H., Kasim, H., Zatalia, S. R., & Sampebuntu, J. (2022). Quality of life in patients with renal failure undergoing hemodialysis. *Acta Medica Indonesiana*, 54(2), 307–313.
- Ravani, P., Quinn, R., Fiocco, M., Liu, P., Al-Wahsh, H., Lam, N., ... Tonelli, M.

- (2020). Association of age with risk of kidney failure in adults with stage iv chronic kidney disease in Canada. *JAMA Network Open*, 3(9), 1–11. <https://doi.org/10.1001/jamanetworkopen.2020.17150>
- Rosyanti, L., Hadi, I., & Ibrahim, K. (2018). Eksplorasi perubahan fisik dan gejala emosional pada pasien gagal ginjal kronis yang menjalani hemodialisis. *Health information jurnal penelitian*.
- Sansuwito, T. bin, Hasan, H. C., & Nurchayati, S. (2022). Quality of life and its determinants of demographic characteristics among chronic renal failure patients who underwent therapy of hemodialysis in Arifin Ahmad Public Hospital, in Pekanbaru Riau Indonesia. *Malaysian Journal of Medicine and Health Sciences*, 18(February), 256–261.
- Santoso, D., Sawiji, S., Oktantri, H., & Septiwi, C. (2022). Faktor-faktor yang berhubungan dengan fatigue pada pasien gagal ginjal kronik yang menjalani hemodialisa di RSUD Dr. Soedirman Kebumen. *Jurnal Ilmiah Kesehatan Keperawatan*, 18(1), 60. <https://doi.org/10.26753/jikk.v18i1.799>
- Sathvik, B., Parthasarathi, G., Narahari, M., & Gurudev, K. (2018). An assessment of the quality of life in hemodialysis patients using the WHOQOL-BREF questionnaire. *Indian Journal of Nephrology*, 18(4), 141. <https://doi.org/10.4103/0971-4065.45288>
- Senanayake, S., Gunawardena, N., Palihawadana, P., Bandara, P., Haniffa, R., Karunaratna, R., & Kumara, P. (2017). Symptom burden in chronic kidney disease; A population based cross sectional study. *BMC Nephrology*, 18(1), 1–8. <https://doi.org/10.1186/s12882-017-0638-y>
- Shen, Y., Chen, Y., Huang, S., Yao, X., Kanwar, Y. S., & Zhan, M. (2023). The

association between symptoms of depression and anxiety, quality of life, and diabetic kidney disease among chinese adults: A cross-sectional study. *International Journal of Environmental Research and Public Health*, 20(1). <https://doi.org/10.3390/ijerph20010475>

- Shirazian, S., Grant, C. D., Aina, O., Mattana, J., & Khorassani, F. (2017). Depression in chronic kidney disease and end-stage renal disease: Similarities and differences in diagnosis, epidemiology, and management. *Kidney International Reports*, 2(1), 94–107. <https://doi.org/10.1016/j.ekir.2016.09.005>
- Simorangkir, R., Andayani, T. M., & Wiedyaningsih, C. (2021). Faktor-faktor yang berhubungan dengan kualitas hidup pasien penyakit ginjal kronis yang menjalani hemodialisis. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 8(1), 83. <https://doi.org/10.20473/jfiki.v8i12021.83-90>
- Siregar, cholina trisa. (2020). *Buku ajar manajemen komplikasi pasien hemodialisa*. Yogyakarta: Deepublish.
- Siwi, A. S., & Budiman, A. A. (2022). Kualitas hidup pasien gagal ginjal kronik yang menjalani terapi hemodialisa. *Jurnal Keperawatan Muhammadiyah Bengkulu*, 9(1), 1–9.
- Solihatin, Y., Rahmawati, A. S., & Susilawati. (2019). Hubungan antara adekuasi hemodialisis dengan kualitas hidup pasien hemodialisis di instalasi hemodialisa RS Jasa Kartini Tasikmalaya. *Healthcare Nursing Journal*, 1(1), 2019. <https://doi.org/10.1088/1751-8113/44/8/085201>
- Sorayah. (2016). Uji validitas konstruk beck depression inventory-ii (Bdi-Ii). *Jurnal Pengukuran Psikologi dan Pendidikan Indonesia*, 4(1), 1–13.

- Sosnowski, R., Kulpa, M., Ziętałewicz, U., Wolski, J. K., Nowakowski, R., Bakula, R., & Demkow, T. (2017). Basic issues concerning health-related quality of life. *Central European Journal of Urology*, 70(2), 206–211. <https://doi.org/10.5173/ceju.2017.923>
- Sriandari, L. P. F., & Lesmana, C. B. J. (2019). Hubungan depresi dan kualitas hidup pasien penyakit ginjal kronik yang menjalani hemodialisis di Bali. *E-Jurnal Medika*, 8(5), 1–9.
- Sri Hartini. (2016). Gambaran karakteristik pasien gagal ginjal kronis yang menjalani hemodialisa di Rumah Sakit Umum Daerah Dr. Moewardi
- Sugiyono. (2018). *Metode penelitian kuantitatif dan kualitatif*. Bandung: Alfabeta.
- Sundström, J., Bodegard, J., Bollmann, A., Vervloet, M. G., Mark, P. B., Karasik, A., ... Tangri, N. (2022). Prevalence, outcomes, and cost of chronic kidney disease in a contemporary population of 2.4 million patients from 11 countries: The CaReMe CKD study. *The Lancet Regional Health - Europe*, 20, 1–14. <https://doi.org/10.1016/j.lanepe.2022.100438>
- Suparti, S., Sodikin, S., & Endiyono, E. (2020). The relationship between dialysis adequacy and fatigue in patients on maintenance hemodialysis. *Jurnal Keperawatan Padjadjaran*, 8(1), 1–8. <https://doi.org/10.24198/jkp.v8i1.1165>
- Surya Putri, N., Sugito, H., & Auliya Wanda Wandita. (2022). Correlation between fatigue and physical activity in chronic kidney disease patients experiencing hemodialysis therapy. *Journal of Islamic Nursing*, 7(1), 15–21. <https://doi.org/10.24252/join.v7i1.29320>
- Susantri, W., Bayhakki, B., & Woferst, R. (2022). Hubungan kepatuhan menjalani terapi hemodialisis dengan kualitas hidup pasien penyakit ginjal kronik di

- masa pandemi covid-19. *Holistic Nursing and Health Science*, 5(2), 216–225. <https://doi.org/10.14710/hnhs.5.2.2022.72-81>
- Szu, L. Y., Chang, C. H., Hsieh, S. I., Shih, W. M., Huang, L. M., Tsai, M. C., & Tseng, S. M. (2023). Factors related to quality of life of hemodialysis patients during the covid-19 pandemic. *Healthcare (Switzerland)*, 11(8), 1–16. <https://doi.org/10.3390/healthcare11081155>
- Tata, dkk. (2022). Edukasi kesehatan berbasis family support terhadap pasien gagal ginjal kronik. *Prosiding Seminar Informasi Kesehatan Nasional (SIKESNas)*, 67–72. Diambil dari <https://ojs.uadb.ac.id/index.php/sikenas/article/view/1234/1039>
- Tiar, dkk (2022). Hubungan antara kepatuhan terapi hemodialisis dengan kualitas hidup pasien gagal ginjal ginjal kronik. *Media Husada Journal of Nursing Science*, 3(2), 143-152.
- Tsirigotis, S., Polikandrioti, M., Alikari, V., Dousis, E., Koutelekos, I., Toulia, G., ... Gerogianni, G. (2022). Factors associated with fatigue in patients undergoing hemodialysis. *Cureus*, 14(3). <https://doi.org/10.7759/cureus.22994>
- Um-e-Kalsoom, Khan, S., & Ahmad, I. (2020). Impact of hemodialysis on the wellbeing of chronic kidney diseases patients: A pre-post analysis. *Middle East Current Psychiatry*, 27(1). <https://doi.org/10.1186/s43045-020-00060-x>
- Utami, Nia Puspita. (2018). Penerapan intradialytic range of motion exercise untuk menurunkan tekanan darah pada pasien av fistula yang menjalani hemodialisis. 6–30.
- Vaidya, S. R., & Aeddula, N. R. (2022). *Chronic renal failure*.

- Videbeck, S. L. (2020). *Psychiatric-mental health nursing* (8th ed.). Philadelphia: Wolter Kluwer. <https://doi.org/10.3928/0279-3695-19870801-16>
- Wahyudi, F. F. N., & Rantung, J. (2024). Hubungan fatigue dengan kualitas hidup pasien gagal ginjal kronik yang menjalani terapi hemodialisa Di Rumah Sakit Swasta Bandar Lampung. *Klabat Journal of Nursing*, 6(1), 50. <https://doi.org/10.37771/kjn.v6i1.1067>
- WHO. (1996). WHOQOL-BREF: Introduction, administration, scoring and generic version of the assessment: Field trial version, December. *World Health Organization*.
- Widyastuti, N. (2021). Quality of life of patients with chronic kidney disease: A Literature review. *American Journal of Kidney Diseases*.
- Winkelmann, E. R., Hildebrandt, L. M., Barbosa, D. A., Colet, C. de F., & Stumm, E. M. F. (2020). Quality of life of chronic kidney patients on hemodialysis and related factors. *Revista Latino-Americana de Enfermagem*, 28, 1–11. <https://doi.org/10.1590/1518-8345.3641.3327>
- Worthen, G., & Tennankore, K. (2019). Frailty screening in chronic kidney disease: Current perspectives. *International Journal of Nephrology and Renovascular Disease*, 12, 229–239. <https://doi.org/10.2147/IJNRD.S228956>
- Yuliawati, A. N., Ratnasari, P. M. D., & Pratiwi, I. G. A. S. (2022). Hubungan kepatuhan pengobatan dengan kualitas hidup pasien gagal ginjal kronik disertai hipertensi dan menjalani hemodialisis. *Jurnal Manajemen Dan Pelayanan Farmasi (Journal of Management and Pharmacy Practice)*, 12(1), 28–39. <https://doi.org/10.22146/jmpf.69974>
- Zuraida, R., & Chie, H. H. (2018). Pengujian skala pengukuran kelelahan (FES)

pada responden di Indonesia *ComTech: Computer, Mathematics and Engineering Applications*, 5(2).

