

DAFTAR PUSTAKA

- Abel, E.L., & Kruger, M.L. 2010. Smile intensity in photographs predicts longevity. *Psyc. Sci.* 21(4): 542-544.
- Afrilliana, A. 2018. *Teknologi Pengolahan Kopi Terkini*. Budi Utama. Yogyakarta.
- Amos, W., & Harwood, J. 1998. Factors affecting levels of genetic diversity in natural populations. *Philosophical Transactions of the Royal Society of London. Biol. Sciens.* 353(1366): 177-186.
- Andreev, D., Breilid, H., Kirkendall, L., Brun, L.O., French-Constant, R.H. 1998. Lack of nucleotide variability in a beetle pest with extreme breeding. *Insec. Mol. Bio.* 7: 197-200.
- Andersen, S.O. 2010. Insect cuticular sclerotization: A review. *Insect Biochem. Mol. Biol.* 40(3): 166–178.
- Apriyanto, D., Nadrawati, Bustamam, H., Zarkani, A. 2021. Effect Of *Beauveria Bassiana* Against Coffee Bean Borer, *Hypothenemus hampei* (Ferrari) In Small Scale Field Trials. *Serangga*. 26(3): 69-88.
- Anwar, J., Damanik, S.J., Hisyam, N., Whitten, A.J. 1984. *The ecology of Sumatran ecosystems*. Gadjah Mada Univ. Press, Yogyakarta.
- Arcila, J., Jaramillo, A., Baldíón, V., Bustillo, A.E., 1993. La floración del cafeto y su relación con el control de la broca. *Avances Técnicos Cenicafé*. 193, 1–6. (In Spanish).
- Alba-Alejandre, I., Alba-Tercedor, J., & Vega, F.E. 2019. Anatomical study of the coffee berry borer (*Hypothenemus hampei*) using micro-computed tomography. *Scientific Reports*. 9(1): 17150.
- Alonzo, F.R. 1984. Aspectos ecológicos de la broca *Hypothenemus hampei* (Coleoptera: Solytidae), Programa regional de mejoramiento de la caficultura. San Jose' (Costa Rica). *IICA PROMECAFE*. pp. 71–136.
- Aristizábal, L.F., Johnson, M.A., Shriner, S., Hollingsworth, R., Manoukis, N.C., Myers, R., Bayman, P., Arthurs, S.P. 2017. Integrated pest management of coffee berry borer in Hawaii and Puerto Rico: Current status and prospects. *Insects*. 8: 123.
- Aristizábal, L. F., Bustillo, A. E., & Arthurs, S. P. 2016. Integrated pest management of coffee berry borer: strategies from Latin America that could be useful for coffee farmers in Hawaii. *Insects*, 7(1): 6.

Arens, P., R. Bugter, W.V., Westende, R. Zollinger, J. Stronks, C.C., Vos dan M.J.M. Smulders. 2006. Microsatellite Variation and Population Structure Of a Recovering Tree Frog (*Hyla arborea* L.) Metapopulation. *Cons.Gen.* 3: 102-112.

Atkinson, T.H. 2017. Bark Beetles And Ambrosia Beetles Of The America. Biodiversity Center, University of Texas at Austin. https://www.barkbeetles.info/amer_links.php. [viewed 10 May 2022].

Avise, J.C. 2004. *Molecular Markers, Natural History, and Evolution*. 2nd Edition. Sinauer. Sunderland.

Avise, J.C. 1994. *Molecular Markers, Natural History and Evolution*. Chapman and Hall. London.

Badan Pusat Statistik. 2021. *Statistik Kopi Indonesia 2020*. Tersedia online pada <https://www.bps.go.id/publication/2021/11/30/b1b6cf2a6aad1ee2d8a4c656/statistik-kopiindonesia-2020.html>. Diakses Oktober 2022

Baker, P.S. Barrera, J.F. Rivas. 1992. A. Life-history studies of the coffee berry borer (*Hypothenemus hampei*, Scolytidae) on coffee trees in southern Mexico. *J. Appl. Entomol.* 29: 656–662.

Baker, P.S. 1999. The Coffee Berry Borer in Colombia; Final Report of the DFID-Cenicafé-CABI Bioscience IPM for Coffee Project. The Commodities Press: Chinchiná, Colombia. p. 154.

Balloux, F., & Lugon-Moulin, N. 2002. The estimation of population differentiation with microsatellite markers. *Mol. Ecol.* 11(2): 155-165.

Bandelt, H.J., Forster P, and Rohl A. 1999. Median-Joining Networks for Inferring SItraspecific Phylogenies. *Mol. Biol and Evo.* 16: 37-48.

Barrera, J.F. 2008. Coffee Pests and Their Management. Encyclopedia of Entomology 961-998. Burland, T.G. 2000. DNASTAR's Lasergene Sequence Analysis Software. Bioinformatics Methods and Protocols. *Humana Press*. Totowa. 71-91.

Barrera, J.F. Mora, V. Franciscocoaut, J. 2005. Efecto de la altura de la trampa en la captura de la “Broca del Café”: Implicaciones en dispersión y muestreo. *Entomol. Mex.* 4: 542–546.

Batley, J., Edwards, K. J., Barker, J. H. A., Dawson, K. J., Wiltshire, C. W., Glen, D. M., & Karp, A. 2004. Population structure of the beetle pests *Phyllodecta vulgatissima* and *P. vitellinae* on UK willow plantations. *Insect Mol. Bio.* 13(4): 413-421.

- Becquet, C., Patterson, N., Stone, A.C., Przeworski, M. & Reich, D. 2007. Genetic Structure of Chimpanzee Populations. *PLoS Genetics*. 3. (4): 617-626.
- Benítez, H. A., Bravi, R., Parra, L. E., Sanzana, M. J., & Sepúlveda-Zúñiga, E. 2013. Allometric and non-allometric patterns in sexual dimorphism discrimination of wing shape in *Ophion intricatus*: Might two male morphotypes coexist. *J. Insect Sci.* 13(1): 143.
- Beaver, R.A. & Maddison, P.A. 1990. The bark and ambrosia beetles of the Cook Islands and Niue (Coleoptera: Scolytidae and Platypodidae). *J. Nat. His.* 24: 1365–1375.
- Beardsley, JW. 1990. Scientific and operational notes on *Hypothenemus obscurus* (Fabricius), a new pest of macadamia nuts in Hawaii. *Proceedings of the Hawaiian Entomological Society* 30: 147-150.
- Beck, S. 1998. High Fidelity PCR : Enhancing the Accuracy of DNA Amplification. *The Scientist* 12(1): 17.
- Booth, R.G., Cox, M.L. & Madge, R.B. 1990. *IIE Guides to Insects of Importance to Man. 3. Coleoptera*. CAB International. Wallingford. UK.
- Bookstein, F.L. & R.E. Strauss. 1982. The Truss: Body Form Reconstruction in Morphometrics. *Syst. Zoo.* 3: 113-115.
- Botstein, D., White, R.L., Skolnick, M., Davis, R.W. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Human Gen.*.. 32 : 314–331.
- Bright D.E. 2014. A Catalog of Scolytidae and Platypodidae (Coleoptera), Supplement 3 (2000–2010), with notes on subfamily and tribal reclassifications *Insecta Mundi*. Vol.0356. P.1–336
- Bright, D.E. & Torres, J.A. 2006. Studies on West Indian Scolytidae (Coleoptera) 4. A review of the Scolytidae of Puerto Rico, U.S.A. with descriptions of one new genus, fourteen new species and notes on new synonymy (Coleoptera: Scolytidae). *Koleopterologische Rundschau* 76: 389–428.
- Brouat, C., Meusnier, S., Veyrier, R., & Streiff, R. 2006. Haldane's rule in *Carabus*: interspecific mating between *Carabus punctatoauratus* and *Carabus splendens* using experimental tests and molecular markers. *Entomol. Exp. App.* 120(3): 189-194
- Brun, L.O., Marcillaud, C., Gaudichon, V., & Suckling, D.M. 1989. Endosulfan resistance in *Hypothenemus hampei* (Coleoptera: Scolytidae) in New Caledonia. *J. Econ. Entomol.* 82(5): 1311-1316.

- Brun, L.O, & Suckling, M.D. 1992. Field selection for endosulfan resistance in coffee berry borer (Coleoptera: Scolytidae) in New Caledonia. *J. Eco. Entomol.* 85(2): 325-334.
- Borsa, P., & Coustau, C. 1996. Single-stranded DNA conformation polymorphism at the Rdl locus in *Hypothenemus hampei* (Coleoptera: Scolytidae). *Heredity*. 76(2): 124-129.
- Browne, F.G. 1963. Taxonomic notes on Scolytidae (Coleoptera). *Entomol. Ber.* 23, 53-59.
- Brown T.A. 2002. *Genomes*. 2nd edition. Oxford. Wiley-Liss.
- Budiman, H. 2012. *Prospek Tinggi Bertanam Kopi*. Pustaka Baru. Press.Yogyakarta.
- Bustillo, A.E., Cardenas, R., & Posada, F.J. 2002. Natural enemies and competitors of *Hypothenemus hampei* Ferrari (Coleoptera: Scolytidae) in Colombia. *Neotrop. Entomol.* 31: 635-639.
- Bustillo, A.E., Cárdenas, R., Villalba, D.A., Benavides, P., Orozco, J. 1998. *Implantación del Manejo Integrado de la Broca del café Hypothenemus Hampei* (Ferrari) en Colombia; Centro Nacional de Investigaciones de Café ‘Pedro Uribe Mejía’: Brocartera, Colombia; 134 p.
- Byun, D., Hong, J., Ko, J. H., Lee, Y. J., Park, H. C., Byun, B. K., & Lukes, J. R. 2009. Wetting characteristics of insect wing surfaces. *J. Bio. Eng.* 6(1): 63-70.
- Caetano, A.G. 2004. *DNA Amplification Fingerprinting*. A forum for DNA marker methodologies: University of Illinois at Urbana- Champaign.
- Carja, O., Liberman, U., & Feldman, M. W. 2014. Evolution in changing environments: Modifiers of mutation, recombination, and migration. *Proceedings of the National Academy of Sciences*. 111(50): 17935-17940.
- Castro, L., P. Benavides, & A. E. Bustillo. 1998. Dispersión y mortalidad de *Hypothenemus hampei*, durante la recolección y beneficio del café. *Manejo Integrado de Plagas (CATIE)*. 50: 19-28
- Castrejoón, G.V.R., Valdes, J., Cibrian, T.J., Camino, L.M., Osorio, R.O., 1999. Morphology and distribution of the sense organs on the antennae of *Copitarsia consueta* (Lepidoptera: Noctuidae). *Fla. Entomol.* 82: 546-555.
- Chapman, E.G., Messing, R.H., Harwood, J.D. 2015. Determining the origin of the coffee berry borer invasion of Hawaii. *Entomol. Soc. Am.* 108: 585-592.

Chapman, R. F. 1982. *The Insects. Structure and Function.* 3rd Ed. Hodder & Stoughton, London.U.K

Charlesworth, D. & J. H. Willis. 2009. The genetic inbreeding depression. *Nat. Rev.Gen.* 10 : 783 – 796

Cheng, S., & L. A, Kolmodin. 1997. XL PCR amplification of long targets from genomic DNA, *Methods in Molecular Biology : PCR Cloning Protocols*, edited by Bruce A. White, 67, Humana Press, Totowa, New Jersey. 17-29 p.

Cognato, A.I., Gillette, N.E., Campos Bolan̄os, R., Sperling, F.A.H. 2005. Mitochondrial phylogeny of pine cone beetles (Scolytinae, Conophthorus) and their affiliation with geographic area and host. *Mol. Phylogen. Evol.* 36: 494–508

Cognato, A.I., & Sperling, F.A. 2000. Phylogeny of Ips DeGeer species (Coleoptera: Scolytidae) inferred from mitochondrial cytochrome oxidase I DNA sequence. *Mol. Phylog. and Evo.* 14(3): 445-460.

Corbett, G.H. 1933. Some preliminary observations on the coffee berry beetle borer Stephanoderes (*Cryphalus*) *hampei* Ferr. Malay. *J. Agric.* 21: 8–22.

Corporaal, J.B. 1921. De Koffiebesboorder op Sumatra's Oostkust en Atjeh. Mededeelingen van het Algemeen Proefstation der A.V.R.O.S.; Algèmene Serie No. 12; p. 20.

Csősz, S., Seifert, B., Mikó, I., Boudinot, B. E., Borowiec, M. L., Fisher, B. L., Elek, Z. 2021. Insect morphometry is reproducible under average investigation standards. *Ecol evol.* 11(1): 547-559.

Damon, A. 2000. A Review of The Biology and Control of The Coffee Borer, *Hypothenemus hampei* Ferrari (Coleoptera: Scolytidae). *Bul. Entomol. Res.* 90: 453-465

Davidson. 2001. *Microsatellite DNA Methodology*. New York. Davidson Collage.

Davidson, A. 1967. The occurrence of coffee berry borer *Hypothenemus hampei* in Ethiopia. *Café*. 8: 1–3.

Davis, A. P., Govaerts, R., Bridson, D. M., & Stoffelen, P. 2006. An annotated taxonomic conspectus of the genus Coffea (Rubiaceae). *Bot. J. Linn.Soc.* 152(4): 465-512.

da Silva, S.A, RGFA, Pereira, N., de Azevedo, Lira, E.M. da Gloria, S.M. Chalfoun, and L.R., Batista. 2020. Fungi associated to beans infested with coffee berry borer and the risk of ochratoxin A. *Food Control.* 113: 107204.

- Decazy, B. 1990. Descripción, biología, ecología y control de la broca del fruto del cafeto *Hypothenemus hampei* (Ferr.). CENICAFE.
- Direktorat Jenderal Perkebunan. 2022. Statistik Perkebunan Unggulan Nasional 2021-2023. <https://ditjenbun.pertanian.go.id/template/uploads/2023/04/> [Diakses tanggal 23-07-2023].
- Duque, O.H. 2000. Economics of coffee berry borer (*Hypothenemus hampei*) in Colombia. In: Workshop, Coffee Berry Borer: New Approaches to Integrated Pest Management. Mississippi State University. Starkville. *Mississippi*. 2: 1–5.
- Duque, H., & Cháves B. 2000. *Estudio Sobre Adopción del Manejo Integrado de la Broca del Café*. Cenicafe; Chinchiná, Colombia. p. 90.s
- Duque, O., H., & Baker, P.S. 2003. Devouring Profit. The Socio-Economics of Coffee Berry Borer IPM. The Commodities Press—CABICENICAFE, Chinchina. 106 p.
- Duque-Orrego, H., Ma'rquez-Q., A., Hernández-S., M., 2002. Estudios de caso sobre costos de manejo integrado de la broca del café en el Departamento de Risaralda. *Cenicafe* 53: 106–118
- Dufour, B.P., I.W., Kerana, & F. Ribeyre. 2019. Effect of coffee tree pruning on berry production and coffee berry borer infestation in the Toba Highlands (North Sumatra). *Crop Protec.* 122: 151–158.
- Durham, S. 2004. Stopping the Coffee Berry Borer from Boring into Profits. *Agric. Research*, 52:10-1.
- Echeverría, B.F. 2006. Caracterización Biológica y Molecular de Asilamientos del Hongo Entomopatógeno *Beauveria bassiana* (Balsamo). Vuillemin. B.Ss. Thesis, Escuela de Biología, Instituto Tecnológico de Costa Rica, Cartago, Costa Rica. p. 92.
- Eichhof, W.J. 1871. Neue exotische Tomiciden-Arten. Berl. *Entomol.* 15: 131–137.
- Erfandari, O., Hamdani, Dedi, S. 2019. Diversity of Intensity of Pest Attack Coffee Borrer (*Hypothenemus hampei ferrari*) on Some of Robusta Coffee Production Center in Lampung Province. *Jurnal Penelitian Pertanian Terapan*. 19(3):244-249.
- Ernawati, F. & Endang, H. 2014. Developing of Coffea Pests (<Http://ditjenbun.pertanian.go.id>)
- Escobar, R.S., Grass, I., Armbrecht, I., Tscharntke, T. 2019. Biological control of the coffee berry borer: Main natural enemies, control success, and landscape influence. *J Bio Control*. 13 (6): 1–17.

- Ewing, B.L., Hillier, M.C., Wendl, & P. Green. 1998. Base-Calling of Automated Sequencer Traces Using Phred. I. Accuracy Assessment. *Genome Res.* 20(16): 8-17.
- Ferrari, J.A.G. 1867. Die Forst- und Baumzuchtschädlichen Borkenkäfer; Druck und Verlag von Carl Gerold's Sohn: Wien, Austria pp. 12–13.
- Ferry, Y., Supriadi, H., Ibrahim, M.S. 2015. *Teknologi Budi Daya Tanaman Kopi Aplikasi pada Perkebunan Rakyat*. Badan Penelitian dan Pengembangan Pertanian. Jakarta.
- Finkeldey, R. 2005. *An Introduction to Tropical Forest Genetics*. Gottingen: Institute of Forest Genetics and Forest Tree Breeding Georg-August-University-Gottingen
- Firdaus. 2018. Getting to Know More about Coffee Fruit Borer. Balai Pengkajian Teknologi Pertanian Aceh. <http://nad.litbang.pertanian.go.id>.
- Folmer, O., Black, M., Hoeh, W., Lutz, R. dan Vrijenhoek, R. 1994. DNA Primers for Amplification of Mitochondrial Cytochrome C Oxidase Subunit I from Diverse Metazoan Invertebrates. *Mol Mar Biol Biotechnol.* 3(5): 294–9.
- Fonseca, G. G., Heinze, E., Wittmann, C., & Gombert, A. K. 2008. The yeast Kluyveromyces marxianus and its biotechnological potential. *Applied Micro and Biotech.* 79: 339-354.
- Frankham, R.J.D., Ballou, Briscoe, D.A. 2010. *Introduction to Conservation Genetics*. 2nd Edition, Cambridge University Press, Cambridge.
- Frankham, R.J.D., Ballou, & D. A. Briscoe. 2002. *Introduction to Conservation Genetics*. Cambridge University Press.
- Ffrench-Constant, R.H., Steichen, J.C., Rocheleau, T. A., Aronstein, K., & Roush, R. T. 1993. A single-amino acid substitution in a gamma-aminobutyric acid subtype A receptor locus is associated with cyclodiene insecticide resistance in *Drosophila* populations. *Proceedings of the National Academy of Sciences.* 90(5): 1957-1961.
- Gallardo-Covas, F., Hernández, E., Pagán, J. 2010. Presencia natural del hongo Beauveria bassiana (Bals.) Vuill. En la broca del fruto del café *Hypothenemus hampei* (Ferrari) en Puerto Rico. *J. Agric. Univ.* 94: 195–198.
- Garavito, A., Montagnon, C., Guyot, R., Bertrand, B. 2016. Identification by the DArTseq method of the genetic origin of the *Coffea canephora* cultivated in Vietnam and Mexico. *BMC. Plant. Biol.* 16: 242.

- Gauthier, N., & Rasplus, J.Y. 2004. Polymorphic microsatellite loci in the Coffee Berry Borer, *Hypothenemus hampei* (Coleoptera, Scolytidae). *Mol. Ecol. Notes*. 4: 294–296.
- Gauthier, N. 2010. Multiple cryptic genetic units in *Hypothenemus hampei* (Coleoptera: Scolytinae): Evidence from microsatellite and mitochondrial DNA sequence data. *J. Bio. Lin. Soc.* 101(1): 113–129.
- George, D., & Mallery, P. 2019. IBM SPSS Statistics 26 Step by Step: A Simple Guide and Reference (16th ed.). Routledge.
- Gil, Z. N., Benavides, P., Souza, O. D., Acevedo, F. E., & Lima, E. 2015. Molecular markers as a method to evaluate the movement of *Hypothenemus hampei* (Ferrari). *J. Insect Sci.* 15(1): 72.
- Giraldo, J., Urbina, D., Cardenas, A., Valente, J., Faisal, M., Ruths, J. & Candell, R. 2018. A survey of physics-based attack detection in cyber-physical systems. *ACM Computing Surveys (CSUR)*, 51(4): 1-36.
- Gomez, D.F., James, K. & Steininger, M.S. 2018. Species delineation within the *Euwallacea fornicatus* (Coleoptera: Curculionidae) complex revealed by morphometric and phylogenetic analyses. *Insect Sys. Diversity*. 6: 1–11.
- Grassi-Sella M.L, Garófalo C.A, Francoy T.M. 2018. Morphological similarity of widely separated populations of two Euglossini (Hymenoptera; Apidae) species based on geometric morphometrics of wings. *Apidologie*. 49(2):151–161
- Grisolia, A.T & Cotulio, V. 2012. Molecular Markers and Genetic Diversity in Neotropical Felids, Analysis of Genetic Variation in Animals, Mahmut Caliskan.
- Gutierrez, A.P., Villacorta, A., Cure, J.R., & Ellis, C.K. 1998. Tritrophic analysis of the coffee (*Coffea arabica*)-coffee berry borer (*Hypothenemus hampei* Ferrari)-parasitoid system. *Anais da sociedade entomológica do brasil*, 27: 357-385.
- Hagedorn, M. 1910. Wieder ein neuer kaffeeschädlinge. *Entomologische Blätter* 6: 1-14.
- Hale, M. L., T. M. Burg & T. E, Steeves. 2012. Sampling for Microsatellite-Based Population Genetic: 25 to 30 Individuals per Population Is enough to Accurately Estimate Allele Frequencies. *Plos one*.
- Hallberg, E., & Hansson, B.S., 1999. Arthropod sensilla: morphology and phylogenetic considerations. *Microsc. Res. Tech.* 47: 428–439

- Harrison, I., Laverty, M., & Sterling, E. 2004. Genetic Diversity. Connexions module: m12158.
- Hartatik, T., Nur, D., Hariyono, H. & Adinata, Y. 2019. Genetic diversity and phylogenetic analysis of two Indonesian local cattle breeds based on cytochrome b gene sequences. *Biodiversitas*. 20(1): 17-22.
- Hauge, Y. & M. A. Litt. 1993. A Study Of The Origin Of ‘Shadow Bands’ Seen When Typing Dinucleotide Repeat Polymorphisms By The PCR. *Mol. and Gen.* 2: 411-415.
- Hebert, P.D.N., Ratnasingham, S. Waard, J.R.D. 2003. Barcoding Animal Life: Cytochrome C Oxidase Subunit 1 Divergence Among Closely Related Species. *Proceedings of the Royal Society B*. 270(1): S96–S99.
- Hebert, P.D.N, de Waard, J.R., Landry, J.F. 2010. DNA barcodes for 1/1000 of the animal kingdom. *Biol Lett*. 6(3): 359–362.
- Hillerton, J.E., S E. Reynolds, and J.F.V. Vincent. 1982. On the indentation hardness of insect cuticle. *J. Exp. Biol.* 96: 45–52
- Hidayana, D. 2002. *Musuh Alami, Hama Dan Penyakit Tanaman Kopi*. Departemen Pertanian. Jakarta.
- Hoffman, E.A & M.S, Blouin. 2000. A review of color and pattern polymorphism in anurans. *J. Bio. Linn. Soc.* 70, 633–663.
- Hopkins, A.D. 1915. Classification of the Cryphalinae, with Descriptions of New Genera and Species; Contributions from the Bureau of Entomology, Report No. 99; United States Department of Agriculture: Washington, DC, USA; p. 75.
- Horiike, T. 2016. An Introduction To Molecular Phylogenetic Analysis. *Rev. Agric. Sci.* 4: 36- 45.
- Hulcr, J., Atkinson, T.H., Cognato, A.I., Jordal, B.H., McKenna, D.D. 2015. Morphology, taxonomy, and phylogenetics of bark beetles. In Bark Beetles: Biology and Ecology of Native and Invasive Species; Vega, F.E., Hofstetter, Eds.; Academic Press: San Diego, CA, USA; Chapter 2, pp. 41–84.
- ICO. 2019. Survey on the impact of low coffee prices on exporting countries. ICO document ICC-124-4, International Coffee Organization.
- Infante, F., J. Pe’rez, & F. E. Vega. 2014. The coffee berry borer: the centenary of a biological invasion in Brazil. *Braz. J. Biol.* 74: S125–S126.

- Inger, S., Ramsbotham, W., Cliff, R. A., & Rex, D. C. 1996. Metamorphic evolution of the Sesia-Lanzo Zone, Western Alps: time constraints from multi-system geochronology. *Cont. Miner. and Petr.* 126, 152-168.
- Ingman, W. V., & Jones, R. L. 2008. Cytokine knockouts in reproduction: the use of gene ablation to dissect roles of cytokines in reproductive biology. *Hum. Reprod.* 14(2), 179-192.
- Innis, A. M. & J. D. Gelfand. 1990. Optimization of PCRs. *PCR Protocols : A Guide to Methods and Applications*.
- Irulandi. S., R. Rajendran, C. Chinniah, and S.D., Samuel. 2007. Influence of Weather Factors on the Incidence of Coffea Berry Borer, *Hypothenemus hampei* (Ferrari) (Scolytidae: Coleoptera) in Pulney Hiils, Tamil Nadu. *Madras Agric. J.* 94 (7-12): 218-231.
- Isidoro, N., Romani, R., & Bin, F. 2001. Antennal multiporous sensilla: their gustatory features for host recognition in female parasitic wasps (Insecta, Hymenoptera: Platygastroidea). *Micro. Resc and Tech.* 55(5): 350-358.
- Jaramillo, J., Muchugu, E., Vega, F. E., Davis, A., Borgemeister, C., & Chabi-Olaye, A. 2011. Some like it hot: the influence and implications of climate change on coffee berry borer (*Hypothenemus hampei*) and coffee production in East Africa. *PloS one.* 6(9): e24528.
- Jaramillo, C., Ochoa, D., Contreras, L., Pagani, M., Carvajal-Ortiz, H., Pratt, L. M.& Vervoort, J. 2010. Effects of rapid global warming at the Paleocene-Eocene boundary on neotropical vegetation. *Science.* 330(6006): 957-961.
- Jaramillo, J., Olaye, A.C., Kamonjo, C., Jaramillo, A., Vega, F.E., Poehling, M., Borgemeister C. 2009 . Thermal Tolerance of the Coffee Berry Borer *Hypothenemus hampei*: Predictions of Climate Change Impact on a Tropical Insect. Pest. *Plos One.* 4 (8): 64- 87.
- Jaramillo, J., Borgemeister, C., & Baker, P. 2006. Coffee berry borer *Hypothenemus hampei* (Coleoptera: Curculionidae): searching for sustainable control strategies. *Bul. Entomol. Res.* 96(3): 223-233.
- Johnson, A., LeMay, G., & Hulcr, J. 2022. Identification of Coffee Berry Borer from Similar Bark Beetles in Southeast Asia and Oceania: FOR377/FR447, 02/2022. *EDISI.* (1): 7-15.
- Johnson, L., Mantle, B.L., Gardner, J.L., & Backwell, P.R.Y. 2013. Morphometric measurements: The accuracy of pinned, scanned and detached measurement methods. *ZooKeys,* 276: 77-84.

- Johnson, M.A., Hollingsworth, R., Fortna, S., Aristizábal, L.F., Manoukis, N.C. 2018. The Hawaii protocol for scientific monitoring of coffee berry borer: A model for coffee agroecosystems worldwide. *J. Vis. Exp.* 133, e57204.
- Johnson, M.A., Fortna, S., Hollingsworth, R.G., Manoukis, N.C. 2019. Postharvest population reservoirs of coffee berry borer (Coleoptera: Curculionidae) on Hawaii Island. *J. Econ. Entomol.* 112, 2833–2841.
- Jordal, B.H. 2021. A phylogenetic and taxonomic assessment of Afrotropical Micracidini (Coleoptera, Scolytinae) reveals a strong diversifying role for Madagascar. *Organisms Diversity & Evolution*. 21(1): 245-278.
- Kadir, S., Lologau, B. A., Darmawidah, A., & Biri, J. 2003. Kajian teknologi pemangkasan pada tanaman kopi.
- Kemenprin. 2013. Produksi Kopi Nusantara Ketiga Terbesar di Dunia. <http://www.kemeprin.go.id/artikel/6611/Produksi-Kopi-Nusantara-Ketiga-Terbesar-Di-Dunia>. (acccsed on September ²⁷ th, 2018).
- Kerdelhué, C., Roux-Morabito, G., Forichon, J., Chambon, J.M., Robert, A., Lieutier, F. 2002. Population genetic structure of *Tomicus piniperda* L. (Curculionidae: Scolytidae) on different pine species and validation of *T. destruens* (Woll.). *Mol Ecol.* 11: 483–494
- Klingenberg, C.P. 2016. Size, shape, and form: concepts of allometry in geometric morphometrics. *Develop. Gen. and Evo.* 226(3): 113-137.
- Klein-Koch, C., Espinoza, O., Tandazo, A., Cisneros, P., Delgado, D. 1988. Factores naturales de regulación y control biológico de la broca del café (*Hypothenemus hampei* Ferr.). *Sanidad Vegetal.* 3: 5–30. (In Spanish).
- Kovach. 1998. *MVSP- A Multivariate Statistical Package* 3.0. www. Kovcomp.com. diakses tanggal 10 Agustus 2023.
- Kocher, T.D., Thomas, W.K. Meyer, A., Edwards, S.V., Paabo, S., Villablanca, F.X. and Wilson, A.C. 1989. Dynamics of Mitochondrial DNA Evolution in animals: amplification and sequencing with conserved primers. *Prociding Natural Academic Science.* 86: 6196-6200
- Kuhn, R., Böllmann, J., Krahl, K., Bryant, I.M. dan Martienssen, M. 2018. Data on DNA gel sample load, gel electrophoresis, PCR and cost analysis. *Data in Brief.* 16: 732–751.
- Kumar, S.G., Stecher, Tamura, K. 2016. MEGA 7. Molecular Evolutionary Genetics Analysis version 7.0 for bigger datasets. *Mol. Bio. and Evol.* 33: 1870-1874.

Krawscjack, M, & J. Schmidtke. 1994. *DNA Fingerprint*. BIOS Scientific Publisher Limited. Oxford.

Ladoukakis, E.D, Zouros, E. 2017. Evolution and inheritance of animal mitochondrial DNA: rules and exceptions. *J. Biol Res-Thessaloniki*. 24(2):1-7.

Laila, M.S.I, Agus, N. & Saranga, A.P. 2011. Aplikasi Konsep Pengendalian Hama Terpadu Untuk Pengendalian Hama Bubuk Buah Kopi (*Hypothenemus hampei* Ferr.). *Jurnal Fitomedika*. 7(3).

Langor, D.W. 1987. Flight muscle changes in the eastern larch beetle, *Dendroctonus simplex* Leconte (Coleoptera: Scolytidae). *Coleopt. Bull.* 41:351D357.

Larson, A., Wake, D.B., & Yanev, K.P. 1984. Measuring gene flow among populations having high levels of genetic fragmentation. *Genetics*. 106(2): 293-308.

Lazo, A.R.R. 1990. Susceptibilidad de la Broca del Fruto del Cafeto (*Hypothenemus hampei*) al Hongo Entomopatógeno *Beauveria bassiana*, y su Tolerancia a Oxicloruro de Cobre. M.Sc. Thesis, Centro Agronómico Tropical de Investigación y Enseñanza, Turrialba, Costa Rica, 1990; p. 61.

Le Pelley, R.H. 1968. Pests of Coffee; Longmans Green and Co. London, UK. p. 590.

Leung, H., R.J. Nelson & J.E. Leach. 1993. Population structure of plant pathogenic fungi and bacteria. *Adv. Plant Pathol.* 10: 157 - 205

Librado, P., Rozas, J. 2009. DnaSP v5: A software for comprehensive analysis of DNA polymorphism data. *Bioinformatics*. 25: 1451–1452.

Liu, H., Beckenbach, A.T. 1992. Evolution of the mitochondrial *Cytochrome Oxidase I* gene among ten orders of insect. *Mol. Phylogenet. Evol.* 1:41-52.

López-Guillén, G., Carrasco, J.V., Cruz-López, L., Barrera, J.F., Malo, E.A., Rojas, J.C. 2011. Morphology and structural changes in flight muscles of *Hypothenemus hampei* (Coleoptera: Curculionidae) females. *Environ. Entomol.* 40(2): 441-448.

Mawardi, S. & Wiryadiputra, S. 2009. Recent Status of Coffee Berry Borer in Indonesia. In Proceedings of the International Coffee Organization Seminar on Coffee Berry Borer, London. UK. 58

Matiello, J.B., Santinato, R., & Garcia, A.W.R. 2002. Cultura de café no Brasil - novo manual de recomendações (pp. 387). Rio de Janeiro: Procafe Foundation.

- Marosi, B.A., Sos, T., Ghira, I.V., Popescu, O. 2013. COI based phylogeography and intraspecific genetic variation of *Rana dalmatina* populations in the vicinity of the Carpathians. *German J. Zoo. Resch.* 1(1), 7-16.
- Mattern, M.Y., & McLennan, D.A. 2000. Phylogeny and Speciation of Felids. *Cladistics*. 16: 232–253.
- Mendesil, E., Jembere, B., & Seyoum, E. 2004. Population dynamics and distribution of the coffee berry borer, *Hypothenemus hampei* (Ferrari)(Coleoptera: Scolytidae) on *Coffea arabica* L. in southwestern Ethiopia. *SINET: Ethiopian J. Sci.* 27(2): 127-134.
- Méndez-López, I. 1990. Control Microbiano de la Broca del Fruto del Cafeto *Hypothenemus hampei* Ferrari (Coleoptera: Scolytidae), en el Soconusco, Chiapas. M.Sc. Thesis, Colegio de Postgrados, Chapingo, México. p. 135.
- Metcalf, C. L., W. P. Flint, & R. L. Metcalf. 1962. Destructive and useful insects: Their habits and control, Fourth edition. McGraw-Hill Book Company, Inc., New York
- Moreno, D., A. E. Bustillo, P. Benavides, & E. C. Montoya. 2001. Escape y mortalidad de *Hypothenemus hampei* en los procesos de recolección y beneficio del café en Colombia. *Revista Cenicafé* 52: 111–116.
- Murray, V. 1987. Transversion-specific purine analogue mutagens and the mechanism of hydroxylaminopurine mutagenesis. *Mut. Mol. Mech. Mutagen.* 177(2): 189-199.
- Murphy, S.T., & Moore, D. 1990. Biological control of the coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera, Scolytidae): Previous programmes and possibilities for the future. *Biocon. News Inf.* 11, 107–117.
- Nasution, B.B. 2018. Warta Ekspor : Specialty Kopi Indonesia. Jakarta (ID): Kementerian Perdagangan.
- Nei, M., & S. Kumar. 2000. *Molecular Evolution and Phylogenetics*. New York : Oxford University Press.
- Nei, M., & Ota, T. 1991. Evolutionary relationships of human populations at the molecular level. In Evolution of Life: Fossils, Molecules, and Culture (pp. 415-428). Tokyo: Springer Japan.
- Nei, M. 1987. *Molecular evolutionary genetics*. New York (US): Colombia University Press.
- Najiyati, S., & Danarti. 2012. *Kopi, Budidaya dan Penanganan Lepas Panen*. Penebar Swadaya.

- Ojango, J. M., N. Mpofu, K. Marshall & L. Andersson-Eklund. 2012. Quantitative Methods To Improve The Understanding And Utilization Of Animal Genetic Resources.. Module Measuring Genetic Diversity From Molecular Data. Internasinal Livestock Research Institute.
- Oliva, M., K. Rubio, E. Rivasplata, & S. Leiva. 2020. Integrated management of the coffee berry borer: A comparison of cultural, biological, and ethological control. *Entomol. Res.* 50(11): 539–544.
- Patwardhan, A., Ray, S. & Roy, A. 2014. Molecular Markers in Phylogenetic Studies-A Review. *Phylo. Evo. Biol.* 2(2): 1-9.
- Perkebunan, D. 2019. Statistik Perkebunan Indonesia 2018-2020. *Sekretariat Direktorat Jenderal Perkebunan. Direktorat Jenderal Perkebunan Kementerian Pertanian.*
- Pereira, A.E. Vilela, E.F. Tinoco, R.S. de Lima, J.O.G. Fantine, A.K. Elisângela, G.F. Christiane, F. França, F. 2012. Correlation between numbers captured and infestation levels of the coffee berry-borer, *Hypothenemus hampei*: A preliminary basis for an action threshold using baited traps. *Int. J. Pest Manag.* 58: 175–179.
- Pe'rez, J., F. Infante, & F.E. Vega. 2015. A coffee berry borer (Coleoptera: Curculionidae: Scolytinae) bibliography. *J. Insect Sci.* 15: 83.
- Prastowo, B., Karmawati, E., Rubijo, Siswanto, Indrawanto, C., Munarso, S.J. 2010. Budidaya dan Pasca Panen Kopi. Bogor (ID): Pusat Penelitian dan Pengembangan Perkebunan.
- Pohlan J., & Janssens, M. 2010. Growth and production of coffee, in soils, plant growth and crop production, Di dalam: Verheyen W. Encyclopedia of Life Support Systems. Oxford (UK): Eolss Publishers.
- Rahardjo, P. 2012. *Panduan Budidaya dan Pengolahan Kopi Arabika dan Robusta*. Penerbar Swadaya. Jakarta.
- Rahayu, S., Setiawan, A., Husaeni, E.A. & Suyanto, S. 2006. Pengendalian Hama *Xylosandrus compactus* Pada Agroforestri Kopi Multistrata Secara Hayati.
- Rasiska, S., D. Ariyono, & F. Widiantini. 2016. Potensi air sulingan beberapa bagian tanaman kopi sebagai atraktan terhadap hama penggerek buah kopi (*Hypothenemus hampei* Ferr.) di laboratorium. *J. Agri.* 27(2): 112–119.
- Raymond, M., & Rousset, F. 1995. GENEPOP (version 4.1.10): Population Genetics Software For Exact Test and Ecumenicism. *Heredity*. 86:248-249.
- Richard, H. 2013. The Molecular Genetics of Insecticide Resistance. *Genetics*. 194: 807–815

- Ricklefs, R.E., & Miles, D.B. 1994. Ecological and evolutionary inferences from morphology: an ecological perspective. *Ecol. Morph. Integ. Bio.* 1: 13-41.
- Rieseberg, L.H., & Burke, J.M. 2001. The biological reality of species: gene flow, selection, and collective evolution. *Taxon*. 50 (1), 47-67.
- Rozas, J., Sanchez-DelBarrio, J.C., Messeguer, X., Rozas, R. 2003. DnaSP, DNA Polymorphism Analyses by the Coalescent and Other Methods. *Bioinformatic*. 19: 2496-2497.
- Ruiz-Cárdenas, & R., Baker, P. 2010. Life table of *Hypothenemus hampei* (Ferrari) in relation to coffee berry phenology under Colombian field conditions. *Sci. Agric.* 67: 658–668
- Roe, B.A., Ma, D.P., Wilson, R.K., & Wong, J. F. 1985. The complete nucleotide sequence of the *Xenopus laevis* mitochondrial genome. *J. Bio. Chem.* 260 (17): 9759-9774.
- Roesma, D.I., Tjong, D.H., Karlina. W., Aidil, D.R. 2019. Taxonomy confirmation of *Puntius* cf. *binotatus* from Gunung Tujuh Lake, Jambi, Indonesia based on cytochrome oxidase-I (COI) gene. *Biodiversitas*. 20(1): 54-60.
- Roesma, D.I., Tjong, D.H., Aidil, D.R. 2020. Phylogenetic analysis of transparent gobies in three Sumatran lakes, inferred from mitochondrial Cytochrome Oxidase I (COI) gene. *Biodiversitas*. 21(1): 43-8.
- Sallé, A., Arthofer, W., Lieutier, F., Stauffer, C., & Kerdelhué, C. 2007. Phylogeography of a host-specific insect: genetic structure of *Ips typographus* in Europe does not reflect past fragmentation of its host. *J. Bio. Linn. Soc.* 90(2): 239-246.
- Sambrook, J., & D.W., Russell. 2001. *Molecular Cloning, A laboratory Manual*. Cold Spring Harbor Laboratory Press. New York.
- Saragih, J.R. 2013. Socioeconomic and ecological dimension of certified and conventional arabica coffee production in North Sumatra, Indonesia. *Asian J. Agric.* 3: 93–107.
- Schofield, R.M.S., M.H. Nesson, & K.A. Richardson. 2002. Tooth hardness increases with zinc-content in mandibles of adult leaf-cutter ants. *Naturwissenschaften* 89: 579–583.
- Schofield, R.M.S. 2005. Metal-halogen biomaterials. *Entomol.* 51: 45–47.
- Seifert, B. 2018. The Ants of Central and North Europe. lutraVerlagsund Vertriebsgesellschaft, Tauer (p. 408)

- Sera, G.H, Sera T, Ito DS, Filho CR, Villacorta A, Kanayama FS, Grossi LD. 2010. Coffee berry borer resistance in coffee genotypes. *Braz. Arch. Biol. Technol.* 53, 261–268.
- Shi, P., Zhong, L., Sandhu, H.S., Ge, F., Xu, X. C.W. 2011. Population decrease of *Scirpophaga incertulas* (Walker) (Lepidoptera Pyralidae) under climate warming. *Eco and Evol.* 2: 58–64.
- Sim, S.B., Yoneishi, N.M., Bril, E., Geib, S.M., Follett, P.A. 2016. Molecular markers detect cryptic predation on coffee berry borer (Coleoptera: Curculionidae) by Silvanid and Laemophloeid Flat Bark Beetles (Coleoptera: Silvanidae, Laemophloeidae) in Coffee Beans. *Bio. and Micro. Control.* 109(1):100-5.
- Simon, C., Frati, F., Beckenbach, A.T, Crespi, B., Liu, H., Flook, P. 1994. Evolution, weighting, and phylogenetic utility of mitochondrial gene sequences and a compilation of conserved polymerase chain reaction primers. *Annals. Entomol. Soc. Americ.* 87: 651–701.
- Silva, W.D., Costa, C.M., & Bento, J.M.S. 2014. How old are colonizing *Hypothenemus hampei* (Ferrari) females when they leave the native coffee fruit?. *J. Insect. Behav.* 27, 729–735.
- Sitompul, A.F., Elida, H.S., Roema, D.I., Dahelmi., Eko, P. 2018. Molecular identification of coffee (*Coffea arabica*) pollinator insects in North Sumatra, Indonesia based on designed COI primers. *Biodiversitas.* 19(5): 1877-83.
- Sitompul, A.F., Roema, D.I., Dahelmi.. 2023. Morphological Variations Of Procoxae And Mesocoxae *Hypothenemus hampei* Ferrari, 1867 (Coleoptera: Curculionidae: Scolytinae) On Three Species Of Coffee Berries In Sumatra, Indonesia. *Serangga.* 27 (3): 19-31.
- Sreedharan, K., Vinod Kumar, P.K., & Prakasan, C.B. 2001. Coffee berry borer in India. Karnataka, India. 112 pp.
- Suprayitno, E., & Sulistiyyati, T.D. 2017. Metabolisme protein. Universitas Brawijaya Press.
- Sun, S., Zheng, W., Aiqin, L. 2020. First Record of the coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera: Curculionidae: Scolytinae) on Hainan Island, China. *J. Coleop. Bul.Univ. Florida.* 74(4):7-13.
- Suriana. 2011. Morfometri dan keragaman genetik ulat sutera liar *Cricula trifenestrata* (Lepidoptera: Saturniidae) [tesis]. Bogor (ID): Institut Pertanian Bogor.

- Sutrisno, H. 2012. Molecular phylogeny of indonesian armyworm *mythimna Guenée* (Lepidoptera: Noctuidae: Hadeninae) based on COI gene sequences. *Hayati J Biosci* 19: 65-72.
- Susan, E., & W. Stansfield. 2007. Genetika Edisi Keempat. Erlangga. Jakarta. 289-290.
- Susilo, A.W. 2008. Ketahanan tanaman kopi (*Coffea* spp.) terhadap hama penggerek buah kopi *Hypothenemus hampei* Ferr. *Review Penelitian Kopi dan Kakao*. 24(1): 1–14.
- Sokal, R.R., & Sneath, P.H.N.A. 1963. Principles of numerical taxonomy. W. H. Freeman.
- Sponagel, K.W. 1994. La broca del café *Hypothenemus hampei* en plantaciones de café robusta en la Amazonía Ecuatoriana. 191 pp. Giessen, Germany, Wissenschaftlicher, Fachverlag.
- Sprent, P. 1989. *Applied Nonparametric Statistical Method*. Chapman and Hall. New York.
- Staudacher, E.M., Gebhardt, M., Durr, V. 2005 Antennal movements and mechanoreception: neurobiology of active tactile sensors. *Adv. Insect Physiol.* 32, 49-205.
- Stireman, J.O.I. 2005. The evolution of generalization? Parasitoid flies and the perils of inferring host range evolution from phylogenies. *J. Evol. Biol.* 18: 325–336.
- Steiner, F.M., Schlick-Steiner, B.C., & Moder, K. 2006. Morphology based cyber identification engine to identify ants of the *Tetramorium caespitum/impurum* complex (Hymenoptera: Formicidae). *Myrmecologische Nachrichten*. 8: 175–180.
- Swaine, J.M. 1909. Catalogue of the described Scolytidae of America, north of Mexico. 24th Report of the State Entomologist on Injurious and other Insects of the State of New York 1908, Appendix B., Education Department Bulletin no. 455, New York State Museum. Mus. Bull. 134: 76–159.
- Tamura, K., Stecher, G., Peterson, D. 2013. MEGA6: Molecular Evolutionary Genetics Analysis Version 6.0. The Society for Molecular Biology and Evolution, Oxford University, Oxford.
- Tamura, K., Dudley, J., Nei, M., & Kumar, S. 2007. MEGA4: Molecular Evolutionary Genetics Analysis (MEGA) software version 4.0. *Mol. Bio. and Evol.* 24(8): 1596-1599.
- Tanaka, S. 2000. The role of moisture in the control of diapause, mating and aggregation in a tropical insect. *Entomol. Sci.* 3: 147–155.

- Thomson, L.J., Macfadyen, S., & Hoffmann, A.A. 2010. Predicting the effects of climate change on natural enemies of agricultural pests. *Bio Cont.* 52(3): 296-306.
- Thompson, M., Steichen, J.C. & Ffrench-Constant, R.H. 1993. Conservation of cyclodiene insecticide resistance associated mutations in insects. *Insect Mol. Biol.* 2: 149—154.
- Ticheler, J. 1961. Etude analytique de l’œ́pidémiologie du scolyte des graines de café́, *Stephanoderes hampei* Ferr. En Côte d’Ivoire. Landbouwhogeschool, Wageningen 61: 1-49.
- Tobing, M.C., S.C.T., Sinaga, Bintang, Widi hastuty, N. Pramayudi. 2022. The used of attractants from coffee at various heights traps to control coffee berry borer and quality test of coffee berry. IOP Conference Series: *Earth and Env. Sci.* 974: 012024.
- Towaha, J. Aunilah, A. Purwanto, E.H. Supriadi, H. 2014. Pengaruh Elevasi dan Pengolahan Terhadap Kandungan Kimia dan Cita Rasa Kopi Robusta Lampung. *Jurnal TID.* 1:57-62
- Trujillo, E. Ferreira, S. Schmitt, D. Mitchell, W. 1995. Serious economic pests of coffee that may accidentally be introduced to Hawaii. College of Tropical Agriculture and Human Resources University of Hawaii. *Res. Ext. Ser.* 156: 21.
- Varon, J.P. 2004. Bringing the war home: the Weather Underground, the Red Army Faction, and revolutionary violence in the sixties and seventies. Univ of California Press.
- Vega, F.E., Infante, F., Castillo, A., dan Jaramillo, J. 2009. The coffee berry borer, *Hypothenemus hampei* (Ferrari) (Coleoptera: Curculionidae): a short review, with recent findings and future research directions. *Terrest. Arthropod. Rev.* 2(2): 129.
- Vega, F.E., Kramer, M., Jaramillo, J. 2011. Increasing coffee berry borer (Coleoptera: Curculionidae: Scolytinae) female density in artificial diet decreases fecundity. *J. Econ. Entomol.* 104: 87–93.
- Vega, F.E., Infante, F., Castillo, A., Jaramillo. 2014. The Coffea Berry Borer, *Hypothenemus hampei* (Ferrari). (Coleoptera: Curculionidae): A Short Review, with Recent Findings and Future Research Directions. *Terrest. Arthropod. Rev.* 2 (1): 129-147.
- Vega, F.E., Infante, F. & Johnson, A.J. 2015. The genus Hypothenemus with emphasis on *H. hampei* the coffee berry borer. In Vega, F.E. & Hofstetter, W. (eds.). *Bark Beetles: Biology and Ecology of Native and Invasive Species*, pp. 427-494. San Diego: Academic Press.

- Vega, F.E., Bauchan, G., Infante, F. & Davis, S. 2017. Mouthpart structure and elemental composition of the mandibles in the coffee berry borer (Coleoptera: Curculionidae: Scolytinae). *Annals. Entomol. Soc. America.* 110(4): 381–389.
- Vega, F.E., Mariño, Y., Deynes, D., Greco, B.E., Bright, E.D., Bayman, P. 2020. A beetle in a haystack: are there alternate hosts of the coffee berry borer (*Hypothenemus hampei*) in Puerto Rico?. *Agronomy.* 10(2): 228.
- Vélez-Arango, P., Estrada-Valencia, M., González-García, M. T., Valderrama-Fonseca, A. M., & Bustillo-Pardey, A. E. 2001. Caracterización de aislamientos de *Beauveria bassiana* para el control de la broca del café. *Manejo Integrado de Plagas.* 62(1): 38-53.
- Vélez, B.E., Jaramillo, A., Cháves, B., Franco, M. 2000. Distribución de la floración y la cosecha de café en tres altitudes. *Avances Técnicos Cenicafé.* 272: 1–4. (In Spanish)
- Waterhouse, D.F., & Norris, K.R. 1989. Biological Control: Pacific Prospects; Supplement 1; ACIAR Monograph No. 12; Australian Centre for International Agricultural Research: Canberra, Australia: p. 125.
- Wang, M.L., Barkley, N.A. & Jenkins, T.M. 2009a. Microsatellite Markers in Plants and Insects. Part I: Applications of Biotechnology. *Gen., Genom. and Genomics.* 3 (1): 54-67,
- Weising, K., Nybom, H., Pfenninger, M., Wolff, K., & Kahl, G. 2005. *DNA fingerprinting in plants: principles, methods, and applications.* CRC press.
- Wirdateti, Eka, I., Handayani. 2016. Analysis on Mitochondrial DNA Cytochrome Oxidase I (COI) Sequences of Indonesia Slow Lories (*Nycticebus* spp) as Marker to Improve Identification of Species. *J. Bio.Indonesia.* 12(1):119-128.
- Wiryadiputra, S. 2007. Pengelolaan Hama Terpadu Pada Hama Penggerek Buah Kopi, *Hypothenemus hampei* (Ferr) Penggunaan Perangkap Brocap Trap. Jember, Jawa Timur: Pusat Penelitian Kopi dan Kakao. Indonesia.
- Wright, S. 1978. Size of population and breeding structure in relation to evolution. *Science* 87:430–431.
- Wood, S.L. 1982. The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph. *The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph.*

- Wood, S.L. 1986. A Reclassification of the Genera of Scolytidae (Coleoptera). Great Basin Naturalist Memoirs, No. 10. Provo, Utah: Brigham Young University.
- Wood, S.L. 2007. Bark and Ambrosia Beetles Of South America (Coleoptera: Scolytidae). Monte L. Bean Science Museum. Provo, Utah: 1-900.
- Wu, G. 2009. Amino acids: metabolism, functions, and nutrition. *Amino Acids*. 37: 1–17.
- Xu, H., & Guan, Y. 2014. Detecting local haplotype sharing and haplotype association. *Genetics*. 197: 823-838.
- Yang, Z., & Rannala, B. 2012. Molecular phylogenetics: principles and practice. *Genetics*. 13(5): 303-314.
- Yatkin, G., & Guz, N. 2018. The use of DNA barcoding in entomology. Yüzüncü Yıl University. *J. Agric. Sci.* 28 (1): 126-134.
- Yeh, F.C., R.C. Yang, & T. Boyle. 1997. POPGENE, The user-friendly shareware for population genetic analysis. *Molecular Biology and Biotechnology* Centre, University of Alberta, Canada.
- Zahro'in, E.Y.Y. 2013. Hubungan Persentase Serangan Hama Pengerek Buah Kopi (*Hypothenemus hampei* Ferr. (Coleoptera : Scolytidae)) dengan Dugaan Kehilangan Hasil di Kecamatan Betara Tanjung Jabung Barat. *J Media Pert.* 1 (2): 85 – 90.