

## DAFTAR PUSTAKA

1. NCEP. Third report of the National Cholesterol Education Program (NCEP) expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III) final report. *Circulation*. 2002; 106(25):3143-3421.
2. Nelson RH. Hyperlipidemia as a risk factor for cardiovascular disease. *Prim Care - Clin Off Pract*. 2013;40(1):195–211.
3. WHO. The top 10 causes of death. 2020. <https://www.who.int/news-room/fact-sheets/detail/the-top-10-causes-of-death> - Diakses Mei 2021
4. Olorunnisola OS, Bradley G, Afolayan AJ. Protective effect of *T. violacea* rhizome extract against hypercholesterolemia-induced oxidative stress in wistar rats. *Molecules*. 2012;17(5):6033–45.
5. Zimmermann AM, Rivero AC, Bezerra AS, Ruviano AR, Novack MME, Nörnberg JL. Antioxidant potential of barley extract in rats subjected to a high-fat diet. *Food Sci Technol*. 2013;33:167–71.
6. Yang R-L, Shi Y-H, Hao G, Li W, Le G-W. Increasing oxidative stress with progressive hyperlipidemia in human: relation between malondialdehyde and atherogenic index. *J Clin Biochem Nutr*. 2008;43(3):154–8.
7. Estadella D, da Penha Oller do Nascimento C, Oyama LM, Ribeiro EB, Damaso AR, de Piano A. Lipotoxicity: effects of dietary saturated and trans fatty acids. *Mediators Inflamm*. 2012;2013:1–13.
8. Birben E, Sahiner UM, Sackesen C, Erzurum S, Kalayci O. Oxidative stress and antioxidant defense. *World Allergy Organ J*. 2012;5(1):9–19.
9. Tirzitis G, Bartosz G. Determination of antiradical and antioxidant activity: basic principles and new insights. *Acta Biochim Pol*. 2010;57(2).
10. Kamisah Y, Othman F, Qodriyah HMS, Jaarin K. *Parkia speciosa* Hassk.: a potential phytomedicine. *Evidence-based Complement Altern Med*. 2013;2013:1–9.
11. Izzah Ahmad N, Abdul Rahman S, Leong Y-H, Azizul NH. A review on the phytochemicals of *Parkia speciosa*, stinky beans as potential phytomedicine. *J Food Sci Nutr Res*. 2019;2(3):151–73.

12. Rozaq P, Sofriani N. Organic pesticide from urine and spices modification. *Asian J Food Agro-Industry*. 2009;(2):S105–11.
13. Rianti A, Parassih EK, Novenia AE, Christopher A, Lestari D, Kiyat W El. Potensi ekstrak kulit petai (*Parkia speciosa*) sebagai sumber antioksidan. *J Dunia Gizi*. 2018;1(1):10–9.
14. Gu C, Zhang H, Putri CY NK. Evaluation of  $\alpha$ -amylase and  $\alpha$ -glucosidase inhibitory activity of flavonoids. *Int J Food Nutr Sci*. 2015;2(2):174–9.
15. Simanjuntak K. Peran antioksidan flavonoid dalam meningkatkan kesehatan. *Bina Widya*. 2012; 23(3):135-40.
16. Fitria N. Pengaruh ekstrak etanol petai (*Parkia speciosa*) dalam mencegah peningkatan kadar malondialdehid (MDA) tikus putih (*Rattus norvegicus* strain wistar) jantan yang diinduksi diet aterogenik (skripsi). Malang: Universitas Muhammadiyah Malang; 2022.
17. Nanda YAT. Pengaruh ekstrak etanol biji petai (*Parkia speciosa* Hassk.) terhadap kadar high density lipoprotein dan low density lipoprotein pada tikus wistar jantan yang diinduksi pakan tinggi lemak (skripsi). Yogyakarta: Universitas Islam Indonesia; 2018.
18. Ramadani G. Pengaruh ekstrak kulit petai (*Parkia speciosa*) sebagai antioksidan alami pada pemakaian minyak goreng deep frying terhadap kadar MDA hepar mencit (*Mus musculus*). *Saintika Med*. 2012;8(1).
19. Zaini N, Mustaffa F. *Parkia speciosa* as valuable, miracle of nature. *Asian J Med Heal*. 2017;2:1–9.
20. Ghasemzadeh A, Jaafar HZE, Bukhori MFM, Rahmat MH, Rahmat A. Assessment and comparison of phytochemical constituents and biological activities of bitter bean (*Parkia speciosa* Hassk.) collected from different locations in Malaysia. *Chem Cent J*. 2018;12(1):1–9.
21. Tomkin GH. LDL as a cause of atherosclerosis. *Open Atheroscler Thromb J*. 2012;5(1):13–21.
22. WHO. Global health observatory data - raised cholesterol. 2008. [http://www.who.int/gho/ncd/risk\\_factors/cholesterol\\_text/en/](http://www.who.int/gho/ncd/risk_factors/cholesterol_text/en/) - Diakses Agustus 2021
23. Herningtyas EH, Ng TS. Prevalence and distribution of metabolic syndrome

- and its components among provinces and ethnic groups in Indonesia. *BMC Public Health*. 2019;19(1).
24. Al-Agha AE, Alnawab AM, Hejazi TM. Diverse etiology of hyperlipidemia among hospitalized children in western region of Saudi Arabia. *Saudi Med J*. 2016;37(11):1234–8.
  25. Sturm AC, Knowles JW, Gidding SS, Ahmad ZS, Ahmed CD, Ballantyne CM, et al. Clinical genetic testing for familial hypercholesterolemia: JACC scientific expert panel. Vol. 72, *Journal of the American College of Cardiology*. 2018. hal. 662–80.
  26. Mytilinaiou M, Kyrou I, Khan M, Grammatopoulos DK, Randeva HS. Familial hypercholesterolemia: new horizons for diagnosis and effective management. *Front Pharmacol*. 2018;9:707.
  27. Dainis AM, Ashley EA. Cardiovascular precision medicine in the genomics era. *JACC Basic to Transl Sci*. 2018;3(2):313–26.
  28. Humphries SE. Familial hypercholesterolemia. In: Stanley M, Hughes K, editor. *Brenner's Encyclopedia of Genetics*. 2nd ed. Ipswich: Elsevier; 2013. hal. 14–6.
  29. Abbate SL, Brunzell JD. Pathophysiology of hyperlipidemia in diabetes mellitus. *J Cardiovasc Pharmacol*. 1990;16:S1–7.
  30. Shimano H. SREBPs: Physiology and pathophysiology of the SREBP family. *FEBS J*. 2009;276(3):616–21.
  31. Sargowo D, editor. *Patogenesis aterosklerosis*. Malang: Universitas Brawijaya Press; 2015.
  32. Huff T, Boyd B, Jialal I. *Physiology, cholesterol*. Treasure Island: StatPearls Publishing; 2020.
  33. Ama Moor VJ, Ndongo Amougou S, Ombotto S, Ntone F, Wouamba DE, Ngo Nonga B. Dyslipidemia in patients with a cardiovascular risk and disease at the university teaching hospital of Yaoundé, Cameroon. *Int J Vasc Med*. 2017;2017:1–5.
  34. Anderson L, Thompson DR, Oldridge N, Zwisler AD, Rees K, Martin N, et al. Exercise-based cardiac rehabilitation for coronary heart disease. *Cochrane Database Syst Rev*. 2016;(1):1–209.

35. Tomlinson B, Chan JCN, Chan WB, Chen WWC, Chow FCC, Li SK, et al. Guidance on the management of familial hypercholesterolaemia in Hong Kong: An expert panel consensus viewpoint. *Hong Kong Med J*. 2018;24(4):408–15.
36. McPherson R. The cardiovascular burden of undiagnosed familial hypercholesterolemia: need to modify guidelines to encourage earlier diagnosis and therapy. *Can J Cardiol*. 2018;34(9):1112–3.
37. Harada-Shiba M, Ohta T, Ohtake A, Ogura M, Dobashi K, Nohara A, et al. Guidance for pediatric familial hypercholesterolemia 2017. Vol. 25, *Journal of Atherosclerosis and Thrombosis*. 2018. hal. 539–53.
38. Lisnawati Zalukhu M, Rudolf Phyma A, Taslim Pinzon R. Proses menua, stres oksidatif, dan peran antioksidan. *Cermin Dunia Kedokt*. 2016;43(10):733–6.
39. Sinaga FA. Stress oksidatif dan status antioksidan pada aktivitas fisik maksimal. *J Gener Kampus*. 2016;9(2).
40. Susantiningsih T. Obesitas dan stres oksidatif. *J Kesehat Unila*. 2015;5(9):89–93.
41. Werdhasari A. Peran antioksidan bagi kesehatan. *J Biomedik Medisiana Indones*. 2014;3:59–68.
42. Chasanah SN, Pratiwi R. Kadar serum glutamic pyruvate transaminase darah tikus (*Rattus norvegicus* Berkenhout, 1769) hiperlipidemia dengan asupan pelet nasi dan bekatul beras hitam padi (*Oryza sativa* L.) “cempo ireng.” *J Ilm Cendekia Eksata*. 2019;4(1):33–8.
43. Ayala A, Muñoz MF, Argüelles S. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative Medicine and Cellular Longevity*. 2014.
44. Ratna Yustika A, Sasangka Prasetyawan D. Kadar malondialdehid (MDA) dan gambaran histologi pada ginjal tikus putih (*Rattus norvegicus*) pasca induksi cylosporine-a. *Univ Brawijaya Malang*. 2013;1(2):222–8.
45. Winarsih H. Antioksidan alami & radikal bebas potensi dan aplikasinya dalam kesehatan. Yogyakarta: Kanisius. 2007;19–23.
46. Rhamadini A. Pengaruh Pemberian Probiotik terhadap Kadar

- Malondialdehid (MDA) Ginjal Tikus Wistar (*Rattus norvegicus*) Jantan Model Hiperkolesterolemia yang Diinduksi Mentega Putih (skripsi). Yogyakarta: Universitas Islam Indonesia; 2019.
47. Eszy MS, Sastri S, Masri M. Pengaruh pemberian diet tinggi minyak sawit terhadap kadar malondialdehid darah tikus wistar. *J Kesehat Andalas*. 2014;3(3).
  48. Raharja KT, Wirjatmadi B, Adriani M. Pemberian buah kawista menghambat peningkatan kadar malondialdehid serum tikus wistar yang dipapar asap rokok. *J Kedokt Brawijaya*. 2016;29(3):196–201.
  49. Botham KM, Mayes PA. Lipid yang penting secara fisiologis. In: Murray RK, Bender DA, Botham KM, Kennelly PJ, Rodwell VW, Weil PA, editor. Soeharsono R, Sandra F, Ong HO, penerjemah. *Biokimia harper*. Edisi 29. Jakarta: EGC; 2012. hal. 158–69.
  50. Ganesha IGH, Linawati NM, Satriyasa BK. Pemberian ekstrak etanol kubis ungu (*Brassica oleraceae* L.) menurunkan kadar malondialdehid dan jumlah makrofag jaringan paru tikus yang terpapar asap rokok. *J Ilm Medicam*. 2020;6(1):1–9.
  51. Sheu JY, Chen PH, Tseng WC, Chen CY, Tsai LY, Huang YL. Spectrophotometric determination of a thiobarbituric acid-reactive substance in human hair. *Anal Sci*. 2003;19(6):957–60.
  52. Samuel AJSJ, Kalusalingam A, Chellappan DK, Gopinath R, Radhamani S, Husain HA, et al. Ethnomedical survey of plants used by the Orang Asli in Kampung Bawong, Perak, West Malaysia. *J Ethnobiol Ethnomed*. 2010;6.
  53. Agnes A, Widjaja LO, Ayucitra A, Indraswati N. Ekstraksi kulit petai sebagai sumber antioksidan alami dengan metode domestic microwave maceration. *J Tek Kim Indones*. 2018;12(2):237.
  54. USDA. Plants classification. 2014. <https://plant.usda.gov/home/plantProfile?symbol=PASP15> - Diakses Oktober 2021
  55. Maisuthisakul P, Pasuk S, Ritthiruangdej P. Relationship between antioxidant properties and chemical composition of some Thai plants. *J Food Compos Anal*. 2008;21(3):229–40.

56. Ching LS, Mohamed S. Alpha-tocopherol content in 62 edible tropical plants. *J Agric Food Chem.* 2001;49(6):3101–5.
57. Musa NLW, Zain WZWM, Kassim J, Karim SA. Preliminary studies on phytochemical screening of ulam and fruit from Malaysia. *E-Journal Chem.* 2011;8(S1):S285–8.
58. Roy A. A review on the alkaloids an important therapeutic compound from plants. *IJPB.* 2017;3(2):1–9.
59. Artha C, Mustika A, Sulistyawati SW. Pengaruh ekstrak daun singawalang terhadap kadar LDL tikus putih jantan hiperkolesterolemia. *eJournal Kedokt Indones.* 2017;5(2):105–9.
60. Lim TK. Edible medicinal and non-medicinal plants [Internet]. Dordrecht: Springer Netherlands; 2016. Tersedia pada: <http://link.springer.com/10.1007/978-94-017-7276-1>
61. Huffman FG, Vaccaro JA, Zarini GG, Dixon Z. Dietary intake of flavonoids and HDL-and LDL-cholesterol in two black ethnicities with and without type 2 diabetes. 2011;7(2).
62. Rumanti RT. Efek propolis terhadap kadar kolesterol total pada tikus model tinggi lemak. *Maranatha J Med Heal.* 2011;11(1):151578.
63. Ko H-J, Ang L-H, Ng L-T. Antioxidant activities and polyphenolic constituents of bitter bean *Parkia speciosa*. *Int J Food Prop.* 2014;17(9):1977–86.
64. Aisha AFA, Abu-Salah KM, Alrokayan SA, Ismail Z, Abdul Majid AMS. Evaluation of antiangiogenic and antioxidant properties of *Parkia speciosa* Hassk extracts. *Pak J Pharm Sci.* 2012;25(1):7–14.
65. Muliando N. Malondialdehid sebagai penanda stres oksidatif pada berbagai penyakit kulit. *Cermin Dunia Kedokt.* 2020;47(1).
66. Tetti M. Ekstraksi, pemisahan senyawa, dan identifikasi senyawa aktif. *J Kesehat.* 2014;7(2):361–7.
67. Zhang QW, Lin LG, Ye WC. Techniques for extraction and isolation of natural products: A comprehensive review. *Chinese Med (United Kingdom).* 2018;13(1):1–26.
68. Nugroho SW, Fauziyah KR, Sajuthi D, Darusman HS. Profil tekanan darah

- normal tikus putih (*Rattus norvegicus*) galur wistar dan Sprague-Dawley. *Acta Vet Indones*. 2018;6(2):32–7.
69. Stevani H. Modul praktikum farmakologi [Internet]. Kementerian Kesehatan Republik Indonesia; 2016. Tersedia pada: <http://bppsdmk.kemkes.go.id/pusdiksdmk/wp-content/uploads/2017/08/Praktikum-Farmakologi-komprehensif.pdf>
  70. Murwani S, Ali M, Muliarta K. Diet aterogenik pada tikus putih (*Rattus norvegicus* strain Wistar) sebagai model hewan aterosklerosis. *J Kedokt Brawijaya*. 2006;22(1):6–9.
  71. WHO. General guidelines for methodologies on research and evaluation of traditional medicine. 2000. [http://apps.who.int/iris/bitstream/10665/66783/1/WHO\\_EDM\\_TRM\\_2000.1.pdf](http://apps.who.int/iris/bitstream/10665/66783/1/WHO_EDM_TRM_2000.1.pdf) - Diakses Mei 2021
  72. Sastroasmoro S, Ismael S. Perkiraan besar sampel. Dalam: *Dasar-dasar Metodologi Penelitian Klinis*. Edisi 4. Siswanto, Sastroasmoro S, editor. Jakarta: Sagung Seto; 2011. 348–381 hal.
  73. Kartika A. Perbandingan efektivitas ekstrak biji petai (*Parkia speciosa* Hassk) dengan metformin terhadap kadar glukosa darah mencit (*Mus musculus*) yang diinduksi aloksan (skripsi). Padang: Universitas Andalas; 2020.
  74. Afriyeni H, Surya S. Efektivitas antihiperkolesterolemia ekstrak etanol dari bagian batang dan buah tumbuhan ciplukan (*Physalis angulata* L.) pada tikus putih hiperkolesterolemia. *J Farm Higea*. 2019;11(1):49–61.
  75. Heryani R. Pengaruh ekstrak buah naga merah terhadap profil lipid darah tikus putih hiperlipidemia. *J Ipteks Terap*. 2016;10(1):9–17.
  76. Tsalissavrina I, Wahono D, Handayani D. Pengaruh pemberian diet tinggi karbohidrat dibandingkan diet tinggi lemak terhadap kadar trigliserida dan HDL darah pada *Rattus norvegicus* galur wistar. *J Kedokt Brawijaya*. 2013;22(2):80–9.
  77. Nissa C, Madjid IJ. Potensi glukomanan pada tepung porang sebagai agen anti-obesitas pada tikus dengan induksi diet tinggi lemak. *J Gizi Klin Indones*. 2016;13(1):1–6.

78. Fatmawati LB. Uji aktivitas ekstrak etanol biji petai (*Parkia speciosa* Hassk.) terhadap kadar trigliserida dan berat badan tikus wistar Jantan yang diinduksi pakan tinggi lemak (skripsi). Yogyakarta: Universitas Islam Indonesia; 2018.
79. Zulkifli F, Agustini SM. Pengaruh ekstrak biji cokelat (*Theobroma cacao* L) terhadap kadar malondialdehid (MDA) tikus putih jantan (*Rattus norvegicus* strain Wistar) dengan induksi hiperkolesterol. *Saintika Med.* 2016;12(1):7–12.
80. Andiani, Harsa IMS. Pengaruh pemberian ekstrak etanol buah pare (*Momordica charantia* L.) terhadap penurunan kadar mda (malondialdehid) serum pada tikus yang diberi diet tinggi lemak. *J Ilm Kedokt Wijaya Kusuma.* 2018;7(2):196–201.
81. LIPI U-BIT. Pangan dan Kesehatan. 2009. Tersedia pada [http://www.bitlipi.go.id/pangan-kesehatan/documents/artikel\\_hipertensi/tanaman\\_obat\\_pdf](http://www.bitlipi.go.id/pangan-kesehatan/documents/artikel_hipertensi/tanaman_obat_pdf) - Diakses Maret 2022
82. Jannah R. Pengaruh ekstrak etanol alga merah (*Eucheuma cottonii*) dan alga coklat (*Sargassum* sp.) terhadap kadar MDA (malondialdehid) dan SOD (Superoksida dismutase) tikus yang diinduksi stres oksidatif dengan konsumsi diet tinggi lemak (skripsi). Malang: Universitas Brawijaya; 2019.
83. Yulianti R, Astari RV. Efektivitas ekstrak daun sirsak (*Annona muricata*) dan latihan fisik serta kombinasi terhadap kadar malondialdehid hepar pada model tikus hiperkolesterolemia-diabetes. *J Kesehat.* 2020;13(1):11–8.
84. Ramadhani ER. Pengaruh ekstrak kayu manis dan bawang dayak terhadap kadar SOD dan MDA jantung mencit yang diinduksi HFD (skripsi). Malang: Universitas Islam Negeri Maulana Malik Ibrahim; 2019.
85. Darni J, Tjahjono K, Sofro MAU. Pengaruh pemberian ekstrak daun Alfalfa (*Medicago sativa*) terhadap profil lipid dan kadar malondialdehida tikus hiperkolesterolemia. *J Gizi Klin Indones.* 2016;13(2):51–8.
86. Tazkia RR. Efek ekstrak air daun sirsak (*Annona muricata*) terhadap kadar SOD dan MDA hepar tikus wistar induksi diet tinggi lemak dan tinggi fruktosa. *J Bio Komplementer Med.* 2019;6(3).