

DAFTAR PUSTAKA

- Adams, D. C., F. J. Rohlf., D. E. Slice. 2004. Geometric Morphometrics: Ten years of progress following the “revolution”. *Italian Journal of Zoology*, 71:1, 5-16.
- Aminan, A. W., L. L. W. Kit., C. H. Hui dan B. Sulaiman. 2020. Morphometric Analysis and Genetic Relationship of *Rasbora* spp. in Sarawak, Malaysia. *Tropical Life Sciences Research*, 31(2), 33-49.
- Aprilian, E., D. I. Roesma., D. H. Tjong. 2016. Morphological Variation of Bada Fish (*Rasbora maninjau*, Lumantobing) in Maninjau Lake, West Sumatra. *Journal of Entomology and Zoology Studies*, 4(2), 541-544.
- Arora, R., J. M. Julka. 2013. Phenotype and Genotype Differentiation Between Two Stocks of Tor putitora (Hamilton) Population (Pisces: Cyprinidae) From Himachal Pradesh, India. *International Journal of Plant, Animal and Environmental Sciences* 3 (3): 31-41.
- Arbogast, B. 2001. Phylogeography: The History and Formation of Species. *American Zoologist*, 41(1): 133-135.
- Avise, J. 1998. *Phylogeography*. Harvard University Press, Cambridge, Mass
- Bandelt, H.J., P. Forster dan A. Rohl. 1999. Median-joining networks for inferring intraspecific phylogenies. *Mol Biol Evol* 16(1):37-48.
- Belle, E. M. S., Piganeau, G., Gardner, M., Eyre-Walker, A. 2005. An investigation of the variation in the transition bias among various animal mitochondrial DNA. *Gene*, 355, 58-66.

Benfey, P. N., T. Mitchell-Olds. 2008. From Genotype to Phenotype: Systems Biology Meets Natural Variation. *Science*, 320(5875):495-7.

Bergstrom, D. E. 2001. Haplotype. In S. Brenner & J. H. Miller (Eds.), *Encyclopedia of Genetics* (pp. 911–912).

Bookstein, F.L. 1982. Foundation of Morphometrics. *Ann. Rev. Ecol. Syst*, 13: 451-470.

Boore, J.L. 1999. Animal mitochondrial genomes. *Nucleic Acids Res*, 27(8): 1767-80.

Brittan, M. R. 2000. Rasboras: keeping and breeding them in captivity. Neptune, NJ: T. F. H. Publication.

Burland, T. G. 2000. DNASTAR's Lasergene Sequence Analysis Software. Methods *Mol Biol* 132: 71-91.

Cailliet, G.M., S. Love dan A.W. Ebeling. 1986. Fishes: A Field and Laboratory Manual on Their Structure, Identification, and Natural History. *Taylor & Francis Group*. 117(2):218-220.

Camelier, P., N.A. Manezes., G.J. Costa-Silva., C. Oliveira. 2018. Molecular and morphological data of the freshwater fish *Glandulocauda melanopleura* (Characiformes: Characidae) provide evidences of river captures and local differentiation in the Brazilian Atlantic Forest. *PLoS ONE* 13(3). <https://doi.org/10.1371/journal.pone.0194247>.

Capaldi, R. A., F. Malatesta., dan V. M. Darley-Usmar. 1983. Structure of Cytochrome c Oxidase. *Biochimica et Biophysica Acta (BBA)* 726(2) : 135–147.

Chang CH., CL. Tsai dan NH. Jang-Liaw. 2013. Complete mitochondrial genome of the Chinese rasbora *Rasbora steineri* (Teleostei, Cyprinidae). *Mitochondrial DNA*. Jun;24(3):183-5.

Chen, S.Y., R. D. Zhang., J.G Feng., H. Xiao, W. X. Li., R. G. Zan., Y.P. Zhang. 2009. Exploring factors shaping population genetic structure of the freshwater fish *Sinocyclocheilus grahami* (Teleostei, Cyprinidae). *J Fish Biol*. May;74(8):1774- 86.

Chung, H.H., C.K.A. Kamar., L.W.K. Lim., J.S. Roja., L. Yunshi., L.T. Tsan-Yuk dan Y.L. Chong. 2020. Sequencing and characterization of complete mitogenome DNA of *Rasbora tornieri* (Cypriniformes: Cyprinidae: Rasbora) and its evolutionary significance. *Journal of Genetics*, 99(1), 67.

Dawnay, N., R. Odgen., R. McEwing., G.R. Carvalho., R.S. Thorpe. 2007. Validation of the barcoding gene COI for use in forensic species identification. *Forensic Sci Int*, 173(1):1-6.

Dunham RA. 2011. Aquaculture and Fisheries Biotechnology: Genetic Approach. Wellingford (UK): CAB International.

Elewa, M. . A. 2004. Morphometric: Application in Biology and Paleontology- Heidelberg, Springer Verlag. *PalArch's Journal of Archaeology of Egypt / Egyptology*, 3(1), 01-02.

Ellegren, H dan N. Galtier. 2016. Determinants of genetic diversity. *Nat Rev Genet*, Jul;17(7):422-33.

- Elmer, K.R., Kusche, H., Lehtonen, T.K., Meyer, A. 2010. Local variation and parallel evolution: morphological and genetic diversity across a species complex of neotropical crater lake cichlid fishes. *Phil. Trans. R. Soc. B*, 365(1547): 1763.1782.
- Ewing, B., L. D. Hillier., M. C. Wendl dan P. Green. 1998. Base-Calling of Automated Sequencer Traces Using Phred. I. Accuracy Assessment. *Genome Res.* 8, 175–185.
- Farias, I.P., Ortí, G., Sampaio, I., Schneider, H., Meyer, A., 2001. The cytochrome b gene as a phylogenetic marker: the limits of resolution for analyzing relationships among cichlid fishes. *J. Mol. Evol.* 53, 89–103. <https://doi.org/10.1007/s002390010197>.
- Fitri, M. 2018. Settlement Morphology Along Musi River: The Influence Of River Characteristics. *Journal of Architecture and Built Environment*, 45(2).
- Franssen, N. R., L. K. Stewart dan J.F. Schaefer. 2013. Morphological Difergence and Flow-induced Phenotypic Plasticity in a Native Fish From Anthropogenically Altered Stream Habitats. *Ecology and Evolution*. 3(14): 4648-4657.
- Freitas, M. V. D., R. B. Ariede., M. E. Hata., Vito A., M. Filho., F. D. Pazo., G. V. Villanova., F. F. Mendonca., F. P. Foresti., D. T. Hashimoto. 2021. Haplotype traceability and genetic variability of the breeding population of pacu (*Piaractus mesopotamicus*) revealed by mitochondrial DNA. *Genetics and Molecular Biology*, 44, 1.
- Galtier, N., B. Nabholz, S. Glemin dan G. D. D Hurst. 2009. Mitochondrial DNA as a Marker of Molecular Diversity: a Reappraisal. *Molecular Ecology* 18: 4541-4550.

Garg, R., Mishra. V. 2018 Moleculer insights into the genetic and haplotype diversity among four populations of Catla catla from Madhya Pradesh revealed through mtDNA cyto b gene sequences. *Journal of Genetic Engineering and Biotechnology*, 16: 169-174.

Gehr, R. R., K. Gruenthal., W. A. Larson. 2021. It's complicated: Heterogeneous patterns of genetic structure in five fish species from a fragmented river suggest multiple processes can drive differentiation. *Evol Appl*, 29;14(8):2079-2097.

Gonzales, M. A., J. M. Rodriguez., E. Angon., A. Martinez., A. Garcia., F. Pena. 2016. Characterization of morphological and meristic traits andtheir variations between two different populations (wildand cultured) of Cichlasoma festae, a species native totropical Ecuadorian rivers. *Arch. Anim. Breed*, 59, 435–444.

Guamares, K.L.A., M.P. Lima., D.J. Santana., M.F.B.D. Souza., R.S. Barbosa dan L.R.R. Rodrigues. 2022. DNA barcoding and phylogeography of the Hoplias malabaricus species complex. *Sci Rep*, 12(1):5288.

Ha, T.T.T., T.T. Nga., T.N.A Hang., M.S. Alam. 2020. Genetic diversity in Pangasius spp. collected in Bangladesh based onmitochondrial cytochrome b gene sequence analysis. *Aquaculture Reports* 17(12): 100351.

Hall, T. A. 1999. BioEdit: A User-Friendly Biological Sequence Alignment Aditor qand Analysis Program for Windows 95/98/NT. *Nucleic Acid Symposium Series*. 41:95-98.

Harris, A., M. A. Liliyanti., L. G. Sumahiradewi., N. T. Artiningrum. Morphometric, Meristic Characters, and Gonad MaturityLevelOf Pepudah Fish (Rasbora lateristriata) From Sokong Rivers, North Lombok District. *Penbios: Jurnal Pendidikan Biologi dan Sains*, 06(01), 28-37.

- Hebert, PDN., S. Ratnasingham dan JR. de Waard. 2003. Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society B*, 270(1): S96–S99.
- Hebert, P dan T. Gregor. 2005. The Promise of DNA Barcoding for Taxonomy. *Systematic Biology*, 54(5): 852-9.
- Hedrick, P. W dan P. S. Miller. 1992. Conservation Genetics: Techniques and Fundamentals. *Ecological Applications*, 2(1): 30-46.
- Heyden, S. V. D., M. R. Lipinski, C. A. Matthee. 2010. Remarkably low mtDNA control region diversity in an abundant demersal fish. *Mol Phylogenet Evol*, 55(3): 1183-8.
- Ho, CW., MY. Liu dan MH. Chen. 2016. Complete mitochondrial genome of Rasbora trilineata (Cypriniformes, Cyprinidae). *Mitochondrial DNA A DNA Map Seq Anal*, 27(3):1755-7.
- Ignataviecene, I., A. Ragauskas., V. Rakauskas., D. Butkauskas. 2023. Quality of DNA extracted from freshwater fish scales and mucus and its application in genetic diversity studies of Perca fluviatilis and Rutilus rutilus. *Biology Methods and Protocols*, bpad022.
- Jackquemin, S.J., Pyron, M. 2016. A century of morphological variation in Cyprinidae fishes. *BMC Ecol*, 16:48.
- Jordan J, Hawe D, Kellogg K, Juanes F, Stauffer JrJ. 2007. Small-scale morphological differentiation in a cichlid may provide clues about rapidly diversifying systems. *Afr J Ecol*. 46: 107-109.

- Kardos, M., E. E. Armstrong., S. W. Fitzpatrick., S. Hauser., P. W. Hedrick., J. M. Miller., D. A. Tallmon., W. C. Funk. 2021. The Crucial Role of Genome-Wide Genetic Variation in Conservation. *Proc Natl Acad Sci USA*, 118(48).
- Kartavtsev, Y.P. dan J.S.Lee. 2006. Analysis Nucleotide Diversity at the Cytochrome b and Cytochrome Oxidase I Genes at Population, Species and Genus Level. *Russian Journal of Genetic*, Vol.42:317-362.
- Kartavtsev YP. 2011. Divergence at Cyt-b and Co-1 mtDNA genes on different taxonomic levels and genetics of speciation animals. Mitochondrial DNA, (3):55-65. Doi:10.3109/19401736.2011.588215.
- Kerschbaumer. M., P. Mitheroecker dan C. Stumbauer. 2014. Evolution of Body Shape in Sympatric Versus Non-Sympatric Tropheus Populations of Lake Tanganyika. *Heredity* 112, 89–98.
- Koonin, E. V., M. Y. Galperin. 2003. Sequence- Evolution- Function: Computational Approaches in Comparative Genomics. *Boston: Kluwer Academic*.
- Kottelat, M., A.J. Whitten., S.N. Kartikasari dan S. Wirjoatmodjo. 1993. Freshwater Fishes of Western Indonesia and Sulawesi. Periplus Hong Kong, 259 pp., 84 pls.
- Kottelat, M. 2013. The Fishes Of The Inland Waters Of Southeast Asia: A Catalogue And Core Bibliography Of The Fishes Known To Occur In Freshwaters, Mangroves And Estuaries. *The Raffles Bulletin Of Zoology 2013 Supplement No. 27: 1–663*.
- Kovach, W. L. 2007. MVSP- A multi variate statistical package for Windows, Ver.3.1 Pentraeth, Wales, U.K: Kovach Computing Services.

Krabbenhoft TJ, Collyer ML, Quattro JM. 2009. Differing Evolutionary Patterns Underlie Convergence on Elongate Morphology in Endemic Fishes of Lake Waccamaw, North Carolina. *Biol J of the Linn Society* 98: 636-645.

Kremer, C.S., Vamosi, S.M., Rogers, S.M. 2016. Watershed characteristics shape the landscape genetics of brook stickleback (*Culaea inconstans*) in shallow prairie lakes. *Ecol Evol*, 7(9):3067-3079. doi: 10.1002/ece3.2885.

Kusuma, W.E., S. Ratmuangkhwang dan Y. Kumazawa. 2016. Molecular phylogeny and historical biogeography of the Indonesian freshwater fish *Rasbora lateristriata* species complex (Actinopterygii: Cyprinidae): Cryptic species and west-to-east divergences. *Molecular Phylogenetics and Evolution* Vol 105, Pages 212-223.

Kusuma W.E., P.D. Samuel., D.G.R. Wiadnya., A.M. Hariati., Y. Kumazawa Y. 2017. Complete mitogenome sequence of *Rasbora argyrotaenia*(Actinopterygii: Cyprinidae). *Mitochondrial DNA B Resour*, 7;2(2):373-374.

Lee, P.Y., Costumbrado, J., Hsu, C.Y., Kim, Y.H. Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized experiments*, 20(62).

Liao, T.Y., S.O. Kullander dan F. Fang. 2010. Phylogenetic analysis of the genus *Rasbora* (Teleostei: Cyprinidae). *Zoologica Scripta* 39(2), PP 155-176.

Lim, L. W. K., C. K. A. Kamar., J.S. Roja., H. H. Chung., Y. Liao., T. T-Y. Lam., Y.L Chong. 2020. Sequencing and characterisation of complete mitogenome DNA for *Rasbora sarawakensis* (Cypriniformes: Cyprinidae: Rasbora) with phylogenetic consideration. *Computational Biology and Chemistry*, 89.

Lodish H., A. Berk., S. L. Zipursky. 2000. *Molecular Cell Biology*. 4th edition. Newyork. 168-171.

Lumbantobing, D. (2014). A New Species of *Rasbora* (Teleostei: Cyprinidae) from Sumatra, Indonesia. *Copeia*, 2014(1), 99-107.

Lumbantobing, D., Jenkins, A., Kullander, F. dan Tan, H.H. 2020. *Rasbora tornieri*. The IUCN Red List of Threatened Species 2020: e.T169513A91070732. <https://dx.doi.org/10.2305/IUCN.UK.2020-3.RLTS.T169513A91070732.en>. Accessed on 14 January 2023.

Long, K., L. Cai., L. He. 2018. DNA Sequencing Data Analysis. *Computational System Biology*, 1-13.

Lostrom, S., J.P. Evans., P.F. Grierson., S.P. Collin., P.M. Davies., J.L. Kelley. 2015. Linking stream ecology with morphlogical variability in a native freshwater fish from semi-arid Australia. *Ecol. Evol*, 5, 3272–3287.

Luo, A., A. Zhang., S. Y. Ho., W. Xu., Y. Zhang., W. Shi., S. L. Cameron., C. Zhu. 2011. Potential efficacy of mitochondrial genes for animal DNA barcoding: a case study using eutherian mammals. *BMC Genomics*, 12:84.

Lynch, M., Ackerman, M., Gout, JF. et al. 2016. Genetic drift, selection and the evolution of the mutation rate. *Nat Rev Genet* 17, 704–714.

McGinnis, S., Madden, T. L. 2004. BLAST: at the core of a powerful and diverse set of sequence analysis tools. *Nucleic Acids Research*, Vol 32, W20-25.

Mehner, T., S. Palm., B. Delling., J. Karjalainen., J. Kiełpińska., A. Vogt., J. Freyhof. 2021. Genetic relationships between sympatric and allopatric *Coregonus ciscoes* in north and Central Europe. *BMC Ecology and Evolution*, 21, 186 (2021). <https://doi.org/10.1186/s12862-021-01920-8>.

- Michel, M. J., H. Chien., C. E. Beachum., M. G. Bennet., J. H. Knouft. 2017. Climate change, hydrology, and fish morphology: predictions using phenotype-environment associations. *Climatic Change*, 140:563–576
- Miko, I. 2008 . Phenotype variability: penetrance and expressivity. *Nature education* 1(1): 137.
- Moritz, C., T. E. Dowling dan W. M. Brown. 1987. Evolution of Animal Mitochondrial DNA: Relevance for Population Biology and Systematics. *Annual Review of Ecology and Systematics* 18(1):269-292.
- Moyle, P. B., dan Cech, J. J. 2000. Fishes an Introduction to Ichthyology, Fourth Edition. Prentice-Hall, Inc: USA
- Muchlisin, A.Z., N. Fadli., M.N. dan Siti-Azizah MN. 2012. Genetic variation and taxonomy of Rasbora group (Cyprinidae) from Lake Laut Tawar, Indonesia. *J Ichtyol* 52: 284-290.
- Muchlisin, A.Z. 2013. Morphometric Variations of Rasbora Group (Pisces: Cyprinidae) in Lake Laut Tawar, Aceh Province, Indonesia, Based on Truss Character Analysis. *Hayati Journal of Biosciences*, 20(3) 138-143.
- Munshi, J.S.D., H.M. Duta. 1996. Fish Morphology: Horizon of New Research. *Science Publishers*, Inc. New York.
- Nedel, F., Andre D.D.A., Oliveira, I.O.D., Taquinio, S.B.C., Demarco F.F. 2009. Buccal cells submitted to three different storage conditions before DNA extraction. *J Appl Oral Sci*, 17(2):113-5. doi: 10.1590/s1678-77572009000200008.
- Nei, M dan S. Kumar. 2000. *Molecular Evolution and Phylogenetics*. Oxford University Press Inc. New York.

Nei, M & W-H. Li. 1979. Mathematical Model for studying Genetic Variation in Terms of restriction Endonucleases. Proc. Natl. Acad. Sci. USA, 76(10):5268-5273.

Nguyen, L.T., H.A. Schmidt., A. von Haeseler., B.Q. Minh. 2015. IQ-TREE: A fast and effective stochastic algorithm for estimating maximum likelihood phylogenies. *Mol. Biol. Evol.*, 32:268-274.

Ng, H.H. dan M. Kottelat. 2013. The identity of the cyprinid fishes *Rasbora dusonensis* and *R. tornieri* (Teleostei: Cyprinidae). *Zootaxa* 3635(1), Hal 62-70.

Nobile, A.B., A. S. Zanatta., H. Brandao., E.O.P. Zica., F.P. Lima., D.F. Souza., E.D. Carvalho., R.J.D. Silva., I.P. Ramos. 2018. Cage fish farm act as a source of changes in the fish community of a Neotropical reservoir. *Aquaculture*, 495: 780-785.

Parakatselaki, ME dan D. Ladoukakis. 2021. mtDNA Heteroplasmy: Origin, Detection, Significance, and Evolutionary Consequences. *Life (Basel)*, 29;11(7):633.

Parmaksiz, A & E. Eksi. 2017. Genetic diversity of the cyprinid fish *Capoeta trutta* (Heckel, 1843) populations from Euphrates and Tigris rivers in Turkey based on mtDNA COI sequences. *Indian J. Fish*, 64 (1): 18-22.

Pearson, W.R. 2013. An introduction to sequence similarity ("homology") searching.

Curr Protoc Bioinformatics, 3:3.1.1-3.1.8.
<https://doi.org/10.1002/0471250953.bi0301s42>

- Prawira, F. D. L., Syaifulah., D. H. Tjong., Aadrean., T. Maideliza., D. I. Roesma. 2023. Haplotype Diversity of Yellow-tail Rasbora Population in Sundaland Hotspot Based on COI Gene. *World Journal of Advanced Research and Reviews*, 20 (01), 708-714.
- Prawira, F. D. L. 2023. Keragaman Haplotype *Rasbora tornieri* di Paparan Sunda Berdasarkan Gen COI. *Skripsi*. Universitas Andalas.
- Prihandini, P.W., A. Primasari., M. Luthi., J. Efendy., D. Pamungkas. 2020. Genetic Diversity of Mitochondrial DNA Cytochrome b in Indonesian Nativeand Local Cattle Populations. *Jurnal Ilmu Ternak dan Veteriner* 25(2):39.
- Quadroni S, V. De Santis., A. Carosi., I. Vanetti., S. Zaccara., M. Lorenzoni. 2023. Past and Present Environmental Factors Differentially Influence Genetic and Morphological Traits of Italian Barbels (Pisces: Cyprinidae). *Water*,15(2):325. <https://doi.org/10.3390/w15020325>.
- Rambaut, A. 2018. FigTree v1.3.1. Institute of Evolutionary Biology, University of Edinburgh, Edinburgh.
- Rechulicz, J. And Kolejko. M. 2012. Morphological Differences Between Lake and River Populations of Roach (*Rutilus rutilus* L.). *Annales UMCS Zootechnica*, 30 (1).
- Reed D. H and R. Frankham. 2003. Correlation Between Fitness and Genetic Diversity. *Consevation Biology* 17(1): 230-237.
- Roesma, D.I. 2011. Diversitas spesies dan kekerabatan genetic ikan – ikan Cyprinidae di danau-danau dan sungai-sungai di sekitarnya di kawasan Sumatra Barat. Disertasi. Universitas Andalas. Padang.

- Roesma, D.I., D. H. Tjong., M. N. Janra., D. R. Aidil. 2022. Dna barcoding of freshwater fish in Siberut Island, Mentawai Archipelago, Indonesia. *Biodiversitas*, Vol (23) No 4, p 1795-1806.
- Rohlf, F.J. 1997. NTSYS-Pc: Numerical Taxonomy and Multivariate Analysis System. Exeter Software, New York.
- Rozas, J., J.C.. Sanchez Del Barrio., Messeguer, dan X. R. Rozas. 2003. DnaSP, DNA Polymorphism Analyses by the Coalescent and Other Methods. *Bioinformatics*. 19:2496- 2497.
- Rutaisire, J., A.J. Booth., C. Mosambe., S. Nyakaana., V.B. Muwanika. 2005. Morphometric and genetic differentiation of Two *Labeo Victorianus* Populations in Lake Victoria. *African Zool* 40 (2): 309-317.
- Sambrook, J dan D. W. Russell. 2001. *Molecular Cloning: A Laboratory Manual*. 3rd Edition, Cold Spring Harbor Laboratory Press, New York.
- Santos-Barrera, G. And J.N. Urbina-Cardona. 2011. The Role of the Matrix-edge Dynamics of Amphibian Conservation in Tropical Montane Fragmented Landscapes. *Revista Mexicana de Biodiversidad*, 82:679-687.
- Sattari, M., M.H. Mazareiy., S. Khataminejad., M. Bibak., J.I. Namin. 2021. Geometric Morphometric analysis of *Alosa braschnikowi* (Teleostei, Clupeidae) populations in the southern Caspian Sea. *Iranian Journal of Animal Biosystematics (IJAB)* Vol.17, No.1, 1-13.
- Sawalman, R., H. Madduppa. 2020. The Analysis of Morphological and Genetic Characteristics of Yellowstripe Scad from Muara Baru Modern Fish Market in North Jakarta. *Jurnal Ilmiah Perikanan dan Kelautan*, 12(2):308–314.

- Schwander, T., O. Leimar. 2011. Genes as leaders and followers in evolution. *Trends in Ecology and Evolution* 26: 143–151.
- Selcuk, M.A., F. Celik., S. Simsek., H. Ahmed., H.K. Kesik., S.G. Kilinc dan J. Cao. 2022. Genetic, haplotype and phylogenetic analysis of *Ligula intestinalis* by using mt-CO1 gene marker: ecological implications, climate change and eco-genetic diversity. *Braz J Bio* Vol 84.
- Sholihah, A., E. Delrieu-Trottin., T. Sukmono., H. Dahruddin. R. Risdawati., R. Elvyra., A. Wibowo., K. Kustiati. F. Busson., S. Sauri., U. Nurharman., E. Dounias., M.S.A. Zein., Y. Fitriana., I.V. Utama., Z.A. Muchlisin., JF. Agnese., R. Hanner., D. Wowor., D. Steinke., P. Keith., L. Ruber dan N. Hubert. 2020. Disentangling the taxonomy of the subfamily Rasborinae (Cypriniformes, Danionidae) in Sundaland using DNA barcodes. *Sci Rep* 10, 2818.
- Stephan, W. and C. H. Langley. 1992. Evolutionary consequences of DNA mismatch inhibited repair opportunity. *Genetics*, 132: 567-574.
- Strauss, R. E., C. E. Bond. 1990. Taxonomic methods: morphology. Methods for Fish biology. New York City: American Fisheries Society.
- Sudasinghe, H., R. Pethiyagoda., R. Hettiarachchige., T. Ranasinghe., R. Raghava., N. Dahanukar., M. Meegaskumbura. 2020. A molecular phylogeny of the freshwater-fish genus *Rasbora* (Teleostei: Cyprinidae) in Sri Lanka reveals a remarkable diversification- And a cryptic species. *Journal of Zoological Systematics and Evolutionary Research*, 00:1-35.
- Sudasinghe, H., T. Ranasinghe., J. Herath., K. Wijesooriya., R. Pethiyagoda., L. Ruber., M. Meegaskumbura. 2021. Molecular Phylogeny and Phylogeography of the freshwater-fish genus *Pethia* (Teleostei: Cyprinidae) in Sri Lanka. *BMC Ecol Evol*, 21:203.

Sutihat, A., Tilburg, I.V., Tripati, S., Vadillo, W., Fahry, B., Kimura, J. 2014. Types of River Transportation in the East Coast of Sumatra Before the 19th Century: An Analysis Based on the Findings of Boats in North Sumatera Province and Siak Districts, Riau Province. The MUA (12).

Syaifullah, Syaifullah., S. Luqyana., D. H. Tjong., I. J. Zakaria., D. I. Roesma. 2022. Haplotype network of three species of Anguilla (freshwater eels) in West Sumatera, Indonesia, based on Cytochrome b gene. AACL Bioflux Vol 15, 775-787.

Tamura, K., G. Stecher, D. Peterson, A. Filipski and S. Kumar. 2013. MEGA6: Molecular Evolutionary Genetics Analysis Using Maximum Likelihood, Evolutionary Distance, and Maximum Parsimony Methods. *Mol. Biol. Evol.* 28 (10): 2731–2739.

Tang, K. L., M. K. Agnew., M. V. Hirt., T. Sado., L. M. Schneider., J. Freyhof., Z. Sulaiman., E. Swartz., C. Vidthayanon., M. Miya., K. Saitoh., A. M. Simons., R. M. Wood., R. L. Mayden. 2010. Systematics of the subfamily Danioninae (Teleostei: Cypriniformes: Cyprinidae). *Mol Phylogenet Evol*, 57(1):189-214.

Teletchea, F. 2009. Molecular identification methods of fish species: reassessment and possible applications. *Rev Fish Biol Fisheries*. 19:265–293.

Templeton, A. R. 2004. Using haplotype trees for phylogeographic and species inference in fish populations. *Environmental Biology of Fishes*, 69(1-4), 7-20.

Tenriulo, A., Suryati, E., Parenrengi, A., Rosmiat, 2001, Ekstraksi DNA rumput laut kappaphycus alvarezii dengan metode fenol kloroform, *Marina Chimica Acta* 2(2): 6-10.

- Thamby, D. R., A. G. Kurian., K. R. Devi., R. G. Kumar. 2020. The identity of *Rasbora neilgherriensis* (Teleostei: Danionidae), with a re-description. *Zootaxa*, 4894(2): 261-268.
- Turan, C., M. Gurlek., D. Erguden., D. Yaghoglu., B. Ozturk. Systematic Status of Nine Mullet Species (Mugilidae) in the Mediterranean Sea. *Turkish Journal of Fisheries and Aquatic Sciences* 11: 315-321.
- Voris, H.K. 2000. Maps of pleistocene sea levels in southeast asia: Shorelines, river systems and time durations. *Biogeography*, 27: 1153-1167.
- Ward, R. D., T. S. Zemlak., B. H. Innes., P. R. Last., dan P. D. N. Hebert. 2005. DNA Barcoding Australia's Fish Species. *Phil. Trans. R. Soc. B*. 360:1847–1857.
- West-Eberhard M. J. Phenotypic plasticity and the origins of diversity. *Annual Review of Ecology and Systematics* 20: 249–278.
- Wolpoff, M.H. 1999. Paleoanthropology. USA: McGraw-Hill Companies, Inc.
- Xiao, W., Y.P. Zhang., H.Z. Liu. 2001. Molecular Systematics of Xenocyprinae (Teleostei: Cyprinidae): Taxonomy, Biogeography, and Coevolution of a Special Group Restricted in East Asia. *Molecular Phylogenetics and Evolution*, 18(2): 163-73.
- Xie, J-Y., J-D. Li., Y-S. Huang. 2013. Dna barcoding application of mitochondrial COI gene sequence in medicinal fish of Culter (Pisces: Cyprinidae). *Zhongguo Zhong Yao Za Zhi* 38(7):943-6.
- Yang, X., X. Ni., C. Fu. 2022. Phylogeographical Analysis of the Freshwater Gudgeon *Huigobio chenhsienensis* (Cypriniformes: Gobionidae) in Southern China. *Life* 2022, 12(7), 1024.

Zhai, D-D., W-J. Li., H-Z. L., W-X. C., X. Gao. 2019. Genetic diversity and temporal changes of an endemic cyprinid fish species, Ancherythroculter nigrocauda, from the upper reaches of Yangtze River. *Zool Res*, 40(5):427-438.

Zheng, L.P& J. Yang. 2017. Genetic diversity and population demography of the endemic species *Acrossocheilus longipinnis* (Teleostei, Cyprinidae) based on mtDNA COI and cyt b gene sequences. *Mitochondrial DNA Part A*, 29(3):1-6.

