

DAFTAR PUSTAKA

1. Hartono Gunardi, Setyo Handryastuti TP. Stunting : Pencegahan, Diagnosis dan Tata Laksana Terpadu. Ikatan Dokter Anak Indonesia; 2021. 26–27 p.
2. Sekretariat Wakil Presiden Indonesia. Strategi Nasional Percepatan Pencegahan Anak Kerdil tahun 2018-2024. 2018;10–23.
3. UNICEF / WHO / World Bank Group. Levels and trends in child malnutrition. Jt Child Malnutrition Estim 2023 Ed. 2023;1–32.
4. Sudikno et al. Sosiodemografi Stunting pada Balita di Indonesia. J Nutr Food Res. 2021;44:71–8.
5. Kementerian Kesehatan Republik Indonesia. Laporan Tematik Survei Kesehatan Indonesia Tahun 2023. Badan Kebijak Pembang Kesehat. 2023;46–65.
6. Kemenkes RI. Status Gizi SSGI 2022. BKPK Kemenkes RI. 2022;1–156.
7. Dinas Kesehatan Kota padang. Profil Dinas Kesehatan Kota Padang. Dinas Kesehat Kota Padang. 2018;142.
8. Dinas Kesehatan Kota padang. Profil Kesehatan Kota Padang. Dinas Kesehat Kota Padang. 2022;1:151.
9. Maares M HH. A Guide to Human Zinc Absorption: General Overview and Recent Advances of In Vitro Intestinal Models. Nutrients2. 2020;12:762.
10. Damayanti RA, Muniroh L F. Perbedaan Tingkat Kecukupan Zat Gizi dan Riwayat Pemberian ASI Eksklusif pada Balita Stunting dan non Stunting. Media Gizi Indones. 2016;12:61–9.
11. Adani FY, Nindya TS. Perbedaan Asupan Energi, Protein, Zink, dan Perkembangan pada Balita Stunting dan non Stunting. Amerta Nutr. 2017;1:46.
12. Maulidiana AR, Sutjiati E. Low intake of essential amino acids and other risk factors of stunting among under-five children in Malang City, East Java, Indonesia. J Public health Res. 2021;10:220–6.
13. Suryadi et al. Dietary intake and stunting in children aged 6-23 months in rural Sumba, Indonesia. Paediatr Indones. 2022;62:341–56.
14. SN Hidayati. Defisiensi Seng (Zn). Buku Ajar Nutr Pediatr dan Penyakit Metab Anak. 2011;1:221–9.
15. M U. Role of Zink in Stunting of Infants and Children in Rural Ethiopia (Thesis). Wageningen Univ. 2013;1–17.
16. Agustian L, Sembiring T AA. Peran Zinkum Terhadap Pertumbuhan Anak.

- Sari Pediatri. *Sari Pediatr.* 2009;11:244–9.
17. Purwandini S, Atmaka DR. Pengaruh Kecukupan Konsumsi Zink dengan Kejadian Stunting: Studi Literatur. *Media Gizi Kesmas.* 2023;12:509–15.
 18. Mutap A, Huremovic J NM. Analysis of Some metals in Human Hair by the AAS Method. *Bull Chem Technol Bosnia herzegovina.* 2016;46:19–26.
 19. Ribeiro, A. S., Curtius, A. J. & Pozebon D. Determination of As, Cd, Ni and Pb in human hair by electrothermal atomic absorption spectrometry after sample treatment with tetramethylammonium hydroxide. *Microchem J.* 2000;64:105–10.
 20. Kristiani et al. Perbedaan Kadar Zinc Rambut dan Asupan Makan pada Balita Stunting dan Non-Stunting di Puskesmas Wilangan Kabupaten Nganjuk. *Amerta Nutr.* 2019;24–32.
 21. Pusat Data dan Informasi Kementerian Kesehatan. Situasi Balita Pendek (Stunting) Indonesia. *Kementeri Kesehat.* 2018;6–18.
 22. WHO. WHO Reducing Stunting In Children : Equity Considerations for Achieving the Global Nutrition Target 2025. 2018;4.
 23. Tridjaja B. Best Practices in Pediatrics. *Pendidik Kedokt berkelanjutan X.* 2013;1:13.
 24. Aryastami NK, Tarigan I. Policy Analysis on Stunting Prevention in Indonesia. *Bul Penelit Kesehat.* 2017;45:233–40.
 25. Kesehatan BP dan P. Riset Kesehatan Dasar. *Kementeri Kesehat Republik Indones.* 2013;253.
 26. RI BP dan P kesehatan KK. Laporan Nasional Riskesdas 2018. *Riskesdas 2018.* 2018;548–70.
 27. Aridiyah FO, Rohmawati N RM. Faktor-Faktor yang Mempengaruhi Kejadian Stunting Pada Anak Balita di Wilayah Pedesaan dan Perkotaan. *E-Jurnal Pustaka Kesehat.* 2015;3:163–70.
 28. Beal T, Tumilowicz A, Sutrisna A, Izwardy D NL. Review of Child Stunting Determinants in indonesia. *Matern Child Nutr.* 2018;1–10.
 29. Gunardi H, Soedjatmiko, Sekartini R, Medise BE, Darmawan AC, Armeilia R et al. Association between Parental Socio-demographic Factors and Declined Linear Growth of Young Children in Jakarta. *Med J Indones.* 2017;26:286–192.
 30. Aryastami et al. Low Birth Weight was The Most Dominant Predictor Associated with Stunting Among Children Aged 12–23 Months In Indonesia. *BMC Nutr.* 2017;16:1–6.
 31. Yasmin G, Kustiyah L DC. Risk Factor of Stunting among School-Aged

- Children from Eight Provinces in Indonesia. *Pakistan J Nutr.* 2014;13:557–612.
32. Nasikhak R MA. Faktor Risiko Kejadian Stunting Pada Balita Usia 24 – 36 Bulan Di Kecamatan Semarang Timur. *J Nutr Coll.* 2018;1:176–84.
 33. Kishawi RR, Soo KL, Abed YA MW. Prevalence and Associated Factors Influencing Stunting in Children Aged 2–5 Years in The Gaza Strip-Palestine: A Cross-Sectional Study. *BMC Pediatr.* 2017;210:1–7.
 34. Hendrayati. Analysis of Determinant Factors in Stunting Children Aged 12 to 60 Months. *Biochemistry & Physiology. Open Access.* 2015;5.
 35. Anindita P. Hubungan Tingkat Pendidikan Ibu, Pendapatan Keluarga, Kecukupan Protein & Zinc Dengan Stunting (Pendek) Pada Balita Usia 6-35 Bulan Di Kecamatan Tembalang Kota Semarang. *J Kesehat Masy.* 2018;1:617–26.
 36. Bloem et al. Key Strategies To Further Reduce Stunting In Southeast Asia: Lessons From The ASEAN Countries Workshop. *Food Nutr Bull.* 2013;34:S8–11.
 37. Abeshu MA GB. The Role of Fortification and Supplementation in Mitigating The ‘Hidden Hunger.’ *J Nutr Food Sci.* 2016;6.
 38. JH L. Micronutrient Deficiency Syndrome: Zink, Copper and Selenium. *Pediatr Gastroenterol Hepatol Nutr.* 2012;15:145–51.
 39. Al E, Fahmida. Problem Nutrients and Food-Based Recommendations for Pregnant Women and Under-Five Children in High-Stunting Districts in Indonesia. *Curr Dev Nutr.* 2022;6:1–16.
 40. Astutik, Rahfiludin MZ AR. Faktor Risiko Kejadian Stunting Pada Anak Balita Usia 24-59 Bulan (Studi Kasus Di Wilayah Kerja Puskesmas Gabus II Kabupaten Pati Tahun 2017). *J Kesehat Masy.* 2018;6:409.
 41. Sumiati, Arsin AA, Syafar M. Determinants of stunting in children under five years of age in the Bone regency. *Enferm Clin.* 2020;30:371–4.
 42. Torlesse H, Cronin AA, Sebayang SK NR. Determinants Of Stunting In Indonesian Children: Evidence From A Cross-Sectional Survey Indicate A Prominent Role For The Water, Sanitation And Hygiene Sector In Stunting Reduction. *BMC Public Health.* 2016;16:669.
 43. Handayani F, Siagian A AE. Mother’s Education as a Determinant of Stunting among Children of Age 24 to 59 Months in North Sumatera Province of Indonesia. *J Humanit Soc Sci.* 2017;22:58–64.
 44. Quamme SH, Iversen PO. Prevalence of child stunting in Sub-Saharan Africa and its risk factors. *Clin Nutr Open Sci.* 2022;42:49–61.
 45. Onis MD BF. Childhood Stunting: a Global Perspective. *Matern Child.*

2016;12:12–26.

46. Bening S, Margawati A RA. Zink Deficiency as Risk Factor for Stunting among Children Aged 2-5 Years. *Universa Med.* 2017;36:11–8.
47. Victora et al. Maternal and Child Undernutrition: Consequences for Adult Health and Human Capital. *Lancet.* 2008;371:340–57.
48. RA S. Analisis Pemanfaatan Program Pelayanan Kesehatan Status Gizi Balita. *J Kesehat Masy Nas.* 2010;5:76–83.
49. Claudia RokX, Ali Subandoro PG. Aiming High Indonesia's Ambition to Reduce Stunting. *Int bank Reconstr Dev World Bank.* 2018;1:6.
50. Prendergast AJ HJ. The Stunting Syndrome in Developing Countries. *Paediatr Int Child Health.* 2014;34:250–65.
51. Biesalski HK BR. Malnutrition and the First 1,000 Days of Life: Causes, Consequences and Solutions. *World Rev Nutr Diet.* 2016;115:1–5.
52. Kusumawati E, Rahardjo S SH. Model Pengendalian Faktor Risiko Stunting pada Anak Usia di Bawah Tiga Tahun. *J Kesehat Masy Nas.* 2015;9:250–6.
53. A C. Suplementasi Mikronutrien dan Penanggulangan Malnutrisi Pada Anak Usia Di Bawah Lima Tahun (Balita). *J Nutr Heal.* 2017;5:1–8.
54. Brown KH, Peerson JM, Rivera J AL. Effect of supplemental Zink on the Growth and Serum Zink Concentrations of Prepubertal Children: A Meta-analysis of Randomized Controlled Trials. *Am J Clin Nutr.* 2002;75:957–8.
55. Pickering AJ, Null C, Winch PJ et al. The WASH Benefits and SHINE Trials: Interpretation of WASH Intervention Effects on Linear Growth and Diarrhoea. *Lancet Glob Heal.* 2019;7:1139–47.
56. Cameron et al. Childhood stunting and cognitive effects of water and sanitation in Indonesia. *Econ Hum Biol.* 2021 Jan 1;40:1–17.
57. Ernawati F, Prihatini M, Yuriestia A. Gambaran Konsumsi Protein nabati dan Hewani pada Anak Balita Stunting dan Gizi Kurang di Indonesia. *Pus Penelit dan Pengemb Biomedis dan Teknol Dasar Kesehatan, Badan Penelit dan Pengemb Kesehat.* 2016;39:95–102.
58. Widyaningrum et al. The difference of protein intake in stunted and non-stunted toddler at subdistrict Pujon, Malang, East Java, Indonesia. In: *AIP Conference Proceedings.* 2021.
59. Kementerian Kesehatan Republik Indonesia. Peraturan Menteri Kesehatan No 28 Tahun 2019. *Kementeri Kesehat.* 2019;6–8.
60. Fufa DA. Determinants of stunting in children under five years in dibate district of Ethiopia: A case-control study. *Hum Nutr Metab.* 2022;30:1–5.
61. Fikawati et al. Energy and protein intakes are associated with stunting

- among preschool children in Central Jakarta , Indonesia : a case-control study. 2021;27:81–91.
62. Grober U. Mikronutrien: Penyelesaian Metabolik, Pencegahan dan Terapi. EGC; 2012.
 63. Mahan, L. K., Escott-Stump S. Krause's food & nutrition therapy. 12th ed. edinburgh: Elsevier Saunders; 2008.
 64. Duggan et al. Nutrition in Pediatrics: Basic Science and Clinical Applications. 4th ed. BC Decker, Hamilton,; 2008.
 65. Devi et al. Zink In Human Health. IOSR J Dent Med Sci. 2014;13:18–23.
 66. Brown KH, Wuehler SE, Peerson JM. The importance of zinc in human nutrition and estimation of the global prevalence of zinc deficiency. Food Nutr Bull. 2001;22:113–25.
 67. Kaban RK, Dharmasetiawani N SJ. Prevalens dan Faktor Risiko Terjadinya Hipozinkemia Bayi Berat Lahir Rendah pada Usia Koreksi Mendekati Cukup Bulan atau Cukup Bulan. Sari Pediatr. 2011;13:207–14.
 68. Foster M, Samman S. Implications of a Plant-Based Diet on Zinc Requirements and Nutritional Status. Vegetarian and Plant-Based Diets in Health and Disease Prevention. 2017. 683–713 p.
 69. Rocha EDM et al. Effect of Zink Supplementation on GH, IGF1, IGFBP3, OCN, and ALP in Non-Zink-Deficient Children. J Am Coll Nutr. 2015;1–10.
 70. King et al. Biomarkers of Nutrition for Development (BOND)—Zinc Review. J Nutr. 2016;146:858S–885S.
 71. Group IZNC. Assessing population zinc exposure with hair or nail zinc. IZiNCG Tech Br. 2018;8.
 72. Arindha Rahmawati YW. Perbedaan kadar seng (zn) rambut berdasarkan derajat stunting pada anak usia 6-9 tahun. J Nutr Coll. 2012;1:365–72.
 73. Susilo, M. T. & Widyastuti N. Hubungan Kadar Seng (Zn) Rambut dengan Z-score Panjang Badan Menurut Umur (PB / U) Balita Usia 12-24 Bulan. J Nutr Coll. 2013;2:638–44.
 74. Lowe, N. M., Fekete, K. & Decsi T. Methods of assessment of zinc status in humans. Am J Clin Nutr. 2009;89:2040–51.
 75. Wessells et al. Plasma and Nail Zinc Concentrations, But Not Hair Zinc, Respond Positively to Two Different Forms of Preventive Zinc Supplementation in Young Laotian Children: a Randomized Controlled Trial. Biol Trace Elem Res. 2021;2:442–52.
 76. Rani N, Diffah H, Sapja A. The Correlation Between Zinc Source Dietary

- Intake dan Hair's Zinc Level on Stunting Incidence at Primary School Students of Malang Regency. *IEESE Int J Sci Technol.* 2017;6:1–5.
77. Havey SM. Efficacy of hair mineral analysis for assessing zinc status by efficacy of hair mineral analysis. The State University of New Jersey; 2009.
 78. Lönnerdal B. Zinc and Health : Current Status and Future Directions Dietary Factors Influencing Zinc Absorption 1. *J Nutr.* 2000;130:1378–83.
 79. International Zinc Nutrition Consultative Group (IZiNCG). Assessment of the Risk of Zinc Deficiency in Populations. *Food Nutr Bull.* 2004;25:s152.
 80. Gibson RS. Zinc. In: *Principles of Nutritional Assessment.* 3rd ed. 2024.
 81. Sjarif DR. Ilmu Gizi dan Aplikasi. EGC; 2017. 37–50 p.
 82. Sulistyono p. heriyanto y, priyadi I et al. Analisis dan Sinkronisasi Tabel Komposisi Pangan Aplikasi Nutrisurvey Versi Indonesia. *J Nutr.* 2020;22:39–45.
 83. Ilmi Khoiriyah H, Dewi Pertiwi F, Noor Prastia T. Faktor-Faktor Yang Berhubungan Dengan Kejadian Stunting Pada Balita Usia 24-59 Bulan Di Desa Bantargadung Kabupaten Sukabumi Tahun 2019. *Promotor.* 2021;4:145–60.
 84. Kasajja et al. Prevalence and factors associated with stunting among children aged 6–59 months in Kabale district, Uganda. *BMC Nutr.* 2022;8:1–7.
 85. Wulandari RC, Muniroh L. Hubungan Tingkat Kecukupan Gizi, Tingkat Pengetahuan Ibu, dan Tinggi Badan Orangtua dengan Stunting di Wilayah Kerja Puskesmas Tambak Wedi Surabaya. *Amerta Nutr.* 2020;4:95.
 86. Hatta H, Tolinggi S, Hafid W, Masyarakat FK, Gorontalo U. Faktor yang berhubungan dengan kejadian stunting. *Gorontalo J Public Heal.* 2022;5:183–91.
 87. Lestari et al. Faktor Yang Berhubungan dengan Kejadian Stunting Pada Anak Sekolah Dasar Negeri 014610 Sei Rengas Kecamatan Kisaran Barat Kabupaten Asahan. *J Dunia Gizi.* 2018;1:59.
 88. Nisrawati et al. Faktor-Faktor yang Menyebabkan Kejadian Stunting pada Balita di Wilayah Pesisir Desa Sorue Jaya Kecamatan Soropia Kabupaten Konawe. *J Kesehat Masy Celeb.* 2022;3:70–80.
 89. Valentine NID, Prasetyowati I, Noveyani AE. Hubungan Ibu, Anak, dan Keluarga dengan Stunting Balita Usia 24-59 Bulan. *Prof Heal J.* 2024;5:389–405.
 90. Siringoringo et al. Karakteristik Keluarga dan Tingkat Kecukupan Asupan Zat Gizi sebagai Faktor Risiko Kejadian Stunting pada Baduta. *Coll Vol 9, Nomor 1, Tahun 2020 J Nutr Coll.* 2020;9.

91. Kristiani R, Mahmudiono T. Stunted Toddlers Had Lower Hair Zinc Level Compared to Their Normal Peers: Result from a Case Control Study in Nganjuk. *J Nutr Sci Vitaminol (Tokyo)*. 2020;66:S103–6.
92. Nurhayati A, Yustiani A, Patriasih R, Mahmudatusaadah A. Daily Protein Intake among Stunted Toddlers in Cimahi, Indonesia. 2023;18:41–2.
93. Sjarif DR, Yuliarti K. Petunjuk Teknis Berbasis Bukti: Diagnosis dan Tatalaksana Stunting secara Komprehensif untuk Dokter Spesialis Anak. 2020. 3–6 p.
94. Suryani L. Hubungan Asupan Zat Gizi Makro (karbohidrat, Protein, Lemak) dan Zink dengan Kejadian Stunting pada balia di wilayah Kerja Puskesmas Beringin Raya Kota Bengkulu Tahun 2022 [Internet]. Poltekkes Kemenkes Bengkulu. Bengkulu; 2022. 39–41 p.
95. Langi et al. Asupan Zat Gizi Dan Tingkat Pendapatan Keluarga Terhadap Kejadian Stunting Pada Anak Usia 3-5 Tahun. *J GIZIDO*. 2019;11:51–6.
96. Haryani VM, Putriana D, Hidayati RW. Asupan Protein Hewani Berhubungan dengan Stunting pada Balita di Wilayah Kerja Puskesmas Minggir. *Amerta Nutr*. 2023;7:139–46.
97. Oktaviani AC, Pratiwi R, Rahmadi FA. Asupan Protein Hewani Sebagai Faktor Risiko Perawakan Pendek Anak Umur 2-4 Tahun. *J Kedokt Diponegoro (Diponegoro Med Journal)*. 2018;7:977–89.
98. Vivi Indah Purnamasari FF. Literatur Review: Perbandingan Asupan Protein Hewani dan Protein Nabati pada Balita Stunting di Indonesia. *Malahayati Nurs J*. 2023;5:1116–29.
99. Oktiva RB, Adriani M. Perbedaan Kadar Zinc Rambut pada Anak Stunting dan Non Stunting Usia 12-24 T. *Amerta Nutr*. 2017;1:133–42.
100. Noftalina E, Mayetti M, Afriwardi A. Hubungan Kadar Zinc dan Pola Asuh Ibu dengan Kejadian Stunting pada Anak Usia 2 – 5 Tahun di Kecamatan Panti Kabupaten Pasaman. *J Ilm Univ Batanghari Jambi*. 2019;19:565.
101. Nurdin RSW. Perbandingan Kadar Zink Rambut dan Zink Serum pada Anak Perawakan Pendek. *Repos UNHAS*. 2022;1:88–100.
102. Siahaan DK. Hubungan Asupan Seng (Zn) dan Protein terhadap Kadar Seng (Zn) Rambut pada Anak Autis di Kota Medan. *Foreign Aff*. 2018;91:1689–99.
103. Rejeki VP, Panunggal B. Hubungan Asupan Protein, Seng Dan Serum Seng Pada Anak Sekolah Dasar. *J Nutr Coll*. 2016;5:166–71.
104. Alves et al. Serum zinc reference intervals and its relationship with dietary, functional, and biochemical indicators in 6- to 9-year-old healthy children. *Food Nutr Res*. 2016;60:1–7.

105. Goyena et al. Dietary zinc intake and the underlying factors of serum zinc deficiency among preschool children in the Philippines. *Philipp J Sci.* 2021;150:799–812.
106. Al GM et. Phytate intake and molar ratios of phytate to zinc, iron and calcium in the diets of people in China. *Eur J Clin Nutr.* 2007;61:368–74.

